



wwPDB EM Validation Summary Report ⓘ

Sep 10, 2024 – 07:50 PM JST

PDB ID : 8IC2
EMDB ID : EMD-35352
Title : Respiratory complex CI:CIII2, type I, PERK -/- mouse under cold temperature
Authors : Shin, Y.-C.; Liao, M.
Deposited on : 2023-02-10
Resolution : 6.30 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev112
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.38.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 6.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	115	 5% 79% 21%
2	B	224	 67% 30%
3	C	263	 75% 25%
4	D	463	 7% 91% 8%
5	E	248	 20% 83% 15%
6	F	464	 24% 89% 9%
7	G	727	 13% 92% 6%
8	H	318	 98%
9	I	212	 80% 18%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	J	172	18% 90% 10%
11	K	98	5% 96% ..
12	L	607	14% 97% .
13	M	459	7% 97% .
14	N	345	. 98% .
15	O	355	16% 88% 10%
16	P	377	18% 88% 10%
17	Q	175	12% 64% 33%
18	R	116	31% 69% 28%
19	S	99	15% 83% 16%
20	T	156	22% 46% 52%
20	U	156	7% 54% 44%
21	V	116	16% 93% ..
22	W	131	7% 87% 13%
23	X	172	. 98% ..
24	Y	143	31% 97% .
25	Z	144	. 96% ..
26	a	70	93% ..
27	b	84	8% 94% 6%
28	c	76	13% 61% 38%
29	d	120	11% 99% .
30	e	106	5% 96% ..
31	f	57	12% 89% 11%
32	g	151	11% 64% 34%
33	h	189	7% 73% 27%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	i	128	9% 71% 29%
35	j	105	9% 64% 36%
36	k	104	11% 64% 34%
37	l	186	15% 82% 17%
38	m	129	23% 97% ..
39	n	179	20% 97% ..
40	o	137	22% 88% 12%
41	p	176	11% 94% 5%
42	q	145	68% 81% 16%
43	r	113	21% 43% 55%
44	s	104	14% 27% 72%
45	AA	480	81% 84% 16%
45	Aa	480	80% 83% 17%
46	AB	453	90% 91% 9%
46	Ab	453	89% 92% 8%
47	AC	381	96% 97% ..
47	Ac	381	90% 97% .
48	AD	325	73% 73% 27%
48	Ad	325	74% 74% 26%
49	AE	274	65% 66% 34%
49	AI	274	18% 18% 82%
49	Ae	274	68% 68% 32%
50	AF	111	86% 87% 13%
50	Af	111	86% 88% 12%
51	AG	82	91% 91% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
51	Ag	82	<p>84% 93% 7%</p>
52	AH	89	<p>72% 70% 28%</p>
52	Ah	89	<p>71% 71% 28%</p>
53	AJ	64	<p>64% 64% 36%</p>
53	Aj	64	<p>64% 64% 36%</p>
54	AK	56	<p>77% 77% 23%</p>
54	Ak	56	<p>79% 80% 20%</p>

2 Entry composition

There are 70 unique types of molecules in this entry. The entry contains 97017 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	91	737	511	102	118	6	0	0

- Molecule 2 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	156	1247	796	223	214	14	0	0

- Molecule 3 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	198	1641	1060	279	299	3	0	0

- Molecule 4 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	427	3443	2201	592	626	24	0	0

- Molecule 5 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	210	1635	1039	275	310	11	0	0

- Molecule 6 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	424	3273	2062	586	603	22	0	0

- Molecule 7 is a protein called NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	687	5287	3316	918	1012	41	0	0

- Molecule 8 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	317	2531	1701	383	425	22	0	0

- Molecule 9 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	173	1389	875	239	263	12	0	0

- Molecule 10 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	155	1178	797	167	199	15	0	0

- Molecule 11 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	K	96	721	468	110	134	9	0	0

- Molecule 12 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	L	606	4798	3181	746	826	45	0	0

- Molecule 13 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	M	459	3630	2407	567	616	40	0	0

- Molecule 14 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	N	344	2694	1790	416	451	37	0	0

- Molecule 15 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	O	318	2588	1662	426	490	10	0	0

- Molecule 16 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	P	339	2720	1759	476	478	7	0	0

- Molecule 17 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	Q	118	957	608	165	180	4	0	0

- Molecule 18 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	R	83	660	411	120	126	3	0	0

- Molecule 19 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	S	83	667	419	126	119	3	0	0

- Molecule 20 is a protein called Acyl carrier protein, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	T	75	604	388	89	122	5	0	0
20	U	87	700	450	103	142	5	0	0

- Molecule 21 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	V	112	915	596	152	164	3	0	0

- Molecule 22 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	W	114	970	619	180	165	6	0	0

- Molecule 23 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	X	169	1385	882	248	245	10	0	0

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	Y	139	1030	657	174	191	8	0	0

- Molecule 25 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	Z	139	1152	741	204	199	8	0	0

- Molecule 26 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	a	67	548	356	97	91	4	0	0

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	b	79	620	408	98	110	4	0	0

- Molecule 28 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	c	47	389	255	67	66	1	0	0

- Molecule 29 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	d	120	996	651	171	165	9	0	0

- Molecule 30 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	e	103	859	544	157	150	8	0	0

- Molecule 31 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	f	51	439	284	79	74	2	0	0

- Molecule 32 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	g	99	835	541	134	156	4	0	0

- Molecule 33 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	h	138	1162	762	194	203	3	0	0

- Molecule 34 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	i	91	765	500	131	131	3	0	0

- Molecule 35 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	j	67	574	376	95	102	1	0	0

- Molecule 36 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	k	69	560	370	97	91	2	0	0

- Molecule 37 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	l	155	1304	840	218	235	11	0	0

- Molecule 38 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
38	m	126	1050	676	189	185	0	0

- Molecule 39 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	n	177	1534	981	275	267	11	0	0

- Molecule 40 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	o	121	1038	654	196	180	8	0	0

- Molecule 41 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	p	167	1415	891	254	262	8	0	0

- Molecule 42 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	q	122	1020	655	180	181	4	0	0

- Molecule 43 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	r	51	418	266	78	73	1	0	0

- Molecule 44 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
44	s	29	238	151	39	48	0	0

- Molecule 45 is a protein called Cytochrome b-c1 complex subunit 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	AA	403	3157	1971	562	608	16	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	Aa	400	3131	1957	554	604	16	0	0

- Molecule 46 is a protein called Cytochrome b-c1 complex subunit 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	AB	413	3097	1949	542	597	9	0	0
46	Ab	417	3128	1965	550	604	9	0	0

- Molecule 47 is a protein called Cytochrome b.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	AC	373	2988	2018	461	489	20	0	0
47	Ac	369	2956	1995	457	484	20	0	0

- Molecule 48 is a protein called Cytochrome c1, heme protein, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	AD	238	1896	1211	326	345	14	0	0
48	Ad	240	1912	1221	328	349	14	0	0

- Molecule 49 is a protein called Cytochrome b-c1 complex subunit Rieske, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	AE	181	1397	885	243	263	6	0	0
49	AI	48	328	210	61	57		0	0
49	Ae	186	1436	907	251	271	7	0	0

- Molecule 50 is a protein called Cytochrome b-c1 complex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	AF	97	855	546	152	154	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	Af	98	864	552	154	155	3	0	0

- Molecule 51 is a protein called Cytochrome b-c1 complex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	AG	75	634	413	115	105	1	0	0
51	Ag	76	643	418	116	108	1	0	0

- Molecule 52 is a protein called Cytochrome b-c1 complex subunit 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	AH	64	527	321	98	103	5	0	0
52	Ah	64	527	321	98	103	5	0	0

- Molecule 53 is a protein called Cytochrome b-c1 complex subunit 9.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
53	AJ	41	332	216	57	59	0	0
53	Aj	41	332	216	57	59	0	0

- Molecule 54 is a protein called Cytochrome b-c1 complex subunit 10.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	AK	43	355	235	64	55	1	0	0
54	Ak	45	365	242	64	58	1	0	0

- Molecule 55 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
55	B	1	8	4	4	0
55	F	1	8	4	4	0
55	G	1	8	4	4	0
55	G	1	8	4	4	0
55	I	1	8	4	4	0
55	I	1	8	4	4	0

- Molecule 56 is UBIQUINONE-1 (three-letter code: UQ1) (formula: C₁₄H₁₈O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
56	B	1	Total	C	O	0
			18	14	4	

- Molecule 57 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PC1) (formula: $C_{44}H_{88}NO_8P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
57	B	1	Total	C	N	O	P	0
			35	25	1	8	1	
57	I	1	Total	C	N	O	P	0
			43	33	1	8	1	

- Molecule 58 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (three-letter code: 3PE) (formula: $C_{41}H_{82}NO_8P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
58	D	1	Total 38	C 28	N 1	O 8	P 1	0
58	H	1	Total 46	C 36	N 1	O 8	P 1	0
58	H	1	Total 51	C 41	N 1	O 8	P 1	0
58	J	1	Total 46	C 36	N 1	O 8	P 1	0
58	L	1	Total 40	C 30	N 1	O 8	P 1	0
58	L	1	Total 49	C 39	N 1	O 8	P 1	0
58	L	1	Total 44	C 34	N 1	O 8	P 1	0
58	M	1	Total 37	C 27	N 1	O 8	P 1	0
58	M	1	Total 49	C 39	N 1	O 8	P 1	0
58	i	1	Total 40	C 30	N 1	O 8	P 1	0
58	m	1	Total 41	C 31	N 1	O 8	P 1	0
58	Ac	1	Total 23	C 13	N 1	O 8	P 1	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
58	Ac	1	35	25	1	8	1	0
58	Ag	1	51	41	1	8	1	0

- Molecule 59 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
59	E	1	4	2	2	0
59	G	1	4	2	2	0


- Molecule 60 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
60	F	1	31	17	4	9	1	0

- Molecule 61 is Ubiquinone-9 (three-letter code: UQ9) (formula: $C_{54}H_{82}O_4$) (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
62	L	1	73	54	17	2	0
62	M	1	82	63	17	2	0
62	Y	1	71	52	17	2	0
62	d	1	65	46	17	2	0
62	h	1	68	49	17	2	0
62	q	1	57	38	17	2	0
62	Aa	1	46	27	17	2	0
62	Ag	1	42	23	17	2	0
62	Ag	1	56	37	17	2	0

- Molecule 63 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
63	L	1	1	1	0
63	R	1	1	1	0


Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
65	P	1	48	21	7	17	3	0

- Molecule 66 is {S}-[2-[3-[(2 {R})-3,3-dimethyl-2-oxidanyl-4-phosphonoxy-butanoyl]amino]propanoylamino]ethyl] (3 {S})-3-oxidanyltetradecanethioate (three-letter code: EHZ) (formula: C₂₅H₄₉N₂O₉PS) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						AltConf
			Total	C	N	O	P	S	
66	W	1	32	19	2	9	1	1	0
66	n	1	32	19	2	9	1	1	0



- Molecule 67 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
70	Ac	1	23	19	4	0





• Molecule 5: NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial




• Molecule 6: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial




• Molecule 7: NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial









• Molecule 8: NADH-ubiquinone oxidoreductase chain 1



• Molecule 9: NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial



• Molecule 10: NADH-ubiquinone oxidoreductase chain 6




• Molecule 11: NADH-ubiquinone oxidoreductase chain 4L




• Molecule 12: NADH-ubiquinone oxidoreductase chain 5








- Molecule 13: NADH-ubiquinone oxidoreductase chain 4




- Molecule 14: NADH-ubiquinone oxidoreductase chain 2




- Molecule 15: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial




- Molecule 16: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 9, mitochondrial







• Molecule 17: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial




• Molecule 18: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial




• Molecule 19: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2





• Molecule 20: Acyl carrier protein, mitochondrial








- Molecule 20: Acyl carrier protein, mitochondrial




- Molecule 21: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5




- Molecule 22: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6



- Molecule 23: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8




- Molecule 24: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11




- Molecule 25: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13

Chain Z:  96%




- Molecule 26: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1

Chain a:  93%



- Molecule 27: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3

Chain b:  94%




- Molecule 28: NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial

Chain c:  61%




- Molecule 29: NADH dehydrogenase [ubiquinone] 1 subunit C2

Chain d:  99%





- Molecule 30: NADH dehydrogenase [ubiquinone] iron-sulfur protein 5

Chain e:  96%




- Molecule 31: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1


Chain f:  89%




- Molecule 32: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial




- Molecule 33: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial




- Molecule 34: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6




- Molecule 35: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial




- Molecule 36: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3




- Molecule 37: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial




- Molecule 38: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4




- Molecule 39: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9




- Molecule 40: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7





- Molecule 41: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10



- Molecule 42: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12




● Molecule 45: Cytochrome b-c1 complex subunit 1, mitochondrial



• Molecule 46: Cytochrome b-c1 complex subunit 2, mitochondrial


Chain AB:




MET	LYS	LEU	LEU	ARG	SER	ALA	ALA	GLY	SER	PHE	SER	SER	ARG	ARG	PHE	TYR	SER	SER	LEU	LYS	VAL	VAL	ALA	PRO	LYS	LYS	LYS	THR	SER	SER	ALA	ALA	PRO	PRO	GLY	GLY	VAL	PRO	LEU	LEU	PRO	GLN	GLN	ASP	L38	E39	F40	T41	K42	L43	P44	N45	G46	L47	V48	I49	A50	S51	L52	E53	N54	Y55	A56	P57	L58	S59	R60
I61	G62	L63	F64	V65	K66	A67	G68	S69	R70	Y71	E72	D73	D74	N75	N76	L77	G78	T79	S80	H81	L82	L83	R84	L85	L86	L87	S87	S88	L89	T90	T91	K92	G93	A94	S95	S96	F97	K98	I99	T100	R101	G102	I103	E104	A105	V106	G107	G108	K109	P110	L111	S111	V112	T113	A114	T115	R116	E117	N118	M119	A120						
Y121	T122	V123	E124	G125	R126	A127	S128	D129	P129	I130	E131	I132	L133	M134	E135	F136	L137	L138	M139	V140	T141	T142	E203	A143	P144	E145	F146	R147	R148	W149	E150	V151	A152	A153	L154	R155	S156	F157	R158	K159	I160	D161	G162	A163	V164	A165	A166	Q167	N168	S169	Q170	T171	R172	I173	I174	E175	N176	L177	H178	D179	V180						
A181	Y182	K183	N184	A185	L186	A187	N188	P189	L190	Y191	C192	Y253	D194	Y195	R196	G197	H198	K199	I200	T201	S202	E203	E204	L205	H206	H206	Y207	F208	V209	Q210	N211	H212	F213	T214	S215	A216	R217	M218	A219	L220	V221	G222	L223	G224	V225	S226	H227	S228	V229	L230	H231	Q232	V233	A234	E235	Q236	F237	L238	M239	M240							
R241	G242	G243	L244	G245	L246	A247	G248	A249	K250	A251	K252	Y253	D254	G255	G256	E257	I258	R259	E260	Q261	N262	G263	D264	N265	L266	V267	A268	A269	A270	I271	V272	A273	E274	S275	A276	A277	I278	G279	N280	A281	E282	A283	N284	A285	F286	S287	G288	L289	V290	Q291	H291	L292	L293	G294	A295	G296	P297	H298	I299	K300							
ARG	GLY	ASN	N304	T305	T306	L308	L309	S310	D370	S311	Q312	V313	A314	K315	G316	S317	H318	Q319	P320	F321	D322	S323	S324	A325	F326	N327	A328	S329	Y330	S331	D332	S333	G334	L335	F336	G337	I338	Y339	T340	I341	S342	Q343	A344	A345	A346	A347	G348	E349	V350	S351	N352	A353	A354	Y355	N356	Q357	V358	K359	A360								
V361	A362	Q363	G364	N365	L366	S367	S368	A369	K370	V371	Q372	A373	A374	K375	N376	K377	L378	K379	A380	G381	G382	L383	M384	S385	V386	E387	T388	S389	E390	G391	F392	L393	S394	E395	I396	G397	S398	Q399	A400	L401	A402	A403	G404	S405	Y406	M407	P408	P409	S410	T411	V412	L413	Q414	Q415	I416	D417	S418	V419	A420								
D421	D422	D423	V424	V425	K426	A427	A428	K429	K430	F431	V432	S433	G434	K435	K436	S437	M438	A439	A440	S441	G442	M443	L444	G445	H446	T447	P448	F449	L450	D451	E452	L453																																			

• Molecule 46: Cytochrome b-c1 complex subunit 2, mitochondrial


Chain Ab:




MET	LYS	LEU	LEU	ARG	SER	ALA	ALA	GLY	SER	PHE	SER	SER	ARG	ARG	PHE	TYR	SER	SER	LEU	LYS	VAL	VAL	ALA	PRO	LYS	LYS	LYS	THR	SER	SER	ALA	ALA	PRO	PRO	GLY	GLY	VAL	PRO	LEU	LEU	PRO	GLN	GLN	D37	L38	E39	F40	T41	K42	L43	P44	N45	G46	L47	V48	I49	A50	S51	L52	E53	N54	Y55	A56	P57	L58	S59	R60
I61	G62	L63	F64	V65	K66	A67	G68	S69	R70	Y71	E72	D73	D74	N75	N76	L77	G78	T79	S80	H81	L82	L83	R84	L85	L86	L87	S87	S88	L89	T90	T91	K92	G93	A94	S95	S96	F97	K98	I99	T100	R101	G102	I103	E104	A105	V106	G107	G108	K109	P110	L111	S111	V112	T113	A114	T115	R116	E117	N118	M119	A120	Y121					
T122	V123	E124	G125	R126	A127	S128	D129	P129	I130	E131	I132	L133	M134	E135	F136	L137	L138	M139	V140	T141	T142	E204	A143	P144	E145	F146	R147	R148	W149	E150	V151	A152	A153	L154	R155	S156	Q157	L158	K159	I160	D161	K162	A163	V164	A165	A166	Q167	N168	S169	Q170	T171	R172	I173	I174	E175	N176	L177	H178	D179	Y182							
K183	M184	A185	L186	A187	N188	P189	L190	Y191	C192	P193	D194	Y195	R196	M197	G198	K199	I200	T201	S202	E203	E204	L205	H206	H206	Y207	F208	V209	Q210	N211	H212	F213	T214	S215	A216	R217	M218	A219	L220	V221	G222	L223	G224	V225	S226	H227	S228	V229	L230	K231	Q232	V233	A234	E235	Q236	F237	L238	M239	M240	R241	G242							




• Molecule 47: Cytochrome b




• Molecule 47: Cytochrome b









● Molecule 49: Cytochrome b-c1 complex subunit Rieske, mitochondrial



● Molecule 50: Cytochrome b-c1 complex subunit 7





● Molecule 50: Cytochrome b-c1 complex subunit 7











• Molecule 51: Cytochrome b-c1 complex subunit 8






• Molecule 51: Cytochrome b-c1 complex subunit 8



• Molecule 52: Cytochrome b-c1 complex subunit 6, mitochondrial




• Molecule 52: Cytochrome b-c1 complex subunit 6, mitochondrial




• Molecule 53: Cytochrome b-c1 complex subunit 9








• Molecule 53: Cytochrome b-c1 complex subunit 9



• Molecule 54: Cytochrome b-c1 complex subunit 10



• Molecule 54: Cytochrome b-c1 complex subunit 10



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	27478	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50.2	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.066	Depositor
Minimum map value	-0.020	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.0082	Depositor
Map size (\AA)	424.96, 424.96, 424.96	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.83, 0.83, 0.83	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, UQ6, UQ9, SF4, EHZ, HEC, ADP, FMN, HEM, UQ1, PC1, FES, CDL, 3PE, ZN, U10

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/755	0.56	0/1029
2	B	0.62	2/1278 (0.2%)	0.78	1/1730 (0.1%)
3	C	0.55	0/1687	0.79	1/2297 (0.0%)
4	D	0.60	2/3532 (0.1%)	0.83	6/4782 (0.1%)
5	E	0.58	3/1675 (0.2%)	0.68	3/2282 (0.1%)
6	F	0.59	4/3347 (0.1%)	0.78	9/4522 (0.2%)
7	G	0.62	4/5374 (0.1%)	0.93	16/7281 (0.2%)
8	H	0.55	1/2607 (0.0%)	0.71	5/3561 (0.1%)
9	I	0.61	1/1418 (0.1%)	0.87	2/1915 (0.1%)
10	J	0.39	0/1205	0.59	1/1633 (0.1%)
11	K	0.57	0/732	0.79	2/994 (0.2%)
12	L	0.67	5/4921 (0.1%)	0.90	19/6696 (0.3%)
13	M	0.69	4/3717 (0.1%)	0.90	10/5062 (0.2%)
14	N	0.67	2/2756 (0.1%)	0.85	7/3751 (0.2%)
15	O	0.63	4/2655 (0.2%)	0.74	8/3601 (0.2%)
16	P	0.56	2/2793 (0.1%)	0.71	6/3787 (0.2%)
17	Q	0.58	2/980 (0.2%)	0.80	4/1324 (0.3%)
18	R	0.81	2/671 (0.3%)	0.85	2/903 (0.2%)
19	S	0.66	1/678 (0.1%)	0.90	1/915 (0.1%)
20	T	0.76	1/613 (0.2%)	0.90	4/826 (0.5%)
20	U	0.61	0/712	0.79	2/962 (0.2%)
21	V	0.57	0/937	0.85	4/1270 (0.3%)
22	W	0.47	0/993	0.54	0/1335
23	X	0.48	0/1422	0.70	0/1921
24	Y	0.52	0/1054	0.59	0/1429
25	Z	0.56	1/1183 (0.1%)	0.69	0/1597
26	a	0.57	0/561	0.81	2/755 (0.3%)
27	b	0.45	0/643	0.53	0/884
28	c	0.46	0/400	0.76	1/544 (0.2%)
29	d	0.61	1/1028 (0.1%)	0.63	2/1387 (0.1%)
30	e	0.51	1/881 (0.1%)	0.64	1/1173 (0.1%)
31	f	0.40	0/451	0.44	0/607

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	g	0.63	1/863 (0.1%)	0.92	3/1175 (0.3%)
33	h	0.52	0/1197	0.74	0/1621
34	i	0.56	0/790	0.74	0/1074
35	j	0.51	0/599	0.69	0/820
36	k	0.82	1/578 (0.2%)	0.94	3/782 (0.4%)
37	l	0.69	2/1359 (0.1%)	0.76	1/1855 (0.1%)
38	m	0.55	0/1079	0.75	0/1463
39	n	0.64	1/1589 (0.1%)	0.74	2/2152 (0.1%)
40	o	0.50	0/1063	0.63	0/1427
41	p	0.53	0/1448	0.71	1/1957 (0.1%)
42	q	0.76	2/1054 (0.2%)	0.95	4/1431 (0.3%)
43	r	0.87	2/426 (0.5%)	1.17	2/573 (0.3%)
44	s	0.30	0/244	0.71	1/331 (0.3%)
45	AA	0.35	0/3218	0.58	1/4362 (0.0%)
45	Aa	0.33	0/3191	0.60	1/4326 (0.0%)
46	AB	0.33	0/3146	0.56	0/4252
46	Ab	0.32	0/3178	0.55	0/4296
47	AC	0.36	1/3089 (0.0%)	0.55	1/4221 (0.0%)
47	Ac	0.37	1/3054 (0.0%)	0.54	0/4170
48	AD	0.33	0/1955	0.54	0/2655
48	Ad	0.33	0/1971	0.50	0/2677
49	AE	0.45	0/1428	0.60	1/1934 (0.1%)
49	AI	0.34	0/331	0.53	0/451
49	Ae	0.45	0/1467	0.59	1/1985 (0.1%)
50	AF	0.32	0/875	0.52	0/1173
50	Af	0.32	0/884	0.43	0/1184
51	AG	0.37	0/653	0.56	0/883
51	Ag	0.36	0/662	0.56	0/895
52	AH	0.31	0/534	0.68	2/717 (0.3%)
52	Ah	0.36	0/534	0.58	1/717 (0.1%)
53	AJ	0.35	0/339	0.48	0/457
53	Aj	0.35	0/339	0.48	0/457
54	AK	0.32	0/368	0.46	0/504
54	Ak	0.28	0/379	0.42	0/522
All	All	0.54	54/97543 (0.1%)	0.73	144/132254 (0.1%)

The worst 5 of 54 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	R	89	PRO	N-CD	-15.21	1.26	1.47
12	L	265	PRO	N-CD	13.75	1.67	1.47
36	k	50	PRO	N-CD	-13.70	1.28	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
42	q	139	PRO	N-CD	-13.58	1.28	1.47
14	N	255	PRO	N-CD	-13.52	1.28	1.47

The worst 5 of 144 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	r	91	GLU	N-CA-CB	13.66	135.18	110.60
26	a	3	PHE	CB-CA-C	-10.41	89.59	110.40
36	k	50	PRO	CA-N-CD	9.93	125.61	111.70
14	N	255	PRO	CA-N-CD	9.86	125.50	111.70
42	q	139	PRO	CA-N-CD	9.59	125.12	111.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	87/115 (76%)	83 (95%)	4 (5%)	0	100	100
2	B	154/224 (69%)	142 (92%)	11 (7%)	1 (1%)	22	60
3	C	196/263 (74%)	187 (95%)	9 (5%)	0	100	100
4	D	423/463 (91%)	392 (93%)	31 (7%)	0	100	100
5	E	208/248 (84%)	193 (93%)	15 (7%)	0	100	100
6	F	422/464 (91%)	403 (96%)	19 (4%)	0	100	100
7	G	685/727 (94%)	632 (92%)	53 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	H	313/318 (98%)	295 (94%)	18 (6%)	0	100	100
9	I	169/212 (80%)	169 (100%)	0	0	100	100
10	J	149/172 (87%)	136 (91%)	13 (9%)	0	100	100
11	K	94/98 (96%)	92 (98%)	2 (2%)	0	100	100
12	L	604/607 (100%)	576 (95%)	28 (5%)	0	100	100
13	M	457/459 (100%)	439 (96%)	18 (4%)	0	100	100
14	N	342/345 (99%)	331 (97%)	10 (3%)	1 (0%)	37	72
15	O	316/355 (89%)	302 (96%)	14 (4%)	0	100	100
16	P	337/377 (89%)	314 (93%)	23 (7%)	0	100	100
17	Q	116/175 (66%)	114 (98%)	2 (2%)	0	100	100
18	R	81/116 (70%)	75 (93%)	6 (7%)	0	100	100
19	S	81/99 (82%)	77 (95%)	4 (5%)	0	100	100
20	T	73/156 (47%)	72 (99%)	1 (1%)	0	100	100
20	U	85/156 (54%)	83 (98%)	2 (2%)	0	100	100
21	V	110/116 (95%)	107 (97%)	3 (3%)	0	100	100
22	W	112/131 (86%)	111 (99%)	1 (1%)	0	100	100
23	X	167/172 (97%)	153 (92%)	14 (8%)	0	100	100
24	Y	137/143 (96%)	133 (97%)	4 (3%)	0	100	100
25	Z	137/144 (95%)	132 (96%)	5 (4%)	0	100	100
26	a	65/70 (93%)	61 (94%)	4 (6%)	0	100	100
27	b	77/84 (92%)	69 (90%)	8 (10%)	0	100	100
28	c	45/76 (59%)	44 (98%)	1 (2%)	0	100	100
29	d	118/120 (98%)	117 (99%)	1 (1%)	0	100	100
30	e	101/106 (95%)	95 (94%)	6 (6%)	0	100	100
31	f	49/57 (86%)	49 (100%)	0	0	100	100
32	g	97/151 (64%)	91 (94%)	6 (6%)	0	100	100
33	h	136/189 (72%)	130 (96%)	6 (4%)	0	100	100
34	i	87/128 (68%)	80 (92%)	7 (8%)	0	100	100
35	j	65/105 (62%)	61 (94%)	4 (6%)	0	100	100
36	k	67/104 (64%)	64 (96%)	3 (4%)	0	100	100
37	l	153/186 (82%)	141 (92%)	12 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
38	m	124/129 (96%)	117 (94%)	7 (6%)	0	100	100
39	n	175/179 (98%)	165 (94%)	9 (5%)	1 (1%)	22	60
40	o	119/137 (87%)	116 (98%)	3 (2%)	0	100	100
41	p	165/176 (94%)	148 (90%)	17 (10%)	0	100	100
42	q	118/145 (81%)	115 (98%)	3 (2%)	0	100	100
43	r	47/113 (42%)	43 (92%)	4 (8%)	0	100	100
44	s	27/104 (26%)	27 (100%)	0	0	100	100
45	AA	397/480 (83%)	385 (97%)	12 (3%)	0	100	100
45	Aa	394/480 (82%)	385 (98%)	9 (2%)	0	100	100
46	AB	409/453 (90%)	397 (97%)	12 (3%)	0	100	100
46	Ab	415/453 (92%)	406 (98%)	9 (2%)	0	100	100
47	AC	371/381 (97%)	365 (98%)	6 (2%)	0	100	100
47	Ac	365/381 (96%)	361 (99%)	4 (1%)	0	100	100
48	AD	236/325 (73%)	230 (98%)	6 (2%)	0	100	100
48	Ad	238/325 (73%)	229 (96%)	9 (4%)	0	100	100
49	AE	175/274 (64%)	164 (94%)	11 (6%)	0	100	100
49	AI	40/274 (15%)	38 (95%)	2 (5%)	0	100	100
49	Ae	180/274 (66%)	167 (93%)	13 (7%)	0	100	100
50	AF	95/111 (86%)	95 (100%)	0	0	100	100
50	Af	96/111 (86%)	96 (100%)	0	0	100	100
51	AG	73/82 (89%)	73 (100%)	0	0	100	100
51	Ag	74/82 (90%)	74 (100%)	0	0	100	100
52	AH	62/89 (70%)	60 (97%)	2 (3%)	0	100	100
52	Ah	62/89 (70%)	60 (97%)	2 (3%)	0	100	100
53	AJ	39/64 (61%)	39 (100%)	0	0	100	100
53	Aj	39/64 (61%)	39 (100%)	0	0	100	100
54	AK	41/56 (73%)	39 (95%)	2 (5%)	0	100	100
54	Ak	43/56 (77%)	40 (93%)	3 (7%)	0	100	100
All	All	11734/14118 (83%)	11218 (96%)	513 (4%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
14	N	109	ALA
2	B	195	PRO
39	n	156	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	83/104 (80%)	83 (100%)	0	100	100
2	B	132/185 (71%)	130 (98%)	2 (2%)	60	75
3	C	180/227 (79%)	180 (100%)	0	100	100
4	D	369/395 (93%)	369 (100%)	0	100	100
5	E	182/206 (88%)	182 (100%)	0	100	100
6	F	340/370 (92%)	340 (100%)	0	100	100
7	G	579/610 (95%)	579 (100%)	0	100	100
8	H	279/280 (100%)	279 (100%)	0	100	100
9	I	147/178 (83%)	147 (100%)	0	100	100
10	J	124/138 (90%)	124 (100%)	0	100	100
11	K	86/88 (98%)	86 (100%)	0	100	100
12	L	549/550 (100%)	549 (100%)	0	100	100
13	M	415/415 (100%)	415 (100%)	0	100	100
14	N	307/308 (100%)	307 (100%)	0	100	100
15	O	282/309 (91%)	282 (100%)	0	100	100
16	P	296/325 (91%)	296 (100%)	0	100	100
17	Q	105/153 (69%)	105 (100%)	0	100	100
18	R	70/96 (73%)	70 (100%)	0	100	100
19	S	74/80 (92%)	74 (100%)	0	100	100
20	T	69/135 (51%)	69 (100%)	0	100	100
20	U	80/135 (59%)	80 (100%)	0	100	100
21	V	100/102 (98%)	100 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	W	108/114 (95%)	108 (100%)	0	100	100
23	X	152/154 (99%)	151 (99%)	1 (1%)	81	87
24	Y	104/107 (97%)	104 (100%)	0	100	100
25	Z	120/123 (98%)	120 (100%)	0	100	100
26	a	57/60 (95%)	57 (100%)	0	100	100
27	b	70/73 (96%)	70 (100%)	0	100	100
28	c	41/67 (61%)	41 (100%)	0	100	100
29	d	107/107 (100%)	107 (100%)	0	100	100
30	e	91/94 (97%)	91 (100%)	0	100	100
31	f	47/53 (89%)	47 (100%)	0	100	100
32	g	90/129 (70%)	90 (100%)	0	100	100
33	h	123/162 (76%)	123 (100%)	0	100	100
34	i	86/120 (72%)	86 (100%)	0	100	100
35	j	62/87 (71%)	62 (100%)	0	100	100
36	k	54/78 (69%)	54 (100%)	0	100	100
37	l	140/161 (87%)	140 (100%)	0	100	100
38	m	112/114 (98%)	111 (99%)	1 (1%)	75	83
39	n	162/164 (99%)	162 (100%)	0	100	100
40	o	111/121 (92%)	111 (100%)	0	100	100
41	p	152/158 (96%)	152 (100%)	0	100	100
42	q	110/131 (84%)	110 (100%)	0	100	100
43	r	44/96 (46%)	44 (100%)	0	100	100
44	s	28/95 (30%)	28 (100%)	0	100	100
45	AA	341/398 (86%)	341 (100%)	0	100	100
45	Aa	339/398 (85%)	339 (100%)	0	100	100
46	AB	324/356 (91%)	324 (100%)	0	100	100
46	Ab	327/356 (92%)	327 (100%)	0	100	100
47	AC	325/333 (98%)	325 (100%)	0	100	100
47	Ac	322/333 (97%)	322 (100%)	0	100	100
48	AD	203/260 (78%)	203 (100%)	0	100	100
48	Ad	205/260 (79%)	205 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
49	AE	152/224 (68%)	152 (100%)	0	100	100
49	AI	33/224 (15%)	33 (100%)	0	100	100
49	Ae	156/224 (70%)	156 (100%)	0	100	100
50	AF	89/99 (90%)	89 (100%)	0	100	100
50	Af	90/99 (91%)	90 (100%)	0	100	100
51	AG	68/74 (92%)	68 (100%)	0	100	100
51	Ag	69/74 (93%)	69 (100%)	0	100	100
52	AH	61/83 (74%)	61 (100%)	0	100	100
52	Ah	61/83 (74%)	61 (100%)	0	100	100
53	AJ	33/55 (60%)	33 (100%)	0	100	100
53	Aj	33/55 (60%)	33 (100%)	0	100	100
54	AK	34/46 (74%)	34 (100%)	0	100	100
54	Ak	35/46 (76%)	35 (100%)	0	100	100
All	All	10319/12037 (86%)	10315 (100%)	4 (0%)	100	100

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	95	PHE
2	B	170	TYR
23	X	48	TRP
38	m	49	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 202 such sidechains are listed below:

Mol	Chain	Res	Type
17	Q	88	GLN
38	m	75	ASN
52	Ah	37	GLN
21	V	41	HIS
27	b	69	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 51 ligands modelled in this entry, 2 are monoatomic - leaving 49 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
62	CDL	Y	201	-	70,70,99	1.08	4 (5%)	76,82,111	1.16	7 (9%)
62	CDL	M	503	-	81,81,99	1.01	4 (4%)	87,93,111	1.14	6 (6%)
68	UQ6	AC	403	-	28,28,43	2.42	6 (21%)	33,37,55	2.03	9 (27%)
60	FMN	F	501	-	33,33,33	1.39	5 (15%)	48,50,50	1.23	7 (14%)
64	ADP	O	401	-	24,29,29	0.94	1 (4%)	29,45,45	1.37	4 (13%)
68	UQ6	Ac	406	-	23,23,43	2.77	6 (26%)	27,31,55	1.96	5 (18%)
58	3PE	H	402	-	45,45,50	0.97	2 (4%)	48,50,55	0.97	2 (4%)
58	3PE	i	201	-	39,39,50	1.03	2 (5%)	42,44,55	1.14	3 (7%)
58	3PE	H	403	-	50,50,50	0.91	2 (4%)	53,55,55	1.01	2 (3%)
58	3PE	Ac	401	-	22,22,50	0.47	0	25,27,55	0.74	1 (4%)
67	HEM	AC	401	47	41,50,50	1.24	4 (9%)	45,82,82	1.68	8 (17%)
58	3PE	Ac	404	-	34,34,50	0.32	0	37,39,55	0.41	0
55	SF4	B	301	2	0,12,12	-	-	-	-	-
55	SF4	G	801	7	0,12,12	-	-	-	-	-
67	HEM	AC	402	47	41,50,50	1.35	4 (9%)	45,82,82	1.96	9 (20%)
62	CDL	Ag	102	-	55,55,99	0.39	0	61,67,111	0.33	0
58	3PE	M	502	-	48,48,50	0.93	2 (4%)	51,53,55	1.14	3 (5%)
58	3PE	L	702	-	48,48,50	0.92	2 (4%)	51,53,55	1.10	3 (5%)
55	SF4	F	502	6	0,12,12	-	-	-	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
58	3PE	L	705	-	43,43,50	0.99	2 (4%)	46,48,55	1.08	3 (6%)
62	CDL	L	703	-	72,72,99	1.06	4 (5%)	78,84,111	1.14	6 (7%)
62	CDL	Aa	501	-	45,45,99	0.43	0	51,57,111	0.36	0
67	HEM	Ac	402	47	41,50,50	1.22	4 (9%)	45,82,82	1.69	8 (17%)
58	3PE	m	201	-	40,40,50	1.01	2 (5%)	43,45,55	1.15	3 (6%)
66	EHZ	n	201	-	27,31,37	1.91	7 (25%)	37,41,47	1.56	4 (10%)
59	FES	E	301	5	0,4,4	-	-	-	-	-
62	CDL	d	201	-	64,64,99	1.13	4 (6%)	70,76,111	1.20	6 (8%)
69	HEC	Ad	401	48	32,50,50	2.15	3 (9%)	24,82,82	1.64	4 (16%)
62	CDL	Ag	101	-	41,41,99	0.45	0	47,53,111	0.36	0
55	SF4	G	802	7	0,12,12	-	-	-	-	-
58	3PE	L	701	-	39,39,50	1.02	2 (5%)	42,44,55	1.06	2 (4%)
57	PC1	B	303	-	34,34,53	1.15	2 (5%)	40,42,61	1.16	4 (10%)
56	UQ1	B	302	-	18,18,18	2.00	2 (11%)	22,25,25	1.18	3 (13%)
58	3PE	J	201	-	45,45,50	0.97	2 (4%)	48,50,55	1.06	3 (6%)
58	3PE	Ag	103	-	50,50,50	0.31	0	53,55,55	0.29	0
65	NDP	P	401	-	45,52,52	0.96	2 (4%)	53,80,80	1.17	4 (7%)
55	SF4	I	303	9	0,12,12	-	-	-	-	-
67	HEM	Ac	403	47	41,50,50	1.26	3 (7%)	45,82,82	1.69	9 (20%)
62	CDL	h	201	-	67,67,99	1.10	4 (5%)	73,79,111	1.15	6 (8%)
62	CDL	q	201	-	56,56,99	1.21	4 (7%)	62,68,111	1.21	5 (8%)
57	PC1	I	301	-	42,42,53	1.04	2 (4%)	48,50,61	1.04	3 (6%)
58	3PE	D	501	-	37,37,50	1.06	2 (5%)	40,42,55	1.08	3 (7%)
70	U10	Ac	405	-	23,23,63	1.24	3 (13%)	28,31,79	2.08	7 (25%)
59	FES	G	803	7	0,4,4	-	-	-	-	-
66	EHZ	W	201	-	27,31,37	1.89	7 (25%)	37,41,47	1.86	11 (29%)
55	SF4	I	302	9	0,12,12	-	-	-	-	-
69	HEC	AD	401	48	32,50,50	2.17	3 (9%)	24,82,82	1.64	5 (20%)
58	3PE	M	501	-	36,36,50	1.08	2 (5%)	39,41,55	1.05	3 (7%)
61	UQ9	H	401	-	35,35,58	0.79	2 (5%)	42,45,73	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
62	CDL	Y	201	-	-	16/81/81/110	-
62	CDL	M	503	-	-	24/92/92/110	-
68	UQ6	AC	403	-	-	4/21/21/39	0/1/1/1
60	FMN	F	501	-	-	1/18/18/18	0/3/3/3
64	ADP	O	401	-	-	2/12/32/32	0/3/3/3
68	UQ6	Ac	406	-	-	2/15/15/39	0/1/1/1
58	3PE	H	402	-	-	13/49/49/54	-
58	3PE	i	201	-	-	9/43/43/54	-
58	3PE	Ac	401	-	-	7/26/26/54	-
58	3PE	H	403	-	-	11/54/54/54	-
67	HEM	AC	401	47	-	7/12/54/54	-
58	3PE	Ac	404	-	-	13/38/38/54	-
55	SF4	B	301	2	-	-	0/6/5/5
55	SF4	G	801	7	-	-	0/6/5/5
67	HEM	AC	402	47	-	7/12/54/54	-
62	CDL	Ag	102	-	-	13/66/66/110	-
58	3PE	M	502	-	-	14/52/52/54	-
58	3PE	L	702	-	-	13/52/52/54	-
55	SF4	F	502	6	-	-	0/6/5/5
58	3PE	L	705	-	-	13/47/47/54	-
62	CDL	L	703	-	-	20/83/83/110	-
62	CDL	Aa	501	-	-	17/56/56/110	-
67	HEM	Ac	402	47	-	7/12/54/54	-
58	3PE	m	201	-	-	11/44/44/54	-
66	EHZ	n	201	-	-	21/39/39/45	-
62	CDL	d	201	-	-	27/75/75/110	-
59	FES	E	301	5	-	-	0/1/1/1
69	HEC	Ad	401	48	-	0/10/54/54	-
62	CDL	Ag	101	-	-	14/52/52/110	-
55	SF4	G	802	7	-	-	0/6/5/5
58	3PE	L	701	-	-	9/43/43/54	-
57	PC1	B	303	-	-	11/38/38/57	-
56	UQ1	B	302	-	-	0/9/33/33	0/1/1/1
58	3PE	J	201	-	-	13/49/49/54	-
58	3PE	Ag	103	-	-	10/54/54/54	-
65	NDP	P	401	-	-	4/30/77/77	0/5/5/5
55	SF4	I	303	9	-	-	0/6/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
67	HEM	Ac	403	47	-	6/12/54/54	-
62	CDL	h	201	-	-	19/78/78/110	-
62	CDL	q	201	-	-	20/67/67/110	-
58	3PE	D	501	-	-	10/41/41/54	-
57	PC1	I	301	-	-	9/46/46/57	-
70	U10	Ac	405	-	-	6/15/39/87	0/1/1/1
66	EHZ	W	201	-	-	21/39/39/45	-
69	HEC	AD	401	48	-	0/10/54/54	-
55	SF4	I	302	9	-	-	0/6/5/5
59	FES	G	803	7	-	-	0/1/1/1
58	3PE	M	501	-	-	10/40/40/54	-
61	UQ9	H	401	-	-	17/30/54/81	0/1/1/1

The worst 5 of 112 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
68	AC	403	UQ6	C5-C4	8.00	1.52	1.39
56	B	302	UQ1	C6-C5	7.58	1.49	1.35
69	Ad	401	HEC	C3C-C2C	-6.41	1.34	1.40
69	AD	401	HEC	C3C-C2C	-6.40	1.34	1.40
69	AD	401	HEC	C2B-C3B	-6.15	1.34	1.40

The worst 5 of 171 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
70	Ac	405	U10	C6-C1-C2	7.72	125.28	119.18
66	W	201	EHZ	C8-C9-S1	6.35	121.48	113.63
68	Ac	406	UQ6	C4M-O4-C4	5.92	131.00	114.78
68	AC	403	UQ6	C7-C8-C9	-5.78	118.27	127.24
66	n	201	EHZ	C8-C9-S1	5.56	120.50	113.63

There are no chirality outliers.


5 of 451 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
57	B	303	PC1	C1-O11-P-O12
57	B	303	PC1	C1-O11-P-O14
57	B	303	PC1	C1-O11-P-O13
57	B	303	PC1	O22-C21-O21-C2
58	D	501	3PE	C1-O11-P-O14


There are no ring outliers.



No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
























































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-35352. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 310




Y Index: 232




Z Index: 252


6.3.2 Raw map



X Index: 205



Y Index: 234




Z Index: 268


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0082. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_35352_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 617 nm³; this corresponds to an approximate mass of 557 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.159 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.159 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	6.30	-	-
Author-provided FSC curve	6.25	8.30	6.61
Unmasked-calculated*	8.42	19.38	9.06

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.42 differs from the reported value 6.3 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-35352 and PDB model 8IC2. Per-residue inclusion information can be found in section 3 on page 26.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0082 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0082).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 59% of all backbone atoms, 45% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

































































The table lists the average atom inclusion at the recommended contour level (0.0082) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4470	 0.1620
A	 0.6300	 0.2860
AA	 0.0700	 0.0200
AB	 0.0460	 0.0120
AC	 0.0610	 -0.0060
AD	 0.0420	 -0.0050
AE	 0.0500	 -0.0000
AF	 0.0580	 0.0020
AG	 0.0440	 -0.0140
AH	 0.0140	 0.0180
AI	 0.0780	 -0.0240
AJ	 0.0650	 -0.0270
AK	 0.0500	 -0.0080
Aa	 0.0790	 0.0060
Ab	 0.0970	 0.0020
Ac	 0.1120	 0.0070
Ad	 0.0490	 -0.0020
Ae	 0.0270	 0.0020
Af	 0.0760	 0.0280
Ag	 0.1020	 0.0200
Ah	 0.0230	 0.0210
Aj	 0.0370	 -0.0150
Ak	 0.0460	 -0.0170
B	 0.7370	 0.2950
C	 0.7190	 0.2680
D	 0.7110	 0.3040
E	 0.5840	 0.1820
F	 0.5730	 0.1700
G	 0.6660	 0.2170
H	 0.6640	 0.2950
I	 0.7580	 0.3010
J	 0.5800	 0.2550
K	 0.6600	 0.2980
L	 0.6060	 0.2500
M	 0.6240	 0.2910



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
N	 0.6810	 0.3080
O	 0.6070	 0.2140
P	 0.6080	 0.1960
Q	 0.6230	 0.2630
R	 0.4540	 0.1950
S	 0.6130	 0.1520
T	 0.4760	 0.1260
U	 0.6600	 0.2200
V	 0.6430	 0.1750
W	 0.6640	 0.2260
X	 0.7620	 0.2650
Y	 0.4750	 0.2170
Z	 0.7340	 0.2500
a	 0.7750	 0.2800
b	 0.7270	 0.2540
c	 0.5820	 0.2290
d	 0.6170	 0.2230
e	 0.7340	 0.2790
f	 0.6200	 0.2590
g	 0.6070	 0.2300
h	 0.6340	 0.2510
i	 0.6070	 0.2300
j	 0.6300	 0.1610
k	 0.6270	 0.2090
l	 0.6080	 0.2260
m	 0.5370	 0.2100
n	 0.6180	 0.2200
o	 0.5820	 0.1390
p	 0.6770	 0.2430
q	 0.2250	 0.1500
r	 0.4090	 0.1190
s	 0.3530	 0.0670