

# wwPDB X-ray Structure Validation Summary Report (i)

#### Jun 17, 2024 – 08:11 AM EDT

PDB ID : 5IFL

Title : Crystal structure of B. pseudomallei FabI in complex with NAD and triclosan

Authors: Hirschbeck, M.W.; Eltschkner, S.; Tonge, P.J.; Kisker, C.

Deposited on : 2016-02-26

Resolution : 2.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.37.1

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

 $Refmac \quad : \quad 5.8.0158$ 

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.37.1

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$ 

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	Similar resolution $(\#\text{Entries, resolution range}(\mathring{A}))$			
$R_{free}$	130704	3163 (2.60-2.60)			
Clashscore	141614	3518 (2.60-2.60)			
Ramachandran outliers	138981	3455 (2.60-2.60)			
Sidechain outliers	138945	3455 (2.60-2.60)			
RSRZ outliers	127900	3104 (2.60-2.60)			

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	276	82%	11%	8%
1	В	276	82%	11%	8%
1	С	276	82%	11%	8%
1	D	276	82%	11%	8%
1	Е	276	82%	10%	8%



Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	F	276	80%	12%	8%
1	G	276	81%	12%	8%
1	Н	276	80%	12%	8%
1	I	276	81%	12%	8%
1	J	276	79%	13%	8%
1	K	276	80%	12%	8%
1	L	276	81%	12%	8%
1	M	276	78%	14%	8%
1	N	276	76% 4%	16%	8%
1	О	276	78% 	14%	8%
1	Р	276	78%	14%	8%



## 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 32377 atoms, of which 432 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Enoyl-[acyl-carrier-protein] reductase [NADH].

Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf	Trace
1	В	255	Total	С	N	О	S	0	0	0
1	Б	∠33	1900	1211	323	361	5	0	0	
1	A	255	Total	С	N	О	S	0	0	0
1	A	255	1900	1211	323	361	5	0	U	
1	С	255	Total	С	N	О	S	0	0	0
1		200	1900	1211	323	361	5	0	U	U
1	D	255	Total	С	N	О	S	0	0	0
1	D	200	1900	1211	323	361	5	0	U	U
1	E	255	Total	С	N	О	S	0	0	0
	L	200	1900	1211	323	361	5	0	O	U
1	F	255	Total	С	N	О	S	0	0	0
	1	200	1900	1211	323	361	5	0	Ü	
1	G	255	Total	С	N	O	S	0	0	0
	G G	200	1900	1211	323	361	5	0	Ü	
1	Н	255	Total	С	N	O	S	0	0	0
1	11	200	1900	1211	323	361	5	0		0
1	I	255	Total	С	N	O	S	0	0	0
1	1	200	1900	1211	323	361	5	0		
1	J	255	Total	С	N	О	S	0	0	0
1	3	200	1900	1211	323	361	5	0	Ü	0
1	K	255	Total	С	N	О	S	0	0	0
	11	200	1900	1211	323	361	5	0	Ü	0
1	L	255	Total	С	N	O	S	0	0	0
	Ь	200	1900	1211	323	361	5	Ů,	Ü	0
1	M	255	Total	С	N	O	S	0	0	0
	1/1	200	1900	1211	323	361	5	Ů,	Ü	0
1	N	255	Total	$\mathbf{C}$	N	O	S	0	0	0
	11	200	1900	1211	323	361	5	0	O	0
1	O	255	Total	С	N	О	S	0	0	0
1		200	1900	1211	323	361	5		U	
1	Р	255	Total	С	N	О	S	0	0	0
1	1	200	1900	1211	323	361	5	U	U	U



There are 208 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	264	LYS	-	expression tag	UNP A0A069B9A4
В	265	LEU	-	expression tag	UNP A0A069B9A4
В	266	ALA	-	expression tag	UNP A0A069B9A4
В	267	ALA	-	expression tag	UNP A0A069B9A4
В	268	ALA	-	expression tag	UNP A0A069B9A4
В	269	LEU	-	expression tag	UNP A0A069B9A4
В	270	GLU	-	expression tag	UNP A0A069B9A4
В	271	HIS	-	expression tag	UNP A0A069B9A4
В	272	HIS	-	expression tag	UNP A0A069B9A4
В	273	HIS	-	expression tag	UNP A0A069B9A4
В	274	HIS	-	expression tag	UNP A0A069B9A4
В	275	HIS	-	expression tag	UNP A0A069B9A4
В	276	HIS	-	expression tag	UNP A0A069B9A4
A	264	LYS	-	expression tag	UNP A0A069B9A4
A	265	LEU	-	expression tag	UNP A0A069B9A4
A	266	ALA	-	expression tag	UNP A0A069B9A4
A	267	ALA	_	expression tag	UNP A0A069B9A4
A	268	ALA	-	expression tag	UNP A0A069B9A4
A	269	LEU	-	expression tag	UNP A0A069B9A4
A	270	GLU	-	expression tag	UNP A0A069B9A4
A	271	HIS	-	expression tag	UNP A0A069B9A4
A	272	HIS	-	expression tag	UNP A0A069B9A4
A	273	HIS	-	expression tag	UNP A0A069B9A4
A	274	HIS	-	expression tag	UNP A0A069B9A4
A	275	HIS	-	expression tag	UNP A0A069B9A4
A	276	HIS	-	expression tag	UNP A0A069B9A4
С	264	LYS	-	expression tag	UNP A0A069B9A4
С	265	LEU	-	expression tag	UNP A0A069B9A4
С	266	ALA	-	expression tag	UNP A0A069B9A4
С	267	ALA	-	expression tag	UNP A0A069B9A4
С	268	ALA	-	expression tag	UNP A0A069B9A4
С	269	LEU	-	expression tag	UNP A0A069B9A4
С	270	GLU	-	expression tag	UNP A0A069B9A4
С	271	HIS	-	expression tag	UNP A0A069B9A4
С	272	HIS	-	expression tag	UNP A0A069B9A4
С	273	HIS	-	expression tag	UNP A0A069B9A4
С	274	HIS	_	expression tag	UNP A0A069B9A4
С	275	HIS	-	expression tag	UNP A0A069B9A4
С	276	HIS	-	expression tag	UNP A0A069B9A4
D	264	LYS	-	expression tag	UNP A0A069B9A4
D	265	LEU	-	expression tag	UNP A0A069B9A4
D	266	ALA	-	expression tag	UNP A0A069B9A4



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	267	ALA	_	expression tag	UNP A0A069B9A4
D	268	ALA	-	expression tag	UNP A0A069B9A4
D	269	LEU	-	expression tag	UNP A0A069B9A4
D	270	GLU	_	expression tag	UNP A0A069B9A4
D	271	HIS	-	expression tag	UNP A0A069B9A4
D	272	HIS	-	expression tag	UNP A0A069B9A4
D	273	HIS	-	expression tag	UNP A0A069B9A4
D	274	HIS	-	expression tag	UNP A0A069B9A4
D	275	HIS	-	expression tag	UNP A0A069B9A4
D	276	HIS	-	expression tag	UNP A0A069B9A4
Е	264	LYS	-	expression tag	UNP A0A069B9A4
Е	265	LEU	-	expression tag	UNP A0A069B9A4
Е	266	ALA	-	expression tag	UNP A0A069B9A4
Е	267	ALA	-	expression tag	UNP A0A069B9A4
Е	268	ALA	-	expression tag	UNP A0A069B9A4
Е	269	LEU	-	expression tag	UNP A0A069B9A4
Е	270	GLU	-	expression tag	UNP A0A069B9A4
Е	271	HIS	-	expression tag	UNP A0A069B9A4
Е	272	HIS	-	expression tag	UNP A0A069B9A4
Е	273	HIS	-	expression tag	UNP A0A069B9A4
Е	274	HIS	-	expression tag	UNP A0A069B9A4
Е	275	HIS	-	expression tag	UNP A0A069B9A4
Е	276	HIS	-	expression tag	UNP A0A069B9A4
F	264	LYS	-	expression tag	UNP A0A069B9A4
F	265	LEU	_	expression tag	UNP A0A069B9A4
F	266	ALA	-	expression tag	UNP A0A069B9A4
F	267	ALA	_	expression tag	UNP A0A069B9A4
F	268	ALA	-	expression tag	UNP A0A069B9A4
F	269	LEU	-	expression tag	UNP A0A069B9A4
F	270	GLU	-	expression tag	UNP A0A069B9A4
F	271	HIS	-	expression tag	UNP A0A069B9A4
F	272	HIS	-	expression tag	UNP A0A069B9A4
F	273	HIS	-	expression tag	UNP A0A069B9A4
F	274	HIS	-	expression tag	UNP A0A069B9A4
F	275	HIS	-	expression tag	UNP A0A069B9A4
F	276	HIS	-	expression tag	UNP A0A069B9A4
G	264	LYS	-	expression tag	UNP A0A069B9A4
G	265	LEU	-	expression tag	UNP A0A069B9A4
G	266	ALA	-	expression tag	UNP A0A069B9A4
G	267	ALA	-	expression tag	UNP A0A069B9A4
G	268	ALA	-	expression tag	UNP A0A069B9A4
G	269	LEU	_	expression tag	UNP A0A069B9A4



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	270	GLU	-	expression tag	UNP A0A069B9A4
G	271	HIS	-	expression tag	UNP A0A069B9A4
G	272	HIS	-	expression tag	UNP A0A069B9A4
G	273	HIS	-	expression tag	UNP A0A069B9A4
G	274	HIS	-	expression tag	UNP A0A069B9A4
G	275	HIS	-	expression tag	UNP A0A069B9A4
G	276	HIS	-	expression tag	UNP A0A069B9A4
Н	264	LYS	-	expression tag	UNP A0A069B9A4
Н	265	LEU	-	expression tag	UNP A0A069B9A4
Н	266	ALA	-	expression tag	UNP A0A069B9A4
Н	267	ALA	-	expression tag	UNP A0A069B9A4
Н	268	ALA	-	expression tag	UNP A0A069B9A4
Н	269	LEU	-	expression tag	UNP A0A069B9A4
Н	270	GLU	-	expression tag	UNP A0A069B9A4
Н	271	HIS	-	expression tag	UNP A0A069B9A4
Н	272	HIS	-	expression tag	UNP A0A069B9A4
Н	273	HIS	-	expression tag	UNP A0A069B9A4
Н	274	HIS	-	expression tag	UNP A0A069B9A4
Н	275	HIS	-	expression tag	UNP A0A069B9A4
Н	276	HIS	-	expression tag	UNP A0A069B9A4
I	264	LYS	-	expression tag	UNP A0A069B9A4
I	265	LEU	-	expression tag	UNP A0A069B9A4
I	266	ALA	-	expression tag	UNP A0A069B9A4
I	267	ALA	-	expression tag	UNP A0A069B9A4
I	268	ALA	-	expression tag	UNP A0A069B9A4
I	269	LEU	-	expression tag	UNP A0A069B9A4
I	270	GLU	-	expression tag	UNP A0A069B9A4
I	271	HIS	-	expression tag	UNP A0A069B9A4
I	272	HIS	-	expression tag	UNP A0A069B9A4
I	273	HIS	-	expression tag	UNP A0A069B9A4
I	274	HIS	-	expression tag	UNP A0A069B9A4
I	275	HIS	-	expression tag	UNP A0A069B9A4
I	276	HIS	-	expression tag	UNP A0A069B9A4
J	264	LYS	-	expression tag	UNP A0A069B9A4
J	265	LEU	-	expression tag	UNP A0A069B9A4
J	266	ALA		expression tag	UNP A0A069B9A4
J	267	ALA		expression tag	UNP A0A069B9A4
J	268	ALA		expression tag	UNP A0A069B9A4
J	269	LEU		expression tag	UNP A0A069B9A4
J	270	GLU		expression tag	UNP A0A069B9A4
J	271	HIS	-	expression tag	UNP A0A069B9A4
J	272	HIS		expression tag	UNP A0A069B9A4



Continued from previous page...

Chain	Residue	Modelled  Modelled	Actual	Comment	Reference
J	273	HIS	-	expression tag	UNP A0A069B9A4
J	274	HIS	-	expression tag	UNP A0A069B9A4
J	275	HIS	-	expression tag	UNP A0A069B9A4
J	276	HIS	-	expression tag	UNP A0A069B9A4
K	264	LYS	-	expression tag	UNP A0A069B9A4
K	265	LEU	-	expression tag	UNP A0A069B9A4
K	266	ALA	-	expression tag	UNP A0A069B9A4
K	267	ALA	-	expression tag	UNP A0A069B9A4
K	268	ALA	-	expression tag	UNP A0A069B9A4
K	269	LEU	-	expression tag	UNP A0A069B9A4
K	270	GLU	-	expression tag	UNP A0A069B9A4
K	271	HIS	-	expression tag	UNP A0A069B9A4
K	272	HIS	-	expression tag	UNP A0A069B9A4
K	273	HIS	-	expression tag	UNP A0A069B9A4
K	274	HIS	-	expression tag	UNP A0A069B9A4
K	275	HIS	-	expression tag	UNP A0A069B9A4
K	276	HIS	-	expression tag	UNP A0A069B9A4
L	264	LYS	-	expression tag	UNP A0A069B9A4
L	265	LEU	-	expression tag	UNP A0A069B9A4
L	266	ALA	-	expression tag	UNP A0A069B9A4
L	267	ALA	-	expression tag	UNP A0A069B9A4
L	268	ALA	-	expression tag	UNP A0A069B9A4
L	269	LEU	-	expression tag	UNP A0A069B9A4
L	270	GLU	-	expression tag	UNP A0A069B9A4
L	271	HIS	-	expression tag	UNP A0A069B9A4
L	272	HIS	-	expression tag	UNP A0A069B9A4
L	273	HIS	-	expression tag	UNP A0A069B9A4
L	274	HIS	-	expression tag	UNP A0A069B9A4
L	275	HIS	-	expression tag	UNP A0A069B9A4
L	276	HIS	_	expression tag	UNP A0A069B9A4
M	264	LYS	_	expression tag	UNP A0A069B9A4
M	265	LEU	-	expression tag	UNP A0A069B9A4
M	266	ALA	_	expression tag	UNP A0A069B9A4
M	267	ALA	-	expression tag	UNP A0A069B9A4
M	268	ALA	_	expression tag	UNP A0A069B9A4
M	269	LEU	_	expression tag	UNP A0A069B9A4
M	270	GLU	-	expression tag	UNP A0A069B9A4
M	271	HIS	-	expression tag	UNP A0A069B9A4
M	272	HIS	-	expression tag	UNP A0A069B9A4
M	273	HIS	-	expression tag	UNP A0A069B9A4
M	274	HIS	-	expression tag	UNP A0A069B9A4
M	275	HIS	_	expression tag	UNP A0A069B9A4




Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	276	HIS	-	expression tag	UNP A0A069B9A4
N	264	LYS	-	expression tag	UNP A0A069B9A4
N	265	LEU	-	expression tag	UNP A0A069B9A4
N	266	ALA	-	expression tag	UNP A0A069B9A4
N	267	ALA	-	expression tag	UNP A0A069B9A4
N	268	ALA	-	expression tag	UNP A0A069B9A4
N	269	LEU	-	expression tag	UNP A0A069B9A4
N	270	GLU	-	expression tag	UNP A0A069B9A4
N	271	HIS	-	expression tag	UNP A0A069B9A4
N	272	HIS	-	expression tag	UNP A0A069B9A4
N	273	HIS	-	expression tag	UNP A0A069B9A4
N	274	HIS	-	expression tag	UNP A0A069B9A4
N	275	HIS	-	expression tag	UNP A0A069B9A4
N	276	HIS	-	expression tag	UNP A0A069B9A4
О	264	LYS	-	expression tag	UNP A0A069B9A4
О	265	LEU	-	expression tag	UNP A0A069B9A4
О	266	ALA	-	expression tag	UNP A0A069B9A4
О	267	ALA	-	expression tag	UNP A0A069B9A4
О	268	ALA	_	expression tag	UNP A0A069B9A4
О	269	LEU	-	expression tag	UNP A0A069B9A4
О	270	GLU	_	expression tag	UNP A0A069B9A4
O	271	HIS	-	expression tag	UNP A0A069B9A4
О	272	HIS	-	expression tag	UNP A0A069B9A4
О	273	HIS	-	expression tag	UNP A0A069B9A4
O	274	HIS	-	expression tag	UNP A0A069B9A4
О	275	HIS	-	expression tag	UNP A0A069B9A4
О	276	HIS	-	expression tag	UNP A0A069B9A4
Р	264	LYS	-	expression tag	UNP A0A069B9A4
Р	265	LEU	-	expression tag	UNP A0A069B9A4
Р	266	ALA	-	expression tag	UNP A0A069B9A4
Р	267	ALA	-	expression tag	UNP A0A069B9A4
Р	268	ALA	-	expression tag	UNP A0A069B9A4
Р	269	LEU	-	expression tag	UNP A0A069B9A4
Р	270	GLU	-	expression tag	UNP A0A069B9A4
Р	271	HIS	-	expression tag	UNP A0A069B9A4
Р	272	HIS	-	expression tag	UNP A0A069B9A4
Р	273	HIS	-	expression tag	UNP A0A069B9A4
Р	274	HIS	-	expression tag	UNP A0A069B9A4
Р	275	HIS	-	expression tag	UNP A0A069B9A4
Р	276	HIS	-	expression tag	UNP A0A069B9A4

 $\bullet$  Molecule 2 is TRICLOSAN (three-letter code: TCL) (formula:  $\mathrm{C}_{12}\mathrm{H}_7\mathrm{Cl}_3\mathrm{O}_2).$ 






Mol	Chain	Residues	A	Aton	ns		ZeroOcc	AltConf		
2	В	1	Total	С	Cl	О	0	0		
2	D	1	17	12	3	2	0	0		
2	A	1	Total	С	Cl	О	0	0		
	Λ	1	17	12	3	2	0	U		
2	С	1	Total	С	Cl	O	0	0		
		1	17	12	3	2	O	U		
2	D	1	Total	С	Cl	Ο	0	0		
	D	1	17	12	3	2	0	Ů		
2	E	1	Total	С	Cl	Ο	0	0		
		1	17	12	3	2	Ü	Ü		
2	F	1	Total	С	Cl	O	0	0		
_	_	-	17	12	3	2	Ů	, , , , , , , , , , , , , , , , , , ,		
2	G	1	Total	С	Cl	O	0	0		
	_		17	12	3	2				
2	Н	Н	Н	1	Total	С	Cl	O	0	0
			17	12	3	2				
2	I	1	Total	$C_{10}$	Cl	O	0	0		
			17	12	3	2				
2	J	1	Total	C	Cl	0	0	0		
			17	12 C	3	2				
2	K	1	Total		Cl	0	0	0		
			17	12 C	3 Cl	2 O				
2	L	1	Total 17	12	3	2	0	0		
			Total	$\frac{12}{C}$	Cl	$\frac{2}{0}$				
2	2 M	1	10tai	12	3	2	0	0		
		112	Total	C	Cl	$\frac{z}{0}$				
2	N	1	10tai 17	12	3	2	0	0		
			11	14	J		1: 7			



 $Continued\ from\ previous\ page...$ 

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
9	0	1	Total	С	Cl	О	0	0	
2	2 0	1	17	12	3	2	U	0	
9	D	1	Total	С	Cl	О	0	0	
2	2 P	1	17	12	3	2			

 $\bullet$  Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula:  $C_{21}H_{27}N_7O_{14}P_2).$ 



Mol	Chain	Residues		A	Aton	ıs		ZeroOcc	AltConf		
3	В	1	Total	С	Н	N	О	Р	0	0	
3	Ъ	1	71	21	27	7	14	2	0	0	
3	A	1	Total	С	Н	N	О	Р	0	0	
3	Λ	1	71	21	27	7	14	2	0	0	
3	С	1	Total	С	Η	N	Ο	Р	0	0	
J	O	1	71	21	27	7	14	2	U	0	
3	D	1	Total	С	Н	N	О	Р	0	0	
9	D	1	71	21	27	7	14	2	0	U	
3	E	1	Total	С	Η	N	Ο	Р	0	0	
3	נו	1	71	21	27	7	14	2	U		
3	F	F 1	Total	С	Н	N	Ο	Р	0	0	
J	I.	1	71	21	27	7	14	2	U	U	
3	G	1	Total	С	Н	N	Ο	Р	0	0	
	6	1	71	21	27	7	14	2	U	U	
3	Н	1	Total	С	Н	N	О	Р	0	0	
	э п	1	71	21	27	7	14	2	U		
3	I	1	Total	С	Н	N	О	Р	0	0	
	1	1	71	21	27	7	14	2	U	U	



 $Continued\ from\ previous\ page...$ 

Mol	Chain	Residues		A	Aton	ıs			ZeroOcc	AltConf
3	J	1	Total	С	Н	N	О	Р	0	0
)	J	1	71	21	27	7	14	2	U	0
3	K	1	Total	С	Н	N	О	Р	0	0
3	IX	1	71	21	27	7	14	2	U	0
3	L	1	Total	С	Н	N	О	Р	0	0
9	ш	1	71	21	27	7	14	2		
3	M	1	Total	С	Н	N	О	Р	0	0
3	101	1	71	21	27	7	14	2	U	U
3	N	1	Total	С	Н	N	Ο	Р	0	0
0	11	1	71	21	27	7	14	2	U	U
3	0	1	Total	С	Н	N	О	Р	0	0
		<u> </u>	71	21	27	7	14	2	0	0
3	Р	1	Total	С	Η	N	Ο	Р	0	0
	P	1	71	21	27	7	14	2	U	

#### • Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	60	Total O 60 60	0	0
4	A	44	Total O 44 44	0	0
4	С	35	Total O 35 35	0	0
4	D	45	Total O 45 45	0	0
4	Е	47	Total O 47 47	0	0
4	F	28	Total O 28 28	0	0
4	G	36	Total O 36 36	0	0
4	Н	23	Total O 23 23	0	0
4	I	36	Total O 36 36	0	0
4	J	29	Total O 29 29	0	0
4	K	46	Total O 46 46	0	0
4	L	29	Total O 29 29	0	0



Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	M	21	Total O 21 21	0	0
4	N	26	Total O 26 26	0	0
4	О	39	Total O 39 39	0	0
4	Р	25	Total O 25 25	0	0



## 3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]






#### 




 $\bullet$  Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]




• Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]

Chain I: 81% 12% 8%











## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	70.36Å 99.92Å 139.86Å	Donositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	82.87° 89.20° 78.13°	Depositor
Resolution (Å)	48.58 - 2.60	Depositor
Resolution (A)	68.85 - 2.60	EDS
% Data completeness	98.5 (48.58-2.60)	Depositor
(in resolution range)	98.5 (68.85-2.60)	EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.97 (at 2.62Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
D D.	0.221 , 0.262	Depositor
$R, R_{free}$	0.222 , $0.261$	DCC
$R_{free}$ test set	5631 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	43.5	Xtriage
Anisotropy	0.087	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.31, 35.5	EDS
L-test for twinning <sup>2</sup>	$ < L > = 0.48, < L^2> = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	32377	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.50% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, TCL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bo	ond angles
WIOI	Chain	RMSZ	# Z >5	RMSZ	# Z  > 5
1	A	0.22	0/1933	0.40	0/2616
1	В	0.22	0/1933	0.40	0/2616
1	С	0.22	0/1933	0.40	0/2616
1	D	0.22	0/1933	0.40	0/2616
1	Е	0.22	0/1933	0.40	0/2616
1	F	0.22	0/1933	0.40	0/2616
1	G	0.22	0/1933	0.41	0/2616
1	Н	0.22	0/1933	0.42	0/2616
1	I	0.22	0/1933	0.40	0/2616
1	J	0.24	0/1933	0.43	1/2616 (0.0%)
1	K	0.22	0/1933	0.40	0/2616
1	L	0.22	0/1933	0.40	0/2616
1	M	0.22	0/1933	0.41	0/2616
1	N	0.23	0/1933	0.41	0/2616
1	O	0.22	0/1933	0.40	0/2616
1	Р	0.22	0/1933	0.41	0/2616
All	All	0.22	0/30928	0.41	1/41856 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

$\mathbf{Mol}$	Chain	$\operatorname{Res}$	Type	Atoms	$\mathbf{Z}$	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}(^{o})$
1	J	18	ARG	NE-CZ-NH2	5.91	123.26	120.30

There are no chirality outliers.

There are no planarity outliers.



### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1900	0	1907	29	1
1	В	1900	0	1907	29	0
1	С	1900	0	1907	23	2
1	D	1900	0	1907	24	0
1	Е	1900	0	1907	22	0
1	F	1900	0	1907	34	0
1	G	1900	0	1907	29	0
1	Н	1900	0	1907	32	0
1	I	1900	0	1907	35	0
1	J	1900	0	1907	28	2
1	K	1900	0	1907	28	0
1	L	1900	0	1907	27	1
1	M	1900	0	1907	40	0
1	N	1900	0	1907	40	0
1	О	1900	0	1907	36	0
1	Р	1900	0	1907	37	0
2	A	17	0	7	2	0
2	В	17	0	7	3	0
2	С	17	0	7	0	0
2	D	17	0	7	2	0
2	Ε	17	0	7	0	0
2	F	17	0	7	1	0
2	G	17	0	7	1	0
2	Н	17	0	7	0	0
2	I	17	0	7	0	0
2	J	17	0	7	2	0
2	K	17	0	7	1	0
2	L	17	0	7	1	0
2	M	17	0	7	3	0
2	N	17	0	7	2	0
2	О	17	0	7	2	0
2	P	17	0	7	4	0
3	A	44	27	26	2	0
3	В	44	27	26	1	0
3	С	44	27	26	1	0
3	D	44	27	26	3	0
3	Е	44	27	26	2	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	44	27	26	1	0
3	G	44	27	26	1	0
3	Н	44	27	26	4	0
3	I	44	27	26	4	0
3	J	44	27	26	4	0
3	K	44	27	26	2	0
3	L	44	27	26	3	0
3	M	44	27	26	8	0
3	N	44	27	26	4	0
3	О	44	27	26	3	0
3	Р	44	27	26	6	0
4	A	44	0	0	1	0
4	В	60	0	0	1	0
4	С	35	0	0	1	0
4	D	45	0	0	2	0
4	Ε	47	0	0	5	0
4	F	28	0	0	3	0
4	G	36	0	0	3	0
4	Н	23	0	0	1	0
4	I	36	0	0	3	0
4	J	29	0	0	2	0
4	K	46	0	0	2	0
4	L	29	0	0	2	0
4	M	21	0	0	6	0
4	N	26	0	0	3	0
4	О	39	0	0	3	0
4	Р	25	0	0	5	0
All	All	31945	432	31040	428	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 428 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$egin{aligned} &  ext{Interatomic} \ &  ext{distance} \ &  ext{(Å)} \end{aligned}$	Clash overlap (Å)
1:F:50:GLU:OE2	1:I:97:ARG:NH1	2.14	0.81
1:P:191:PRO:HA	3:P:302:NAD:O7N	1.80	0.80
1:M:15:LEU:HD23	1:M:195:LEU:HD22	1.63	0.80
1:P:18:ARG:NH1	1:P:193:LYS:O	2.15	0.79
1:B:200:ILE:HD11	2:B:301:TCL:H131	1.64	0.79



All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	$egin{aligned} & & & & & & & & & & & & & & & & & & &$	Clash overlap (Å)
1:A:22:TYR:OH	1:C:137:ASP:OD2[1_655]	1.92	0.28
1:C:106:ASP:O	1:J:97:ARG:NH1[1_545]	2.05	0.15
1:J:137:ASP:OD2	1:L:22:TYR:OH[1_455]	2.10	0.10

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentile	$\mathbf{s}$
1	A	253/276~(92%)	244 (96%)	9 (4%)	0	100 100	
1	В	253/276 (92%)	243 (96%)	10 (4%)	0	100 100	
1	С	253/276 (92%)	244 (96%)	9 (4%)	0	100 100	
1	D	253/276 (92%)	242 (96%)	11 (4%)	0	100 100	
1	E	253/276~(92%)	242 (96%)	11 (4%)	0	100 100	
1	F	253/276 (92%)	243 (96%)	10 (4%)	0	100 100	
1	G	253/276~(92%)	242 (96%)	11 (4%)	0	100 100	
1	Н	253/276 (92%)	244 (96%)	9 (4%)	0	100 100	
1	I	253/276~(92%)	244 (96%)	9 (4%)	0	100 100	
1	J	253/276~(92%)	243 (96%)	10 (4%)	0	100 100	
1	K	253/276~(92%)	244 (96%)	9 (4%)	0	100 100	
1	L	253/276 (92%)	244 (96%)	9 (4%)	0	100 100	
1	M	253/276 (92%)	244 (96%)	9 (4%)	0	100 100	
1	N	253/276 (92%)	243 (96%)	10 (4%)	0	100 100	
1	О	253/276 (92%)	243 (96%)	10 (4%)	0	100 100	
1	Р	253/276 (92%)	244 (96%)	9 (4%)	0	100 100	
All	All	4048/4416 (92%)	3893 (96%)	155 (4%)	0	100 100	



There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	A	194/209 (93%)	193 (100%)	1 (0%)	88	96
1	В	194/209 (93%)	194 (100%)	0	100	100
1	C	194/209 (93%)	194 (100%)	0	100	100
1	D	194/209 (93%)	194 (100%)	0	100	100
1	E	194/209 (93%)	194 (100%)	0	100	100
1	F	194/209 (93%)	194 (100%)	0	100	100
1	G	194/209 (93%)	194 (100%)	0	100	100
1	Н	194/209 (93%)	194 (100%)	0	100	100
1	I	194/209 (93%)	194 (100%)	0	100	100
1	J	194/209 (93%)	194 (100%)	0	100	100
1	K	194/209 (93%)	193 (100%)	1 (0%)	88	96
1	L	194/209 (93%)	194 (100%)	0	100	100
1	M	194/209 (93%)	194 (100%)	0	100	100
1	N	194/209~(93%)	194 (100%)	0	100	100
1	О	194/209 (93%)	194 (100%)	0	100	100
1	Р	194/209 (93%)	194 (100%)	0	100	100
All	All	3104/3344 (93%)	3102 (100%)	2 (0%)	93	98

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type		
1	A	35	LEU		
1	K	195	LEU		

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:



Mol	Chain	Res	Type	
1	N	246	HIS	
1	Р	246	HIS	
1	Р	252	ASN	

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trmo	Chain	Res	Link	Во	ond leng	ths	Bond angles		
WIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	TCL	L	301	-	18,18,18	0.44	0	25,25,25	0.78	1 (4%)
2	TCL	J	301	-	18,18,18	0.48	0	25,25,25	0.74	1 (4%)
2	TCL	Е	301	-	18,18,18	0.47	0	25,25,25	0.86	1 (4%)
3	NAD	D	302	-	42,48,48	0.85	2 (4%)	50,73,73	1.37	2 (4%)
3	NAD	I	302	-	42,48,48	0.92	2 (4%)	50,73,73	1.36	4 (8%)
2	TCL	Н	301	-	18,18,18	0.46	0	25,25,25	0.78	1 (4%)
2	TCL	A	301	-	18,18,18	0.42	0	25,25,25	0.83	1 (4%)
3	NAD	Е	302	-	42,48,48	0.89	1 (2%)	50,73,73	1.45	4 (8%)
3	NAD	J	302	-	42,48,48	0.98	1 (2%)	50,73,73	1.41	3 (6%)



Mol	Trino	Chain	Dag	Link	Во	ond leng	ths	В	ond ang	gles
MIOI	Type	Chain	Res	Link	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	TCL	С	301	-	18,18,18	0.50	0	25,25,25	0.77	1 (4%)
2	TCL	В	301	-	18,18,18	0.51	0	25,25,25	0.82	1 (4%)
3	NAD	A	302	-	42,48,48	0.89	2 (4%)	50,73,73	1.37	4 (8%)
2	TCL	N	301	-	18,18,18	0.48	0	25,25,25	0.86	0
3	NAD	F	302	-	42,48,48	0.97	2 (4%)	50,73,73	1.43	3 (6%)
2	TCL	I	301	-	18,18,18	0.48	0	25,25,25	0.72	0
3	NAD	Н	302	-	42,48,48	1.00	2 (4%)	50,73,73	1.51	2 (4%)
2	TCL	G	301	-	18,18,18	0.45	0	25,25,25	0.78	1 (4%)
2	TCL	K	301	-	18,18,18	0.50	0	25,25,25	0.85	1 (4%)
2	TCL	Р	301	-	18,18,18	0.48	0	25,25,25	0.89	1 (4%)
3	NAD	В	302	-	42,48,48	0.85	2 (4%)	50,73,73	1.37	3 (6%)
2	TCL	M	301	-	18,18,18	0.39	0	25,25,25	0.75	1 (4%)
3	NAD	N	302	-	42,48,48	1.00	2 (4%)	50,73,73	1.25	3 (6%)
2	TCL	F	301	-	18,18,18	0.45	0	25,25,25	0.74	0
3	NAD	L	302	-	42,48,48	0.91	2 (4%)	50,73,73	1.35	3 (6%)
3	NAD	G	302	-	42,48,48	0.91	2 (4%)	50,73,73	1.26	3 (6%)
3	NAD	Р	302	-	42,48,48	1.10	2 (4%)	50,73,73	1.26	2 (4%)
3	NAD	K	302	-	42,48,48	0.93	2 (4%)	50,73,73	1.50	3 (6%)
3	NAD	M	302	_	42,48,48	0.87	2 (4%)	50,73,73	1.28	2 (4%)
2	TCL	О	301	_	18,18,18	0.47	0	25,25,25	0.81	1 (4%)
3	NAD	О	302	_	42,48,48	0.90	2 (4%)	50,73,73	1.34	4 (8%)
3	NAD	С	302	-	42,48,48	0.93	2 (4%)	50,73,73	1.52	3 (6%)
2	TCL	D	301	-	18,18,18	0.48	0	25,25,25	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TCL	L	301	-	-	0/4/4/4	0/2/2/2
2	TCL	J	301	-	-	0/4/4/4	0/2/2/2
2	TCL	Е	301	-	-	0/4/4/4	0/2/2/2
3	NAD	D	302	-	-	5/26/62/62	0/5/5/5
3	NAD	I	302	-	-	7/26/62/62	0/5/5/5
2	TCL	Н	301	-	-	0/4/4/4	0/2/2/2
2	TCL	A	301	-	-	0/4/4/4	0/2/2/2
3	NAD	Е	302	-	-	2/26/62/62	0/5/5/5



 $Continued\ from\ previous\ page...$ 

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	J	302	-	-	7/26/62/62	0/5/5/5
2	TCL	С	301	-	-	0/4/4/4	0/2/2/2
2	TCL	В	301	-	-	0/4/4/4	0/2/2/2
3	NAD	A	302	-	-	8/26/62/62	0/5/5/5
2	TCL	N	301	-	-	0/4/4/4	0/2/2/2
3	NAD	F	302	-	-	9/26/62/62	0/5/5/5
2	TCL	I	301	-	-	0/4/4/4	0/2/2/2
3	NAD	Н	302	-	-	2/26/62/62	0/5/5/5
2	TCL	G	301	-	-	0/4/4/4	0/2/2/2
2	TCL	K	301	-	-	0/4/4/4	0/2/2/2
2	TCL	Р	301	_	-	0/4/4/4	0/2/2/2
3	NAD	В	302	_	-	5/26/62/62	0/5/5/5
2	TCL	M	301	-	-	1/4/4/4	0/2/2/2
3	NAD	N	302	_	-	9/26/62/62	0/5/5/5
2	TCL	F	301	-	-	0/4/4/4	0/2/2/2
3	NAD	L	302	-	-	6/26/62/62	0/5/5/5
3	NAD	G	302	-	-	6/26/62/62	0/5/5/5
3	NAD	Р	302	-	-	18/26/62/62	0/5/5/5
3	NAD	K	302	-	-	11/26/62/62	0/5/5/5
3	NAD	M	302	-	-	11/26/62/62	0/5/5/5
2	TCL	О	301	_	-	0/4/4/4	0/2/2/2
3	NAD	О	302	-	-	4/26/62/62	0/5/5/5
3	NAD	С	302	-	-	6/26/62/62	0/5/5/5
2	TCL	D	301	-	-	0/4/4/4	0/2/2/2

The worst 5 of 30 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\mathring{A}})$	Ideal(A)
3	J	302	NAD	C2N-N1N	4.88	1.40	1.35
3	Н	302	NAD	C2N-N1N	4.70	1.40	1.35
3	F	302	NAD	C2N-N1N	4.65	1.40	1.35
3	Р	302	NAD	O4D-C1D	-4.33	1.35	1.41
3	Р	302	NAD	C2N-N1N	4.31	1.40	1.35

The worst 5 of 60 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
3	Н	302	NAD	PN-O3-PA	8.89	163.34	132.83
3	K	302	NAD	PN-O3-PA	8.65	162.51	132.83



Continued from previous page...

Mol	Chain	$\operatorname{Res}$	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$\operatorname{Ideal}({}^o)$
3	С	302	NAD	PN-O3-PA	8.60	162.32	132.83
3	D	302	NAD	PN-O3-PA	7.93	160.05	132.83
3	J	302	NAD	PN-O3-PA	7.93	160.04	132.83

There are no chirality outliers.

5 of 117 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	В	302	NAD	C5D-O5D-PN-O1N
3	В	302	NAD	C5D-O5D-PN-O2N
3	В	302	NAD	O4D-C1D-N1N-C2N
3	A	302	NAD	C5D-O5D-PN-O1N
3	A	302	NAD	C5D-O5D-PN-O2N

There are no ring outliers.

28 monomers are involved in 71 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	L	301	TCL	1	0
2	J	301	TCL	2	0
3	D	302	NAD	3	0
3	I	302	NAD	4	0
2	A	301	TCL	2	0
3	Е	302	NAD	2	0
3	J	302	NAD	4	0
2	В	301	TCL	3	0
3	A	302	NAD	2	0
2	N	301	TCL	2	0
3	F	302	NAD	1	0
3	Н	302	NAD	4	0
2	G	301	TCL	1	0
2	K	301	TCL	1	0
2	P	301	TCL	4	0
3	В	302	NAD	1	0
2	M	301	TCL	3	0
3	N	302	NAD	4	0
2	F	301	TCL	1	0
3	L	302	NAD	3	0
3	G	302	NAD	1	0
3	Р	302	NAD	6	0
3	K	302	NAD	2	0




Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	M	302	NAD	8	0
2	О	301	TCL	2	0
3	O	302	NAD	3	0
3	С	302	NAD	1	0
2	D	301	TCL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







































































































## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	# RSRZ > 2	$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q<0.9
1	A	255/276 (92%)	-0.18	1 (0%) 92 91	28, 43, 76, 111	0
1	В	255/276 (92%)	-0.19	2 (0%) 86 84	30, 40, 59, 93	0
1	С	255/276 (92%)	0.08	6 (2%) 59 53	32, 49, 90, 132	0
1	D	255/276~(92%)	-0.16	1 (0%) 92 91	29, 47, 88, 128	0
1	E	255/276~(92%)	-0.12	0 100 100	37, 48, 74, 122	0
1	F	255/276 (92%)	0.08	7 (2%) 54 48	36, 52, 96, 123	0
1	G	255/276 (92%)	-0.14	2 (0%) 86 84	36, 49, 75, 133	0
1	Н	255/276 (92%)	0.08	7 (2%) 54 48	39, 54, 94, 139	0
1	I	255/276 (92%)	0.24	9 (3%) 44 36	29, 55, 103, 148	0
1	J	255/276 (92%)	0.32	15 (5%) 22 17	31, 55, 103, 154	0
1	K	255/276 (92%)	-0.11	2 (0%) 86 84	29, 44, 73, 134	0
1	L	255/276 (92%)	-0.03	3 (1%) 79 76	31, 50, 87, 111	0
1	M	255/276 (92%)	1.32	66 (25%) 0 0	47, 82, 135, 165	0
1	N	255/276 (92%)	1.06	50 (19%) 1 0	48, 70, 114, 152	0
1	О	255/276 (92%)	0.33	12 (4%) 31 25	39, 57, 90, 121	0
1	Р	255/276 (92%)	1.15	46 (18%) 1 0	46, 80, 128, 193	0
All	All	4080/4416 (92%)	0.23	229 (5%) 24 19	28, 53, 103, 193	0

The worst 5 of 229 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	M	5	ASP	9.0
1	M	88	LEU	7.2
1	Р	200	ILE	6.9
1	M	181	GLY	6.9
1	J	97	ARG	6.8



### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathbf{A}}^2)$	Q < 0.9
2	TCL	M	301	17/17	0.65	0.26	77,134,158,181	0
2	TCL	J	301	17/17	0.85	0.25	80,86,104,133	0
3	NAD	M	302	44/44	0.85	0.24	83,110,137,144	0
2	TCL	Р	301	17/17	0.86	0.22	64,85,116,170	0
2	TCL	F	301	17/17	0.90	0.18	67,73,87,88	0
2	TCL	K	301	17/17	0.91	0.24	36,52,94,107	0
3	NAD	N	302	44/44	0.91	0.19	55,78,102,120	0
3	NAD	Р	302	44/44	0.91	0.16	47,69,94,112	0
2	TCL	L	301	17/17	0.92	0.18	41,55,72,84	0
2	TCL	D	301	17/17	0.92	0.17	30,60,91,106	0
3	NAD	F	302	44/44	0.93	0.14	31,59,76,92	0
2	TCL	I	301	17/17	0.94	0.23	42,53,80,90	0
3	NAD	Н	302	44/44	0.94	0.16	42,66,90,103	0
3	NAD	J	302	44/44	0.94	0.19	33,53,70,97	0
2	TCL	G	301	17/17	0.94	0.16	38,48,67,78	0
2	TCL	N	301	17/17	0.94	0.19	56,68,74,127	0
2	TCL	Н	301	17/17	0.94	0.17	44,57,67,221	0
3	NAD	L	302	44/44	0.95	0.16	34,48,64,77	0
2	TCL	В	301	17/17	0.95	0.17	31,46,68,117	0
3	NAD	I	302	44/44	0.95	0.17	38,51,66,79	0
3	NAD	О	302	44/44	0.95	0.17	39,51,72,80	0
2	TCL	O	301	17/17	0.95	0.15	39,46,88,98	0
3	NAD	A	302	44/44	0.96	0.15	29,40,62,74	0
3	NAD	С	302	44/44	0.96	0.13	33,47,70,90	0
3	NAD	D	302	44/44	0.96	0.13	27,39,66,90	0
2	TCL	Е	301	17/17	0.96	0.17	38,49,79,82	0
2	TCL	С	301	17/17	0.96	0.15	33,55,74,95	0


Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathbf{A}}^2)$	Q < 0.9
2	TCL	A	301	17/17	0.96	0.15	30,38,82,122	0
3	NAD	В	302	44/44	0.97	0.14	31,38,51,61	0
3	NAD	G	302	44/44	0.97	0.14	37,48,60,68	0
3	NAD	K	302	44/44	0.97	0.14	30,38,60,67	0
3	NAD	Ε	302	44/44	0.97	0.16	38,46,62,74	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






# Electron density around TCL J 301: 2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive) Electron density around NAD M 302:


## 




## Electron density around TCL P 301:

 $2 {
m mF}_o {
m -DF}_c$  (at 0.7 rmsd) in gray  ${
m mF}_o {
m -DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










### Electron density around TCL K 301:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)











## Electron density around NAD N 302: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around NAD P 302: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)




## Electron density around TCL L 301: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around NAD F 302: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)











## Electron density around TCL G 301: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around TCL H 301: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)




## Electron density around NAD L 302: 2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)


## 



## Electron density around NAD I 302: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around NAD O 302:

## $2 \mathrm{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)







## 

## Electron density around NAD A 302: 2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)




## Electron density around NAD C 302: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around NAD D 302: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)



## Electron density around TCL E 301: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around TCL C 301: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)






## Electron density around NAD B 302: 2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)



## Electron density around NAD G 302: 2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)

## 





## 6.5 Other polymers (i)

There are no such residues in this entry.

