



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2024 – 05:24 AM EST

PDB ID : 3IO6
Title : Huntingtin amino-terminal region with 17 Gln residues - crystal C92-a
Authors : Kim, M.W.; Chelliah, Y.; Kim, S.W.; Otwinowski, Z.; Bezprozvanny, I.
Deposited on : 2009-08-13
Resolution : 3.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1049 (3.88-3.52)
Clashscore	141614	1027 (3.86-3.54)
Ramachandran outliers	138981	1069 (3.88-3.52)
Sidechain outliers	138945	1065 (3.88-3.52)
RSRZ outliers	127900	1578 (3.90-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	449	
1	B	449	
1	C	449	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9265 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Maltose-binding periplasmic protein, HUNTINGTIN FUSION PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	400	Total 3059	C 1969	N 499	O 583	S 8	8	0	0
1	C	397	Total 3076	C 1976	N 504	O 588	S 8	4	0	0
1	B	401	Total 3116	C 1998	N 513	O 597	S 8	20	0	0

There are 105 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	359	ALA	-	linker	UNP P0AEY0
A	360	ALA	-	linker	UNP P0AEY0
A	361	LEU	-	linker	UNP P0AEY0
A	362	ALA	-	linker	UNP P0AEY0
A	363	ALA	-	linker	UNP P0AEY0
A	364	ALA	-	linker	UNP P0AEY0
A	365	GLN	-	linker	UNP P0AEY0
A	366	THR	-	linker	UNP P0AEY0
A	367	ASN	-	linker	UNP P0AEY0
A	368	ALA	-	linker	UNP P0AEY0
A	369	ALA	-	linker	UNP P0AEY0
A	370	ALA	-	linker	UNP P0AEY0
A	?	-	GLN	deletion	UNP P42858
A	?	-	GLN	deletion	UNP P42858
A	?	-	GLN	deletion	UNP P42858
A	?	-	GLN	deletion	UNP P42858
A	431	GLN	-	expression tag	UNP P42858
A	432	SER	-	expression tag	UNP P42858
A	433	TYR	-	expression tag	UNP P42858
A	434	GLN	-	expression tag	UNP P42858
A	435	ILE	-	expression tag	UNP P42858
A	436	THR	-	expression tag	UNP P42858

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	437	ALA	-	expression tag	UNP P42858
A	438	GLY	-	expression tag	UNP P42858
A	439	LYS	-	expression tag	UNP P42858
A	440	LEU	-	expression tag	UNP P42858
A	441	GLY	-	expression tag	UNP P42858
A	442	THR	-	expression tag	UNP P42858
A	443	GLY	-	expression tag	UNP P42858
A	444	ARG	-	expression tag	UNP P42858
A	445	ARG	-	expression tag	UNP P42858
A	446	PHE	-	expression tag	UNP P42858
A	447	THR	-	expression tag	UNP P42858
A	448	THR	-	expression tag	UNP P42858
A	449	SER	-	expression tag	UNP P42858
C	359	ALA	-	linker	UNP P0AEY0
C	360	ALA	-	linker	UNP P0AEY0
C	361	LEU	-	linker	UNP P0AEY0
C	362	ALA	-	linker	UNP P0AEY0
C	363	ALA	-	linker	UNP P0AEY0
C	364	ALA	-	linker	UNP P0AEY0
C	365	GLN	-	linker	UNP P0AEY0
C	366	THR	-	linker	UNP P0AEY0
C	367	ASN	-	linker	UNP P0AEY0
C	368	ALA	-	linker	UNP P0AEY0
C	369	ALA	-	linker	UNP P0AEY0
C	370	ALA	-	linker	UNP P0AEY0
C	?	-	GLN	deletion	UNP P42858
C	?	-	GLN	deletion	UNP P42858
C	?	-	GLN	deletion	UNP P42858
C	?	-	GLN	deletion	UNP P42858
C	431	GLN	-	expression tag	UNP P42858
C	432	SER	-	expression tag	UNP P42858
C	433	TYR	-	expression tag	UNP P42858
C	434	GLN	-	expression tag	UNP P42858
C	435	ILE	-	expression tag	UNP P42858
C	436	THR	-	expression tag	UNP P42858
C	437	ALA	-	expression tag	UNP P42858
C	438	GLY	-	expression tag	UNP P42858
C	439	LYS	-	expression tag	UNP P42858
C	440	LEU	-	expression tag	UNP P42858
C	441	GLY	-	expression tag	UNP P42858
C	442	THR	-	expression tag	UNP P42858
C	443	GLY	-	expression tag	UNP P42858

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	444	ARG	-	expression tag	UNP P42858
C	445	ARG	-	expression tag	UNP P42858
C	446	PHE	-	expression tag	UNP P42858
C	447	THR	-	expression tag	UNP P42858
C	448	THR	-	expression tag	UNP P42858
C	449	SER	-	expression tag	UNP P42858
B	359	ALA	-	linker	UNP P0AEY0
B	360	ALA	-	linker	UNP P0AEY0
B	361	LEU	-	linker	UNP P0AEY0
B	362	ALA	-	linker	UNP P0AEY0
B	363	ALA	-	linker	UNP P0AEY0
B	364	ALA	-	linker	UNP P0AEY0
B	365	GLN	-	linker	UNP P0AEY0
B	366	THR	-	linker	UNP P0AEY0
B	367	ASN	-	linker	UNP P0AEY0
B	368	ALA	-	linker	UNP P0AEY0
B	369	ALA	-	linker	UNP P0AEY0
B	370	ALA	-	linker	UNP P0AEY0
B	?	-	GLN	deletion	UNP P42858
B	?	-	GLN	deletion	UNP P42858
B	?	-	GLN	deletion	UNP P42858
B	?	-	GLN	deletion	UNP P42858
B	431	GLN	-	expression tag	UNP P42858
B	432	SER	-	expression tag	UNP P42858
B	433	TYR	-	expression tag	UNP P42858
B	434	GLN	-	expression tag	UNP P42858
B	435	ILE	-	expression tag	UNP P42858
B	436	THR	-	expression tag	UNP P42858
B	437	ALA	-	expression tag	UNP P42858
B	438	GLY	-	expression tag	UNP P42858
B	439	LYS	-	expression tag	UNP P42858
B	440	LEU	-	expression tag	UNP P42858
B	441	GLY	-	expression tag	UNP P42858
B	442	THR	-	expression tag	UNP P42858
B	443	GLY	-	expression tag	UNP P42858
B	444	ARG	-	expression tag	UNP P42858
B	445	ARG	-	expression tag	UNP P42858
B	446	PHE	-	expression tag	UNP P42858
B	447	THR	-	expression tag	UNP P42858
B	448	THR	-	expression tag	UNP P42858
B	449	SER	-	expression tag	UNP P42858

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Zn 1	0	0
2	C	2	Total 2	Zn 2	0	0
2	B	2	Total 2	Zn 2	0	0


- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total 3	Ca 3	0	0
3	C	4	Total 4	Ca 4	0	0
3	B	2	Total 2	Ca 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Maltose-binding periplasmic protein, HUNTINGTIN FUSION PROTEIN




- Molecule 1: Maltose-binding periplasmic protein, HUNTINGTIN FUSION PROTEIN



- Molecule 1: Maltose-binding periplasmic protein, HUNTINGTIN FUSION PROTEIN





4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	163.40Å 101.24Å 138.19Å 90.00° 92.00° 90.00°	Depositor
Resolution (Å)	38.67 – 3.70 29.73 – 3.70	Depositor EDS
% Data completeness (in resolution range)	92.4 (38.67-3.70) 92.5 (29.73-3.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.02	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 3.75Å)	Xtrriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.245 , 0.293 0.247 , 0.292	Depositor DCC
R_{free} test set	1200 reflections (5.36%)	wwPDB-VP
Wilson B-factor (Å ²)	98.6	Xtrriage
Anisotropy	0.234	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 39.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.012 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	9265	wwPDB-VP
Average B, all atoms (Å ²)	81.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	1/3128 (0.0%)	0.57	10/4243 (0.2%)
1	B	0.46	2/3187 (0.1%)	0.60	10/4321 (0.2%)
1	C	0.43	1/3147 (0.0%)	0.51	2/4268 (0.0%)
All	All	0.43	4/9462 (0.0%)	0.56	22/12832 (0.2%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	256	LYS	CB-CG	-13.33	1.16	1.52
1	C	144	LYS	CB-CG	-12.71	1.18	1.52
1	A	140	LYS	CB-CG	-10.35	1.24	1.52
1	B	277	LYS	CB-CG	9.03	1.76	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	144	LYS	CA-CB-CG	9.46	134.20	113.40
1	B	34	LYS	CA-CB-CG	-9.24	93.07	113.40
1	B	34	LYS	CB-CG-CD	-8.77	88.79	111.60
1	B	256	LYS	CA-CB-CG	-7.62	96.64	113.40
1	B	277	LYS	CA-CB-CG	-7.27	97.41	113.40
1	B	328	GLU	CA-CB-CG	6.83	128.43	113.40
1	A	408	PRO	N-CA-CB	6.77	111.43	103.30
1	C	144	LYS	CA-CB-CG	6.68	128.09	113.40
1	B	277	LYS	CB-CG-CD	-6.54	94.59	111.60
1	A	413	PRO	N-CA-CB	6.29	110.85	103.30
1	A	406	PRO	N-CA-CB	6.28	110.83	103.30
1	A	405	PRO	N-CA-CB	6.27	110.82	103.30
1	A	415	PRO	N-CA-CB	6.05	110.56	103.30
1	B	256	LYS	CB-CG-CD	-6.03	95.93	111.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	144	LYS	CB-CG-CD	-6.01	95.97	111.60
1	A	409	PRO	N-CA-CB	5.97	110.47	103.30
1	A	410	PRO	N-CA-CB	5.97	110.47	103.30
1	B	328	GLU	CB-CG-CD	5.94	130.23	114.20
1	A	407	PRO	N-CA-CB	5.84	110.31	103.30
1	A	412	PRO	N-CA-CB	5.81	110.28	103.30
1	A	414	PRO	N-CA-CB	5.75	110.20	103.30
1	C	144	LYS	CB-CG-CD	-5.23	98.00	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3059	0	2996	49	0
1	B	3116	0	3087	39	0
1	C	3076	0	3049	84	0
2	A	1	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
3	A	3	0	0	0	0
3	B	2	0	0	0	0
3	C	4	0	0	0	0
All	All	9265	0	9132	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:387:PHE:HB3	1:B:341:TYR:OH	1.30	1.27
1:A:341:TYR:CE2	1:C:387:PHE:CE1	2.27	1.22
1:C:385:LYS:HD2	1:C:385:LYS:O	1.42	1.18

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:341:TYR:CZ	1:C:387:PHE:CZ	2.34	1.14
1:A:341:TYR:CE2	1:C:387:PHE:CZ	2.42	1.07
1:A:387:PHE:HB3	1:B:341:TYR:HH	1.24	0.99
1:C:304:LEU:HA	1:C:305:LYS:HB2	1.43	0.98
1:C:385:LYS:HZ2	1:C:386:SER:N	1.69	0.90
1:A:387:PHE:CB	1:B:341:TYR:OH	2.19	0.89
1:A:383:SER:O	1:A:387:PHE:CD2	2.28	0.87
1:C:385:LYS:HD2	1:C:385:LYS:C	1.96	0.86
1:A:341:TYR:HE2	1:C:387:PHE:CE1	1.95	0.84
1:C:385:LYS:HZ2	1:C:385:LYS:C	1.80	0.84
1:C:384:LEU:HA	1:C:387:PHE:CD2	2.14	0.83
1:B:64:HIS:HD2	1:B:261:VAL:H	1.27	0.83
1:C:27:PHE:CE1	1:C:279:PHE:HA	2.14	0.82
1:C:27:PHE:CZ	1:C:283:TYR:HB2	2.15	0.81
1:B:64:HIS:CD2	1:B:261:VAL:H	2.02	0.77
1:A:373:THR:HA	1:A:376:LYS:HE3	1.66	0.77
1:C:3:GLU:HG3	1:C:6:LYS:HE3	1.67	0.77
1:C:385:LYS:NZ	1:C:386:SER:N	2.31	0.77
1:C:384:LEU:HG	1:C:387:PHE:CD2	2.21	0.75
1:C:384:LEU:HG	1:C:387:PHE:CE2	2.24	0.73
1:A:61:PHE:CE2	1:A:264:ALA:HB2	2.23	0.72
1:C:72:GLN:HE21	1:C:99:TYR:HE2	1.36	0.72
1:A:383:SER:O	1:A:387:PHE:CE2	2.43	0.72
1:B:55:ASP:CG	1:B:56:GLY:H	1.96	0.69
1:C:27:PHE:HE1	1:C:279:PHE:HA	1.58	0.66
1:C:385:LYS:C	1:C:385:LYS:CD	2.64	0.66
1:C:89:LEU:HD12	1:C:94:TRP:CZ2	2.32	0.64
1:C:152:GLN:HA	1:C:348:ILE:HD11	1.80	0.64
1:A:209:ASP:H	1:A:212:ILE:HD12	1.63	0.63
1:B:129:TRP:CD1	1:B:248:PRO:HB2	2.35	0.62
1:C:218:ASN:HD21	1:C:235:ILE:HG12	1.64	0.61
1:C:304:LEU:HA	1:C:305:LYS:CB	2.26	0.61
1:A:68:GLY:HA3	1:A:332:ASN:O	2.01	0.60
1:C:384:LEU:HA	1:C:387:PHE:CE2	2.35	0.60
1:A:341:TYR:CE2	1:C:387:PHE:HE1	2.11	0.60
1:C:338:ALA:HB2	1:C:372:ALA:H	1.67	0.60
1:A:341:TYR:CZ	1:C:387:PHE:CE2	2.89	0.60
1:A:48:PRO:HG3	1:A:70:TYR:CE1	2.38	0.59
1:A:387:PHE:CD2	1:B:341:TYR:HE1	2.21	0.59
1:C:88:LYS:O	1:C:304:LEU:HD12	2.03	0.58
1:C:2:ILE:HG22	1:C:2:ILE:O	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:384:LEU:HA	1:C:387:PHE:HD2	1.62	0.58
1:C:305:LYS:N	1:C:308:GLU:OE1	2.37	0.57
1:A:218:ASN:HD21	1:A:235:ILE:HG12	1.68	0.57
1:C:374:LEU:HB3	1:B:381:PHE:HZ	1.69	0.57
1:C:391:GLN:HA	1:C:391:GLN:OE1	2.03	0.57
1:B:48:PRO:HG3	1:B:70:TYR:CE1	2.39	0.57
1:C:304:LEU:CA	1:C:305:LYS:HB2	2.27	0.57
1:A:384:LEU:HA	1:A:387:PHE:HD2	1.71	0.56
1:C:385:LYS:C	1:C:385:LYS:NZ	2.55	0.56
1:B:55:ASP:CG	1:B:56:GLY:N	2.59	0.55
1:A:45:GLU:O	1:A:49:GLN:NE2	2.39	0.55
1:C:48:PRO:HG3	1:C:70:TYR:CE1	2.42	0.55
1:C:64:HIS:HE1	1:C:330:MET:O	1.89	0.54
1:C:374:LEU:HB3	1:B:381:PHE:CZ	2.42	0.54
1:A:64:HIS:HE1	1:A:330:MET:O	1.91	0.54
1:A:89:LEU:HD12	1:A:94:TRP:CZ2	2.43	0.53
1:B:148:MET:HE1	1:B:149:PHE:H	1.74	0.53
1:A:89:LEU:HD23	1:A:304:LEU:HA	1.89	0.53
1:C:385:LYS:NZ	1:C:385:LYS:HB3	2.24	0.53
1:B:170:LYS:HE3	1:B:170:LYS:HA	1.91	0.53
1:A:64:HIS:CD2	1:A:261:VAL:H	2.27	0.52
1:C:129:TRP:CD1	1:C:248:PRO:HB2	2.44	0.52
1:C:385:LYS:O	1:C:388:GLN:HB3	2.09	0.52
1:B:152:GLN:HA	1:B:348:ILE:HD11	1.90	0.52
1:A:387:PHE:HE1	1:B:345:THR:HG21	1.75	0.52
1:C:201:ASN:HB3	1:C:203:HIS:CE1	2.45	0.52
1:A:341:TYR:OH	1:C:387:PHE:CE2	2.63	0.52
1:C:9:ILE:HG12	1:C:59:ILE:HB	1.91	0.52
1:C:90:TYR:CE2	1:C:308:GLU:OE1	2.63	0.52
1:A:387:PHE:HB3	1:B:341:TYR:CZ	2.38	0.51
1:C:116:ILE:HG12	1:C:244:VAL:HG22	1.93	0.51
1:A:104:ILE:O	1:A:105:ALA:HB2	2.10	0.51
1:B:148:MET:HE2	1:B:148:MET:HA	1.92	0.51
1:C:23:VAL:HG12	1:C:27:PHE:CE2	2.46	0.50
1:C:277:LYS:HZ1	1:C:281:GLU:CD	2.13	0.50
1:C:23:VAL:HG12	1:C:27:PHE:HE2	1.77	0.49
1:C:153:GLU:HB2	1:C:156:PHE:HD1	1.78	0.49
1:C:385:LYS:HZ2	1:C:385:LYS:CB	2.25	0.49
1:C:18:ASN:O	1:C:22:GLU:HG2	2.13	0.48
1:C:64:HIS:CE1	1:C:330:MET:O	2.66	0.48
1:C:338:ALA:HB2	1:C:372:ALA:CB	2.42	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:48:PRO:HG3	1:B:70:TYR:HE1	1.78	0.48
1:C:89:LEU:HD12	1:C:94:TRP:HZ2	1.78	0.48
1:B:218:ASN:HD21	1:B:235:ILE:HG12	1.78	0.48
1:A:136:ASP:HA	1:A:146:ALA:HB2	1.94	0.48
1:C:385:LYS:HZ2	1:C:385:LYS:HB3	1.77	0.48
1:C:341:TYR:OH	1:B:388:GLN:HG3	2.14	0.47
1:A:341:TYR:CZ	1:C:387:PHE:CE1	2.78	0.47
1:C:302:VAL:HG21	1:C:307:TYR:HD2	1.80	0.47
1:C:27:PHE:HZ	1:C:283:TYR:HB2	1.77	0.47
1:B:394:GLN:O	1:B:398:GLN:HG3	2.13	0.47
1:C:391:GLN:OE1	1:C:395:GLN:NE2	2.48	0.47
1:B:116:ILE:HG12	1:B:244:VAL:HG22	1.96	0.47
1:A:341:TYR:OH	1:C:387:PHE:CZ	2.65	0.47
1:C:136:ASP:HA	1:C:146:ALA:HB2	1.97	0.47
1:B:197:ASP:O	1:B:201:ASN:HB2	2.16	0.46
1:B:340:TRP:O	1:B:344:ARG:HB2	2.16	0.46
1:C:384:LEU:CA	1:C:387:PHE:HD2	2.27	0.46
1:A:2:ILE:HG22	1:A:2:ILE:O	2.16	0.46
1:C:48:PRO:HG3	1:C:70:TYR:HE1	1.80	0.46
1:A:387:PHE:HZ	1:B:367:ASN:ND2	2.14	0.46
1:A:129:TRP:HB3	1:A:194:PHE:CE2	2.51	0.45
1:A:192:LEU:HD23	1:A:357:VAL:HG13	1.99	0.45
1:A:370:ALA:HB1	1:C:380:ALA:HB2	1.98	0.45
1:B:77:ALA:HB2	1:B:268:ALA:HA	1.98	0.44
1:B:171:TYR:HB2	1:B:176:TYR:CE1	2.52	0.44
1:C:391:GLN:O	1:C:395:GLN:HG3	2.16	0.44
1:B:340:TRP:HA	1:B:340:TRP:CE3	2.53	0.44
1:A:127:LYS:HA	1:A:127:LYS:HD3	1.79	0.44
1:C:46:LYS:HA	1:C:46:LYS:HE2	2.00	0.44
1:B:148:MET:HA	1:B:148:MET:CE	2.47	0.44
1:C:85:PHE:HA	1:C:88:LYS:HE3	1.99	0.44
1:C:171:TYR:OH	1:C:174:GLY:HA2	2.17	0.44
1:B:21:ALA:O	1:B:25:LYS:HG3	2.18	0.44
1:B:154:PRO:HG3	1:B:344:ARG:HA	1.99	0.43
1:B:381:PHE:N	1:B:381:PHE:CD2	2.86	0.43
1:A:106:TYR:HA	1:A:107:PRO:HD3	1.86	0.43
1:A:47:PHE:HB3	1:A:48:PRO:HD3	2.00	0.43
1:A:384:LEU:HA	1:A:387:PHE:CD2	2.51	0.43
1:C:27:PHE:CZ	1:C:283:TYR:CB	2.95	0.43
1:C:201:ASN:HD22	1:C:201:ASN:HA	1.65	0.43
1:C:305:LYS:O	1:C:306:SER:HB3	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:333:ILE:HB	1:A:334:PRO:HD2	2.01	0.42
1:C:127:LYS:HD3	1:C:127:LYS:HA	1.86	0.42
1:C:273:LYS:O	1:C:277:LYS:HB2	2.19	0.42
1:A:153:GLU:HA	1:A:154:PRO:HD3	1.96	0.42
1:C:64:HIS:O	1:C:67:PHE:HB2	2.19	0.42
1:C:335:GLN:HA	1:C:372:ALA:CB	2.50	0.42
1:C:379:LYS:HE3	1:C:379:LYS:HA	2.01	0.42
1:C:28:GLU:O	1:C:32:GLY:HA2	2.20	0.42
1:A:377:LEU:HA	1:B:374:LEU:HD13	2.02	0.42
1:C:344:ARG:O	1:C:348:ILE:HG12	2.20	0.42
1:B:106:TYR:HA	1:B:107:PRO:HD3	1.84	0.42
1:B:64:HIS:HE1	1:B:330:MET:O	2.02	0.41
1:A:9:ILE:HG12	1:A:59:ILE:HB	2.02	0.41
1:A:12:ASN:ND2	1:A:14:ASP:OD1	2.53	0.41
1:A:77:ALA:HB2	1:A:268:ALA:HA	2.02	0.41
1:B:136:ASP:HA	1:B:146:ALA:HB2	2.02	0.41
1:C:291:GLU:HA	1:C:307:TYR:OH	2.20	0.41
1:A:178:ILE:H	1:A:178:ILE:HG13	1.77	0.41
1:C:61:PHE:CE2	1:C:264:ALA:HB2	2.56	0.41
1:C:374:LEU:HB2	1:B:377:LEU:HD22	2.03	0.41
1:A:373:THR:HG22	1:A:376:LYS:NZ	2.36	0.40
1:C:385:LYS:HZ3	1:C:386:SER:CA	2.34	0.40
1:A:129:TRP:CD1	1:A:248:PRO:HB2	2.56	0.40
1:B:67:PHE:HD1	1:B:70:TYR:CD2	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	394/449 (88%)	367 (93%)	19 (5%)	8 (2%)	7 39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	399/449 (89%)	377 (94%)	21 (5%)	1 (0%)	41	74
1	C	395/449 (88%)	361 (91%)	29 (7%)	5 (1%)	12	47
All	All	1188/1347 (88%)	1105 (93%)	69 (6%)	14 (1%)	13	48

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	405	PRO
1	A	406	PRO
1	A	408	PRO
1	A	413	PRO
1	A	414	PRO
1	A	415	PRO
1	C	306	SER
1	C	371	MET
1	A	4	GLU
1	C	3	GLU
1	C	305	LYS
1	C	165	GLY
1	A	168	ALA
1	B	165	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	307/363 (85%)	288 (94%)	19 (6%)	18	49
1	B	320/363 (88%)	297 (93%)	23 (7%)	14	45
1	C	315/363 (87%)	289 (92%)	26 (8%)	11	40
All	All	942/1089 (86%)	874 (93%)	68 (7%)	14	45

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	VAL
1	A	15	LYS
1	A	29	LYS
1	A	36	THR
1	A	102	LYS
1	A	160	LEU
1	A	179	LYS
1	A	189	LYS
1	A	200	LYS
1	A	202	LYS
1	A	205	ASN
1	A	277	LYS
1	A	288	GLU
1	A	326	LYS
1	A	328	GLU
1	A	354	ARG
1	A	358	ASP
1	A	381	PHE
1	A	385	LYS
1	C	1	LYS
1	C	3	GLU
1	C	4	GLU
1	C	29	LYS
1	C	42	LYS
1	C	83	LYS
1	C	87	ASP
1	C	102	LYS
1	C	119	LYS
1	C	124	ASN
1	C	144	LYS
1	C	160	LEU
1	C	170	LYS
1	C	179	LYS
1	C	219	LYS
1	C	277	LYS
1	C	282	ASN
1	C	305	LYS
1	C	308	GLU
1	C	326	LYS
1	C	379	LYS
1	C	381	PHE
1	C	384	LEU
1	C	385	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	388	GLN
1	C	394	GLN
1	B	1	LYS
1	B	8	VAL
1	B	25	LYS
1	B	28	GLU
1	B	34	LYS
1	B	102	LYS
1	B	127	LYS
1	B	142	LYS
1	B	148	MET
1	B	160	LEU
1	B	170	LYS
1	B	175	LYS
1	B	179	LYS
1	B	201	ASN
1	B	202	LYS
1	B	328	GLU
1	B	344	ARG
1	B	376	LYS
1	B	379	LYS
1	B	385	LYS
1	B	390	GLN
1	B	393	GLN
1	B	399	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	HIS
1	A	86	GLN
1	A	201	ASN
1	A	205	ASN
1	A	218	ASN
1	A	234	ASN
1	A	282	ASN
1	C	64	HIS
1	C	72	GLN
1	C	124	ASN
1	C	201	ASN
1	C	203	HIS
1	C	218	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	234	ASN
1	C	394	GLN
1	C	395	GLN
1	B	49	GLN
1	B	64	HIS
1	B	124	ASN
1	B	201	ASN
1	B	218	ASN
1	B	234	ASN
1	B	399	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 14 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	400/449 (89%)	-0.36	1 (0%) 94 90	80, 80, 108, 108	27 (6%)
1	B	401/449 (89%)	-0.27	6 (1%) 73 63	80, 80, 108, 108	33 (8%)
1	C	397/449 (88%)	-0.32	7 (1%) 68 57	80, 80, 80, 108	23 (5%)
All	All	1198/1347 (88%)	-0.31	14 (1%) 79 69	80, 80, 108, 108	83 (6%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	386	SER	3.7
1	B	390	GLN	3.6
1	C	391	GLN	3.2
1	C	173	ASN	3.2
1	B	399	GLN	3.0
1	C	397	GLN	2.9
1	C	180	ASP	2.6
1	B	393	GLN	2.5
1	B	401	GLN	2.4
1	B	394	GLN	2.4
1	C	265	GLY	2.3
1	C	394	GLN	2.2
1	A	173	ASN	2.1
1	C	4	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CA	B	452	1/1	0.53	0.20	107,107,107,107	0
2	ZN	C	451	1/1	0.81	0.15	107,107,107,107	0
3	CA	B	453	1/1	0.82	0.28	107,107,107,107	0
3	CA	C	454	1/1	0.85	0.17	107,107,107,107	0
3	CA	A	453	1/1	0.86	0.26	107,107,107,107	0
3	CA	C	455	1/1	0.87	0.13	107,107,107,107	0
3	CA	C	452	1/1	0.88	0.19	107,107,107,107	0
2	ZN	B	450	1/1	0.91	0.09	107,107,107,107	0
2	ZN	A	450	1/1	0.95	0.10	107,107,107,107	0
2	ZN	C	450	1/1	0.96	0.22	107,107,107,107	0
3	CA	A	451	1/1	0.96	0.22	107,107,107,107	0
3	CA	A	452	1/1	0.97	0.10	107,107,107,107	0
3	CA	C	453	1/1	0.97	0.26	107,107,107,107	0
2	ZN	B	451	1/1	0.97	0.08	107,107,107,107	0

6.5 Other polymers [i](#)

There are no such residues in this entry.