



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 27, 2023 – 11:04 AM EDT

PDB ID : 3IPT
Title : Crystal Structure of Ketosteroid Isomerase Y16S/D40N from *Pseudomonas putida* with Bound Equilenin
Authors : Fenn, T.D.; Sigala, P.A.; Herschlag, D.
Deposited on : 2009-08-18
Resolution : 1.63 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3122 (1.66-1.62)
Clashscore	141614	3268 (1.66-1.62)
Ramachandran outliers	138981	3215 (1.66-1.62)
Sidechain outliers	138945	3215 (1.66-1.62)
RSRZ outliers	127900	3079 (1.66-1.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	131	 3% (poor fit), 66% (0 outliers), 20% (1 outlier), 8% (2 outliers), 5% (3+ outliers)
1	B	131	 7% (poor fit), 69% (0 outliers), 19% (1 outlier), 5% (2 outliers), 6% (3+ outliers)
1	C	131	 15% (poor fit), 69% (0 outliers), 21% (1 outlier), 6% (2 outliers)
1	D	131	 17% (poor fit), 73% (0 outliers), 18% (1 outlier), 6% (2 outliers)

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4288 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Steroid Delta-isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	124	982	612	179	181	10	0	2	0
1	B	123	1048	654	190	193	11	0	11	0
1	C	123	971	606	175	180	10	0	2	0
1	D	123	986	614	177	185	10	0	4	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	16	SER	TYR	engineered mutation	UNP P07445
A	40	ASN	ASP	engineered mutation	UNP P07445
B	16	SER	TYR	engineered mutation	UNP P07445
B	40	ASN	ASP	engineered mutation	UNP P07445
C	16	SER	TYR	engineered mutation	UNP P07445
C	40	ASN	ASP	engineered mutation	UNP P07445
D	16	SER	TYR	engineered mutation	UNP P07445
D	40	ASN	ASP	engineered mutation	UNP P07445

- Molecule 2 is EQUILENIN (three-letter code: EQU) (formula: C₁₈H₁₈O₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	C O	0	0
			20	18 2		
2	B	1	Total	C O	0	0
			20	18 2		
2	C	1	Total	C O	0	0
			20	18 2		
2	D	1	Total	C O	0	0
			20	18 2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	79	Total	O	0	0
			79	79		
3	B	69	Total	O	0	0
			69	69		
3	C	40	Total	O	0	0
			40	40		
3	D	33	Total	O	0	0
			33	33		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Steroid Delta-isomerase




- Molecule 1: Steroid Delta-isomerase




- Molecule 1: Steroid Delta-isomerase



- Molecule 1: Steroid Delta-isomerase





4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	50.69Å 72.40Å 81.33Å 90.00° 91.16° 90.00°	Depositor
Resolution (Å)	43.41 – 1.63 43.41 – 1.63	Depositor EDS
% Data completeness (in resolution range)	82.3 (43.41-1.63) 87.1 (43.41-1.63)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 1.63Å)	Xtrriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.207 , 0.245 0.205 , 0.241	Depositor DCC
R_{free} test set	3198 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	23.5	Xtrriage
Anisotropy	0.710	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 53.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.039 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4288	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 33.31 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.1679e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: EQU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.63	11/1001 (1.1%)	1.61	13/1356 (1.0%)
1	B	1.57	11/1070 (1.0%)	1.61	12/1451 (0.8%)
1	C	1.41	5/990 (0.5%)	1.33	8/1342 (0.6%)
1	D	1.33	3/1005 (0.3%)	1.28	6/1362 (0.4%)
All	All	1.49	30/4066 (0.7%)	1.47	39/5511 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	77	SER	CB-OG	11.15	1.56	1.42
1	A	97	CYS	CB-SG	-9.75	1.65	1.82
1	B	86	PHE	CD2-CE2	8.83	1.56	1.39
1	A	77	SER	CB-OG	8.48	1.53	1.42
1	A	79	ASN	CB-CG	7.60	1.68	1.51
1	B	120	TRP	CE3-CZ3	7.18	1.50	1.38
1	B	107	PHE	CG-CD1	6.99	1.49	1.38
1	C	32	TYR	CG-CD1	6.96	1.48	1.39
1	A	56	PHE	CE2-CZ	6.48	1.49	1.37
1	C	104	VAL	CB-CG1	-6.38	1.39	1.52
1	D	75	ARG	CZ-NH2	6.25	1.41	1.33
1	B	97	CYS	CB-SG	-6.15	1.71	1.82
1	B	74	VAL	CA-CB	6.07	1.67	1.54
1	B	101	VAL	CB-CG2	5.73	1.64	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	39	GLU	CG-CD	5.63	1.60	1.51
1	D	76	ALA	CA-CB	5.50	1.64	1.52
1	A	65	LYS	C-O	5.45	1.33	1.23
1	A	77	SER	N-CA	5.41	1.57	1.46
1	C	34	ASP	C-O	5.36	1.33	1.23
1	A	75	ARG	CZ-NH2	5.34	1.40	1.33
1	A	32	TYR	CE2-CZ	5.19	1.45	1.38
1	C	76	ALA	CA-CB	5.18	1.63	1.52
1	B	106[A]	ARG	CZ-NH1	5.17	1.39	1.33
1	B	106[B]	ARG	CZ-NH1	5.17	1.39	1.33
1	C	18	GLU	CD-OE2	5.14	1.31	1.25
1	D	29	VAL	CB-CG2	5.11	1.63	1.52
1	B	104	VAL	CA-C	5.07	1.66	1.52
1	B	50	ARG	CZ-NH1	5.05	1.39	1.33
1	A	32	TYR	CD2-CE2	-5.02	1.31	1.39
1	A	85	PRO	C-O	5.00	1.33	1.23

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	106[A]	ARG	NE-CZ-NH2	-17.00	111.80	120.30
1	B	106[B]	ARG	NE-CZ-NH2	-17.00	111.80	120.30
1	B	106[A]	ARG	NE-CZ-NH1	15.17	127.89	120.30
1	B	106[B]	ARG	NE-CZ-NH1	15.17	127.89	120.30
1	A	106[A]	ARG	NE-CZ-NH2	-13.76	113.42	120.30
1	A	106[B]	ARG	NE-CZ-NH2	-13.76	113.42	120.30
1	C	75	ARG	NE-CZ-NH1	-10.68	114.96	120.30
1	A	128	ARG	NE-CZ-NH2	10.55	125.57	120.30
1	A	106[A]	ARG	NE-CZ-NH1	9.93	125.27	120.30
1	A	106[B]	ARG	NE-CZ-NH1	9.93	125.27	120.30
1	D	106	ARG	NE-CZ-NH1	9.84	125.22	120.30
1	D	125	LEU	CB-CG-CD1	-9.56	94.75	111.00
1	C	125	LEU	CB-CG-CD1	-9.22	95.33	111.00
1	D	106	ARG	NE-CZ-NH2	-8.73	115.93	120.30
1	B	32	TYR	CB-CG-CD2	-7.30	116.62	121.00
1	A	58	ARG	NE-CZ-NH1	7.26	123.93	120.30
1	C	24	ASP	CB-CG-OD2	6.97	124.57	118.30
1	D	32	TYR	CB-CG-CD2	-6.90	116.86	121.00
1	B	122	GLU	OE1-CD-OE2	6.68	131.31	123.30
1	A	3	LEU	CB-CG-CD1	6.60	122.22	111.00
1	A	125	LEU	CB-CG-CD1	-6.54	99.87	111.00
1	A	116	MET	CA-CB-CG	-6.43	102.36	113.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	103	ASP	CB-CG-OD1	6.16	123.84	118.30
1	C	99	LEU	CB-CG-CD1	6.03	121.25	111.00
1	B	104	VAL	CA-CB-CG1	-6.00	101.90	110.90
1	A	20	VAL	CA-CB-CG2	-5.98	101.92	110.90
1	A	15	ARG	NE-CZ-NH1	-5.68	117.46	120.30
1	B	31	MET	CA-CB-CG	-5.68	103.65	113.30
1	A	77	SER	CB-CA-C	-5.61	99.44	110.10
1	D	107	PHE	CB-CG-CD2	-5.60	116.88	120.80
1	B	86	PHE	CZ-CE2-CD2	-5.60	113.38	120.10
1	C	58	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	B	32	TYR	CD1-CE1-CZ	-5.36	114.97	119.80
1	C	3	LEU	CB-CG-CD2	5.28	119.97	111.00
1	D	3	LEU	CB-CG-CD2	5.16	119.76	111.00
1	B	35	ASP	CB-CG-OD1	5.14	122.93	118.30
1	C	31	MET	CB-CG-SD	-5.13	97.02	112.40
1	A	103	ASP	CB-CG-OD1	5.10	122.89	118.30
1	B	116	MET	CG-SD-CE	5.02	108.24	100.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	120	TRP	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	982	0	953	33	0
1	B	1048	0	1008	33	0
1	C	971	0	940	42	1
1	D	986	0	949	31	0
2	A	20	0	18	2	0
2	B	20	0	18	1	0
2	C	20	0	18	1	0
2	D	20	0	18	1	1
3	A	79	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	69	0	0	5	0
3	C	40	0	0	9	0
3	D	33	0	0	8	0
All	All	4288	0	3922	117	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:GLU:HB3	1:D:106:ARG:NH2	1.35	1.34
1:A:51:GLU:CB	1:D:106:ARG:HH22	1.46	1.28
1:B:106[B]:ARG:HD3	1:C:52:GLN:NE2	1.55	1.21
1:B:106[B]:ARG:HD3	1:C:52:GLN:HE21	0.99	1.16
1:B:106[B]:ARG:NH1	1:C:52:GLN:HE22	1.58	1.01
1:B:106[B]:ARG:HH11	1:C:52:GLN:HE22	1.05	0.98
1:A:109:GLU:HG3	3:A:188:HOH:O	1.68	0.93
1:B:106[A]:ARG:NE	1:C:52:GLN:HE21	1.69	0.90
1:B:122:GLU:CD	1:B:122:GLU:H	1.75	0.89
1:D:106:ARG:HD3	3:D:206:HOH:O	1.71	0.89
1:A:106[A]:ARG:NH2	1:C:106[A]:ARG:CZ	2.37	0.87
1:B:106[B]:ARG:CD	1:C:52:GLN:NE2	2.37	0.86
1:B:106[B]:ARG:NH1	3:B:163:HOH:O	2.04	0.84
3:C:210:HOH:O	1:D:77[B]:SER:HB3	1.77	0.83
1:B:106[A]:ARG:CD	1:C:52:GLN:HE21	1.89	0.83
1:C:39:GLU:OE2	3:C:158:HOH:O	1.97	0.80
3:C:210:HOH:O	1:D:77[A]:SER:HB3	1.80	0.80
1:D:37:THR:HG23	3:D:139:HOH:O	1.82	0.80
1:B:106[B]:ARG:CD	1:C:52:GLN:HE21	1.88	0.80
1:B:106[A]:ARG:CD	1:C:52:GLN:NE2	2.45	0.79
1:B:77:SER:OG	1:B:79:ASN:ND2	2.15	0.78
1:D:25:ILE:HD13	1:D:58[A]:ARG:HG2	1.65	0.77
1:B:25:ILE:HD13	1:B:58[A]:ARG:HG2	1.66	0.77
1:B:106[A]:ARG:HD2	1:C:52:GLN:NE2	2.01	0.75
1:A:95:GLN:HG2	3:A:165:HOH:O	1.86	0.75
1:A:106[A]:ARG:NH2	1:C:106[A]:ARG:NH2	2.35	0.74
1:A:106[A]:ARG:NH2	1:C:106[A]:ARG:NH1	2.35	0.73
1:A:51:GLU:HB3	1:D:106:ARG:HH22	0.60	0.73
1:A:112:ARG:HH11	1:A:112:ARG:HG2	1.53	0.73
1:D:112:ARG:HH11	1:D:112:ARG:HG2	1.52	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:122:GLU:H	1:A:122:GLU:CD	1.93	0.72
1:B:106[B]:ARG:NH1	1:C:52:GLN:NE2	2.36	0.71
1:C:122:GLU:H	1:C:122:GLU:CD	1.93	0.71
1:C:93:ASN:ND2	3:C:221:HOH:O	2.09	0.70
1:B:7:GLN:HG3	3:B:150:HOH:O	1.90	0.70
1:D:122:GLU:H	1:D:122:GLU:CD	1.96	0.69
1:A:77:SER:OG	1:A:79:ASN:ND2	2.25	0.68
1:B:106[B]:ARG:HH11	1:C:52:GLN:NE2	1.85	0.67
1:C:112:ARG:HG2	1:C:112:ARG:HH11	1.59	0.67
1:C:37:THR:HG23	3:C:161:HOH:O	1.93	0.67
1:B:112:ARG:HG2	1:B:112:ARG:HH11	1.60	0.66
1:D:79:ASN:HD22	1:D:79:ASN:H	1.44	0.65
1:A:109:GLU:CG	3:A:188:HOH:O	2.34	0.65
1:A:106[A]:ARG:HH22	1:C:106[A]:ARG:NH1	1.94	0.64
1:D:51[B]:GLU:OE2	1:D:58[B]:ARG:NH2	2.33	0.62
1:D:81:CYS:SG	1:D:106:ARG:HG3	2.41	0.61
1:D:112:ARG:HG2	1:D:112:ARG:NH1	2.18	0.58
1:A:106[A]:ARG:HH22	1:C:106[A]:ARG:CZ	2.15	0.58
1:C:77:SER:OG	1:C:79:ASN:ND2	2.37	0.57
1:B:79:ASN:H	1:B:79:ASN:HD22	1.53	0.56
1:C:115:THR:HG22	3:C:150:HOH:O	2.04	0.56
1:C:112:ARG:HG2	1:C:112:ARG:NH1	2.21	0.56
1:A:67:ARG:HB3	1:A:67:ARG:NH1	2.22	0.55
1:B:65:LYS:HE2	1:B:67:ARG:HG3	1.87	0.55
1:D:124:ASN:HA	3:D:225:HOH:O	2.06	0.55
1:C:79:ASN:H	1:C:79:ASN:HD22	1.55	0.55
2:C:1128:EQU:H273	2:C:1128:EQU:C13	2.36	0.55
1:C:54:ALA:O	1:C:58:ARG:HG3	2.07	0.54
1:B:58[B]:ARG:HD2	3:B:215:HOH:O	2.07	0.54
1:D:65:LYS:HE2	1:D:67:ARG:HG3	1.90	0.54
1:D:51[A]:GLU:CD	3:D:229:HOH:O	2.46	0.53
1:A:106[A]:ARG:HH21	1:C:106[A]:ARG:NH2	2.05	0.53
1:A:112:ARG:HG2	1:A:112:ARG:NH1	2.20	0.53
1:A:7:GLN:HG3	3:A:168:HOH:O	2.09	0.53
1:A:122:GLU:CD	1:B:78:HIS:HE2	2.12	0.52
1:A:25:ILE:HD13	1:A:58:ARG:HG2	1.91	0.52
1:D:51[A]:GLU:HG3	3:D:229:HOH:O	2.09	0.51
1:D:106:ARG:HB2	3:D:206:HOH:O	2.09	0.51
1:C:67:ARG:HB3	1:C:67:ARG:NH1	2.27	0.50
1:A:54:ALA:O	1:A:58:ARG:HG3	2.12	0.49
1:B:112:ARG:HG2	1:B:112:ARG:NH1	2.27	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:PRO:HB2	1:A:128:ARG:HA	1.95	0.48
1:B:44:GLN:HG3	1:B:45:PRO:HD2	1.95	0.48
1:B:22:VAL:HG13	3:B:187:HOH:O	2.12	0.48
1:B:112:ARG:HD2	3:B:149:HOH:O	2.13	0.48
1:C:44:GLN:HG3	1:C:45:PRO:HD2	1.96	0.48
1:D:77[A]:SER:OG	1:D:79:ASN:ND2	2.46	0.48
1:B:90[B]:MET:HG3	2:B:1128:EQU:O26	2.14	0.47
1:C:106[A]:ARG:NE	3:C:156:HOH:O	2.45	0.47
1:D:67:ARG:NH1	1:D:67:ARG:HB3	2.30	0.47
1:D:112:ARG:NH1	1:D:112:ARG:CG	2.78	0.47
1:C:122:GLU:CD	1:C:122:GLU:N	2.66	0.46
1:A:112:ARG:NH1	1:A:112:ARG:CG	2.77	0.46
1:C:8:GLU:HG3	3:C:167:HOH:O	2.14	0.46
1:D:79:ASN:HD22	1:D:79:ASN:N	2.11	0.46
1:A:128:ARG:HA	1:A:128:ARG:HD2	1.71	0.46
1:D:77[B]:SER:OG	1:D:79:ASN:ND2	2.48	0.45
2:A:1128:EQU:H272	2:A:1128:EQU:H242	1.71	0.45
1:C:106[A]:ARG:CD	3:C:156:HOH:O	2.64	0.45
1:B:106[A]:ARG:HD2	1:C:52:GLN:HE22	1.77	0.45
1:A:45:PRO:HA	1:A:46:PRO:HD3	1.82	0.45
1:A:41:PRO:HB3	1:A:120:TRP:CE2	2.53	0.44
1:B:90[A]:MET:SD	1:B:97:CYS:SG	3.16	0.44
1:A:44:GLN:HG3	1:A:45:PRO:HD2	2.00	0.44
1:B:106[B]:ARG:CZ	1:C:52:GLN:NE2	2.80	0.44
1:A:90:MET:HE3	2:A:1128:EQU:H181	2.00	0.44
1:B:17:ILE:HD13	1:B:17:ILE:HA	1.81	0.44
1:A:115:THR:HG22	1:A:116:MET:N	2.34	0.43
1:C:35:ASP:OD1	1:C:35:ASP:N	2.45	0.43
1:D:45:PRO:HA	1:D:46:PRO:HD3	1.80	0.43
1:A:79:ASN:HD22	1:A:79:ASN:H	1.67	0.42
1:D:122:GLU:CD	1:D:122:GLU:N	2.68	0.42
1:A:84:MET:HA	1:A:85:PRO:HD3	1.92	0.42
1:B:95[B]:GLN:HE21	1:B:127:VAL:HG23	1.84	0.42
1:A:46:PRO:HG3	1:C:46:PRO:HD3	2.02	0.42
1:D:106:ARG:CB	3:D:206:HOH:O	2.68	0.42
1:C:81:CYS:SG	1:C:106[A]:ARG:HG3	2.60	0.41
2:D:1128:EQU:C13	2:D:1128:EQU:H273	2.50	0.41
1:C:79:ASN:HD22	1:C:79:ASN:N	2.18	0.41
1:D:44:GLN:HG3	1:D:45:PRO:HD2	2.03	0.41
1:D:51[A]:GLU:CG	3:D:229:HOH:O	2.69	0.41
1:A:25:ILE:O	1:A:29:VAL:HG23	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:17:ILE:HD13	1:D:17:ILE:HA	1.78	0.41
1:C:3:LEU:HA	1:C:3:LEU:HD12	1.72	0.40
1:B:92[A]:TRP:CD1	1:B:92[A]:TRP:C	2.93	0.40
1:C:25:ILE:HD13	1:C:58:ARG:HG2	2.03	0.40
1:D:83:ALA:HA	1:D:103:ASP:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:93:ASN:OD1	2:D:1128:EQU:O26[2_555]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	122/131 (93%)	119 (98%)	3 (2%)	0	100	100
1	B	130/131 (99%)	127 (98%)	3 (2%)	0	100	100
1	C	121/131 (92%)	117 (97%)	4 (3%)	0	100	100
1	D	123/131 (94%)	120 (98%)	3 (2%)	0	100	100
All	All	496/524 (95%)	483 (97%)	13 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	104/106 (98%)	100 (96%)	4 (4%)	33	8
1	B	111/106 (105%)	106 (96%)	5 (4%)	27	6
1	C	103/106 (97%)	101 (98%)	2 (2%)	57	32
1	D	105/106 (99%)	102 (97%)	3 (3%)	42	15
All	All	423/424 (100%)	409 (97%)	14 (3%)	39	11

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	79	ASN
1	A	90	MET
1	A	125	LEU
1	B	44	GLN
1	B	79	ASN
1	B	90[A]	MET
1	B	90[B]	MET
1	B	125	LEU
1	C	79	ASN
1	C	125	LEU
1	D	79	ASN
1	D	90	MET
1	D	125	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	79	ASN
1	A	93	ASN
1	A	117	GLN
1	B	7	GLN
1	B	79	ASN
1	C	7	GLN
1	C	52	GLN
1	C	79	ASN
1	C	93	ASN
1	D	7	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	79	ASN
1	D	93	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EQU	C	1128	-	23,23,23	2.46	9 (39%)	29,36,36	2.72	11 (37%)
2	EQU	A	1128	-	23,23,23	2.60	10 (43%)	29,36,36	3.24	18 (62%)
2	EQU	B	1128	-	23,23,23	1.83	6 (26%)	29,36,36	2.14	8 (27%)
2	EQU	D	1128	-	23,23,23	2.06	5 (21%)	29,36,36	2.05	7 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EQU	C	1128	-	-	-	0/4/4/4
2	EQU	A	1128	-	-	-	0/4/4/4
2	EQU	B	1128	-	-	-	0/4/4/4
2	EQU	D	1128	-	-	-	0/4/4/4

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1128	EQU	C13-C12	6.86	1.49	1.37
2	C	1128	EQU	C13-C12	6.65	1.48	1.37
2	C	1128	EQU	C4-C3	4.88	1.51	1.43
2	A	1128	EQU	C5-C4	-4.74	1.32	1.42
2	A	1128	EQU	C10-C11	4.34	1.45	1.36
2	A	1128	EQU	C6-C1	4.13	1.46	1.38
2	A	1128	EQU	C13-C12	4.06	1.44	1.37
2	C	1128	EQU	C5-C4	-3.80	1.34	1.42
2	A	1128	EQU	C4-C3	3.77	1.49	1.43
2	B	1128	EQU	C13-C12	3.74	1.44	1.37
2	B	1128	EQU	C11-C12	3.70	1.44	1.39
2	A	1128	EQU	C18-C19	3.69	1.60	1.52
2	A	1128	EQU	C2-C1	3.56	1.43	1.37
2	D	1128	EQU	C13-C4	3.41	1.48	1.43
2	A	1128	EQU	C5-C6	3.06	1.43	1.36
2	B	1128	EQU	C19-C13	3.03	1.57	1.51
2	C	1128	EQU	C11-C12	2.97	1.43	1.39
2	D	1128	EQU	C4-C3	2.96	1.48	1.43
2	D	1128	EQU	C10-C11	2.82	1.42	1.36
2	C	1128	EQU	C10-C11	2.82	1.42	1.36
2	B	1128	EQU	C13-C4	2.79	1.47	1.43
2	A	1128	EQU	C10-C3	-2.75	1.35	1.41
2	B	1128	EQU	O26-C26	2.71	1.25	1.21
2	D	1128	EQU	C5-C4	-2.55	1.37	1.42
2	C	1128	EQU	O26-C26	2.44	1.25	1.21
2	C	1128	EQU	C19-C13	2.41	1.56	1.51
2	B	1128	EQU	C4-C3	2.34	1.47	1.43
2	A	1128	EQU	C25-C26	-2.31	1.47	1.51
2	C	1128	EQU	O1-C1	2.26	1.42	1.37
2	C	1128	EQU	C13-C4	2.02	1.46	1.43

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1128	EQU	C24-C16-C17	-9.48	98.86	104.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1128	EQU	C5-C6-C1	8.28	129.67	120.15
2	A	1128	EQU	C24-C25-C26	-6.74	98.91	105.70
2	D	1128	EQU	C24-C16-C17	6.45	107.64	104.08
2	B	1128	EQU	C5-C6-C1	5.23	126.16	120.15
2	B	1128	EQU	O26-C26-C25	-4.88	119.71	125.76
2	C	1128	EQU	C24-C25-C26	-4.71	100.96	105.70
2	A	1128	EQU	O26-C26-C25	-4.52	120.16	125.76
2	C	1128	EQU	C27-C17-C26	4.35	113.18	105.18
2	A	1128	EQU	C19-C18-C17	-4.31	107.09	112.14
2	D	1128	EQU	O26-C26-C17	-4.30	120.23	125.96
2	A	1128	EQU	C19-C13-C4	-4.22	112.06	120.11
2	C	1128	EQU	C6-C1-C2	-4.08	115.17	120.39
2	C	1128	EQU	C27-C17-C18	4.03	115.87	111.13
2	D	1128	EQU	C5-C6-C1	3.81	124.53	120.15
2	B	1128	EQU	C25-C26-C17	3.50	112.05	108.59
2	A	1128	EQU	C6-C5-C4	3.47	125.95	121.13
2	A	1128	EQU	C27-C17-C18	3.42	115.14	111.13
2	B	1128	EQU	C24-C25-C26	-3.34	102.34	105.70
2	C	1128	EQU	O26-C26-C25	-3.24	121.75	125.76
2	C	1128	EQU	C27-C17-C16	-3.24	106.18	112.11
2	C	1128	EQU	C6-C5-C4	-3.22	116.66	121.13
2	A	1128	EQU	C25-C26-C17	3.21	111.76	108.59
2	B	1128	EQU	C27-C17-C18	3.09	114.76	111.13
2	D	1128	EQU	C1-C2-C3	-3.06	117.14	120.45
2	C	1128	EQU	O26-C26-C17	-3.01	121.96	125.96
2	A	1128	EQU	C11-C12-C16	2.97	131.20	123.99
2	A	1128	EQU	C10-C3-C4	-2.96	115.22	119.12
2	A	1128	EQU	C27-C17-C16	-2.93	106.75	112.11
2	B	1128	EQU	O26-C26-C17	-2.90	122.11	125.96
2	C	1128	EQU	C24-C16-C17	-2.81	102.54	104.08
2	C	1128	EQU	C18-C17-C26	-2.75	112.55	116.67
2	B	1128	EQU	C6-C5-C4	-2.74	117.32	121.13
2	D	1128	EQU	C6-C5-C4	-2.66	117.44	121.13
2	A	1128	EQU	C2-C3-C4	2.53	122.58	119.25
2	A	1128	EQU	C18-C17-C26	-2.52	112.89	116.67
2	A	1128	EQU	C5-C6-C1	-2.43	117.35	120.15
2	B	1128	EQU	C6-C1-C2	-2.40	117.32	120.39
2	A	1128	EQU	C27-C17-C26	2.27	109.35	105.18
2	A	1128	EQU	C10-C11-C12	2.18	124.31	121.25
2	A	1128	EQU	C1-C2-C3	-2.17	118.10	120.45
2	A	1128	EQU	C11-C10-C3	2.10	124.08	120.82
2	D	1128	EQU	C19-C18-C17	-2.10	109.68	112.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1128	EQU	C27-C17-C26	2.03	108.91	105.18

There are no chirality outliers.


There are no torsion outliers.



There are no ring outliers.


4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1128	EQU	1	0
2	A	1128	EQU	2	0
2	B	1128	EQU	1	0
2	D	1128	EQU	1	1

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	124/131 (94%)	0.43	4 (3%) 47 46	26, 40, 77, 146	0
1	B	123/131 (93%)	0.28	9 (7%) 15 13	25, 38, 69, 141	0
1	C	123/131 (93%)	1.02	20 (16%) 1 1	31, 47, 91, 145	0
1	D	123/131 (93%)	1.15	22 (17%) 1 1	31, 52, 92, 144	0
All	All	493/524 (94%)	0.72	55 (11%) 5 4	25, 45, 90, 146	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	92	TRP	21.2
1	C	2	ASN	11.6
1	D	2	ASN	10.7
1	C	92	TRP	8.6
1	C	127	VAL	7.7
1	B	2	ASN	7.2
1	C	91	VAL	6.8
1	D	94	GLY	6.5
1	D	93	ASN	6.1
1	A	2	ASN	6.0
1	D	97	CYS	6.0
1	C	94	GLY	6.0
1	D	91	VAL	5.6
1	D	67	ARG	5.4
1	C	96	PRO	5.3
1	D	22	VAL	4.8
1	D	96	PRO	4.2
1	C	97	CYS	4.1
1	B	92[A]	TRP	4.0
1	D	20	VAL	3.9
1	D	69[A]	CYS	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	25	ILE	3.5
1	C	65	LYS	3.5
1	B	22	VAL	3.4
1	D	65	LYS	3.2
1	C	95	GLN	3.2
1	D	66	VAL	3.1
1	C	3	LEU	3.0
1	D	56	PHE	2.9
1	D	3	LEU	2.7
1	D	98	ALA	2.7
1	B	91[A]	VAL	2.7
1	B	65	LYS	2.7
1	B	67	ARG	2.6
1	A	92	TRP	2.6
1	A	53	ILE	2.6
1	C	98	ALA	2.6
1	C	38	VAL	2.5
1	D	23	GLY	2.5
1	D	59	GLN	2.4
1	C	5	THR	2.4
1	C	36	ALA	2.4
1	D	95	GLN	2.4
1	D	127	VAL	2.3
1	B	26	GLU	2.3
1	C	69[A]	CYS	2.3
1	C	29	VAL	2.2
1	C	34	ASP	2.2
1	C	67	ARG	2.2
1	C	113	ILE	2.2
1	D	15	ARG	2.2
1	B	96[A]	PRO	2.2
1	B	18	GLU	2.1
1	C	47	ILE	2.1
1	A	106[A]	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	EQU	C	1128	20/20	0.79	0.23	38,52,82,90	0
2	EQU	A	1128	20/20	0.91	0.11	25,40,54,57	0
2	EQU	B	1128	20/20	0.92	0.15	33,40,56,58	0
2	EQU	D	1128	20/20	0.92	0.20	47,61,104,107	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around EQU A 1128:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around EQU B 1128:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.