



wwPDB EM Validation Summary Report ⓘ

Feb 25, 2024 – 11:58 AM EST

PDB ID : 5IPK
EMDB ID : EMD-8100
Title : Structure of the R432A variant of Adeno-associated virus type 2 VLP
Authors : Drouin, L.M.; Lins, B.; Janssen, M.E.; Bennet, A.; Chipman, P.; McKenna, R.; Chen, W.; Muzyczka, N.; Cardone, G.; Baker, T.S.; Agbandje-McKenna, M.
Deposited on : 2016-03-09
Resolution : 3.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	735	
1	2	735	
1	3	735	
1	4	735	
1	5	735	
1	6	735	
1	7	735	
1	8	735	
1	A	735	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	B	735	16%	65%	32%
1	C	735	16%	65%	32%
1	D	735	16%	65%	32%
1	E	735	15%	65%	32%
1	F	735	16%	65%	32%
1	G	735	16%	65%	32%
1	H	735	16%	65%	32%
1	I	735	16%	65%	32%
1	J	735	15%	65%	32%
1	K	735	16%	65%	32%
1	L	735	16%	65%	32%
1	M	735	15%	65%	32%
1	N	735	16%	65%	32%
1	O	735	15%	65%	32%
1	P	735	16%	65%	32%
1	Q	735	16%	65%	32%
1	R	735	16%	65%	32%
1	S	735	16%	65%	32%
1	T	735	16%	65%	32%
1	U	735	15%	65%	32%
1	V	735	16%	65%	32%
1	W	735	15%	65%	32%
1	X	735	16%	65%	32%
1	Y	735	15%	65%	32%
1	Z	735	16%	65%	32%


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	a	735	16%	65%	32%
1	b	735	16%	65%	32%
1	c	735	16%	65%	32%
1	d	735	16%	65%	32%
1	e	735	16%	65%	32%
1	f	735	15%	65%	32%
1	g	735	16%	65%	32%
1	h	735	15%	65%	32%
1	i	735	16%	65%	32%
1	j	735	15%	65%	32%
1	k	735	15%	65%	32%
1	l	735	16%	65%	32%
1	m	735	16%	65%	32%
1	n	735	16%	65%	32%
1	o	735	16%	65%	32%
1	p	735	15%	65%	32%
1	q	735	15%	65%	32%
1	r	735	16%	65%	32%
1	s	735	16%	65%	32%
1	t	735	16%	65%	32%
1	u	735	16%	65%	32%
1	v	735	15%	65%	32%
1	w	735	16%	65%	32%
1	x	735	16%	65%	32%
1	y	735	16%	65%	32%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	z	735	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a red segment on the left labeled '16%', a green segment in the middle labeled '65%', and a grey segment on the right labeled '32%'. A small black dot is located at the end of the grey segment.</p>

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 240540 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein VP1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	500	4009	2528	697	773	11	0	0
1	B	500	4009	2528	697	773	11	0	0
1	C	500	4009	2528	697	773	11	0	0
1	D	500	4009	2528	697	773	11	0	0
1	E	500	4009	2528	697	773	11	0	0
1	F	500	4009	2528	697	773	11	0	0
1	G	500	4009	2528	697	773	11	0	0
1	H	500	4009	2528	697	773	11	0	0
1	I	500	4009	2528	697	773	11	0	0
1	J	500	4009	2528	697	773	11	0	0
1	K	500	4009	2528	697	773	11	0	0
1	L	500	4009	2528	697	773	11	0	0
1	M	500	4009	2528	697	773	11	0	0
1	N	500	4009	2528	697	773	11	0	0
1	O	500	4009	2528	697	773	11	0	0
1	P	500	4009	2528	697	773	11	0	0
1	Q	500	4009	2528	697	773	11	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	R	500	4009	2528	697	773	11	0	0
1	S	500	4009	2528	697	773	11	0	0
1	T	500	4009	2528	697	773	11	0	0
1	U	500	4009	2528	697	773	11	0	0
1	V	500	4009	2528	697	773	11	0	0
1	W	500	4009	2528	697	773	11	0	0
1	X	500	4009	2528	697	773	11	0	0
1	Y	500	4009	2528	697	773	11	0	0
1	Z	500	4009	2528	697	773	11	0	0
1	a	500	4009	2528	697	773	11	0	0
1	b	500	4009	2528	697	773	11	0	0
1	c	500	4009	2528	697	773	11	0	0
1	d	500	4009	2528	697	773	11	0	0
1	e	500	4009	2528	697	773	11	0	0
1	f	500	4009	2528	697	773	11	0	0
1	g	500	4009	2528	697	773	11	0	0
1	h	500	4009	2528	697	773	11	0	0
1	i	500	4009	2528	697	773	11	0	0
1	j	500	4009	2528	697	773	11	0	0
1	k	500	4009	2528	697	773	11	0	0
1	l	500	4009	2528	697	773	11	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	m	500	4009	2528	697	773	11	0	0
1	n	500	4009	2528	697	773	11	0	0
1	o	500	4009	2528	697	773	11	0	0
1	p	500	4009	2528	697	773	11	0	0
1	q	500	4009	2528	697	773	11	0	0
1	r	500	4009	2528	697	773	11	0	0
1	s	500	4009	2528	697	773	11	0	0
1	t	500	4009	2528	697	773	11	0	0
1	u	500	4009	2528	697	773	11	0	0
1	v	500	4009	2528	697	773	11	0	0
1	w	500	4009	2528	697	773	11	0	0
1	x	500	4009	2528	697	773	11	0	0
1	y	500	4009	2528	697	773	11	0	0
1	z	500	4009	2528	697	773	11	0	0
1	1	500	4009	2528	697	773	11	0	0
1	2	500	4009	2528	697	773	11	0	0
1	3	500	4009	2528	697	773	11	0	0
1	4	500	4009	2528	697	773	11	0	0
1	5	500	4009	2528	697	773	11	0	0
1	6	500	4009	2528	697	773	11	0	0
1	7	500	4009	2528	697	773	11	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	8	500	4009	2528	697	773	11	0	0


There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	432	ALA	ARG	engineered mutation	UNP P03135
B	432	ALA	ARG	engineered mutation	UNP P03135
C	432	ALA	ARG	engineered mutation	UNP P03135
D	432	ALA	ARG	engineered mutation	UNP P03135
E	432	ALA	ARG	engineered mutation	UNP P03135
F	432	ALA	ARG	engineered mutation	UNP P03135
G	432	ALA	ARG	engineered mutation	UNP P03135
H	432	ALA	ARG	engineered mutation	UNP P03135
I	432	ALA	ARG	engineered mutation	UNP P03135
J	432	ALA	ARG	engineered mutation	UNP P03135
K	432	ALA	ARG	engineered mutation	UNP P03135
L	432	ALA	ARG	engineered mutation	UNP P03135
M	432	ALA	ARG	engineered mutation	UNP P03135
N	432	ALA	ARG	engineered mutation	UNP P03135
O	432	ALA	ARG	engineered mutation	UNP P03135
P	432	ALA	ARG	engineered mutation	UNP P03135
Q	432	ALA	ARG	engineered mutation	UNP P03135
R	432	ALA	ARG	engineered mutation	UNP P03135
S	432	ALA	ARG	engineered mutation	UNP P03135
T	432	ALA	ARG	engineered mutation	UNP P03135
U	432	ALA	ARG	engineered mutation	UNP P03135
V	432	ALA	ARG	engineered mutation	UNP P03135
W	432	ALA	ARG	engineered mutation	UNP P03135
X	432	ALA	ARG	engineered mutation	UNP P03135
Y	432	ALA	ARG	engineered mutation	UNP P03135
Z	432	ALA	ARG	engineered mutation	UNP P03135
a	432	ALA	ARG	engineered mutation	UNP P03135
b	432	ALA	ARG	engineered mutation	UNP P03135
c	432	ALA	ARG	engineered mutation	UNP P03135
d	432	ALA	ARG	engineered mutation	UNP P03135
e	432	ALA	ARG	engineered mutation	UNP P03135
f	432	ALA	ARG	engineered mutation	UNP P03135
g	432	ALA	ARG	engineered mutation	UNP P03135
h	432	ALA	ARG	engineered mutation	UNP P03135
i	432	ALA	ARG	engineered mutation	UNP P03135
j	432	ALA	ARG	engineered mutation	UNP P03135


Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
k	432	ALA	ARG	engineered mutation	UNP P03135
l	432	ALA	ARG	engineered mutation	UNP P03135
m	432	ALA	ARG	engineered mutation	UNP P03135
n	432	ALA	ARG	engineered mutation	UNP P03135
o	432	ALA	ARG	engineered mutation	UNP P03135
p	432	ALA	ARG	engineered mutation	UNP P03135
q	432	ALA	ARG	engineered mutation	UNP P03135
r	432	ALA	ARG	engineered mutation	UNP P03135
s	432	ALA	ARG	engineered mutation	UNP P03135
t	432	ALA	ARG	engineered mutation	UNP P03135
u	432	ALA	ARG	engineered mutation	UNP P03135
v	432	ALA	ARG	engineered mutation	UNP P03135
w	432	ALA	ARG	engineered mutation	UNP P03135
x	432	ALA	ARG	engineered mutation	UNP P03135
y	432	ALA	ARG	engineered mutation	UNP P03135
z	432	ALA	ARG	engineered mutation	UNP P03135
1	432	ALA	ARG	engineered mutation	UNP P03135
2	432	ALA	ARG	engineered mutation	UNP P03135
3	432	ALA	ARG	engineered mutation	UNP P03135
4	432	ALA	ARG	engineered mutation	UNP P03135
5	432	ALA	ARG	engineered mutation	UNP P03135
6	432	ALA	ARG	engineered mutation	UNP P03135
7	432	ALA	ARG	engineered mutation	UNP P03135
8	432	ALA	ARG	engineered mutation	UNP P03135




• Molecule 1: Capsid protein VP1





• Molecule 1: Capsid protein VP1






● Molecule 1: Capsid protein VP1








• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1







• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1




● Molecule 1: Capsid protein VP1




● Molecule 1: Capsid protein VP1







• Molecule 1: Capsid protein VP1





• Molecule 1: Capsid protein VP1






• Molecule 1: Capsid protein VP1







• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1






• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1








• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1






• Molecule 1: Capsid protein VP1





• Molecule 1: Capsid protein VP1







• Molecule 1: Capsid protein VP1








• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1







• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1



• Molecule 1: Capsid protein VP1









• Molecule 1: Capsid protein VP1



MET
ALA
ALA
ASP
GLY
TYR
LEU
PRO
ASP
TRP
LEU
ALA
GLU
ASP
THR
LEU
ASP
HIS
LYS
GLY
ILE
ARG
GLN
TRP
LEU
TRP
LEU
LYS
LYS
PRO
PRO
PRO
PRO
PRO
LEU
LEU
PRO
PRO
PRO
TYR
LEU
TYR
PRO
TYR
SER
HIS
ALA
ALA
SER
ASP
ARG
HIS
VAL
PHE
GLY
GLN
GLY
ASP
ARG
GLY
LEU
VAL
LEU
ASP
THR
GLY
PHE
TYR
LYS
LYS
TYR
ASN
ALA
GLY
PHE
VAL
GLY
LEU
LEU
ASP
ASP

LYS
GLY
GLU
PRO
VAL
ASN
GLY
ALA
ASP
LEU
ALA
GLY
GLU
HIS
ASP
SER
VAL
LYS
GLY
ALA
TYR
ASP
ARG
GLN
LEU
TRP
TRP
LEU
ASP
SER
GLY
VAL
VAL
VAL
GLY
GLY
GLY
VAL
ASP
HIS
VAL
LEU
LEU
LEU
VAL
VAL
LEU
LEU
PHE
ASN
GLY
GLY
ARG
PHE
ALA
PHE
VAL
GLN
ASP

ALA
LYS
LYS
ARG
VAL
LEU
PRO
GLY
LEU
VAL
VAL
GLY
GLY
PRO
VAL
TRP
ALA
PRO
GLY
GLY
ASP
GLY
GLY
TRP
LEU
LEU
GLY
SER
SER
SER
GLY
THR
GLY
ASP
HIS
SER
PRO
VAL
VAL
VAL
GLY
LEU
VAL
VAL
SER
SER
GLY
GLY
GLY
ALA
ALA
ALA
PHE
HIS
LYS
ARG
ARG
LEU
ASN
GLY
ASP
ASP




• Molecule 1: Capsid protein VP1




MET
ALA
ALA
ASP
GLY
TYR
LEU
PRO
ASP
TRP
LEU
ALA
GLU
ASP
THR
LEU
ASP
HIS
LYS
GLY
ILE
ARG
GLN
TRP
LEU
TRP
LEU
LYS
LYS
PRO
PRO
PRO
PRO
PRO
LEU
LEU
PRO
PRO
PRO
TYR
LEU
TYR
ASN
HIS
ALA
ALA
SER
ASP
ARG
HIS
VAL
PHE
GLY
GLN
GLY
ASP
ARG
GLY
LEU
VAL
LEU
ASP
THR
GLY
PHE
TYR
LYS
LYS
TYR
ASN
ALA
GLY
PHE
VAL
GLY
LEU
LEU
ASP
ASP

LYS
GLY
GLU
PRO
VAL
ASN
GLY
ALA
ASP
LEU
ALA
GLY
GLU
HIS
ASP
SER
VAL
LYS
GLY
ALA
TYR
ASP
ARG
GLN
LEU
TRP
TRP
LEU
ASP
SER
GLY
VAL
VAL
VAL
VAL
GLY
GLY
TRP
LEU
LEU
LEU
VAL
VAL
LEU
LEU
PHE
ASN
GLY
GLY
ARG
PHE
ALA
PHE
VAL
GLN
ASP


ALA
LYS
LYS
ARG
VAL
LEU
PRO
GLY
LEU
VAL
VAL
GLY
GLY
PRO
VAL
TRP
ALA
PRO
GLY
GLY
ASP
GLY
TRP
LEU
LEU
LEU
VAL
VAL
LEU
LEU
PHE
ASN
GLY
GLY
ARG
PHE
ALA
PHE
VAL
GLN
ASP
ASP




• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1






• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1





• Molecule 1: Capsid protein VP1





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	19457	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	20	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	3200	Depositor
Magnification	56924	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	14.966	Depositor
Minimum map value	-6.175	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	2.9	Depositor
Map size (\AA)	361.9, 361.9, 361.9	wwPDB
Map dimensions	329, 329, 329	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.1, 1.1, 1.1	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.57	0/4127	0.68	0/5626
1	2	0.57	0/4127	0.68	0/5626
1	3	0.57	0/4127	0.68	0/5626
1	4	0.57	0/4127	0.68	0/5626
1	5	0.57	0/4127	0.68	0/5626
1	6	0.57	0/4127	0.68	0/5626
1	7	0.57	0/4127	0.68	0/5626
1	8	0.57	0/4127	0.68	0/5626
1	A	0.57	0/4127	0.68	0/5626
1	B	0.57	0/4127	0.68	0/5626
1	C	0.57	0/4127	0.68	0/5626
1	D	0.57	0/4127	0.68	0/5626
1	E	0.57	0/4127	0.68	0/5626
1	F	0.57	0/4127	0.68	0/5626
1	G	0.57	0/4127	0.68	0/5626
1	H	0.57	0/4127	0.68	0/5626
1	I	0.57	0/4127	0.68	0/5626
1	J	0.57	0/4127	0.68	0/5626
1	K	0.57	0/4127	0.68	0/5626
1	L	0.57	0/4127	0.68	0/5626
1	M	0.57	0/4127	0.68	0/5626
1	N	0.57	0/4127	0.68	0/5626
1	O	0.57	0/4127	0.68	0/5626
1	P	0.57	0/4127	0.68	0/5626
1	Q	0.57	0/4127	0.68	0/5626
1	R	0.57	0/4127	0.67	0/5626
1	S	0.57	0/4127	0.68	0/5626
1	T	0.57	0/4127	0.68	0/5626
1	U	0.57	0/4127	0.68	0/5626
1	V	0.57	0/4127	0.68	0/5626
1	W	0.57	0/4127	0.68	0/5626
1	X	0.57	0/4127	0.68	0/5626
1	Y	0.57	0/4127	0.68	0/5626
1	Z	0.57	0/4127	0.68	0/5626

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	a	0.57	0/4127	0.68	0/5626
1	b	0.57	0/4127	0.68	0/5626
1	c	0.57	0/4127	0.68	0/5626
1	d	0.57	0/4127	0.68	0/5626
1	e	0.57	0/4127	0.68	0/5626
1	f	0.57	0/4127	0.68	0/5626
1	g	0.57	0/4127	0.68	0/5626
1	h	0.57	0/4127	0.68	0/5626
1	i	0.57	0/4127	0.68	0/5626
1	j	0.57	0/4127	0.68	0/5626
1	k	0.57	0/4127	0.68	0/5626
1	l	0.57	0/4127	0.68	0/5626
1	m	0.57	0/4127	0.68	0/5626
1	n	0.57	0/4127	0.68	0/5626
1	o	0.57	0/4127	0.68	0/5626
1	p	0.57	0/4127	0.68	0/5626
1	q	0.57	0/4127	0.68	0/5626
1	r	0.57	0/4127	0.68	0/5626
1	s	0.57	0/4127	0.68	0/5626
1	t	0.57	0/4127	0.68	0/5626
1	u	0.57	0/4127	0.68	0/5626
1	v	0.57	0/4127	0.68	0/5626
1	w	0.57	0/4127	0.68	0/5626
1	x	0.57	0/4127	0.68	0/5626
1	y	0.57	0/4127	0.68	0/5626
1	z	0.57	0/4127	0.68	0/5626
All	All	0.57	0/247620	0.68	0/337560

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	1	0	5
1	2	0	6
1	3	0	5
1	4	0	6
1	5	0	5
1	6	0	5
1	7	0	6
1	8	0	5

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	5
1	C	0	5
1	D	0	5
1	E	0	6
1	F	0	5
1	G	0	5
1	H	0	5
1	I	0	5
1	J	0	5
1	K	0	6
1	L	0	5
1	M	0	5
1	N	0	5
1	O	0	6
1	P	0	5
1	Q	0	5
1	R	0	5
1	S	0	5
1	T	0	6
1	U	0	6
1	V	0	5
1	W	0	5
1	X	0	5
1	Y	0	5
1	Z	0	5
1	a	0	5
1	b	0	5
1	c	0	5
1	d	0	5
1	e	0	5
1	f	0	5
1	g	0	6
1	h	0	5
1	i	0	5
1	j	0	5
1	k	0	5
1	l	0	6
1	m	0	5
1	n	0	6
1	o	0	6
1	p	0	5

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	q	0	5
1	r	0	5
1	s	0	5
1	t	0	5
1	u	0	5
1	v	0	5
1	w	0	6
1	x	0	6
1	y	0	5
1	z	0	5
All	All	0	314

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 314 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	354	LEU	Peptide
1	A	607	GLN	Peptide
1	A	628	PHE	Peptide
1	A	705	ASN	Peptide
1	A	728	THR	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	2	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	3	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	4	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	5	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	6	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	7	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	8	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	A	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	B	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	C	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	D	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	E	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	F	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	G	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	H	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	I	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	J	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	K	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	L	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	M	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	N	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	O	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	P	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	Q	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	R	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	S	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	T	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	U	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	V	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	W	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	X	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	Y	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	Z	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	a	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	b	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	c	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	d	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	e	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	f	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	g	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	h	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	i	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	j	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	k	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	l	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	m	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	n	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	o	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	p	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	q	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	r	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	s	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	t	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
1	u	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	v	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	w	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	x	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	y	498/735 (68%)	378 (76%)	107 (22%)	13 (3%)	5	34
1	z	498/735 (68%)	377 (76%)	108 (22%)	13 (3%)	5	34
All	All	29880/44100 (68%)	22656 (76%)	6444 (22%)	780 (3%)	8	34

5 of 780 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	680	VAL
1	B	680	VAL
1	C	680	VAL
1	D	680	VAL
1	E	680	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	1	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	2	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	3	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	4	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	5	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	6	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	7	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	8	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	A	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	B	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	C	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	D	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	E	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	F	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	G	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	H	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	I	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	J	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	K	444/629 (71%)	442 (100%)	2 (0%)	88 94
1	L	444/629 (71%)	442 (100%)	2 (0%)	88 94

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	M	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	N	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	O	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	P	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	Q	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	R	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	S	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	T	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	U	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	V	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	W	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	X	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	Y	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	Z	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	a	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	b	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	c	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	d	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	e	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	f	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	g	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	h	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	i	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	j	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	k	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	l	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	m	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	n	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	o	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	p	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	q	444/629 (71%)	442 (100%)	2 (0%)	88	94

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	r	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	s	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	t	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	u	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	v	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	w	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	x	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	y	444/629 (71%)	442 (100%)	2 (0%)	88	94
1	z	444/629 (71%)	442 (100%)	2 (0%)	88	94
All	All	26640/37740 (71%)	26520 (100%)	120 (0%)	89	94

5 of 120 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	c	613	LEU
1	4	460	LEU
1	j	613	LEU
1	3	613	LEU
1	8	460	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 558 such sidechains are listed below:

Mol	Chain	Res	Type
1	x	473	GLN
1	z	253	ASN
1	x	461	GLN
1	4	607	GLN
1	U	598	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8100. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 164



Y Index: 164




Z Index: 164


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 151



Y Index: 177




Z Index: 151


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 2.9. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1108 nm^3 ; this corresponds to an approximate mass of 1001 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.270\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8100 and PDB model 5IPK. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.9 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.9).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 62% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















































The table lists the average atom inclusion at the recommended contour level (2.9) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6160	 0.4490
1	 0.6190	 0.4500
2	 0.6190	 0.4490
3	 0.6190	 0.4480
4	 0.6130	 0.4490
5	 0.6140	 0.4490
6	 0.6130	 0.4490
7	 0.6190	 0.4500
8	 0.6160	 0.4490
A	 0.6180	 0.4490
B	 0.6120	 0.4490
C	 0.6140	 0.4490
D	 0.6160	 0.4500
E	 0.6190	 0.4490
F	 0.6120	 0.4480
G	 0.6180	 0.4500
H	 0.6130	 0.4480
I	 0.6180	 0.4480
J	 0.6190	 0.4480
K	 0.6160	 0.4500
L	 0.6140	 0.4480
M	 0.6190	 0.4490
N	 0.6160	 0.4490
O	 0.6190	 0.4490
P	 0.6160	 0.4500
Q	 0.6140	 0.4500
R	 0.6140	 0.4500
S	 0.6130	 0.4490
T	 0.6200	 0.4480
U	 0.6190	 0.4500
V	 0.6170	 0.4490
W	 0.6190	 0.4490
X	 0.6160	 0.4500
Y	 0.6140	 0.4490
Z	 0.6140	 0.4460



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
a	 0.6160	 0.4480
b	 0.6130	 0.4490
c	 0.6180	 0.4490
d	 0.6190	 0.4480
e	 0.6170	 0.4490
f	 0.6190	 0.4500
g	 0.6130	 0.4500
h	 0.6130	 0.4500
i	 0.6130	 0.4490
j	 0.6180	 0.4490
k	 0.6130	 0.4490
l	 0.6180	 0.4490
m	 0.6140	 0.4470
n	 0.6130	 0.4470
o	 0.6180	 0.4500
p	 0.6170	 0.4490
q	 0.6190	 0.4480
r	 0.6140	 0.4480
s	 0.6110	 0.4460
t	 0.6140	 0.4490
u	 0.6130	 0.4490
v	 0.6190	 0.4490
w	 0.6170	 0.4480
x	 0.6170	 0.4490
y	 0.6160	 0.4490
z	 0.6180	 0.4500