



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2024 – 04:14 AM EDT

PDB ID : 5ISO  
Title : STRUCTURE OF FULL LENGTH HUMAN AMPK (NON-PHOSPHORYLATED AT T-LOOP) IN COMPLEX WITH A SMALL MOLECULE ACTIVATOR, A BENZIMIDAZOLE DERIVATIVE (991)  
Authors : Xiao, B.; Hubbard, J.A.; Gamblin, S.J.  
Deposited on : 2016-03-15  
Resolution : 2.63 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1426 (2.66-2.62)
Clashscore	141614	1472 (2.66-2.62)
Ramachandran outliers	138981	1446 (2.66-2.62)
Sidechain outliers	138945	1446 (2.66-2.62)
RSRZ outliers	127900	1408 (2.66-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	552	
1	C	552	
2	B	286	
2	D	286	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	E	331	 2% 79% 11% 10%
3	F	331	 2% 75% 15% 10%

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 14898 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-AMP-activated protein kinase catalytic subunit alpha-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	453	3614	2319	624	646	25	0	0	0
1	C	429	3374	2169	579	603	23	0	0	0

- Molecule 2 is a protein called 5'-AMP-activated protein kinase subunit beta-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	P				S
2	B	183	1458	940	242	270	1	5	0	0	0
2	D	173	1343	874	224	240	1	4	0	0	0

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-15	MET	-	initiating methionine	UNP Q9Y478
B	-14	GLY	-	expression tag	UNP Q9Y478
B	-13	LEU	-	expression tag	UNP Q9Y478
B	-12	ASN	-	expression tag	UNP Q9Y478
B	-11	ASP	-	expression tag	UNP Q9Y478
B	-10	ILE	-	expression tag	UNP Q9Y478
B	-9	PHE	-	expression tag	UNP Q9Y478
B	-8	GLU	-	expression tag	UNP Q9Y478
B	-7	ALA	-	expression tag	UNP Q9Y478
B	-6	GLN	-	expression tag	UNP Q9Y478
B	-5	LYS	-	expression tag	UNP Q9Y478
B	-4	ILE	-	expression tag	UNP Q9Y478
B	-3	GLU	-	expression tag	UNP Q9Y478
B	-2	TRP	-	expression tag	UNP Q9Y478
B	-1	HIS	-	expression tag	UNP Q9Y478
B	0	GLU	-	expression tag	UNP Q9Y478

*Continued on next page...*


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-15	MET	-	initiating methionine	UNP Q9Y478
D	-14	GLY	-	expression tag	UNP Q9Y478
D	-13	LEU	-	expression tag	UNP Q9Y478
D	-12	ASN	-	expression tag	UNP Q9Y478
D	-11	ASP	-	expression tag	UNP Q9Y478
D	-10	ILE	-	expression tag	UNP Q9Y478
D	-9	PHE	-	expression tag	UNP Q9Y478
D	-8	GLU	-	expression tag	UNP Q9Y478
D	-7	ALA	-	expression tag	UNP Q9Y478
D	-6	GLN	-	expression tag	UNP Q9Y478
D	-5	LYS	-	expression tag	UNP Q9Y478
D	-4	ILE	-	expression tag	UNP Q9Y478
D	-3	GLU	-	expression tag	UNP Q9Y478
D	-2	TRP	-	expression tag	UNP Q9Y478
D	-1	HIS	-	expression tag	UNP Q9Y478
D	0	GLU	-	expression tag	UNP Q9Y478

- Molecule 3 is a protein called 5'-AMP-activated protein kinase subunit gamma-1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	298	Total	C	N	O	S	0	0	0
			2384	1549	397	431	7			
3	F	299	Total	C	N	O	S	0	0	0
			2375	1547	393	428	7			

- Molecule 4 is STAUROSPORINE (three-letter code: STU) (formula:  $C_{28}H_{26}N_4O_3$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			35	28	4	3		
4	C	1	Total	C	N	O	0	0
			35	28	4	3		

- Molecule 5 is 5-[[6-chloranyl-5-(1-methylindol-5-yl)-1H-benzimidazol-2-yl]oxy]-2-methyl-benzoic acid (three-letter code: 992) (formula: C<sub>24</sub>H<sub>18</sub>ClN<sub>3</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Cl	N	O	0	0
			31	24	1	3	3		
5	C	1	Total	C	Cl	N	O	0	0
			31	24	1	3	3		

- Molecule 6 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: C<sub>10</sub>H<sub>14</sub>N<sub>5</sub>O<sub>7</sub>P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
6	E	1	Total 23	10	5	7	1	0	0
6	E	1	Total 23	10	5	7	1	0	0
6	E	1	Total 23	10	5	7	1	0	0
6	F	1	Total 23	10	5	7	1	0	0
6	F	1	Total 23	10	5	7	1	0	0
6	F	1	Total 23	10	5	7	1	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
7	A	24	Total 24	24	0	0
7	B	7	Total 7	7	0	0
7	E	8	Total 8	8	0	0
7	C	29	Total 29	29	0	0
7	D	6	Total 6	6	0	0
7	F	6	Total 6	6	0	0










● Molecule 2: 5'-AMP-activated protein kinase subunit beta-1



● Molecule 2: 5'-AMP-activated protein kinase subunit beta-1





● Molecule 3: 5'-AMP-activated protein kinase subunit gamma-1



PRO

● Molecule 3: 5'-AMP-activated protein kinase subunit gamma-1





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	75.42Å 129.39Å 139.28Å 90.00° 92.73° 90.00°	Depositor
Resolution (Å)	19.97 – 2.63 19.97 – 2.63	Depositor EDS
% Data completeness (in resolution range)	99.1 (19.97-2.63) 94.3 (19.97-2.63)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.76 (at 2.63Å)	Xtrriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, $R_{free}$	0.178 , 0.230 0.178 , 0.230	Depositor DCC
$R_{free}$ test set	3884 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	64.5	Xtrriage
Anisotropy	0.251	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 53.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.029 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	14898	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	83.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.81% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, STU, SEP, 992

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.33	0/3698	0.52	0/5000
1	C	0.33	0/3450	0.50	0/4668
2	B	0.34	0/1488	0.52	0/2027
2	D	0.31	0/1370	0.51	0/1869
3	E	0.33	0/2435	0.52	0/3309
3	F	0.33	0/2426	0.54	0/3299
All	All	0.33	0/14867	0.52	0/20172

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3614	0	3588	44	0
1	C	3374	0	3306	52	0
2	B	1458	0	1436	22	0
2	D	1343	0	1300	30	0
3	E	2384	0	2430	25	0
3	F	2375	0	2421	30	0
4	A	35	0	26	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	35	0	26	2	0
5	A	31	0	17	3	0
5	C	31	0	17	4	0
6	E	69	0	36	0	0
6	F	69	0	36	1	0
7	A	24	0	0	0	0
7	B	7	0	0	0	0
7	C	29	0	0	1	0
7	D	6	0	0	0	0
7	E	8	0	0	1	0
7	F	6	0	0	1	0
All	All	14898	0	14639	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:369:ARG:HH22	2:D:219:THR:HB	1.56	0.69
1:A:26:THR:HG21	1:A:160:LEU:HG	1.74	0.69
1:C:171:ARG:HH22	2:D:204:PRO:HB3	1.59	0.68
1:C:434:ASN:HB3	1:C:437:HIS:HB3	1.76	0.68
1:C:67:ASN:ND2	1:C:163:MET:SD	2.69	0.66
1:A:430:TRP:HH2	2:B:191:PRO:HA	1.60	0.65
1:C:344:SER:OG	2:D:223:CYS:SG	2.54	0.64
1:A:186:SER:OG	1:A:227:ARG:NH1	2.30	0.64
3:F:127:LYS:HD2	3:F:128:PRO:HD2	1.79	0.64
1:C:457:LEU:HD21	1:C:465:TYR:HB3	1.80	0.63
1:C:48:ASN:ND2	1:C:88:ASP:OD1	2.30	0.62
2:D:140:PRO:HG2	2:D:152:ILE:HG13	1.81	0.62
3:E:239:ASP:OD1	3:E:269:ARG:NH2	2.33	0.62
1:A:118:ARG:NH2	1:A:151:MET:O	2.33	0.62
2:B:124:GLN:HG2	2:B:152:ILE:HG22	1.82	0.61
3:F:239:ASP:OD1	3:F:269:ARG:NH2	2.34	0.61
1:C:278:PRO:O	1:C:279:GLU:HG2	2.01	0.60
3:F:303:VAL:HG11	3:F:307:ASP:HA	1.84	0.59
4:A:601:STU:H261	4:A:601:STU:H16	1.85	0.59
3:E:99:TYR:O	7:E:501:HOH:O	2.17	0.58
1:C:18:LEU:HB2	5:C:602:992:H8	1.86	0.58
2:D:123:HIS:HB2	2:D:153:ILE:HD11	1.86	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:402:TRP:HB2	2:B:213:VAL:HG11	1.85	0.58
1:A:278:PRO:HA	1:A:283:TYR:CG	2.39	0.58
2:B:206:LEU:HD12	2:B:207:PRO:HD2	1.85	0.57
1:A:531:ARG:HH12	1:A:535:HIS:HB2	1.70	0.57
1:C:35:HIS:HE1	1:C:37:LEU:HD12	1.69	0.57
1:A:185:ILE:HD11	1:A:227:ARG:HG3	1.86	0.57
1:C:434:ASN:OD1	1:C:435:ALA:N	2.38	0.56
1:A:100:GLU:OE2	4:A:601:STU:N4	2.39	0.56
1:C:427:ASP:OD1	2:D:189:GLN:NE2	2.39	0.55
1:C:324:TYR:CE2	1:C:328:ILE:HD11	2.41	0.55
1:C:461:ASP:OD1	1:C:462:ASN:N	2.40	0.55
4:C:601:STU:H261	4:C:601:STU:H16	1.88	0.55
1:A:429:GLU:HB3	2:B:187:TYR:HB3	1.89	0.54
1:C:420:TYR:CG	2:D:191:PRO:HB3	2.43	0.54
3:F:323:VAL:HG23	3:F:324:LEU:HD12	1.88	0.54
3:F:70:ARG:NE	3:F:152:ARG:HH21	2.06	0.54
1:C:263:ARG:NH1	1:C:279:GLU:OE2	2.39	0.53
1:C:75:HIS:O	1:C:154:LYS:HA	2.08	0.53
1:A:247:HIS:CG	1:A:257:ALA:HB2	2.44	0.53
3:E:278:LYS:O	3:E:291:ARG:NH1	2.41	0.53
3:E:233:GLU:H	3:E:233:GLU:CD	2.13	0.53
1:A:300:PHE:HD2	1:A:320:LEU:HD23	1.74	0.52
1:C:51:LYS:NZ	5:C:602:992:O20	2.42	0.52
1:A:319:GLN:HA	1:A:322:VAL:HG12	1.90	0.52
1:C:9:GLY:N	7:C:701:HOH:O	2.42	0.52
3:F:232:ASP:OD1	3:F:236:ARG:N	2.40	0.52
1:A:165:SER:HB2	1:A:168:GLU:HG3	1.91	0.51
1:A:208:LEU:HB3	1:A:237:LEU:HD21	1.92	0.51
3:F:142:VAL:HG11	3:F:323:VAL:HG21	1.92	0.51
3:F:204:ILE:HG22	3:F:206:MET:HG3	1.92	0.51
1:A:180:ALA:HB1	1:A:184:VAL:CG2	2.41	0.51
1:A:407:ARG:HH11	1:A:460:VAL:HG11	1.75	0.51
1:C:100:GLU:OE2	4:C:601:STU:N4	2.43	0.51
1:C:432:VAL:HG12	1:C:438:LEU:HD23	1.92	0.51
2:D:107:ARG:HG2	2:D:108:SEP:O	2.11	0.50
3:E:41:LEU:HD13	3:E:138:LEU:HD21	1.93	0.50
1:A:318:ASP:OD1	1:A:319:GLN:N	2.45	0.50
1:C:537:MET:HG2	3:F:75:TRP:CE2	2.46	0.50
3:F:41:LEU:HD11	3:F:138:LEU:HD11	1.93	0.50
3:F:319:LEU:O	3:F:323:VAL:HG22	2.10	0.50
1:A:143:GLU:N	1:A:143:GLU:OE1	2.44	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:41:LEU:HD13	3:F:138:LEU:HD21	1.94	0.49
3:F:91:PHE:CZ	3:F:95:LEU:HD11	2.48	0.49
3:E:49:VAL:O	3:E:73:PRO:HD2	2.13	0.49
1:C:431:LYS:NZ	2:D:185:GLY:O	2.25	0.49
3:E:246:VAL:O	3:E:249:LEU:HB2	2.13	0.49
1:C:87:THR:HG22	1:C:88:ASP:OD1	2.12	0.49
2:D:125:TYR:O	2:D:150:ASN:HB2	2.12	0.49
1:C:250:GLN:HG2	1:C:255:LYS:HB2	1.94	0.48
1:C:420:TYR:HE1	1:C:438:LEU:HD21	1.78	0.48
1:A:307:VAL:HG22	1:A:320:LEU:HD22	1.94	0.48
2:B:108:SEP:OG	2:B:109:HIS:N	2.43	0.48
2:D:224:ASP:HB3	2:D:227:LEU:HG	1.94	0.48
2:D:165:ALA:O	2:D:169:ASP:HB2	2.13	0.48
3:F:220:PHE:CE1	3:F:228:LEU:HG	2.49	0.48
1:C:224:LYS:HD2	1:C:224:LYS:HA	1.66	0.48
1:C:48:ASN:HA	1:C:88:ASP:OD1	2.14	0.47
1:C:429:GLU:OE1	1:C:441:ARG:NH2	2.24	0.47
1:A:263:ARG:NH2	1:A:279:GLU:OE2	2.44	0.47
1:A:218:HIS:NE2	1:A:220:PRO:HG2	2.29	0.47
1:A:278:PRO:HA	1:A:283:TYR:CD2	2.50	0.47
2:B:105:LEU:HD22	2:B:114:ALA:HB2	1.96	0.47
3:F:99:TYR:CG	3:F:258:LEU:HD12	2.50	0.47
3:F:323:VAL:HG23	3:F:324:LEU:N	2.29	0.47
1:A:218:HIS:CE1	1:A:220:PRO:HG2	2.50	0.47
2:B:174:SER:O	2:B:178:GLU:HG2	2.15	0.47
1:C:218:HIS:HB3	1:C:221:THR:OG1	2.15	0.47
1:C:344:SER:HG	2:D:223:CYS:HG	1.59	0.47
1:A:302:CYS:HB2	1:A:306:GLU:OE1	2.15	0.47
1:C:66:GLN:O	1:C:69:LYS:HG2	2.14	0.47
1:C:289:ASP:OD2	1:C:293:VAL:HG23	2.14	0.47
3:F:57:VAL:HG22	3:F:112:HIS:O	2.15	0.46
3:F:303:VAL:CG1	3:F:307:ASP:HA	2.45	0.46
1:A:461:ASP:HB2	1:A:464:SER:OG	2.16	0.46
1:C:49:ARG:HG2	1:C:89:PHE:CE2	2.50	0.46
1:A:469:PHE:HB2	2:B:239:LEU:HB3	1.98	0.46
1:A:17:VAL:O	1:A:33:GLY:HA2	2.16	0.46
1:A:406:ILE:HD11	1:A:547:ILE:HG12	1.96	0.46
2:B:91:VAL:HG22	2:B:129:VAL:HG22	1.97	0.46
1:C:247:HIS:CG	1:C:257:ALA:HB2	2.51	0.46
2:D:102:LYS:HE2	2:D:133:TRP:CZ2	2.50	0.46
2:D:162:VAL:O	2:D:166:LEU:HD12	2.15	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:420:TYR:CD2	2:B:191:PRO:HB3	2.51	0.46
3:E:29:TYR:O	3:E:33:MET:HG2	2.15	0.46
3:E:99:TYR:CG	3:E:258:LEU:HD12	2.50	0.46
3:E:99:TYR:HD1	3:E:106:ILE:HD11	1.80	0.45
2:D:249:MET:HB2	2:D:270:ILE:HD11	1.98	0.45
1:C:419:VAL:O	1:C:423:MET:HG3	2.16	0.45
1:A:401:LYS:HA	1:A:401:LYS:HD3	1.82	0.45
5:A:602:992:H13C	2:B:108:SEP:HB3	1.98	0.45
2:B:228:LEU:HD11	3:E:47:LYS:HB3	1.99	0.45
2:D:84:TRP:HZ3	2:D:87:GLY:O	2.00	0.45
2:D:128:PHE:HB2	2:D:133:TRP:CZ3	2.52	0.45
3:F:119:GLU:O	3:F:123:GLN:HG3	2.16	0.45
1:A:428:PHE:HE1	1:A:442:ARG:HD3	1.82	0.45
3:E:274:GLU:O	3:E:274:GLU:HG3	2.17	0.45
1:C:461:ASP:OD1	1:C:464:SER:HB2	2.17	0.45
3:F:319:LEU:HD23	3:F:319:LEU:HA	1.83	0.44
2:D:120:GLU:H	2:D:120:GLU:HG3	1.49	0.44
1:A:290:ASP:HA	1:A:293:VAL:HG12	2.00	0.44
1:C:431:LYS:HD2	2:D:187:TYR:CZ	2.53	0.44
1:A:18:LEU:CB	5:A:602:992:H8	2.48	0.44
1:A:96:VAL:HG11	1:A:154:LYS:HD3	1.98	0.44
2:B:252:SER:HA	2:B:264:THR:O	2.17	0.44
3:F:299:ARG:HH12	6:F:402:AMP:P	2.41	0.44
3:E:41:LEU:HD23	3:E:167:LEU:HD11	1.98	0.44
3:F:298:HIS:HB3	3:F:299:ARG:CZ	2.48	0.44
3:E:187:GLU:CD	3:E:187:GLU:H	2.21	0.44
3:F:271:HIS:NE2	3:F:272:TYR:HD2	2.16	0.44
2:B:188:HIS:ND1	2:B:190:GLU:HG3	2.33	0.43
1:C:61:ILE:O	1:C:65:ILE:HG12	2.18	0.43
3:E:58:LYS:NZ	3:E:110:GLU:OE2	2.39	0.43
3:E:234:LYS:HD3	3:E:236:ARG:NH2	2.33	0.43
1:C:101:LEU:HD11	1:C:207:LEU:HD21	2.01	0.43
1:C:420:TYR:CE1	1:C:438:LEU:HD21	2.54	0.43
3:F:185:LYS:NZ	3:F:286:GLU:OE1	2.50	0.43
2:D:213:VAL:HG12	2:D:240:TYR:CE2	2.54	0.43
3:E:41:LEU:HD11	3:E:138:LEU:HD11	2.00	0.43
1:C:343:ALA:HB1	2:D:219:THR:HG23	1.99	0.43
1:C:72:ARG:HG3	1:C:78:LYS:HE3	2.01	0.43
1:A:171:ARG:HH22	2:B:204:PRO:HB3	1.84	0.42
3:E:157:ASP:OD1	3:E:159:GLU:HG2	2.19	0.42
3:F:127:LYS:HD2	3:F:128:PRO:CD	2.47	0.42

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:LEU:HB2	5:A:602:992:H8	2.00	0.42
2:B:125:TYR:HE1	2:B:153:ILE:HG23	1.85	0.42
3:E:185:LYS:HE3	3:E:185:LYS:HB2	1.81	0.42
2:B:244:ILE:H	2:B:244:ILE:HG12	1.61	0.42
1:A:48:ASN:HB3	1:A:51:LYS:HD2	2.02	0.42
1:C:86:PRO:HG2	2:D:155:VAL:HG12	2.01	0.42
3:F:28:VAL:HG21	3:F:183:PHE:HB3	2.02	0.42
2:B:245:LYS:HD2	2:B:245:LYS:HA	1.75	0.42
1:C:58:VAL:HG11	2:D:170:SER:HA	2.02	0.42
1:C:409:GLN:H	1:C:409:GLN:CD	2.23	0.42
1:A:184:VAL:HG12	1:A:190:TYR:CE2	2.54	0.42
3:F:118:ARG:NH1	7:F:501:HOH:O	2.53	0.42
3:E:194:GLU:HB2	3:E:281:LEU:HB3	2.02	0.41
1:C:469:PHE:HE2	1:C:546:LEU:HD22	1.84	0.41
5:C:602:992:H13C	2:D:108:SEP:HB3	2.02	0.41
3:F:55:LEU:HD23	3:F:60:ALA:HB2	2.02	0.41
3:F:186:PRO:HD2	3:F:189:MET:HG3	2.02	0.41
1:C:277:PHE:O	1:C:280:ASP:HB2	2.19	0.41
2:D:120:GLU:HA	2:D:155:VAL:HG23	2.03	0.41
1:A:324:TYR:O	1:A:328:ILE:HG12	2.21	0.41
1:C:416:MET:HE2	1:C:435:ALA:O	2.20	0.41
2:D:142:VAL:HB	2:D:152:ILE:HG21	2.02	0.41
1:A:404:LEU:HD22	2:B:210:LEU:HB3	2.01	0.41
1:C:112:GLU:H	1:C:112:GLU:CD	2.24	0.41
1:A:188:ARG:NH1	2:B:205:ILE:HD13	2.35	0.41
2:D:171:GLN:N	2:D:171:GLN:OE1	2.54	0.41
3:E:173:LEU:HD22	3:E:315:LEU:HD22	2.03	0.41
3:E:284:THR:O	3:E:288:ILE:HG12	2.20	0.41
2:D:94:SER:O	2:D:126:LYS:N	2.54	0.41
3:F:247:ILE:HD12	3:F:247:ILE:HA	1.93	0.41
3:E:208:ARG:HH12	3:E:233:GLU:HA	1.85	0.41
1:C:18:LEU:CB	5:C:602:992:H8	2.50	0.41
1:A:168:GLU:O	2:B:234:VAL:HG23	2.21	0.40
3:E:319:LEU:HA	3:E:319:LEU:HD23	1.77	0.40
1:C:416:MET:SD	1:C:457:LEU:HD12	2.61	0.40
2:D:232:ASN:O	2:D:235:MET:HG3	2.22	0.40
1:A:191:ALA:N	1:A:194:GLU:OE2	2.49	0.40
3:E:234:LYS:HE2	3:E:236:ARG:HE	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	445/552 (81%)	435 (98%)	10 (2%)	0	100	100
1	C	417/552 (76%)	407 (98%)	10 (2%)	0	100	100
2	B	176/286 (62%)	171 (97%)	5 (3%)	0	100	100
2	D	162/286 (57%)	160 (99%)	2 (1%)	0	100	100
3	E	296/331 (89%)	288 (97%)	8 (3%)	0	100	100
3	F	297/331 (90%)	293 (99%)	3 (1%)	1 (0%)	41	56
All	All	1793/2338 (77%)	1754 (98%)	38 (2%)	1 (0%)	51	69

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	F	307	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	391/487 (80%)	383 (98%)	8 (2%)	55	72
1	C	358/487 (74%)	354 (99%)	4 (1%)	73	85
2	B	164/253 (65%)	159 (97%)	5 (3%)	41	59
2	D	144/253 (57%)	139 (96%)	5 (4%)	36	53
3	E	268/304 (88%)	264 (98%)	4 (2%)	65	79
3	F	266/304 (88%)	258 (97%)	8 (3%)	41	59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1591/2088 (76%)	1557 (98%)	34 (2%)	53 71

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	154	LYS
1	A	207	LEU
1	A	209	CYS
1	A	219	VAL
1	A	239	ARG
1	A	247	HIS
1	A	251	VAL
1	A	370	MET
2	B	90	GLU
2	B	113	VAL
2	B	134	THR
2	B	190	GLU
2	B	260	LYS
3	E	178	LEU
3	E	249	LEU
3	E	267	GLN
3	E	299	ARG
1	C	162	ASN
1	C	247	HIS
1	C	453	MET
1	C	537	MET
2	D	120	GLU
2	D	134	THR
2	D	135	HIS
2	D	166	LEU
2	D	249	MET
3	F	147	ARG
3	F	196	LEU
3	F	234	LYS
3	F	249	LEU
3	F	256	ASN
3	F	284	THR
3	F	299	ARG
3	F	314	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
3	E	80	GLN
3	E	298	HIS
1	C	67	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SEP	B	108	2	8,9,10	0.82	0	8,12,14	1.47	2 (25%)
2	SEP	D	108	2	8,9,10	0.91	0	8,12,14	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SEP	B	108	2	-	1/5/8/10	-
2	SEP	D	108	2	-	1/5/8/10	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	108	SEP	OG-CB-CA	3.27	111.33	108.14
2	B	108	SEP	OG-P-O1P	2.25	112.79	106.47

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	108	SEP	N-CA-CB-OG
2	B	108	SEP	N-CA-CB-OG

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	108	SEP	2	0
2	D	108	SEP	2	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	AMP	F	403	-	22,25,25	0.91	1 (4%)	25,38,38	1.26	4 (16%)
5	992	C	602	-	34,35,35	1.29	4 (11%)	39,52,52	1.46	7 (17%)
4	STU	A	601	-	30,42,42	1.04	2 (6%)	31,68,68	1.95	9 (29%)
6	AMP	E	403	-	22,25,25	0.93	1 (4%)	25,38,38	1.28	3 (12%)
6	AMP	E	401	-	22,25,25	0.88	1 (4%)	25,38,38	1.29	2 (8%)
5	992	A	602	-	34,35,35	1.30	4 (11%)	39,52,52	1.47	4 (10%)
6	AMP	F	402	-	22,25,25	0.91	1 (4%)	25,38,38	1.17	2 (8%)
4	STU	C	601	-	30,42,42	1.09	2 (6%)	31,68,68	2.09	9 (29%)
6	AMP	F	401	-	22,25,25	0.91	2 (9%)	25,38,38	1.36	3 (12%)
6	AMP	E	402	-	22,25,25	0.91	1 (4%)	25,38,38	1.13	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	AMP	F	403	-	-	0/6/26/26	0/3/3/3
5	992	C	602	-	-	4/10/12/12	0/5/5/5
4	STU	A	601	-	-	0/4/42/42	-
6	AMP	E	403	-	-	5/6/26/26	0/3/3/3
6	AMP	E	401	-	-	5/6/26/26	0/3/3/3
5	992	A	602	-	-	4/10/12/12	0/5/5/5
6	AMP	F	402	-	-	3/6/26/26	0/3/3/3
4	STU	C	601	-	-	1/4/42/42	-
6	AMP	F	401	-	-	3/6/26/26	0/3/3/3
6	AMP	E	402	-	-	3/6/26/26	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	602	992	C11-C10	3.35	1.42	1.36
5	C	602	992	C9-N7	-3.11	1.32	1.37
5	A	602	992	C9-N7	-2.64	1.33	1.37
5	C	602	992	C11-C10	2.63	1.40	1.36
6	F	401	AMP	C5-C4	2.58	1.47	1.40
6	E	403	AMP	C5-C4	2.57	1.47	1.40
5	A	602	992	O25-C23	2.56	1.41	1.34
4	C	601	STU	C10-C11	-2.56	1.38	1.42
6	E	402	AMP	C5-C4	2.56	1.47	1.40
6	E	401	AMP	C5-C4	2.53	1.47	1.40
5	C	602	992	O25-C23	2.53	1.40	1.34
6	F	402	AMP	C5-C4	2.49	1.47	1.40
6	F	403	AMP	C5-C4	2.45	1.47	1.40
4	A	601	STU	O4-C25	-2.42	1.39	1.43
5	A	602	992	C23-N22	-2.28	1.31	1.34
4	C	601	STU	C6-C19	-2.14	1.40	1.42
6	F	401	AMP	C2-N3	2.09	1.35	1.32
4	A	601	STU	C10-C11	-2.05	1.39	1.42
5	C	602	992	C14-C7	2.03	1.41	1.37

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	601	STU	C9-N1-C8	-4.93	109.11	113.85
4	A	601	STU	C9-N1-C8	-4.79	109.24	113.85
5	A	602	992	C3-C2-C7	-4.64	113.40	120.91
5	A	602	992	C21-C2-C7	4.05	126.96	120.72
4	C	601	STU	O5-C8-C7	-4.04	124.52	129.32
4	A	601	STU	C10-C9-N1	4.00	105.83	101.76
5	C	602	992	C3-C2-C7	-3.97	114.47	120.91
4	C	601	STU	C26-C21-C22	-3.81	105.23	112.64
5	C	602	992	C21-C2-C7	3.80	126.58	120.72
4	C	601	STU	C10-C9-N1	3.72	105.55	101.76
4	A	601	STU	C7-C8-N1	3.56	109.98	106.37
4	C	601	STU	C27-O6-C22	-3.54	108.34	114.44
6	E	401	AMP	N3-C2-N1	-3.49	123.23	128.68
4	C	601	STU	C7-C8-N1	3.43	109.84	106.37
6	E	402	AMP	N3-C2-N1	-3.22	123.64	128.68
6	F	401	AMP	N3-C2-N1	-3.12	123.80	128.68
4	A	601	STU	C26-C21-C22	-3.03	106.75	112.64
6	F	402	AMP	N3-C2-N1	-2.92	124.11	128.68
6	E	403	AMP	C4-C5-N7	-2.91	106.37	109.40
6	F	401	AMP	C3'-C2'-C1'	2.87	105.30	100.98
6	F	402	AMP	C4-C5-N7	-2.83	106.45	109.40
6	E	403	AMP	N3-C2-N1	-2.80	124.31	128.68
6	F	403	AMP	N3-C2-N1	-2.80	124.31	128.68
6	F	403	AMP	C4-C5-N7	-2.58	106.71	109.40
4	C	601	STU	C13-C12-C17	2.55	122.62	119.39
6	E	402	AMP	C4-C5-N7	-2.53	106.77	109.40
4	A	601	STU	C6-C7-C8	2.46	133.44	129.76
6	F	403	AMP	O3P-P-O2P	2.41	116.85	107.64
4	A	601	STU	C3-C4-C5	-2.35	116.91	120.86
5	C	602	992	C2-C21-C6	-2.35	117.47	121.53
4	A	601	STU	C13-C12-C17	2.35	122.36	119.39
5	A	602	992	C2-C21-C6	-2.30	117.56	121.53
5	C	602	992	C4-C3-C2	2.26	124.66	121.00
4	C	601	STU	C3-C4-C5	-2.25	117.08	120.86
5	C	602	992	C4-C5-N7	2.21	134.04	132.14
5	C	602	992	C23-O25-C26	-2.19	113.15	118.78
4	A	601	STU	O5-C8-C7	-2.15	126.77	129.32
6	E	403	AMP	O3P-P-O2P	2.13	115.79	107.64
4	A	601	STU	O4-C25-C24	2.12	115.37	112.31
5	C	602	992	C11-C10-CL1	-2.12	117.09	119.20
6	F	403	AMP	O2P-P-O5'	-2.11	101.12	106.73
5	A	602	992	C29-C30-C18	-2.06	120.38	122.78
6	F	401	AMP	C4-C5-N7	-2.05	107.26	109.40

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	601	STU	C14-C13-C12	-2.04	117.44	120.86
6	E	401	AMP	C3'-C2'-C1'	2.03	104.03	100.98

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	E	401	AMP	C5'-O5'-P-O1P
6	E	401	AMP	C5'-O5'-P-O2P
6	E	401	AMP	C5'-O5'-P-O3P
6	E	401	AMP	O4'-C4'-C5'-O5'
6	E	401	AMP	C3'-C4'-C5'-O5'
6	E	402	AMP	C5'-O5'-P-O2P
6	E	402	AMP	C5'-O5'-P-O3P
6	E	403	AMP	C5'-O5'-P-O1P
6	E	403	AMP	C5'-O5'-P-O2P
6	E	403	AMP	C5'-O5'-P-O3P
6	F	401	AMP	C5'-O5'-P-O1P
6	F	401	AMP	C5'-O5'-P-O2P
6	F	401	AMP	C5'-O5'-P-O3P
6	F	402	AMP	C5'-O5'-P-O1P
6	F	402	AMP	C5'-O5'-P-O2P
6	F	402	AMP	C5'-O5'-P-O3P
6	E	402	AMP	C5'-O5'-P-O1P
5	C	602	992	O20-C18-C30-C31
5	C	602	992	O19-C18-C30-C31
5	A	602	992	O20-C18-C30-C31
6	E	403	AMP	O4'-C4'-C5'-O5'
5	A	602	992	O19-C18-C30-C31
5	C	602	992	O20-C18-C30-C29
5	C	602	992	O19-C18-C30-C29
5	A	602	992	O20-C18-C30-C29
4	C	601	STU	C24-C23-N4-C28
6	E	403	AMP	C3'-C4'-C5'-O5'
5	A	602	992	O19-C18-C30-C29

There are no ring outliers.

5 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	602	992	4	0


*Continued on next page...*





*Continued from previous page...*



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	601	STU	2	0
5	A	602	992	3	0
6	F	402	AMP	1	0
4	C	601	STU	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	453/552 (82%)	-0.10	14 (3%) 49 45	49, 79, 133, 171	0
1	C	429/552 (77%)	0.05	25 (5%) 23 20	47, 80, 146, 172	0
2	B	182/286 (63%)	-0.24	5 (2%) 54 50	48, 76, 116, 147	0
2	D	172/286 (60%)	0.23	18 (10%) 6 4	45, 97, 159, 179	0
3	E	298/331 (90%)	-0.31	8 (2%) 54 50	48, 71, 116, 173	0
3	F	299/331 (90%)	-0.24	7 (2%) 60 57	49, 72, 129, 180	0
All	All	1833/2338 (78%)	-0.11	77 (4%) 36 33	45, 77, 136, 180	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	F	124	ASP	5.9
1	C	319	GLN	4.9
1	C	398	LYS	4.8
1	C	322	VAL	4.2
1	A	530	PRO	4.2
1	A	376	ASP	4.2
2	D	143	THR	4.2
1	C	297	CYS	4.1
3	F	306	ASN	4.1
1	C	433	VAL	4.1
1	C	285	ALA	4.0
1	C	323	ALA	4.0
1	C	363	LEU	3.9
2	D	246	ASP	3.8
3	F	272	TYR	3.6
3	F	123	GLN	3.5
1	C	397	VAL	3.5
3	F	271	HIS	3.3
1	C	288	ILE	3.3

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	363	LEU	3.3
2	D	149	VAL	3.2
1	C	374	ILE	3.1
1	A	397	VAL	3.1
2	D	150	ASN	3.1
3	E	306	ASN	3.0
1	C	264	GLU	3.0
1	C	280	ASP	3.0
2	D	184	PRO	3.0
1	A	398	LYS	2.9
2	B	246	ASP	2.9
1	A	409	GLN	2.9
1	C	396	ALA	2.9
3	E	124	ASP	2.9
1	A	377	SER	2.8
1	C	462	ASN	2.8
2	D	137	PRO	2.8
3	F	126	PHE	2.8
1	C	474	ASP	2.7
2	D	88	GLY	2.7
1	A	413	TYR	2.7
2	B	179	LEU	2.6
1	C	320	LEU	2.6
2	B	178	GLU	2.5
1	A	216	ASP	2.5
3	E	107	TYR	2.5
3	F	234	LYS	2.5
1	C	461	ASP	2.5
3	E	123	GLN	2.5
2	D	154	GLN	2.4
3	E	271	HIS	2.4
1	C	279	GLU	2.4
2	B	193	VAL	2.4
2	D	145	GLN	2.4
1	A	174	CYS	2.3
1	C	281	PRO	2.3
3	E	126	PHE	2.3
1	C	550	LEU	2.3
3	E	233	GLU	2.2
2	B	270	ILE	2.2
2	D	147	GLY	2.2
2	D	141	ILE	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	109	HIS	2.2
3	E	125	SER	2.2
2	D	185	GLY	2.1
1	A	375	ALA	2.1
1	C	54	SER	2.1
2	D	152	ILE	2.1
2	D	135	HIS	2.1
2	D	122	GLU	2.1
1	A	120	PHE	2.1
1	A	532	LEU	2.1
1	C	291	GLU	2.1
2	D	131	GLY	2.1
1	C	440	VAL	2.0
1	A	374	ILE	2.0
1	C	283	TYR	2.0
2	D	130	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SEP	B	108	10/11	0.96	0.10	58,67,89,93	0
2	SEP	D	108	10/11	0.97	0.12	94,105,121,124	0

## 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	AMP	E	401	23/23	0.83	0.27	125,136,153,154	0
6	AMP	F	401	23/23	0.90	0.21	110,134,147,151	0
5	992	A	602	31/31	0.91	0.19	50,70,87,97	0
5	992	C	602	31/31	0.93	0.20	67,83,106,120	0
4	STU	A	601	35/35	0.97	0.13	42,51,61,61	0
4	STU	C	601	35/35	0.97	0.13	41,51,63,65	0
6	AMP	E	403	23/23	0.98	0.12	56,66,73,80	0
6	AMP	F	402	23/23	0.98	0.12	56,65,71,76	0
6	AMP	F	403	23/23	0.98	0.10	55,72,77,83	0
6	AMP	E	402	23/23	0.99	0.12	57,61,66,69	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around AMP F 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 992 A 602:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 992 C 602:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around STU A 601:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around STU C 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around AMP E 403:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around AMP F 402:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around AMP F 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.