



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 27, 2023 – 07:38 AM EDT

PDB ID : 3ITO  
Title : Crystal structure of Pseudomonas stutzeri L-rhamnose isomerase mutant D327N in complex with D-psicose  
Authors : Yoshida, H.; Yamaji, M.; Ishii, T.; Izumori, K.; Kamitori, S.  
Deposited on : 2009-08-28  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	438	 84% 12% •
1	B	438	 2% 82% 14% •
1	C	438	 2% 83% 15% •
1	D	438	 % 82% 13% •

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 14564 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-rhamnose isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	421	3260	2048	585	618	9	0	0	0
1	B	421	3260	2048	585	618	9	0	0	0
1	C	428	3301	2073	592	627	9	0	0	0
1	D	419	3251	2042	583	617	9	0	0	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	150	ASN	ASP	engineered mutation	UNP Q75WH8
A	327	ASN	ASP	engineered mutation	UNP Q75WH8
A	431	GLY	-	expression tag	UNP Q75WH8
A	432	SER	-	expression tag	UNP Q75WH8
A	433	HIS	-	expression tag	UNP Q75WH8
A	434	HIS	-	expression tag	UNP Q75WH8
A	435	HIS	-	expression tag	UNP Q75WH8
A	436	HIS	-	expression tag	UNP Q75WH8
A	437	HIS	-	expression tag	UNP Q75WH8
A	438	HIS	-	expression tag	UNP Q75WH8
B	150	ASN	ASP	engineered mutation	UNP Q75WH8
B	327	ASN	ASP	engineered mutation	UNP Q75WH8
B	431	GLY	-	expression tag	UNP Q75WH8
B	432	SER	-	expression tag	UNP Q75WH8
B	433	HIS	-	expression tag	UNP Q75WH8
B	434	HIS	-	expression tag	UNP Q75WH8
B	435	HIS	-	expression tag	UNP Q75WH8
B	436	HIS	-	expression tag	UNP Q75WH8
B	437	HIS	-	expression tag	UNP Q75WH8
B	438	HIS	-	expression tag	UNP Q75WH8
C	150	ASN	ASP	engineered mutation	UNP Q75WH8

*Continued on next page...*


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	327	ASN	ASP	engineered mutation	UNP Q75WH8
C	431	GLY	-	expression tag	UNP Q75WH8
C	432	SER	-	expression tag	UNP Q75WH8
C	433	HIS	-	expression tag	UNP Q75WH8
C	434	HIS	-	expression tag	UNP Q75WH8
C	435	HIS	-	expression tag	UNP Q75WH8
C	436	HIS	-	expression tag	UNP Q75WH8
C	437	HIS	-	expression tag	UNP Q75WH8
C	438	HIS	-	expression tag	UNP Q75WH8
D	150	ASN	ASP	engineered mutation	UNP Q75WH8
D	327	ASN	ASP	engineered mutation	UNP Q75WH8
D	431	GLY	-	expression tag	UNP Q75WH8
D	432	SER	-	expression tag	UNP Q75WH8
D	433	HIS	-	expression tag	UNP Q75WH8
D	434	HIS	-	expression tag	UNP Q75WH8
D	435	HIS	-	expression tag	UNP Q75WH8
D	436	HIS	-	expression tag	UNP Q75WH8
D	437	HIS	-	expression tag	UNP Q75WH8
D	438	HIS	-	expression tag	UNP Q75WH8

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Mn 2 2	0	0
2	B	2	Total Mn 2 2	0	0
2	C	2	Total Mn 2 2	0	0
2	D	2	Total Mn 2 2	0	0

- Molecule 3 is alpha-D-psicofuranose (three-letter code: PSV) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 12 6 6	0	0
3	B	1	Total C O 12 6 6	0	0
3	C	1	Total C O 12 6 6	0	0
3	D	1	Total C O 12 6 6	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	385	Total O 385 385	0	0
4	B	345	Total O 345 345	0	0
4	C	339	Total O 339 339	0	0
4	D	367	Total O 367 367	0	0


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-rhamnose isomerase




- Molecule 1: L-rhamnose isomerase




- Molecule 1: L-rhamnose isomerase



- Molecule 1: L-rhamnose isomerase

Chain D:  %



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.76Å 104.73Å 115.03Å 90.00° 108.24° 90.00°	Depositor
Resolution (Å)	42.15 – 1.90 42.14 – 1.90	Depositor EDS
% Data completeness (in resolution range)	92.3 (42.15-1.90) 92.3 (42.14-1.90)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.88 (at 1.89Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.176 , 0.211 0.171 , 0.206	Depositor DCC
$R_{free}$ test set	12186 reflections (9.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	12.3	Xtrriage
Anisotropy	0.029	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 48.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.025 for h,-k,-h-l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	14564	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	15.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.85% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PSV, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.31	0/3332	0.54	0/4518
1	B	0.30	0/3332	0.53	0/4518
1	C	0.30	0/3373	0.52	0/4572
1	D	0.30	0/3323	0.53	0/4505
All	All	0.30	0/13360	0.53	0/18113

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3260	0	3167	40	0
1	B	3260	0	3167	39	0
1	C	3301	0	3207	40	0
1	D	3251	0	3154	41	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	12	0	10	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	12	0	10	1	0
3	C	12	0	10	0	0
3	D	12	0	9	0	0
4	A	385	0	0	5	0
4	B	345	0	0	1	0
4	C	339	0	0	1	0
4	D	367	0	0	1	0
All	All	14564	0	12734	160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:129:ASN:H	1:B:160:HIS:HE1	1.16	0.93
1:A:129:ASN:H	1:A:160:HIS:HE1	1.14	0.90
1:C:217:PHE:HB3	1:C:252:LEU:HG	1.61	0.82
1:A:129:ASN:H	1:A:160:HIS:CE1	1.98	0.82
1:C:129:ASN:H	1:C:160:HIS:HE1	1.25	0.81
1:D:129:ASN:H	1:D:160:HIS:HE1	1.25	0.81
1:A:59:VAL:HG21	1:A:84:ASP:CB	2.12	0.79
1:A:217:PHE:HB3	1:A:252:LEU:HG	1.66	0.77
1:B:129:ASN:H	1:B:160:HIS:CE1	2.02	0.77
1:B:217:PHE:HB3	1:B:252:LEU:HG	1.65	0.77
1:D:220:HIS:HE2	1:D:258:HIS:CE1	2.04	0.75
1:D:129:ASN:H	1:D:160:HIS:CE1	2.05	0.74
1:A:220:HIS:HE2	1:A:258:HIS:CE1	2.06	0.74
1:C:220:HIS:HE2	1:C:258:HIS:CE1	2.06	0.73
1:A:59:VAL:HG21	1:A:84:ASP:HB2	1.69	0.72
1:C:220:HIS:HE2	1:C:258:HIS:HE1	1.37	0.72
1:C:129:ASN:H	1:C:160:HIS:CE1	2.09	0.71
1:C:280:PHE:HE2	1:C:309:LEU:HD21	1.55	0.70
1:D:108:ASP:OD2	1:D:111:GLU:HG3	1.91	0.69
1:A:177:THR:HG23	1:A:252:LEU:HD12	1.76	0.68
1:D:23:LYS:O	1:D:27:GLU:HG3	1.94	0.68
1:C:391:GLU:O	1:C:395:ARG:HG3	1.94	0.68
1:C:280:PHE:CE2	1:C:309:LEU:HD21	2.30	0.67
1:A:15:ASN:ND2	1:A:400:VAL:H	1.93	0.66
1:C:205:GLU:HA	1:C:208:LYS:HE2	1.78	0.66
1:B:220:HIS:HE2	1:B:258:HIS:CE1	2.15	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:23:LYS:O	1:B:27:GLU:HG3	1.97	0.64
1:A:23:LYS:O	1:A:27:GLU:HG3	1.98	0.63
1:B:54:VAL:HG23	1:B:95:THR:HB	1.79	0.63
1:D:320:PHE:CE1	1:D:322:PRO:HG3	2.33	0.63
1:D:220:HIS:HE2	1:D:258:HIS:HE1	1.46	0.62
1:A:15:ASN:HD21	1:A:400:VAL:H	1.47	0.62
1:C:177:THR:HG23	1:C:252:LEU:HD12	1.81	0.62
1:B:15:ASN:ND2	1:B:400:VAL:H	1.97	0.62
1:C:7:ALA:HB1	1:C:9:ASP:OD1	1.99	0.62
1:C:185:ASN:H	1:C:189:GLN:HE22	1.45	0.62
1:B:205:GLU:HA	1:B:208:LYS:HE2	1.81	0.61
1:A:59:VAL:HG21	1:A:84:ASP:HB3	1.83	0.61
1:A:193:THR:O	1:A:197:GLU:HG3	2.01	0.61
1:B:185:ASN:H	1:B:189:GLN:HE22	1.49	0.61
1:D:185:ASN:H	1:D:189:GLN:NE2	1.99	0.61
1:A:185:ASN:H	1:A:189:GLN:HE22	1.48	0.60
1:D:185:ASN:H	1:D:189:GLN:HE22	1.48	0.60
1:B:165:ILE:O	1:B:169:LYS:HG3	2.01	0.59
1:B:210:LEU:HD11	1:B:216:LEU:HB2	1.83	0.59
1:C:165:ILE:O	1:C:169:LYS:HG3	2.03	0.58
1:B:177:THR:HG23	1:B:252:LEU:HD12	1.85	0.58
1:D:76:ARG:HD3	1:D:420:PRO:CD	2.31	0.58
1:B:220:HIS:HE2	1:B:258:HIS:HE1	1.49	0.58
1:C:15:ASN:ND2	1:C:400:VAL:H	2.00	0.58
1:A:76:ARG:HD3	1:A:80:ASP:OD2	2.03	0.58
1:A:185:ASN:H	1:A:189:GLN:NE2	2.00	0.58
1:A:5:ARG:HD2	1:A:83:ASP:O	2.05	0.57
1:C:23:LYS:O	1:C:27:GLU:HG3	2.05	0.56
1:A:177:THR:HG23	1:A:252:LEU:CD1	2.35	0.56
1:B:193:THR:O	1:B:197:GLU:HG3	2.04	0.56
1:B:211:PRO:HD2	1:B:214:TRP:CG	2.40	0.56
1:A:210:LEU:HD11	1:A:216:LEU:HB2	1.88	0.56
1:B:263:ASN:OD1	1:B:265:GLU:HG2	2.06	0.56
1:A:76:ARG:HD2	1:A:420:PRO:HD2	1.88	0.55
1:B:185:ASN:H	1:B:189:GLN:NE2	2.05	0.55
1:C:48:GLU:CD	1:C:395:ARG:HH21	2.09	0.55
1:A:108:ASP:OD2	1:A:111:GLU:HG3	2.07	0.55
1:C:361:LEU:O	1:C:365:GLN:HG3	2.07	0.55
1:C:185:ASN:H	1:C:189:GLN:NE2	2.05	0.55
1:C:15:ASN:HD21	1:C:400:VAL:H	1.53	0.55
1:C:44:THR:O	1:C:48:GLU:HG3	2.07	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:HIS:HE2	1:A:258:HIS:HE1	1.50	0.54
1:A:263:ASN:OD1	1:A:265:GLU:HG2	2.08	0.54
1:A:221:LYS:HA	1:A:257:HIS:HB3	1.88	0.54
1:D:414:ARG:O	1:D:418:GLU:HG3	2.07	0.54
1:D:76:ARG:HD3	1:D:420:PRO:HD3	1.90	0.54
1:D:15:ASN:ND2	1:D:400:VAL:H	2.06	0.54
1:A:15:ASN:HD21	1:A:399:ALA:HA	1.74	0.53
1:B:15:ASN:HD21	1:B:400:VAL:H	1.55	0.53
1:C:55:PRO:HD3	1:C:326:ILE:O	2.09	0.53
1:C:108:ASP:OD2	1:C:110:LYS:HB2	2.09	0.53
1:A:49:LYS:HE2	4:A:716:HOH:O	2.08	0.53
1:B:221:LYS:HA	1:B:257:HIS:HB3	1.92	0.52
1:D:108:ASP:OD2	1:D:110:LYS:HB2	2.09	0.52
1:A:211:PRO:HD2	1:A:214:TRP:CG	2.44	0.52
1:B:15:ASN:HD21	1:B:399:ALA:HA	1.74	0.52
1:C:221:LYS:HE2	1:C:223:TYR:O	2.10	0.52
1:C:221:LYS:HA	1:C:257:HIS:HB3	1.91	0.52
1:D:193:THR:O	1:D:197:GLU:HG3	2.09	0.52
1:B:311:ASP:OD1	1:B:315:ARG:NH1	2.43	0.51
4:A:554:HOH:O	1:D:382:ARG:HD3	2.11	0.51
1:B:55:PRO:HD3	1:B:326:ILE:O	2.11	0.51
1:C:210:LEU:HD11	1:C:216:LEU:HB2	1.92	0.51
1:A:280:PHE:CE2	1:A:309:LEU:HD21	2.47	0.50
1:D:263:ASN:OD1	1:D:265:GLU:HG2	2.11	0.50
1:C:211:PRO:HD2	1:C:214:TRP:CG	2.46	0.50
1:D:221:LYS:HA	1:D:257:HIS:HB3	1.93	0.50
1:D:13:ARG:HH21	1:D:13:ARG:HG3	1.77	0.49
1:B:361:LEU:O	1:B:365:GLN:HG3	2.11	0.49
1:B:340:ILE:HG21	1:B:402:PRO:HB2	1.93	0.49
1:C:429:ILE:HG23	1:C:430:ILE:HG23	1.95	0.49
1:B:414:ARG:O	1:B:418:GLU:HG3	2.12	0.49
1:D:340:ILE:HG21	1:D:402:PRO:HB2	1.94	0.48
1:B:44:THR:O	1:B:48:GLU:HG2	2.13	0.48
1:D:15:ASN:HD21	1:D:399:ALA:HA	1.79	0.47
1:D:320:PHE:CZ	1:D:322:PRO:HG3	2.49	0.47
1:A:76:ARG:HH11	1:A:419:ARG:HG2	1.79	0.47
1:D:221:LYS:HE2	1:D:223:TYR:O	2.15	0.47
1:A:54:VAL:HG23	1:A:95:THR:HB	1.97	0.47
1:A:56:SER:O	1:A:59:VAL:HG12	2.15	0.47
1:B:255:LEU:C	1:B:255:LEU:HD23	2.35	0.47
1:C:382:ARG:HD3	4:C:458:HOH:O	2.13	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:15:ASN:HD21	1:C:399:ALA:HA	1.80	0.46
1:D:66:PHE:O	1:D:67:ALA:HB2	2.15	0.46
1:A:301:ARG:HD3	4:A:574:HOH:O	2.16	0.46
1:D:238:ASN:ND2	1:D:251:CYS:HB3	2.31	0.46
1:B:321:HIS:N	1:B:322:PRO:HD3	2.29	0.46
1:C:102:ILE:CG2	1:C:103:PRO:HA	2.46	0.46
1:A:221:LYS:HE2	1:A:223:TYR:O	2.16	0.45
1:D:361:LEU:O	1:D:365:GLN:HG3	2.16	0.45
1:A:59:VAL:HG22	1:A:59:VAL:O	2.16	0.45
1:D:15:ASN:HD21	1:D:400:VAL:H	1.62	0.45
1:A:65:ARG:HD3	4:A:1237:HOH:O	2.17	0.45
1:C:68:ARG:NH1	1:C:70:PRO:HB3	2.31	0.45
1:C:68:ARG:HH12	1:C:70:PRO:HB3	1.82	0.44
1:C:193:THR:O	1:C:197:GLU:HG3	2.16	0.44
1:C:311:ASP:O	1:C:315:ARG:HG3	2.17	0.44
1:A:108:ASP:OD2	1:A:110:LYS:HB2	2.17	0.44
1:D:324:HIS:C	1:D:325:MET:HG3	2.36	0.44
1:C:102:ILE:HG23	1:C:103:PRO:HA	2.00	0.44
1:D:311:ASP:O	1:D:315:ARG:HG3	2.17	0.44
1:A:414:ARG:O	1:A:418:GLU:HG3	2.18	0.44
1:D:277:LEU:HD23	1:D:320:PHE:CZ	2.53	0.43
1:A:129:ASN:N	1:A:160:HIS:HE1	1.96	0.43
1:C:334:ASP:HB3	1:C:337:GLU:HG3	1.99	0.43
1:D:8:GLN:HG3	4:D:623:HOH:O	2.18	0.43
1:B:177:THR:HG23	1:B:252:LEU:CD1	2.49	0.43
1:C:316:GLY:O	1:C:318:LYS:N	2.52	0.43
1:B:315:ARG:HH11	1:B:315:ARG:HG3	1.82	0.43
1:D:252:LEU:HD21	1:D:281:HIS:CG	2.53	0.43
1:D:208:LYS:HE3	1:D:208:LYS:HB2	1.88	0.43
1:D:165:ILE:O	1:D:169:LYS:HG3	2.19	0.43
1:B:325:MET:HG2	1:B:326:ILE:N	2.34	0.42
1:B:386:GLU:N	1:B:387:PRO:CD	2.82	0.42
1:D:59:VAL:HG11	1:D:84:ASP:HB2	2.01	0.42
1:B:40:ILE:HG23	1:B:41:GLU:N	2.35	0.42
1:B:311:ASP:O	1:B:315:ARG:NH1	2.53	0.42
1:A:160:HIS:HD2	4:A:1247:HOH:O	2.03	0.42
1:C:76:ARG:HD3	1:C:420:PRO:CD	2.50	0.42
1:B:49:LYS:HE2	4:B:1177:HOH:O	2.20	0.41
1:A:66:PHE:HE1	3:B:602:PSV:H6	1.85	0.41
1:B:68:ARG:HH12	1:B:70:PRO:HB3	1.86	0.41
1:D:115:ARG:HA	1:D:115:ARG:HD2	1.85	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:336:ILE:O	1:D:340:ILE:HG13	2.20	0.41
1:D:59:VAL:HG21	1:D:85:CYS:SG	2.61	0.41
1:B:221:LYS:HE2	1:B:223:TYR:O	2.20	0.41
1:C:242:ALA:HB1	1:C:276:LYS:HD2	2.03	0.41
1:D:53:ALA:HB3	1:D:325:MET:HG2	2.02	0.41
1:D:56:SER:O	1:D:81:LYS:HD3	2.21	0.41
1:D:252:LEU:HD21	1:D:281:HIS:CD2	2.55	0.41
1:C:263:ASN:OD1	1:C:265:GLU:HG2	2.22	0.40
1:A:23:LYS:NZ	1:A:27:GLU:OE2	2.52	0.40
1:B:220:HIS:HA	1:B:232:VAL:HG12	2.04	0.40
1:B:340:ILE:CG2	1:B:402:PRO:HB2	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	419/438 (96%)	408 (97%)	10 (2%)	1 (0%)	47 38
1	B	419/438 (96%)	406 (97%)	12 (3%)	1 (0%)	47 38
1	C	426/438 (97%)	415 (97%)	9 (2%)	2 (0%)	29 18
1	D	417/438 (95%)	405 (97%)	11 (3%)	1 (0%)	47 38
All	All	1681/1752 (96%)	1634 (97%)	42 (2%)	5 (0%)	41 31

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	317	VAL
1	A	224	GLU
1	B	224	GLU
1	C	224	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	224	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	330/341 (97%)	327 (99%)	3 (1%)	78	79
1	B	330/341 (97%)	325 (98%)	5 (2%)	65	62
1	C	333/341 (98%)	331 (99%)	2 (1%)	86	87
1	D	329/341 (96%)	327 (99%)	2 (1%)	86	87
All	All	1322/1364 (97%)	1310 (99%)	12 (1%)	78	79

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	SER
1	A	374	THR
1	A	377	LEU
1	B	99	SER
1	B	124	ASP
1	B	354	LEU
1	B	371	LEU
1	B	374	THR
1	C	371	LEU
1	C	374	THR
1	D	371	LEU
1	D	374	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	ASN
1	A	160	HIS
1	A	189	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	258	HIS
1	A	344	ASN
1	B	8	GLN
1	B	15	ASN
1	B	160	HIS
1	B	189	GLN
1	B	258	HIS
1	B	344	ASN
1	B	368	ASN
1	C	8	GLN
1	C	15	ASN
1	C	160	HIS
1	C	189	GLN
1	C	258	HIS
1	C	344	ASN
1	D	15	ASN
1	D	160	HIS
1	D	189	GLN
1	D	258	HIS
1	D	344	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	PSV	C	603	2	11,12,12	0.40	0	10,18,18	0.62	0
3	PSV	A	601	2	11,12,12	0.32	0	10,18,18	0.53	0
3	PSV	D	604	2	11,12,12	0.39	0	10,18,18	0.57	0
3	PSV	B	602	2	11,12,12	0.43	0	10,18,18	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PSV	C	603	2	-	2/5/24/24	0/1/1/1
3	PSV	A	601	2	-	3/5/24/24	0/1/1/1
3	PSV	D	604	2	-	3/5/24/24	0/1/1/1
3	PSV	B	602	2	-	3/5/24/24	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	603	PSV	O5-C5-C6-O6
3	B	602	PSV	C4-C5-C6-O6
3	C	603	PSV	C4-C5-C6-O6
3	B	602	PSV	O5-C5-C6-O6
3	D	604	PSV	C4-C5-C6-O6
3	D	604	PSV	O5-C5-C6-O6
3	A	601	PSV	C4-C5-C6-O6
3	A	601	PSV	O5-C5-C6-O6
3	A	601	PSV	O1-C1-C2-C3
3	B	602	PSV	O1-C1-C2-C3
3	D	604	PSV	O1-C1-C2-C3

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	602	PSV	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	421/438 (96%)	-0.45	1 (0%) 95 95	5, 11, 23, 35	0
1	B	421/438 (96%)	-0.28	7 (1%) 70 72	6, 13, 27, 46	0
1	C	428/438 (97%)	-0.10	9 (2%) 63 66	6, 15, 33, 57	0
1	D	419/438 (95%)	-0.30	5 (1%) 79 81	6, 12, 25, 48	0
All	All	1689/1752 (96%)	-0.28	22 (1%) 77 79	5, 13, 28, 57	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	319	GLY	7.4
1	B	4	PHE	4.4
1	C	427	GLY	4.1
1	D	421	ALA	4.1
1	D	4	PHE	3.9
1	B	316	GLY	3.8
1	D	3	GLU	3.6
1	B	423	VAL	3.5
1	C	318	LYS	3.3
1	C	317	VAL	3.0
1	B	315	ARG	2.7
1	C	3	GLU	2.5
1	C	316	GLY	2.5
1	C	430	ILE	2.5
1	B	280	PHE	2.5
1	D	420	PRO	2.5
1	B	424	ALA	2.4
1	D	8	GLN	2.4
1	A	423	VAL	2.3
1	B	317	VAL	2.3
1	C	321	HIS	2.1
1	C	110	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	PSV	B	602	12/12	0.77	0.19	26,30,33,37	0
3	PSV	C	603	12/12	0.85	0.17	26,31,34,38	0
3	PSV	A	601	12/12	0.90	0.13	12,19,25,29	0
3	PSV	D	604	12/12	0.93	0.12	15,21,27,30	0
2	MN	B	504	1/1	0.97	0.04	22,22,22,22	0
2	MN	A	502	1/1	0.99	0.03	13,13,13,13	0
2	MN	C	505	1/1	0.99	0.04	21,21,21,21	0
2	MN	B	503	1/1	0.99	0.05	25,25,25,25	0
2	MN	A	501	1/1	1.00	0.02	13,13,13,13	0
2	MN	C	506	1/1	1.00	0.03	18,18,18,18	0
2	MN	D	507	1/1	1.00	0.04	13,13,13,13	0
2	MN	D	508	1/1	1.00	0.09	14,14,14,14	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.