

# Full wwPDB X-ray Structure Validation Report (i)

#### Aug 27, 2023 – 09:40 PM EDT

PDB ID	:	3IUM
Title	:	apPEP_WTX opened state
Authors	:	Chiu, T.K.
Deposited on	:	2009-08-31
Resolution	:	2.25  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	٨	600	10%			
	А	693	66%	29%	••	



## 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 5440 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Prolyl Endopeptidase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	668	Total 5281	C 3353	N 913	O 1007	${ m Se} 8$	0	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-2	GLY	-	expression tag	UNP Q9X6R4
А	-1	SER	-	expression tag	UNP Q9X6R4
А	0	HIS	-	expression tag	UNP Q9X6R4
А	106	GLN	LYS	SEE REMARK 999	UNP Q9X6R4
А	325	GLN	HIS	SEE REMARK 999	UNP Q9X6R4
А	326	GLN	ARG	SEE REMARK 999	UNP Q9X6R4
A	334	SER	THR	SEE REMARK 999	UNP Q9X6R4
А	335	GLY	ALA	SEE REMARK 999	UNP Q9X6R4
А	348	ARG	PRO	SEE REMARK 999	UNP Q9X6R4
А	577	THR	ALA	SEE REMARK 999	UNP Q9X6R4

• Molecule 2 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	135	Total O 135 135	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Prolyl Endopeptidase



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	63.47Å 100.08Å 155.01Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	38.75 - 2.25	Depositor
Resolution (A)	38.75 - 2.25	EDS
% Data completeness	96.5 (38.75-2.25)	Depositor
(in resolution range)	98.3 (38.75-2.25)	EDS
$R_{merge}$	(Not available)	Depositor
R <sub>sym</sub>	0.07	Depositor
$< I/\sigma(I) > 1$	$2.71 (at 2.24 \text{\AA})$	Xtriage
Refinement program	CNS 1.2	Depositor
B B.	0.219 , $0.244$	Depositor
$\Lambda, \Lambda_{free}$	0.220 , $0.220$	DCC
$R_{free}$ test set	4373 reflections $(5.00%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	50.7	Xtriage
Anisotropy	0.319	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , $47.9$	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5440	wwPDB-VP
Average B, all atoms $(Å^2)$	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.55% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
IVIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.35	0/5414	0.60	0/7349	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5281	0	5058	167	0
2	А	24	0	32	1	0
3	А	135	0	0	4	1
All	All	5440	0	5090	168	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:606:ARG:HH11	1:A:606:ARG:HB2	1.26	0.98



	louo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:49:ASN:HD21	1:A:651:ILE:H	1.22	0.88
1:A:464:SER:HB2	1:A:493:GLU:HG3	1.54	0.87
1:A:606:ARG:HB2	1:A:606:ARG:NH1	1.92	0.84
1:A:508:GLN:HE22	1:A:550:GLN:HE22	1.27	0.82
1:A:193:PRO:HB3	1:A:216:GLN:HE21	1.47	0.79
1:A:555:MSE:HE2	1:A:612:PRO:HG3	1.64	0.79
1:A:221:LEU:HD21	1:A:225:ALA:HB2	1.68	0.75
1:A:56:LEU:HD21	1:A:615:MSE:HE1	1.69	0.74
1:A:584:GLY:HA3	1:A:592:MSE:HE3	1.68	0.74
1:A:139:ILE:HD12	1:A:165:LEU:HD22	1.71	0.72
1:A:574:THR:HG23	1:A:575:ALA:H	1.52	0.72
1:A:574:THR:O	1:A:577:THR:HG22	1.90	0.72
1:A:388:ASN:C	1:A:388:ASN:HD22	1.96	0.70
1:A:376:LYS:HE3	3:A:1052:HOH:O	1.92	0.69
2:A:701:GOL:H31	2:A:702:GOL:H32	1.76	0.66
1:A:104:ARG:NH1	1:A:159:VAL:HG13	2.11	0.64
1:A:565:LEU:HD13	1:A:633:PHE:CD2	2.34	0.63
1:A:17:GLN:O	1:A:28:ASP:HB3	1.99	0.62
1:A:155:HIS:HD2	3:A:1104:HOH:O	1.82	0.62
1:A:353:ASP:OD2	1:A:357:LYS:HB3	1.99	0.62
1:A:505:GLN:HA	1:A:595:TYR:CE2	2.35	0.61
1:A:67:GLU:HG3	3:A:1085:HOH:O	1.99	0.61
1:A:193:PRO:HD2	1:A:208:TYR:CE2	2.35	0.61
1:A:515:ILE:HG23	1:A:554:LEU:HD22	1.84	0.60
1:A:548:MSE:HA	1:A:555:MSE:HE1	1.83	0.59
1:A:388:ASN:ND2	1:A:390:ALA:H	2.01	0.59
1:A:407:LEU:HD23	1:A:408:TYR:N	2.18	0.59
1:A:261:LYS:HB2	1:A:270:LEU:HD23	1.85	0.58
1:A:436:PRO:HB2	1:A:487:ASN:HD22	1.68	0.58
1:A:586:SER:HB2	1:A:593:PHE:HD1	1.69	0.58
1:A:555:MSE:H	1:A:555:MSE:SE	2.37	0.57
1:A:266:GLU:HA	3:A:1130:HOH:O	2.04	0.57
1:A:232:ARG:H	1:A:251:ASN:HD22	1.52	0.57
1:A:620:ASP:OD2	1:A:653:THR:HA	2.05	0.57
1:A:416:LYS:HB3	1:A:418:GLU:OE1	2.05	0.56
1:A:505:GLN:HA	1:A:595:TYR:CD2	2.40	0.56
1:A:68:LYS:CD	1:A:690:PRO:HB2	2.36	0.55
1:A:565:LEU:HD13	1:A:633:PHE:CG	2.41	0.55
1:A:16:GLU:O	1:A:18:VAL:N	2.40	0.55
1:A:515:ILE:O	1:A:519:GLU:HG3	2.07	0.55
1:A:41:THR:O	1:A:44:TRP:HB3	2.07	0.55



	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:605:VAL:HG11	1:A:637:LEU:HD23	1.89	0.54
1:A:607:PRO:HA	1:A:640:ASP:O	2.06	0.54
1:A:677:THR:O	1:A:681:MSE:HG3	2.07	0.54
1:A:68:LYS:HD3	1:A:690:PRO:HB2	1.89	0.54
1:A:545:GLY:HA2	1:A:548:MSE:CE	2.37	0.54
1:A:639:ALA:O	1:A:640:ASP:OD1	2.26	0.53
1:A:545:GLY:O	1:A:549:THR:HG23	2.08	0.53
1:A:36:ASP:O	1:A:37:ARG:HD3	2.09	0.53
1:A:606:ARG:HH11	1:A:606:ARG:CB	2.12	0.53
1:A:231:HIS:HA	1:A:251:ASN:HD21	1.74	0.52
1:A:567:MSE:HE1	1:A:583:TYR:CD1	2.44	0.52
1:A:16:GLU:O	1:A:18:VAL:HG23	2.09	0.52
1:A:163:GLN:HG3	1:A:164:PRO:HD2	1.91	0.52
1:A:13:ARG:HG3	1:A:13:ARG:HH11	1.74	0.52
1:A:35:ASP:O	1:A:41:THR:HG21	2.09	0.52
1:A:555:MSE:CE	1:A:612:PRO:HG3	2.37	0.52
1:A:548:MSE:HB2	1:A:555:MSE:CE	2.40	0.52
1:A:31:ARG:HA	1:A:31:ARG:HH11	1.73	0.52
1:A:651:ILE:HD12	1:A:651:ILE:N	2.25	0.52
1:A:416:LYS:HB2	1:A:419:ASP:OD2	2.10	0.51
1:A:28:ASP:OD2	1:A:31:ARG:NH1	2.43	0.51
1:A:537:GLY:HA2	1:A:561:ALA:O	2.10	0.51
1:A:508:GLN:NE2	1:A:550:GLN:HE22	2.01	0.51
1:A:676:PHE:O	1:A:680:GLU:HG2	2.10	0.51
1:A:683:TYR:CE1	1:A:687:PRO:HG3	2.46	0.51
1:A:123:ASP:OD1	1:A:125:THR:HG23	2.11	0.51
1:A:28:ASP:OD2	1:A:31:ARG:HB2	2.10	0.50
1:A:568:LEU:HD11	1:A:597:LYS:N	2.26	0.50
1:A:293:LEU:O	1:A:304:LEU:HD12	2.12	0.50
1:A:620:ASP:OD1	1:A:621:HIS:N	2.45	0.50
1:A:430:LYS:HD2	1:A:512:ASP:OD2	2.12	0.49
1:A:47:ALA:O	1:A:51:VAL:HG23	2.11	0.49
1:A:505:GLN:HE21	1:A:592:MSE:HA	1.77	0.49
1:A:13:ARG:HG3	1:A:13:ARG:NH1	2.28	0.49
1:A:78:GLU:HG3	1:A:92:LYS:HG2	1.95	0.49
1:A:555:MSE:SE	1:A:555:MSE:N	2.96	0.49
1:A:94:ASP:H	1:A:97:GLN:NE2	2.11	0.48
1:A:231:HIS:CG	1:A:249:ALA:HB1	2.48	0.48
1:A:442:ARG:HH11	1:A:442:ARG:HG2	1.79	0.48
1:A:551:ARG:C	1:A:553:ASP:H	2.17	0.47
1:A:12:THR:HG21	1:A:635:ALA:HB1	1.96	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:464:SER:CB	1:A:493:GLU:HG3	2.36	0.47
1:A:22:PHE:HB3	1:A:590:GLU:OE2	2.15	0.47
1:A:538:SER:HA	1:A:562:VAL:O	2.15	0.47
1:A:55:TYR:O	1:A:58:GLN:HB3	2.14	0.47
1:A:87:TYR:CG	1:A:104:ARG:HD2	2.49	0.47
1:A:407:LEU:HD23	1:A:407:LEU:C	2.34	0.47
1:A:548:MSE:HB2	1:A:555:MSE:HE1	1.96	0.47
1:A:44:TRP:HZ3	1:A:631:PHE:CD1	2.33	0.47
1:A:522:LYS:HZ2	1:A:554:LEU:HD12	1.80	0.47
1:A:12:THR:HG21	1:A:635:ALA:CB	2.45	0.47
1:A:52:THR:HG23	1:A:615:MSE:HE2	1.98	0.46
1:A:545:GLY:HA2	1:A:548:MSE:HE2	1.96	0.46
1:A:522:LYS:NZ	1:A:554:LEU:HD12	2.31	0.46
1:A:104:ARG:HH12	1:A:159:VAL:HG13	1.80	0.46
1:A:49:ASN:HD21	1:A:651:ILE:N	2.03	0.46
1:A:193:PRO:HD2	1:A:208:TYR:CZ	2.50	0.46
1:A:15:GLY:O	1:A:16:GLU:HG3	2.16	0.46
1:A:348:ARG:HH11	1:A:348:ARG:HG2	1.81	0.45
1:A:83:ARG:HG3	1:A:83:ARG:HH11	1.82	0.45
1:A:489:ARG:HA	1:A:498:TRP:CE2	2.51	0.45
1:A:388:ASN:ND2	1:A:391:GLN:H	2.14	0.45
1:A:618:THR:O	1:A:651:ILE:HA	2.17	0.45
1:A:626:VAL:HA	1:A:627:PRO:HD3	1.84	0.45
1:A:232:ARG:H	1:A:251:ASN:ND2	2.15	0.45
1:A:359:VAL:O	1:A:360:ARG:HB3	2.17	0.45
1:A:500:LEU:HA	1:A:503:THR:OG1	2.16	0.45
1:A:514:PHE:O	1:A:517:ALA:HB3	2.16	0.45
1:A:533:ALA:HB2	1:A:557:VAL:HB	1.99	0.45
1:A:565:LEU:H	1:A:629:HIS:HB3	1.82	0.44
1:A:70:ALA:HA	1:A:667:ILE:HD13	1.98	0.44
1:A:205:HIS:HB2	1:A:232:ARG:O	2.18	0.44
1:A:419:ASP:HB3	1:A:442:ARG:NH1	2.33	0.44
1:A:489:ARG:HA	1:A:498:TRP:NE1	2.33	0.44
1:A:421:VAL:HG23	1:A:443:LYS:HB2	1.98	0.44
1:A:548:MSE:HE3	1:A:633:PHE:CE2	2.52	0.44
1:A:89:TYR:CE1	1:A:104:ARG:HD3	2.52	0.44
1:A:145:SER:HB3	1:A:152:ARG:CZ	2.48	0.44
1:A:500:LEU:HD21	1:A:581:TYR:OH	2.18	0.44
1:A:193:PRO:HB3	1:A:216:GLN:NE2	2.24	0.43
1:A:511:PHE:O	1:A:515:ILE:HG13	2.18	0.43
1:A:566:ASP:O	1:A:570:TYR:HB3	2.17	0.43



	lo ao pagom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:567:MSE:HE1	1:A:583:TYR:CG	2.54	0.43
1:A:599:TYR:C	1:A:599:TYR:CD1	2.92	0.43
1:A:453:THR:OG1	1:A:482:VAL:HB	2.18	0.43
1:A:489:ARG:O	1:A:510:VAL:HG22	2.18	0.43
1:A:507:LYS:NZ	1:A:539:ASN:HD21	2.16	0.43
1:A:129:ASP:HB3	1:A:143:SER:OG	2.19	0.43
1:A:59:ILE:HA	1:A:60:PRO:HD3	1.70	0.43
1:A:565:LEU:HD12	1:A:629:HIS:O	2.19	0.43
1:A:577:THR:O	1:A:577:THR:HG23	2.17	0.43
1:A:619:ALA:HA	1:A:652:GLU:HB2	2.01	0.43
1:A:534:ILE:CD1	1:A:544:VAL:HG13	2.48	0.42
1:A:475:ASN:O	1:A:479:LEU:HG	2.19	0.42
1:A:545:GLY:HA2	1:A:548:MSE:HE3	2.00	0.42
1:A:144:LEU:HD12	1:A:155:HIS:CE1	2.54	0.42
1:A:533:ALA:CB	1:A:557:VAL:HB	2.50	0.42
1:A:370:VAL:HA	1:A:385:GLY:O	2.20	0.42
1:A:372:GLY:O	1:A:373:PHE:HB2	2.20	0.42
1:A:491:GLY:O	1:A:498:TRP:HD1	2.03	0.42
1:A:514:PHE:HD2	1:A:547:VAL:HG21	1.84	0.42
1:A:569:ARG:HB2	1:A:569:ARG:NH1	2.34	0.42
1:A:142:TYR:CE2	1:A:157:MSE:HE3	2.54	0.42
1:A:146:LEU:O	1:A:148:GLY:N	2.52	0.42
1:A:9:TYR:HB3	1:A:638:GLN:NE2	2.35	0.41
1:A:62:ARG:HD2	1:A:672:ASP:OD1	2.20	0.41
1:A:87:TYR:HB3	1:A:104:ARG:HG3	2.01	0.41
1:A:392:PRO:HA	1:A:469:PHE:CG	2.55	0.41
1:A:455:LEU:HG	1:A:514:PHE:CE1	2.56	0.41
1:A:68:LYS:HD2	1:A:690:PRO:HB2	2.01	0.41
1:A:388:ASN:C	1:A:388:ASN:ND2	2.69	0.41
1:A:569:ARG:HA	1:A:571:HIS:CE1	2.56	0.41
1:A:156:LEU:HD21	1:A:185:PHE:CE2	2.56	0.41
1:A:448:ASP:OD1	1:A:450:SER:OG	2.32	0.41
1:A:445:LEU:C	1:A:445:LEU:HD23	2.40	0.41
1:A:499:HIS:O	1:A:503:THR:HG23	2.20	0.41
1:A:599:TYR:O	1:A:600:SER:C	2.58	0.41
1:A:548:MSE:HE3	1:A:633:PHE:CZ	2.56	0.41
1:A:570:TYR:OH	1:A:583:TYR:HB2	2.21	0.41
1:A:584:GLY:HA3	1:A:592:MSE:CE	2.45	0.41
1:A:608:GLY:H	1:A:642:ALA:HB2	1.86	0.41
1:A:441:TYR:HB3	1:A:482:VAL:HG22	2.02	0.40
1:A:447:LEU:HD22	1:A:524:GLU:O	2.21	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:ASP:O	1:A:242:ASP:HB2	2.20	0.40
1:A:584:GLY:CA	1:A:592:MSE:HE3	2.46	0.40
1:A:518:ALA:HB3	1:A:554:LEU:HD21	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1114:HOH:O	3:A:1115:HOH:O[4_476]	2.18	0.02

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	662/693~(96%)	608~(92%)	46 (7%)	8 (1%)	13 9

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	17	GLN
1	А	604	ASN
1	А	569	ARG
1	А	574	THR
1	А	147	ALA
1	А	10	PRO
1	А	640	ASP
1	А	552	PRO



#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	549/556~(99%)	536~(98%)	13~(2%)	49 58

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	31	ARG
1	А	68	LYS
1	А	287	LYS
1	А	312	PRO
1	А	325	GLN
1	А	388	ASN
1	А	391	GLN
1	А	434	ARG
1	А	496	GLN
1	А	512	ASP
1	А	555	MSE
1	А	623	ASP
1	А	640	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	24	GLN
1	А	49	ASN
1	А	74	ASN
1	А	88	HIS
1	А	97	GLN
1	А	155	HIS
1	А	251	ASN
1	А	274	GLN
1	А	326	GLN
1	А	388	ASN
1	А	487	ASN
1	A	505	GLN



Continued from previous page...

Mol	Chain	Res	Type
1	А	509	ASN
1	А	539	ASN
1	А	550	GLN
1	А	603	HIS
1	А	604	ASN
1	А	645	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Turo		Chain	Dec	ag Link	Bond lengths			Bond angles		
	Type	Unain	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GOL	А	702	-	5,5,5	0.36	0	$5,\!5,\!5$	0.31	0
2	GOL	А	704	-	5,5,5	0.41	0	$5,\!5,\!5$	0.23	0
2	GOL	А	703	-	5,5,5	0.45	0	$5,\!5,\!5$	0.29	0
2	GOL	А	701	-	5,5,5	0.28	0	5,5,5	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	А	702	-	-	0/4/4/4	-
2	GOL	А	704	-	-	0/4/4/4	-
2	GOL	А	703	-	-	0/4/4/4	-
2	GOL	А	701	-	-	0/4/4/4	-

'-' means no outliers of that kind were identified.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	702	GOL	1	0
2	А	701	GOL	1	0

### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	660/693~(95%)	0.55	70 (10%) 6 6	30, 56, 95, 95	0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	576	GLY	7.9
1	А	575	ALA	7.2
1	А	591	ALA	6.3
1	А	192	LYS	6.1
1	А	22	PHE	6.0
1	А	574	THR	5.9
1	А	33	LEU	5.7
1	А	577	THR	5.5
1	А	25	ALA	5.2
1	А	20	HIS	5.1
1	А	26	VAL	5.1
1	А	21	TYR	5.0
1	А	202	THR	4.7
1	А	23	GLY	4.3
1	А	147	ALA	4.3
1	А	496	GLN	4.2
1	А	15	GLY	4.2
1	А	125	THR	4.2
1	А	24	GLN	4.1
1	А	39	PRO	3.9
1	А	27	ALA	3.9
1	A	121	SER	3.9
1	А	11	VAL	3.9
1	А	586	SER	3.8
1	А	41	THR	3.8
1	А	122	PRO	3.6
1	А	587	ALA	3.6



0 0		- r · · · · · · ·	r ng ng	
Mol	Chain	Res	Type	RSRZ
1	А	581	TYR	3.5
1	А	430	LYS	3.5
1	А	7	LEU	3.5
1	А	584	GLY	3.3
1	А	590	GLU	3.3
1	А	13	ARG	3.2
1	А	631	PHE	3.1
1	А	594	ASP	3.0
1	А	123	ASP	3.0
1	А	501	ALA	2.9
1	А	623	ASP	2.8
1	А	544	VAL	2.8
1	А	32	TRP	2.7
1	А	644	PRO	2.7
1	А	572	THR	2.7
1	А	500	LEU	2.6
1	А	504	GLN	2.6
1	А	30	TYR	2.6
1	А	564	VAL	2.6
1	А	547	VAL	2.6
1	А	549	THR	2.5
1	А	497	ALA	2.5
1	А	546	ALA	2.5
1	А	573	PHE	2.5
1	А	588	ASP	2.5
1	А	40	GLU	2.5
1	А	14	GLN	2.4
1	А	29	PRO	2.4
1	А	16	GLU	2.3
1	А	633	PHE	2.3
1	А	558	ALA	2.2
1	А	545	GLY	2.2
1	А	571	HIS	2.2
1	А	124	GLY	2.2
1	А	193	PRO	2.2
1	А	43	ALA	2.1
1	А	34	GLU	2.1
1	А	12	THR	2.1
1	А	585	THR	2.1
1	А	140	LEU	2.1
1	А	432	GLY	2.1
1	А	609	VAL	2.0



Continued from previous page...

Mol	Chain	$\mathbf{Res}$	Type	RSRZ
1	А	608	GLY	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	GOL	А	703	6/6	0.48	0.34	79,88,92,93	0
2	GOL	А	702	6/6	0.73	0.27	74,78,81,82	0
2	GOL	А	704	6/6	0.81	0.23	72,80,83,84	0
2	GOL	А	701	6/6	0.88	0.15	64,74,77,83	0

### 6.5 Other polymers (i)

There are no such residues in this entry.

