



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2020 – 04:24 PM BST

PDB ID : 4J4P  
Title : The complex of human IgE-Fc with two bound Fab fragments  
Authors : Drinkwater, N.; Sutton, B.J.  
Deposited on : 2013-02-07  
Resolution : 2.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2307 (2.94-2.90)
Clashscore	141614	2531 (2.94-2.90)
Ramachandran outliers	138981	2462 (2.94-2.90)
Sidechain outliers	138945	2464 (2.94-2.90)
RSRZ outliers	127900	2248 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	323	
1	B	323	
2	C	249	
2	H	249	
3	D	235	
3	L	235	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	E	5	 80% 20%
4	F	5	 80% 20%

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 11702 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ig epsilon chain C region.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	315	Total	C	N	O	S	6	0	0
			2461	1535	438	477	11			
1	B	317	Total	C	N	O	S	6	0	0
			2480	1548	441	480	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	265	GLN	ASN	engineered mutation	UNP P01854
A	371	GLN	ASN	engineered mutation	UNP P01854
B	265	GLN	ASN	engineered mutation	UNP P01854
B	371	GLN	ASN	engineered mutation	UNP P01854


- Molecule 2 is a protein called Immunoglobulin G Fab Fragment Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	224	Total	C	N	O	S	0	0	0
			1715	1081	288	339	7			
2	C	222	Total	C	N	O	S	6	0	0
			1701	1074	286	335	6			

- Molecule 3 is a protein called Immunoglobulin G Fab Fragment Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	L	215	Total	C	N	O	S	0	0	0
			1591	993	262	332	4			
3	D	215	Total	C	N	O	S	0	0	0
			1591	993	262	332	4			

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	5	Total	C	N	O	0	0	0
			61	34	2	25			
4	F	5	Total	C	N	O	0	0	0
			61	34	2	25			


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	11	Total	O	0	0
			11	11		
5	B	8	Total	O	0	0
			8	8		
5	H	9	Total	O	0	0
			9	9		
5	L	2	Total	O	0	0
			2	2		
5	C	5	Total	O	0	0
			5	5		
5	D	6	Total	O	0	0
			6	6		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ig epsilon chain C region




- Molecule 1: Ig epsilon chain C region



- Molecule 2: Immunoglobulin G Fab Fragment Heavy Chain







- Molecule 4: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 80% 20%



- Molecule 4: beta-D-mannopyranose-(1-3)-[beta-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 80% 20%





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	84.59Å 100.81Å 219.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	67.02 – 2.91 67.02 – 2.91	Depositor EDS
% Data completeness (in resolution range)	99.7 (67.02-2.91) 99.7 (67.02-2.91)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.67 (at 2.91Å)	Xtrriage
Refinement program	PHENIX 1.7.3 _928	Depositor
R, $R_{free}$	0.236 , 0.284 0.236 , 0.284	Depositor DCC
$R_{free}$ test set	2115 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	87.9	Xtrriage
Anisotropy	0.303	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.25 , 59.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	11702	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	104.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.03% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.51	0/2521	0.72	2/3436 (0.1%)
1	B	0.47	0/2541	0.68	1/3463 (0.0%)
2	C	0.46	0/1745	0.71	0/2383
2	H	0.60	0/1759	0.85	1/2402 (0.0%)
3	D	0.49	1/1629 (0.1%)	0.62	0/2226
3	L	0.56	0/1629	0.77	0/2226
All	All	0.51	1/11824 (0.0%)	0.72	4/16136 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	2
2	H	0	4
3	D	0	1
3	L	0	1
All	All	0	8

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	215	SER	CB-OG	11.26	1.56	1.42

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	84	VAL	N-CA-C	-6.22	94.22	111.00
1	A	334	ARG	N-CA-C	-5.29	96.70	111.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	518	GLN	N-CA-C	-5.16	97.08	111.00
1	B	414	GLU	N-CA-C	5.12	124.82	111.00

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	179	PHE	Peptide
2	C	181	GLU	Peptide
3	D	59	VAL	Peptide
2	H	124	ILE	Peptide
2	H	181	GLU	Peptide
2	H	247	LYS	Peptide
2	H	83	ALA	Peptide
3	L	163	TYR	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2461	0	2408	60	0
1	B	2480	0	2423	59	0
2	C	1701	0	1648	38	0
2	H	1715	0	1660	44	0
3	D	1591	0	1530	31	0
3	L	1591	0	1530	41	0
4	E	61	0	52	2	0
4	F	61	0	52	2	0
5	A	11	0	0	0	0
5	B	8	0	0	0	0
5	C	5	0	0	0	0
5	D	6	0	0	0	0
5	H	9	0	0	0	0
5	L	2	0	0	1	0
All	All	11702	0	11303	261	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 11.

All (261) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:232:PRO:HB3	1:A:259:TYR:HB3	1.58	0.86
2:H:125:SER:OG	2:H:126:TYR:N	2.09	0.81
1:B:460:ARG:HH22	1:B:543:VAL:HG21	1.45	0.81
3:L:133:LYS:HD2	3:L:221:GLU:HG3	1.63	0.79
3:L:172:LYS:HB2	3:L:215:SER:HB2	1.66	0.78
2:C:152:PRO:HD3	2:C:233:HIS:HD2	1.49	0.77
1:A:422:HIS:HB3	1:A:425:LEU:HD13	1.68	0.74
1:A:348:LEU:HD12	1:A:354:PRO:HB3	1.70	0.73
3:D:161:ASP:HA	3:D:194:LYS:HB3	1.68	0.73
1:B:393:ARG:O	2:C:71:ARG:NH2	2.22	0.72
1:B:370:VAL:HG11	1:B:399:VAL:HG11	1.69	0.72
1:A:488:ALA:O	1:B:499:LYS:NZ	2.23	0.72
2:H:168:THR:HB	2:H:218:PRO:HA	1.73	0.70
3:L:141:PHE:HB2	3:L:156:VAL:HG13	1.74	0.69
1:A:393:ARG:O	2:H:71:ARG:NH2	2.26	0.69
2:H:175:VAL:HG11	2:H:183:VAL:HG11	1.74	0.69
1:B:314:VAL:HG22	1:B:321:PHE:HB2	1.75	0.69
1:B:445:VAL:HG22	1:B:466:ILE:HG23	1.77	0.67
3:D:21:SER:OG	3:D:22:VAL:N	2.27	0.67
1:A:488:ALA:HB1	1:B:499:LYS:HZ1	1.61	0.66
2:C:30:LEU:HB2	2:C:180:PRO:HG3	1.77	0.66
2:C:221:SER:HB2	2:C:224:THR:HB	1.75	0.66
2:C:152:PRO:HD3	2:C:233:HIS:CD2	2.30	0.66
1:A:307:ASP:HB2	2:H:77:LYS:HD3	1.77	0.65
2:H:30:LEU:HB2	2:H:180:PRO:HG3	1.79	0.65
1:B:339:TYR:HD2	1:B:359:LEU:HD23	1.62	0.65
2:H:50:SER:OG	2:H:51:ASN:O	2.14	0.64
2:H:128:TYR:HD1	2:H:129:TYR:H	1.46	0.64
1:A:393:ARG:HG3	3:L:111:TRP:HB2	1.80	0.64
1:A:355:THR:HG22	1:A:404:PRO:HA	1.79	0.64
3:D:172:LYS:HE2	3:D:217:GLN:HB2	1.80	0.63
3:L:103:GLU:OE1	3:L:189:LYS:NZ	2.30	0.63
3:L:207:GLN:HA	3:L:210:SER:HB3	1.79	0.63
2:H:53:ALA:O	2:H:75:ARG:NH2	2.31	0.62
1:B:436:THR:O	1:B:440:ARG:NH1	2.26	0.62
1:A:393:ARG:HD2	2:H:131:TYR:HB2	1.82	0.62
2:C:228:ILE:HG12	2:C:243:LYS:HB3	1.82	0.62
2:H:129:TYR:CD1	4:E:1:NAG:H62	2.34	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:80:ASP:N	3:D:80:ASP:OD1	2.32	0.61
3:D:203:LEU:HD21	3:D:208:TRP:HB2	1.81	0.61
2:H:35:GLN:HG2	2:H:36:THR:H	1.66	0.61
3:D:55:TRP:CZ3	3:D:108:CYS:HB3	2.35	0.61
1:B:394:ASN:OD1	1:B:396:THR:OG1	2.18	0.61
2:C:53:ALA:O	2:C:75:ARG:NH2	2.34	0.61
3:D:152:LYS:HA	3:D:205:PRO:HD3	1.82	0.60
2:H:120:ARG:NH1	2:H:122:GLY:HA3	2.17	0.60
2:H:113:THR:HG23	2:H:143:THR:HA	1.84	0.60
3:L:178:VAL:HG11	3:L:201:LEU:HD11	1.83	0.59
1:A:513:ARG:O	1:A:516:TRP:HB2	2.03	0.59
3:D:162:PHE:HB2	3:D:220:HIS:NE2	2.18	0.58
3:L:146:GLU:OE2	3:L:146:GLU:N	2.36	0.58
1:B:422:HIS:CD2	1:B:423:PRO:HD2	2.38	0.58
2:H:154:VAL:HG21	2:H:231:VAL:HG11	1.86	0.58
1:A:360:VAL:HG21	1:A:420:VAL:HG11	1.86	0.57
1:A:447:ALA:HB1	1:A:541:VAL:HB	1.86	0.57
2:H:56:ASN:HD21	2:H:121:ASP:HB2	1.69	0.57
3:D:44:SER:OG	3:D:45:SER:N	2.37	0.57
3:D:143:PRO:HB3	3:D:153:ALA:HB1	1.87	0.57
3:D:23:LEU:HG	3:D:119:VAL:HG12	1.87	0.57
2:C:212:SER:HG	3:D:200:TYR:HH	1.53	0.57
1:A:236:ILE:O	1:A:237:LEU:HD23	2.04	0.56
2:C:113:THR:HG23	2:C:143:THR:HA	1.86	0.56
3:D:22:VAL:HB	3:D:119:VAL:HG13	1.87	0.56
1:A:394:ASN:O	2:H:75:ARG:NH1	2.39	0.56
1:A:265:GLN:NE2	1:A:315:THR:O	2.39	0.55
3:L:164:PRO:HD2	3:L:220:HIS:NE2	2.22	0.55
3:L:219:THR:HG23	3:L:224:THR:HG22	1.88	0.55
1:A:253:LEU:HD22	1:A:325:THR:HG21	1.88	0.55
2:C:84:VAL:HG22	2:C:87:LYS:HB3	1.87	0.55
2:H:225:GLN:NE2	2:H:227:TYR:OH	2.38	0.54
3:L:75:PRO:HG2	3:L:78:VAL:HG21	1.87	0.54
2:C:128:TYR:C	2:C:130:TYR:H	2.09	0.54
2:C:170:ALA:HB2	2:C:216:THR:HG22	1.89	0.54
3:D:208:TRP:HD1	3:D:214:TYR:HH	1.55	0.54
1:A:420:VAL:HG22	1:A:429:LEU:HB2	1.88	0.54
3:L:79:SER:OG	3:L:81:ARG:HG3	2.07	0.54
1:A:435:LYS:HE3	1:A:440:ARG:HH21	1.72	0.54
1:A:488:ALA:HB1	1:B:499:LYS:NZ	2.23	0.54
1:B:515:GLU:HA	1:B:518:GLN:HB3	1.89	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:21:SER:HB3	3:L:120:PHE:O	2.09	0.53
2:C:233:HIS:CE1	2:C:235:PRO:HG2	2.44	0.53
3:L:81:ARG:HB3	3:L:96:SER:O	2.09	0.53
1:B:408:ARG:NH1	1:B:412:GLU:OE2	2.42	0.53
1:B:448:PHE:HB2	1:B:463:ALA:O	2.09	0.53
1:B:343:PRO:HD3	1:B:356:ILE:HG22	1.91	0.53
1:A:265:GLN:HB2	1:A:315:THR:HB	1.91	0.52
3:D:153:ALA:HB3	3:D:203:LEU:HD22	1.92	0.52
3:D:204:THR:O	3:D:207:GLN:N	2.42	0.52
3:L:173:ALA:HB1	3:L:211:HIS:ND1	2.24	0.52
3:L:215:SER:OG	3:L:228:THR:HB	2.08	0.52
2:H:128:TYR:C	2:H:130:TYR:H	2.13	0.52
1:B:286:GLN:NE2	1:B:290:LEU:O	2.43	0.52
2:C:47:SER:O	2:C:50:SER:HB3	2.10	0.52
2:C:43:ILE:HD12	2:C:55:TRP:CH2	2.44	0.52
1:B:276:ASP:OD1	1:B:276:ASP:N	2.43	0.52
1:B:343:PRO:HD2	1:B:410:TRP:CZ2	2.45	0.52
3:D:224:THR:HG22	3:D:225:VAL:H	1.74	0.52
2:H:110:PRO:HA	2:H:144:VAL:HB	1.91	0.52
2:C:56:ASN:HD21	2:C:121:ASP:HB2	1.75	0.51
3:L:229:VAL:HG22	3:L:230:ALA:H	1.76	0.51
1:B:479:LEU:HB2	1:B:523:ILE:HG13	1.92	0.51
1:B:481:ASN:H	1:B:519:LYS:HZ1	1.58	0.51
3:D:74:LEU:HG	3:D:78:VAL:HB	1.92	0.51
2:C:221:SER:CB	2:C:224:THR:HB	2.41	0.51
3:D:225:VAL:HG12	3:D:226:GLU:H	1.76	0.51
2:H:122:GLY:O	2:H:131:TYR:HA	2.11	0.51
1:B:267:THR:HG22	1:B:313:GLN:HB3	1.92	0.51
1:B:478:TRP:CZ3	1:B:524:CYS:HB2	2.45	0.51
1:A:494:GLN:O	1:A:496:ARG:HG3	2.10	0.51
3:L:71:ASP:OD1	3:L:86:LYS:HD3	2.11	0.51
1:A:372:LEU:HG	1:A:420:VAL:HG12	1.92	0.50
2:C:59:ARG:HB3	2:C:69:LEU:HD11	1.92	0.50
3:D:147:GLU:HA	3:D:150:ALA:HB3	1.92	0.50
2:C:55:TRP:HB3	2:C:101:PHE:CE2	2.47	0.50
2:H:129:TYR:CE1	4:E:1:NAG:H62	2.46	0.50
1:A:315:THR:HA	1:A:319:HIS:O	2.11	0.50
3:D:152:LYS:HB3	3:D:203:LEU:O	2.12	0.50
1:A:338:ALA:HB3	1:A:431:ARG:HE	1.75	0.49
3:L:36:ARG:HG3	3:L:96:SER:HA	1.94	0.49
1:B:331:SER:HB3	2:H:74:TYR:CE2	2.47	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:ARG:NE	1:A:414:GLU:OE2	2.38	0.49
1:B:460:ARG:HG3	1:B:461:THR:H	1.77	0.49
3:L:47:ASN:OD1	3:L:48:ILE:N	2.42	0.49
3:L:81:ARG:NH2	3:L:102:ASP:OD2	2.46	0.49
1:A:440:ARG:NH1	1:A:471:PRO:HD3	2.28	0.49
2:H:95:ASP:OD1	2:H:97:SER:HB3	2.13	0.48
1:B:313:GLN:HG3	1:B:322:GLU:HB3	1.94	0.48
1:B:446:TYR:CE2	1:B:448:PHE:HE1	2.31	0.48
1:B:340:LEU:HG	1:B:433:THR:HB	1.95	0.48
2:C:185:VAL:HG22	2:C:231:VAL:HA	1.95	0.48
2:H:184:THR:OG1	2:H:232:ASN:OD1	2.30	0.48
1:A:357:THR:HG23	1:A:402:THR:HG22	1.96	0.48
2:C:89:ARG:NH2	2:C:112:ASP:OD2	2.36	0.48
2:H:127:ASP:OD1	2:H:128:TYR:N	2.46	0.48
3:L:155:LEU:HB2	3:L:201:LEU:HB3	1.95	0.48
3:L:67:LEU:O	3:L:75:PRO:HD2	2.14	0.48
1:B:462:LEU:HD12	1:B:509:LEU:HB3	1.95	0.48
1:A:425:LEU:HB3	1:A:427:ARG:O	2.13	0.48
3:L:22:VAL:HB	3:L:119:VAL:HG13	1.96	0.48
2:H:129:TYR:O	2:H:129:TYR:HD1	1.96	0.47
2:H:197:HIS:HD2	5:L:301:HOH:O	1.97	0.47
2:H:56:ASN:ND2	2:H:121:ASP:HB2	2.29	0.47
1:B:361:VAL:HG11	4:F:2:NAG:H2	1.95	0.47
2:H:63:SER:HB2	2:H:64:ARG:NE	2.30	0.47
2:H:77:LYS:HE3	2:H:79:TYR:CZ	2.50	0.47
1:A:479:LEU:HB2	1:A:523:ILE:HB	1.96	0.47
2:C:63:SER:HB2	2:C:64:ARG:HD2	1.96	0.47
3:L:169:VAL:HG22	3:L:218:VAL:HG12	1.97	0.47
2:C:124:ILE:O	2:C:125:SER:HB2	2.15	0.47
2:C:241:ASP:OD1	2:C:241:ASP:N	2.46	0.47
1:A:260:THR:HB	1:A:316:TYR:OH	2.15	0.46
1:A:448:PHE:N	1:A:541:VAL:HG21	2.30	0.46
1:A:362:ASP:HA	1:A:396:THR:HB	1.96	0.46
1:A:447:ALA:CB	1:A:541:VAL:HB	2.45	0.46
1:A:466:ILE:HD13	1:A:526:ALA:HB2	1.98	0.46
1:B:440:ARG:NE	1:B:529:GLU:OE1	2.34	0.46
2:H:203:LEU:HD12	2:H:203:LEU:O	2.15	0.46
1:B:359:LEU:HD12	1:B:400:THR:HG22	1.96	0.46
1:B:513:ARG:HA	1:B:516:TRP:HB2	1.98	0.46
3:L:53:VAL:O	3:L:70:TYR:O	2.33	0.46
2:H:227:TYR:O	2:H:244:VAL:HG22	2.15	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:ARG:HD3	1:A:380:LYS:O	2.15	0.46
2:C:57:TRP:CD1	2:C:103:LEU:HB2	2.51	0.46
3:L:190:GLN:HG3	3:L:194:LYS:O	2.15	0.46
2:H:245:GLU:HA	2:H:246:PRO:HD2	1.74	0.45
3:L:55:TRP:CZ3	3:L:108:CYS:HB3	2.52	0.45
2:C:159:PRO:HG3	2:C:171:LEU:HD23	1.97	0.45
2:H:247:LYS:HA	2:H:247:LYS:HD2	1.63	0.45
2:H:77:LYS:HG3	2:H:78:TRP:N	2.32	0.45
1:A:382:VAL:HG23	1:A:383:ASN:O	2.16	0.45
1:A:450:THR:O	1:A:460:ARG:NH2	2.41	0.45
1:B:449:ALA:HA	1:B:462:LEU:HA	1.98	0.45
3:L:23:LEU:HG	3:L:119:VAL:HG12	1.98	0.45
2:C:56:ASN:ND2	2:C:121:ASP:HB2	2.30	0.45
3:L:155:LEU:HD23	3:L:155:LEU:HA	1.74	0.45
2:C:127:ASP:OD1	2:C:128:TYR:N	2.50	0.45
2:C:156:PRO:HD3	2:C:242:LYS:HG3	1.99	0.45
3:D:189:LYS:HZ2	3:D:195:TYR:HE1	1.61	0.45
1:B:253(A):LEU:HD11	1:B:294:GLN:HG3	1.97	0.45
1:A:463:ALA:HB1	1:A:506:PHE:HE1	1.82	0.44
3:L:143:PRO:HD3	3:L:155:LEU:CD2	2.47	0.44
1:B:345:PRO:HG2	1:B:474:ILE:CA	2.47	0.44
2:C:93:ASN:HA	2:C:94:PRO:HD3	1.86	0.44
1:A:425:LEU:HA	1:A:426:PRO:HD2	1.83	0.44
1:B:234:VAL:HG22	1:B:256:VAL:HG13	2.00	0.44
3:D:90:SER:OG	3:D:91:ALA:N	2.50	0.44
3:L:148:LEU:HG	3:L:205:PRO:HB3	1.98	0.44
2:C:84:VAL:HG22	2:C:87:LYS:CB	2.46	0.44
1:A:492:THR:HG23	1:A:507:SER:HB2	2.00	0.44
1:A:362:ASP:OD1	1:A:396:THR:HG21	2.18	0.44
2:C:183:VAL:HA	2:C:232:ASN:O	2.17	0.44
2:H:82:TYR:HE1	2:H:92:ILE:HG13	1.81	0.44
1:B:460:ARG:NH2	1:B:543:VAL:HG11	2.33	0.44
3:L:151:ASN:HA	3:L:205:PRO:HG3	1.98	0.44
1:B:311:THR:HA	1:B:324:SER:HB3	2.00	0.44
3:D:155:LEU:HD12	3:D:201:LEU:HD23	1.99	0.44
1:B:265:GLN:HE22	1:B:267:THR:HB	1.83	0.43
1:B:470:MET:HG3	1:B:471:PRO:HA	2.00	0.43
1:B:361:VAL:CG1	4:F:2:NAG:H83	2.49	0.43
1:B:519:LYS:NZ	1:B:521:GLU:OE2	2.44	0.43
2:C:126:TYR:HB3	2:C:127:ASP:H	1.53	0.43
2:C:50:SER:OG	2:C:51:ASN:O	2.36	0.43

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:37:LEU:HD12	2:H:38:SER:N	2.33	0.43
3:L:163:TYR:CD1	3:L:163:TYR:C	2.91	0.43
1:B:539:ARG:HA	1:B:539:ARG:HD3	1.77	0.43
1:A:377:ALA:HB2	1:A:415:THR:HB	1.99	0.43
1:B:229:PHE:CE1	1:B:317:GLN:HG3	2.54	0.43
3:D:26:PRO:HA	3:D:27:PRO:HD3	1.85	0.43
1:A:254:CYS:O	1:A:294:GLN:HA	2.18	0.43
3:L:147:GLU:OE2	3:L:154:THR:OG1	2.26	0.43
1:A:453:TRP:CD1	1:A:454:PRO:HD2	2.54	0.43
1:B:409:ASP:O	1:B:414:GLU:HB3	2.18	0.43
3:D:181:GLY:O	3:D:201:LEU:HD12	2.19	0.43
3:D:55:TRP:CE2	3:D:93:LEU:HB2	2.54	0.43
2:C:179:PHE:CD2	2:C:180:PRO:HD3	2.54	0.42
2:H:85:SER:O	2:H:87:LYS:N	2.51	0.42
3:D:23:LEU:HG	3:D:119:VAL:CG1	2.49	0.42
1:A:435:LYS:CE	1:A:440:ARG:HH21	2.33	0.42
1:B:301:GLN:O	1:B:305:LEU:HG	2.19	0.42
1:B:425:LEU:HD23	1:B:429:LEU:HD13	2.02	0.42
2:C:128:TYR:C	2:C:130:TYR:N	2.72	0.42
1:A:462:LEU:HD11	1:A:522:PHE:CD2	2.55	0.42
3:D:133:LYS:NZ	3:D:163:TYR:HD2	2.18	0.42
1:A:458:ASP:HB3	1:A:513:ARG:HG3	2.02	0.42
1:B:303:HIS:O	1:B:306:SER:HB2	2.20	0.42
1:B:365:PRO:HA	1:B:397:LEU:HB2	2.02	0.42
2:H:129:TYR:CD1	2:H:129:TYR:C	2.93	0.42
1:A:445:VAL:HG21	1:A:539:ARG:HB2	2.01	0.42
3:D:140:LEU:HD12	3:D:156:VAL:O	2.20	0.42
1:A:499:LYS:HB2	1:B:510:GLU:OE1	2.20	0.41
2:C:171:LEU:HD13	2:C:244:VAL:HG11	2.02	0.41
2:H:36:THR:HB	2:H:106:ASN:HA	2.01	0.41
3:L:109:GLU:HB3	3:L:120:PHE:CD1	2.55	0.41
3:L:83:SER:HB3	3:L:94:ALA:HB3	2.02	0.41
1:A:422:HIS:ND1	1:A:423:PRO:HD2	2.35	0.41
1:B:304:TRP:HH2	1:B:325:THR:CG2	2.32	0.41
1:B:531:ALA:HB3	1:B:535:GLN:C	2.39	0.41
3:D:152:LYS:HA	3:D:205:PRO:CD	2.50	0.41
2:H:152:PRO:HB3	2:H:178:TYR:HB3	2.01	0.41
1:A:499:LYS:HD3	1:A:499:LYS:HA	1.80	0.41
3:L:164:PRO:HG2	3:L:221:GLU:CD	2.41	0.41
1:B:498:THR:HG23	1:B:502:GLY:O	2.20	0.41
1:B:458:ASP:O	1:B:459:LYS:HG2	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:54:ALA:N	2:C:121:ASP:O	2.50	0.41
1:A:514:ALA:O	1:A:518:GLN:HG2	2.20	0.41
1:A:527:VAL:HG13	1:A:536:THR:HG22	2.03	0.41
1:B:349:PHE:CE2	1:B:529:GLU:HA	2.55	0.41
1:A:495:PRO:HA	1:A:505:VAL:HG12	2.03	0.41
1:B:420:VAL:HG22	1:B:429:LEU:HB2	2.03	0.41
1:A:260:THR:HB	1:A:316:TYR:HH	1.86	0.41
1:A:269:LEU:HB2	1:A:311:THR:HB	2.04	0.40
1:B:286:GLN:HG2	1:B:291:ALA:HB2	2.02	0.40
3:L:218:VAL:O	3:L:224:THR:HA	2.21	0.40
1:B:285:THR:HG22	1:B:287:GLU:HG3	2.02	0.40
2:H:129:TYR:CZ	2:H:130:TYR:HE1	2.39	0.40
1:A:314:VAL:O	1:A:320:THR:HA	2.22	0.40
1:A:435:LYS:HE3	1:A:435:LYS:HB2	1.90	0.40
3:L:98:LEU:HD23	3:L:98:LEU:HA	1.87	0.40
1:A:457:ARG:HG2	1:A:457:ARG:HH11	1.87	0.40
2:H:80:ASN:HA	2:H:80:ASN:HD22	1.74	0.40
3:L:141:PHE:HB2	3:L:156:VAL:CG1	2.48	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/323 (97%)	299 (96%)	13 (4%)	1 (0%)	41	70
1	B	315/323 (98%)	298 (95%)	17 (5%)	0	100	100
2	C	218/249 (88%)	198 (91%)	18 (8%)	2 (1%)	17	46
2	H	220/249 (88%)	197 (90%)	17 (8%)	6 (3%)	5	18
3	D	213/235 (91%)	194 (91%)	19 (9%)	0	100	100
3	L	213/235 (91%)	199 (93%)	14 (7%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1492/1614 (92%)	1385 (93%)	98 (7%)	9 (1%)	25 57

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	125	SER
2	H	182	PRO
2	H	183	VAL
2	C	182	PRO
2	C	183	VAL
2	H	76	SER
2	H	247	LYS
2	H	129	TYR
1	A	350	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	279/286 (98%)	253 (91%)	26 (9%)	9 25
1	B	281/286 (98%)	260 (92%)	21 (8%)	13 36
2	C	193/219 (88%)	173 (90%)	20 (10%)	7 20
2	H	196/219 (90%)	169 (86%)	27 (14%)	3 10
3	D	180/198 (91%)	172 (96%)	8 (4%)	28 60
3	L	180/198 (91%)	166 (92%)	14 (8%)	12 33
All	All	1309/1406 (93%)	1193 (91%)	116 (9%)	9 28

All (116) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	230	THR
1	A	238	GLN
1	A	250	THR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	254	CYS
1	A	267	THR
1	A	271	ASP
1	A	280	SER
1	A	285	THR
1	A	307	ASP
1	A	324	SER
1	A	348	LEU
1	A	369	THR
1	A	373	THR
1	A	383	ASN
1	A	386	THR
1	A	393	ARG
1	A	399	VAL
1	A	400	THR
1	A	411	ILE
1	A	420	VAL
1	A	421	THR
1	A	424	HIS
1	A	445	VAL
1	A	461	THR
1	A	474	ILE
1	A	517	GLU
1	B	256	VAL
1	B	257	SER
1	B	294	GLN
1	B	297	LEU
1	B	307	ASP
1	B	314	VAL
1	B	324	SER
1	B	325	THR
1	B	327	LYS
1	B	356	ILE
1	B	369	THR
1	B	386	THR
1	B	396	THR
1	B	400	THR
1	B	402	THR
1	B	440	ARG
1	B	473	ASP
1	B	479	LEU
1	B	523	ILE

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	536	THR
1	B	539	ARG
2	H	25	GLN
2	H	36	THR
2	H	63	SER
2	H	64	ARG
2	H	71	ARG
2	H	80	ASN
2	H	87	LYS
2	H	89	ARG
2	H	91	THR
2	H	97	SER
2	H	98	ARG
2	H	103	LEU
2	H	104	GLN
2	H	107	SER
2	H	123	GLU
2	H	125	SER
2	H	126	TYR
2	H	128	TYR
2	H	129	TYR
2	H	140	THR
2	H	141	LEU
2	H	149	THR
2	H	173	CYS
2	H	181	GLU
2	H	200	PRO
2	H	231	VAL
2	H	247	LYS
3	L	28	SER
3	L	30	SER
3	L	40	SER
3	L	72	ASP
3	L	76	SER
3	L	105	ASP
3	L	109	GLU
3	L	137	SER
3	L	139	THR
3	L	140	LEU
3	L	183	GLU
3	L	215	SER
3	L	224	THR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
3	L	228	THR
2	C	25	GLN
2	C	40	THR
2	C	48	VAL
2	C	50	SER
2	C	63	SER
2	C	66	LEU
2	C	71	ARG
2	C	84	VAL
2	C	86	MET
2	C	88	SER
2	C	89	ARG
2	C	91	THR
2	C	96	THR
2	C	126	TYR
2	C	129	TYR
2	C	141	LEU
2	C	143	THR
2	C	149	THR
2	C	157	LEU
2	C	202	VAL
3	D	28	SER
3	D	58	GLN
3	D	80	ASP
3	D	87	SER
3	D	102	ASP
3	D	168	THR
3	D	172	LYS
3	D	225	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	286	GLN
1	B	422	HIS
1	B	484	GLN
2	H	225	GLN
2	C	233	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

10 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	E	1	1,4	14,14,15	0.59	0	17,19,21	2.39	6 (35%)
4	NAG	E	2	4	14,14,15	0.66	0	17,19,21	1.46	4 (23%)
4	BMA	E	3	4	11,11,12	0.71	0	15,15,17	2.36	5 (33%)
4	BMA	E	4	4	11,11,12	0.51	0	15,15,17	1.35	3 (20%)
4	BMA	E	5	4	11,11,12	0.61	0	15,15,17	1.01	1 (6%)
4	NAG	F	1	1,4	14,14,15	1.11	1 (7%)	17,19,21	0.65	0
4	NAG	F	2	4	14,14,15	0.49	0	17,19,21	1.01	1 (5%)
4	BMA	F	3	4	11,11,12	1.73	4 (36%)	15,15,17	1.79	4 (26%)
4	BMA	F	4	4	11,11,12	1.56	3 (27%)	15,15,17	1.57	2 (13%)
4	BMA	F	5	4	11,11,12	1.49	2 (18%)	15,15,17	1.46	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	E	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	E	2	4	-	0/6/23/26	0/1/1/1

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BMA	E	3	4	-	1/2/19/22	0/1/1/1
4	BMA	E	4	4	-	2/2/19/22	0/1/1/1
4	BMA	E	5	4	-	0/2/19/22	0/1/1/1
4	NAG	F	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	F	2	4	-	4/6/23/26	0/1/1/1
4	BMA	F	3	4	-	2/2/19/22	0/1/1/1
4	BMA	F	4	4	-	0/2/19/22	0/1/1/1
4	BMA	F	5	4	-	0/2/19/22	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	1	NAG	O5-C1	-3.69	1.37	1.43
4	F	5	BMA	C4-C5	3.56	1.60	1.53
4	F	4	BMA	C2-C3	2.98	1.56	1.52
4	F	3	BMA	C2-C3	2.93	1.56	1.52
4	F	4	BMA	C1-C2	2.80	1.58	1.52
4	F	5	BMA	C4-C3	2.58	1.58	1.52
4	F	4	BMA	C4-C3	2.48	1.58	1.52
4	F	3	BMA	O3-C3	2.34	1.48	1.43
4	F	3	BMA	O5-C5	2.25	1.48	1.43
4	F	3	BMA	C1-C2	2.09	1.57	1.52

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	1	NAG	C1-O5-C5	7.67	122.58	112.19
4	E	3	BMA	O5-C5-C6	5.78	116.26	107.20
4	E	3	BMA	O3-C3-C2	4.48	118.57	109.99
4	F	3	BMA	O3-C3-C2	4.25	118.14	109.99
4	F	5	BMA	C1-C2-C3	-4.22	104.48	109.67
4	F	4	BMA	C1-C2-C3	3.95	114.52	109.67
4	F	2	NAG	C1-O5-C5	3.68	117.18	112.19
4	E	2	NAG	O5-C5-C6	3.63	112.90	107.20
4	E	4	BMA	O5-C5-C6	3.18	112.19	107.20
4	F	3	BMA	O5-C5-C6	3.18	112.19	107.20
4	F	3	BMA	C1-C2-C3	-2.86	106.15	109.67
4	E	1	NAG	O4-C4-C5	-2.66	102.68	109.30
4	E	4	BMA	C1-O5-C5	-2.59	108.69	112.19
4	F	4	BMA	C2-C3-C4	2.58	115.36	110.89
4	E	4	BMA	O5-C1-C2	-2.51	106.90	110.77

Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	5	BMA	C3-C4-C5	2.47	114.65	110.24
4	E	3	BMA	O4-C4-C5	-2.44	103.23	109.30
4	E	2	NAG	C2-N2-C7	-2.42	119.45	122.90
4	E	3	BMA	O2-C2-C3	2.32	114.79	110.14
4	E	1	NAG	O4-C4-C3	2.30	115.66	110.35
4	E	1	NAG	O5-C5-C4	2.29	116.41	110.83
4	E	5	BMA	C1-C2-C3	-2.28	106.86	109.67
4	E	2	NAG	O3-C3-C2	-2.25	104.81	109.47
4	E	2	NAG	O5-C1-C2	-2.23	107.77	111.29
4	E	1	NAG	C2-N2-C7	-2.23	119.73	122.90
4	F	3	BMA	C3-C4-C5	-2.17	106.37	110.24
4	E	1	NAG	O3-C3-C2	-2.15	105.01	109.47
4	E	3	BMA	C1-O5-C5	-2.03	109.45	112.19

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	E	1	NAG	O5-C5-C6-O6
4	F	1	NAG	O5-C5-C6-O6
4	F	2	NAG	O5-C5-C6-O6
4	E	4	BMA	O5-C5-C6-O6
4	F	3	BMA	O5-C5-C6-O6
4	F	1	NAG	C4-C5-C6-O6
4	F	2	NAG	C8-C7-N2-C2
4	F	2	NAG	O7-C7-N2-C2
4	E	1	NAG	C4-C5-C6-O6
4	F	2	NAG	C4-C5-C6-O6
4	F	3	BMA	C4-C5-C6-O6
4	E	3	BMA	C4-C5-C6-O6
4	E	4	BMA	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	1	NAG	2	0
4	F	2	NAG	2	0

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	315/323 (97%)	-0.01	4 (1%) 77 77	58, 92, 132, 142	4 (1%)
1	B	317/323 (98%)	0.07	11 (3%) 44 40	65, 94, 164, 193	6 (1%)
2	C	222/249 (89%)	0.78	31 (13%) 2 2	63, 102, 214, 225	5 (2%)
2	H	224/249 (89%)	-0.01	2 (0%) 84 84	50, 80, 159, 189	2 (0%)
3	D	215/235 (91%)	0.91	47 (21%) 0 0	64, 139, 199, 211	0
3	L	215/235 (91%)	-0.05	1 (0%) 91 91	53, 85, 123, 159	0
All	All	1508/1614 (93%)	0.25	96 (6%) 19 16	50, 93, 186, 225	17 (1%)

All (96) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	169	ALA	6.9
3	L	19	ALA	6.6
2	C	159	PRO	6.6
3	D	203	LEU	6.6
2	C	245	GLU	6.4
2	C	171	LEU	6.2
2	C	214	VAL	5.8
2	C	172	GLY	5.6
3	D	210	SER	5.6
2	C	158	ALA	5.4
1	B	290	LEU	5.3
2	C	175	VAL	5.2
3	D	180	ALA	5.2
3	D	201	LEU	5.1
3	D	178	VAL	4.9
3	D	156	VAL	4.8
3	D	208	TRP	4.8
2	C	246	PRO	4.6
1	B	289	GLU	4.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	C	174	LEU	4.5
3	D	202	SER	4.5
3	D	155	LEU	4.5
3	D	177	PRO	4.3
1	B	455	GLY	4.2
2	C	213	SER	4.2
2	C	177	ASP	4.1
2	C	218	PRO	4.1
3	D	127	THR	4.0
3	D	154	THR	4.0
2	C	220	SER	4.0
3	D	139	THR	4.0
2	C	176	LYS	3.7
2	C	240	VAL	3.7
3	D	207	GLN	3.7
3	D	215	SER	3.6
2	C	228	ILE	3.5
3	D	211	HIS	3.5
3	D	181	GLY	3.5
3	D	179	LYS	3.5
3	D	93	LEU	3.5
2	H	160	SER	3.4
2	C	244	VAL	3.4
2	C	226	THR	3.4
2	C	227	TYR	3.4
1	A	288	GLY	3.3
2	C	153	SER	3.3
3	D	137	SER	3.3
1	B	541	VAL	3.2
2	C	170	ALA	3.2
3	D	230	ALA	3.2
3	D	82	PHE	3.1
1	B	544	ASN	3.1
1	B	230	THR	3.0
2	C	154	VAL	3.0
3	D	158	LEU	3.0
1	B	288	GLY	3.0
2	C	243	LYS	2.9
2	C	241	ASP	2.8
3	D	176	SER	2.8
2	C	217	VAL	2.8
3	D	20	GLN	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	D	197	ALA	2.8
3	D	140	LEU	2.6
3	D	191	SER	2.6
3	D	166	ALA	2.6
3	D	165	GLY	2.6
3	D	171	TRP	2.6
1	B	510	GLU	2.6
2	C	173	CYS	2.5
1	B	319	HIS	2.5
3	D	232	THR	2.5
1	B	457	ARG	2.4
3	D	214	TYR	2.4
1	A	437	SER	2.4
3	D	102	ASP	2.4
2	C	43	ILE	2.4
3	D	100	SER	2.3
3	D	19	ALA	2.3
3	D	170	ALA	2.3
3	D	30	SER	2.3
3	D	216	CYS	2.3
1	A	259	TYR	2.3
3	D	101	GLU	2.3
3	D	159	ILE	2.3
3	D	28	SER	2.3
2	H	167	GLY	2.3
2	C	156	PRO	2.2
3	D	142	PRO	2.2
2	C	216	THR	2.2
3	D	182	VAL	2.1
3	D	229	VAL	2.1
2	C	242	LYS	2.1
1	A	443	PRO	2.1
1	B	454	PRO	2.1
3	D	141	PHE	2.0
3	D	37	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	BMA	F	4	11/12	0.82	0.22	129,132,140,142	0
4	BMA	F	3	11/12	0.83	0.20	110,114,120,123	0
4	BMA	F	5	11/12	0.86	0.19	117,127,129,129	0
4	BMA	E	5	11/12	0.86	0.20	117,126,139,140	0
4	BMA	E	4	11/12	0.90	0.24	120,131,135,138	0
4	BMA	E	3	11/12	0.90	0.26	97,101,112,115	0
4	NAG	F	1	14/15	0.91	0.22	80,92,96,102	0
4	NAG	F	2	14/15	0.93	0.23	94,101,105,107	0
4	NAG	E	1	14/15	0.96	0.21	70,76,82,86	0
4	NAG	E	2	14/15	0.97	0.25	79,85,89,90	0

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.