



wwPDB EM Validation Summary Report ⓘ

Feb 13, 2024 – 04:44 AM EST

PDB ID : 3J6Y
EMDB ID : EMD-5943
Title : S. cerevisiae 80S ribosome bound with Taura syndrome virus (TSV) IRES, 2 degree rotation (Class I)
Authors : Koh, C.S.; Brilot, A.F.; Grigorieff, N.; Korostelev, A.A.
Deposited on : 2014-04-16
Resolution : 6.10 Å (reported)
Based on initial models : 3U5D, 3U5E, 3U5B, 3U5C

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 6.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2S	3395	
2	8S	158	
3	5S	121	
4	L1	217	
5	L2	254	
6	L3	387	
7	L4	362	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	L5	297	 9% 54% 40% 6%
9	L6	176	 45% 38% 5% 11%
10	L7	244	 38% 46% 7% 9%
11	L8	256	 46% 39% 5% 9%
12	L9	191	 48% 46% 6%
13	50	221	 45% 46% 5% 5%
14	51	174	 49% 44% ...
15	53	199	 7% 46% 43% 7% ...
16	54	138	 55% 40% ...
17	55	204	 43% 50% 6%
18	56	199	 42% 50% 7% ..
19	57	184	 7% 47% 48% ...
20	58	186	 51% 44% 5% ..
21	59	189	 8% 43% 53% ...
22	60	172	 47% 48% 5% ..
23	61	160	 46% 44% 9% ..
24	62	121	 42% 38% 17%
25	63	137	 40% 55% ...
26	64	155	 20% 18% 61%
27	65	142	 42% 38% 6% 15%
28	66	127	 56% 41% ..
29	67	136	 51% 46% ...
30	68	149	 39% 53% 7% ..
31	69	59	 5% 42% 47% 8% ..
32	70	105	 5% 34% 54% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	71	113	
34	72	130	
35	73	107	
36	74	121	
37	75	120	
38	76	100	
39	77	88	
40	78	78	
41	79	51	
42	80	128	
43	81	25	
44	82	106	
45	83	92	
46	1S	1798	
47	S0	252	
48	S1	255	
49	S2	254	
50	S3	240	
51	S4	261	
52	S5	225	
53	S6	236	
54	S7	190	
55	S8	200	
56	S9	197	
57	10	105	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
58	11	156	12% 51% 42% 5% ..
59	12	143	69% 34% 42% 10% 13%
60	13	151	13% 49% 44% 6% .
61	14	137	7% 44% 44% 7%
62	15	142	37% 46% 35% 6% 13%
63	16	143	13% 37% 55% 6% ..
64	17	136	22% 38% 40% 10% 12%
65	18	146	18% 42% 48% 8% ..
66	19	144	18% 46% 49% 5% .
67	20	121	21% 33% 49% 7% 12%
68	21	87	9% 49% 41% 9%
69	22	130	32% 59% 8% .
70	23	145	39% 52% 8% ..
71	24	135	19% 46% 50% ..
72	25	108	9% 23% 31% 9% 35%
73	26	119	5% 27% 45% 10% 18%
74	27	82	15% 59% 35% 5% .
75	28	67	18% 37% 55% 6%
76	29	56	16% 68% 25% 5%
77	30	63	10% 40% 46% 10% 5%
78	31	152	34% 30% 14% 53%
79	RA	319	21% 49% 47% .
80	IR	201	35% 99% .

2 Entry composition

There are 80 unique types of molecules in this entry. The entry contains 204247 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 25S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	2S	3308	70742	31596	12731	23107	3308	0	0

- Molecule 2 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	8S	158	3354	1500	586	1110	158	0	0

- Molecule 3 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	5S	121	2580	1152	461	846	121	0	0

- Molecule 4 is a protein called 60S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	L1	204	1609	1031	279	290	9	0	0

- Molecule 5 is a protein called 60S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	L2	252	1918	1193	389	335	1	0	0

- Molecule 6 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	L3	386	3082	1956	584	534	8	0	0

- Molecule 7 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	L4	361	2750	1730	522	495	3	0	0

- Molecule 8 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	L5	296	2376	1501	414	459	2	0	0

- Molecule 9 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	L6	156	1240	800	222	217	1	0	0

- Molecule 10 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	L7	222	1785	1151	324	309	1	0	0

- Molecule 11 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	L8	233	1818	1159	326	330	3	0	0

- Molecule 12 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	L9	191	1519	963	274	278	4	0	0

- Molecule 13 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	50	211	1718	1089	325	298	6	0	0

- Molecule 14 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	51	169	1354	847	253	250	4	0	0

- Molecule 15 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	53	193	1543	962	315	266		0	0

- Molecule 16 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	54	136	1054	675	199	178	2	0	0

- Molecule 17 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	55	203	1721	1077	361	282	1	0	0

- Molecule 18 is a protein called 60S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	56	197	1556	1003	289	263	1	0	0

- Molecule 19 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	57	183	1443	896	287	260		0	0

- Molecule 20 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	58	185	1442	908	290	242	2	0	0

- Molecule 21 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	59	188	Total	C	N	O	0	0
			1522	935	326	261		

- Molecule 22 is a protein called 60S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	60	172	Total	C	N	O	S	0	0
			1446	930	267	245	4		

- Molecule 23 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	61	159	Total	C	N	O	S	0	0
			1277	805	246	222	4		

- Molecule 24 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	62	100	Total	C	N	O	0	0
			796	516	131	149		

- Molecule 25 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	63	136	Total	C	N	O	S	0	0
			1004	628	189	180	7		

- Molecule 26 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	64	61	Total	C	N	O	S	0	0
			509	328	100	80	1		

- Molecule 27 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	65	121	Total	C	N	O	S	0	0
			969	623	170	174	2		

- Molecule 28 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	66	126	Total	C	N	O	0	0
			994	625	192	177		

- Molecule 29 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms				AltConf	Trace
29	67	135	Total	C	N	O	0	0
			1093	710	202	181		

- Molecule 30 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	68	148	Total	C	N	O	S	0	0
			1174	749	231	191	3		

- Molecule 31 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
31	69	58	Total	C	N	O	0	0
			463	289	100	74		

- Molecule 32 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	70	97	Total	C	N	O	S	0	0
			743	479	124	139	1		

- Molecule 33 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	71	109	Total	C	N	O	S	0	0
			890	565	168	156	1		

- Molecule 34 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	72	127	Total	C	N	O	S	0	0
			1020	647	205	167	1		

- Molecule 35 is a protein called 60S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	73	106	851	540	165	145	1	0	0

- Molecule 36 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	74	112	881	546	179	152	4	0	0

- Molecule 37 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	75	119	970	615	186	168	1	0	0

- Molecule 38 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	76	99	772	481	156	133	2	0	0

- Molecule 39 is a protein called 60S ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	77	87	682	414	148	115	5	0	0

- Molecule 40 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
40	78	77	613	391	115	107	0	0

- Molecule 41 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	79	50	437	272	97	66	2	0	0

- Molecule 42 is a protein called 60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	80	52	Total	C	N	O	S	0	0
			418	259	86	68	5		

- Molecule 43 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	81	25	Total	C	N	O	S	0	0
			234	142	63	28	1		

- Molecule 44 is a protein called 60S ribosomal protein L42.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	82	103	Total	C	N	O	S	0	0
			827	520	167	135	5		

- Molecule 45 is a protein called 60S ribosomal protein L43.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	83	91	Total	C	N	O	S	0	0
			695	429	138	122	6		

- Molecule 46 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	1S	1781	Total	C	N	O	P	0	0
			37949	16965	6715	12488	1781		

- Molecule 47 is a protein called 40S ribosomal protein S0.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	S0	206	Total	C	N	O	S	0	0
			1612	1034	285	291	2		

- Molecule 48 is a protein called 40S ribosomal protein S1.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	S1	214	Total	C	N	O	S	0	0
			1709	1084	310	311	4		

- Molecule 49 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	S2	217	Total	C	N	O	S	0	0
			1635	1047	289	297	2		

- Molecule 50 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	S3	223	Total	C	N	O	S	0	0
			1734	1101	313	314	6		

- Molecule 51 is a protein called 40S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	S4	260	Total	C	N	O	S	0	0
			2069	1316	389	361	3		

- Molecule 52 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	S5	206	Total	C	N	O	S	0	0
			1610	1007	300	300	3		

- Molecule 53 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	S6	226	Total	C	N	O	S	0	0
			1820	1142	350	325	3		

- Molecule 54 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms				AltConf	Trace
54	S7	184	Total	C	N	O	0	0
			1481	951	265	265		

- Molecule 55 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	S8	188	Total	C	N	O	S	0	0
			1490	925	298	265	2		

- Molecule 56 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	S9	185	1494	943	289	261	1	0	0

- Molecule 57 is a protein called 40S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	10	96	817	529	133	153	2	0	0

- Molecule 58 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	11	155	1245	798	235	209	3	0	0

- Molecule 59 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	12	124	935	587	165	181	2	0	0

- Molecule 60 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	13	150	1193	759	224	208	2	0	0

- Molecule 61 is a protein called 40S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
61	14	127	942	578	186	175	3	0	0

- Molecule 62 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
62	15	124	991	631	187	166	7	0	0

- Molecule 63 is a protein called 40S ribosomal protein S16.

Mol	Chain	Residues	Atoms				AltConf	Trace
63	16	141	Total	C	N	O	0	0
			1106	708	203	195		

- Molecule 64 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	17	120	Total	C	N	O	S	0	0
			965	603	183	177	2		

- Molecule 65 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	18	145	Total	C	N	O	S	0	0
			1193	743	237	211	2		

- Molecule 66 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	19	143	Total	C	N	O	S	0	0
			1113	694	208	209	2		

- Molecule 67 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	20	107	Total	C	N	O	S	0	0
			856	539	156	160	1		

- Molecule 68 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	21	87	Total	C	N	O	S	0	0
			685	420	125	138	2		

- Molecule 69 is a protein called 40S ribosomal protein S22.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	22	129	Total	C	N	O	S	0	0
			1022	650	188	181	3		

- Molecule 70 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
70	23	144	1122	708	220	192	2	0	0

- Molecule 71 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
71	24	134	1074	676	208	190		0	0

- Molecule 72 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
72	25	70	563	360	104	99		0	0

- Molecule 73 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
73	26	97	769	475	160	129	5	0	0

- Molecule 74 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
74	27	81	611	382	110	114	5	0	0

- Molecule 75 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
75	28	63	498	306	99	92	1	0	0

- Molecule 76 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
76	29	53	444	275	92	73	4	0	0

- Molecule 77 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	30	60	Total	C	N	O	S	0	0
			475	299	98	77	1		

- Molecule 78 is a protein called 40S ribosomal protein S31.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	31	71	Total	C	N	O	S	0	0
			498	309	93	92	4		


- Molecule 79 is a protein called Guanine nucleotide-binding protein subunit beta-like protein.


Mol	Chain	Residues	Atoms					AltConf	Trace
79	RA	318	Total	C	N	O	S	0	0
			2445	1546	419	472	8		

- Molecule 80 is a RNA chain called TSV IRES mRNA.


Mol	Chain	Residues	Atoms		AltConf	Trace
80	IR	198	Total	P	0	198
			198	198		

A1637	G1665	G1492	C1416	A1350	U1288	C1204	C1132	A1057	U985	U922	U850	G785	U713
A1641	A1566	G1493	G1417	U1351	G1289	A1205	A1133	A1064	U986	C923	C851	A786	G714
A1642	U1567	U1494	A1418	A1352	A1290	G1206	A1134	A1065	U987	G924	G852	G787	A715
A1643	U1568	U1495	A1419	U1353	A1291	G1207	A1135	A1066	U988	A925	U853	G788	
A1644	U1569	C1496	G1420	G1354	C1292		A1136	U1070	U989	A926	G854	A789	G718
A1645	U1570	C1497	G1421	A1355	U1293	U1210	C1137	U1071	G991	C927	U855	U790	U719
U1646	A1498	A1498	G1422	A1356	A1294	U1211	U1138	G1072	A992	C928	G856	A791	A720
A1647	C1499	G1500	C1423	G1357	G1295	A1212	G1139	U1073	G993	A929	G857	G792	G722
A1648	G1501		U1427	C1358	C1296	G1213	G1140	G1074	U990	U930	A888	G721	G722
A1649	A1504	U1430	U1431	C1359	C1297	U1214	C1141	U1074	G994	U931	G859	U724	U723
A1650	A1505	U1432	C1432	C1360	C1298	U1215	G1142	A1075	G995	U932	G860	G795	U724
A1651	A1506	U1433	C1433	C1361	U1299	C1216	A1143	A1076	A996	U932	C861	U796	U725
G1652	A1507	A1433	G1434	C1362	G1300	A1217	U1144	A1079	A997	U932	U862	G726	G727
A1653	G1507	A1434	G1434	A1363	A1301	U1220	G1147	A1080	C1000	A936	C873	G727	G728
A1654	C1508	A1434	G1434	A1364	A1302	U1221	U1081	U1081	G997	G937	C874	G728	G729
A1655	A1509	A1437	C1437	U1365	A1303	G1222	U1082	U1082	G998	C938	U801	A802	C802
A1656	G1510	U1438	U1438	U1366	A1304	A1223	G1083	G1083	U939	A1002	C803	C803	C804
A1657	U1511	U1439	U1438	A1367	U1305	A1224	U1151	A1084	G940	G940	C804	C804	C804
A1658	U1512	U1439	U1439	G1371	G1306	C1224	G1152	A1085	U1004	G941	U879	G805	A736
A1659	G1513	U1440	G1440	C1372	G1307	A1225	G1153	G1086	U1004	U942	C880	A806	G737
A1660	U1517	C1441	C1441	U1373	U1308	G1226	U1154	A1087	U1008	U943	C881	A807	A738
A1661	G1520	U1442	U1442	G1374	U1309	C1227	U1155	U1088	U1009	U944	C882	A808	G739
A1662	U1521	G1443	G1443	C1375	G1310		A1083	U1088	A882	C944	A882	G809	G740
A1663	G1522	U1444	U1444	U1376	U1311	U1234	U1094	U1094	U883	G945	A883	G809	G743
A1664	U1523	G1445	U1445	G1377	C1312	U1235	U1095	U1095	U884	U946	A884	A810	C743
A1665	U1524	U1446	U1446	U1378	C1313	G1236	U1096	U1096	U885	G947	U885	U811	C744
A1666	A1525	U1447	U1447	U1379	G1314	U1237	U1097	U1097	U886	C948	C886	G812	C745
A1667	U1526	U1448	U1448	A1381	U1315	G1238	U1098	U1098	U887	C949	G887	G813	A746
A1668	C1527	U1449	U1449	G1382	U1316	C1239	G1097	G1097	U888	G950	U888	G814	C747
A1669		U1452	U1452	U1383	A1317	A1240	U1098	U1098	U889	G951	C889	A816	C749
A1670		A1456	A1456	U1384	U1318	U1241	U1099	U1099	U890	U954	U891	A817	C753
A1671	C1532	U1457	U1457	C1385	G1321	G1242	U1100	U1100	U891	U955	U892	C818	C753
A1672	A1534	U1458	U1458	U1386	U1322	U1243	U1101	U1101	U892	U956	C893	C818	C754
A1673	A1535	C1459	C1459	G1387	G1323	G1244	U1102	U1102	U893	G957	C894	A820	G754
A1674	U1537	U1461	U1461	U1388	U1324	A1245	A1103	A1103	U894	C958	A895	A821	A755
A1675	G1538	A1465	A1465	U1389	U1325	G1246	G1104	G1104	U895	U960	A896	G822	C758
A1676	A1539	U1466	U1466	C1391	U1326	U1246	U1105	U1105	U896	U961	U897	C823	U759
A1677		U1475	U1475	U1392	A1326		G1106	G1106	U897	C961	U898	C824	G760
A1678	G1547	G1476	G1476	C1393	C1327	G1250	U1107	U1107	U898	A962	U899	G825	G763
A1679	C1548	A1477	A1477	U1394	U1328	A1251	U1108	U1108	U899	G963	G900	G826	G764
A1680	U1549	U1478	U1478	A1395	C1329	U1252	U1109	U1109	U900	G964	G901	A827	U764
A1681	A1545	U1479	U1479	C1396	U1330	C1254	U1110	U1110	U901	A965	G902	A828	C765
A1682	U1546	G1480	G1480	U1397	U1331		U1111	U1111	U902	U966	U903	U829	U766
A1683	G1547	A1481	A1481	C1398	U1332	C1257	U1112	U1112	U903	A967	U904	U830	U767
A1684	U1548	U1482	U1482	U1399	C1333	U1258	U1113	U1113	U904	U967	U905	A831	C768
A1685	C1549	A1483	A1483	U1400	U1334	A1259	U1114	U1114	U905	A968	A906	G831	C768
A1686	U1550	U1484	U1484	A1401	C1335	U1260	U1115	U1115	U906	G970	G907	G831	C768
A1687	C1551	U1485	U1485	U1402	U1336	G1261	U1116	U1116	U907	G971	G908	G831	C768
A1688	U1552	G1486	G1486	C1403	U1337	U1262	U1117	U1117	U908	A972	G909	A836	G770
A1689	U1553	U1487	U1487	U1404	U1338	G1263	U1118	U1118	U909	A973	G910	A837	U772
A1690	C1554	U1488	U1488	U1405	C1339	U1264	U1119	U1119	U910	G974	G911	G838	G773
A1691	U1555	U1489	U1489	U1406	U1340	U1265	U1120	U1120	U911	C975	G912	C839	
A1692	U1556	A1490	A1490	A1407	G1341	U1266	U1121	U1121	U912	U976	G913	C840	U776
A1693	U1557	U1491	U1491	U1408	U1342	U1267	U1122	U1122	U913	C977	G914	A841	U777
A1694	U1558	G1492	G1492	U1409	C1342	U1268	U1123	U1123	U914	C978	G915	G842	U778
A1695	U1559	U1493	U1493	U1410	U1343	U1269	U1124	U1124	U915	U979	U1050	A843	G779
A1696	U1560	U1494	U1494	U1411	C1344	U1270	U1125	U1125	U916	U980	A917	G844	A780
A1697	G1561	U1495	U1495	U1412	U1345	C1272	U1126	U1126	U917	U981	C918	G845	G781
A1698	U1562	U1496	U1496	U1413	G1346	U1281	U1127	U1127	U918	C982	U919	A848	U782
A1699	U1563	U1497	U1497	U1414	U1347	G1282	U1128	U1128	U919	C983	A920	A849	A783
A1700	U1564	U1498	U1498	U1415	U1348	U1283	U1129	U1129	U920	G984	A921	A850	A784
A1701	U1565	U1499	U1499	U1416	U1349	U1284	U1130	U1130	U921	G985	A922	A851	A785
A1702	U1566	U1500	U1500	U1417	U1350	U1285	U1131	U1131	U922	G986	A923	A852	A786
A1703	U1567	U1501	U1501	U1418	U1351	U1286	U1132	U1132	U923	G987	A924	A853	A787
A1704	U1568	U1502	U1502	U1419	U1352	U1287	U1133	U1133	U924	G988	A925	A854	A788
A1705	U1569	U1503	U1503	U1420	U1353	U1288	U1134	U1134	U925	G989	A926	A855	A789
A1706	U1570	U1504	U1504	U1421	U1354	U1289	U1135	U1135	U926	G990	A927	A856	A790
A1707	U1571	U1505	U1505	U1422	U1355	U1290	U1136	U1136	U927	G991	A928	A857	A791
A1708	U1572	U1506	U1506	U1423	U1356	U1291	U1137	U1137	U928	G992	A929	A858	A792
A1709	U1573	U1507	U1507	U1424	U1357	U1292	U1138	U1138	U929	G993	A930	A859	A793
A1710	C1574	U1508	U1508	U1425	U1358	U1293	U1139	U1139	U930	G994	A931	A860	A794
A1711	U1575	U1509	U1509	U1426	U1359	U1294	U1140	U1140	U931	G995	A932	A861	A795
A1712	G1576	U1510	U1510	U1427	U1360	U1295	U1141	U1141	U932	G996	A933	A862	A796
A1713	U1577	U1511	U1511	U1428	U1361	U1296	U1142	U1142	U933	G997	A934	A863	A797
A1714	U1578	U1512	U1512	U1429	U1362	U1297	U1143	U1143	U934	G998	A935	A864	A798
A1715	U1579	U1513	U1513	U1430	U1363	U1298	U1144	U1144	U935	G999	A936	A865	A799
A1716	U1580	U1514	U1514	U1431	U1364	U1299	U1145	U1145	U936	G1000	A937	A866	A800
A1717	C1581	U1515	U1515	U1432	A1365	U1300	U1146	U1146	U937	C1001	A938	A867	A801
A1718	U1582	U1516	U1516	U1433	A1366	U1301	U1147	U1147	U938	C1002	A939	A868	A802
A1719	A1583	U1517	U1517	U1434	A1367	U1302	U1148	U1148	U939	C1003	A940	A869	A803
A1720	U1584	U1518	U1518	U1435	U1368	U1303	U1149	U1149	U940	C1004	A941	A870	A804
A1721	U1585	U1519	U1519	U1436	U1369	U1304	U1150	U1150	U941	C1005	A942	A871	A805
A1722	C1586	U1520	U1520	U1437	U1370	U1305	U1151	U1151	U942	C1006	A943	A872	A806
A1723	U1587	U1521	U1521	U1438	U1371	U1306	U1152	U1152	U943	C1007	A944	A873	A807
A1724	A1588	U1522	U1522	U1439	G1372	U1307	U1153	U1153	U944	C1008	A945	A874	A808
A1725	U1589	U1523	U1523	U1440	U1373	U1308	U1154	U1154	U945	C1009	A946	A875	A809
A1726	U1590	U1524	U1524	U1441	U1374	U1309	U1155	U1155	U946	C1010	A947	A876	A810
A1727	G1591	U1525	U1525	U1442	C1375	U1310	U1156	U1156	U947	C1011	A948	A877	A811
A1728	U1592	U1526	U1526	U1443	U1376	U1311	U1157	U1157	U948	C1012	A949	A878	A812
A1729	A1593	U1527	U1527	U1444	U1377	U1312	U1158	U1158	U949	C1013	A950	A879	A813
A1730	U1594	U1528	U1528	U1445	U1378	U1313	U1159	U1159	U950	C1014	A951	A880	A814
A1731	U1595	U1529	U1529	U1446	U1379	U1314	U1160	U1160	U951	C1015	A952	A881	A815
A1732	U1600	U1530	U1530	U1447	U1380	U1315	U1161	U1161	U952	C1016	A953		







- Molecule 2: 5.8S ribosomal RNA





- Molecule 3: 5S ribosomal RNA

Chain 5S: 




• Molecule 4: 60S ribosomal protein L1

Chain L1: 




• Molecule 5: 60S ribosomal protein L2

Chain L2: 




• Molecule 6: 60S ribosomal protein L3


Chain L3: 




• Molecule 7: 60S ribosomal protein L4




• Molecule 8: 60S ribosomal protein L5






• Molecule 9: 60S ribosomal protein L6




• Molecule 10: 60S ribosomal protein L7




• Molecule 11: 60S ribosomal protein L8







• Molecule 12: 60S ribosomal protein L9




• Molecule 13: 60S ribosomal protein L10




• Molecule 14: 60S ribosomal protein L11







• Molecule 15: 60S ribosomal protein L13



• Molecule 16: 60S ribosomal protein L14




• Molecule 17: 60S ribosomal protein L15




• Molecule 18: 60S ribosomal protein L16






- Molecule 19: 60S ribosomal protein L17




- Molecule 20: 60S ribosomal protein L18




- Molecule 21: 60S ribosomal protein L19







• Molecule 22: 60S ribosomal protein L20




• Molecule 23: 60S ribosomal protein L21



• Molecule 24: 60S ribosomal protein L22





• Molecule 25: 60S ribosomal protein L23






• Molecule 31: 60S ribosomal protein L29




• Molecule 32: 60S ribosomal protein L30




• Molecule 33: 60S ribosomal protein L31




• Molecule 34: 60S ribosomal protein L32





- Molecule 35: 60S ribosomal protein L33




- Molecule 36: 60S ribosomal protein L34




- Molecule 37: 60S ribosomal protein L35




- Molecule 38: 60S ribosomal protein L36











- Molecule 39: 60S ribosomal protein L37





• Molecule 45: 60S ribosomal protein L43




• Molecule 46: 18S ribosomal RNA









• Molecule 47: 40S ribosomal protein S0




• Molecule 48: 40S ribosomal protein S1




• Molecule 49: 40S ribosomal protein S2







• Molecule 50: 40S ribosomal protein S3




• Molecule 51: 40S ribosomal protein S4




• Molecule 52: 40S ribosomal protein S5







• Molecule 56: 40S ribosomal protein S9



• Molecule 57: 40S ribosomal protein S10



• Molecule 58: 40S ribosomal protein S11




• Molecule 59: 40S ribosomal protein S12








• Molecule 60: 40S ribosomal protein S13




• Molecule 61: 40S ribosomal protein S14




• Molecule 62: 40S ribosomal protein S15






• Molecule 63: 40S ribosomal protein S16




• Molecule 64: 40S ribosomal protein S17




• Molecule 65: 40S ribosomal protein S18



• Molecule 66: 40S ribosomal protein S19








• Molecule 67: 40S ribosomal protein S20



• Molecule 68: 40S ribosomal protein S21



• Molecule 69: 40S ribosomal protein S22





• Molecule 70: 40S ribosomal protein S23







- Molecule 71: 40S ribosomal protein S24




- Molecule 72: 40S ribosomal protein S25



- Molecule 73: 40S ribosomal protein S26




- Molecule 74: 40S ribosomal protein S27



- Molecule 75: 40S ribosomal protein S28









• Molecule 76: 40S ribosomal protein S29





• Molecule 77: 40S ribosomal protein S30




• Molecule 78: 40S ribosomal protein S31




• Molecule 79: Guanine nucleotide-binding protein subunit beta-like protein





• Molecule 80: TSV IRES mRNA



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	51373	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	CTFFIND3, FREALIGN per micrograph	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	1150	Depositor
Maximum defocus (nm)	6530	Depositor
Magnification	132138	Depositor
Image detector	FEI FALCON I (4k x 4k)	Depositor
Maximum map value	4.067	Depositor
Minimum map value	-1.662	Depositor
Average map value	0.028	Depositor
Map value standard deviation	0.283	Depositor
Recommended contour level	0.815	Depositor
Map size (\AA)	444.99, 444.99, 444.99	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.0595, 1.0595, 1.0595	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	2S	0.83	7/79178 (0.0%)	0.75	31/123444 (0.0%)
2	8S	0.80	1/3747 (0.0%)	0.73	2/5832 (0.0%)
3	5S	0.79	1/2884 (0.0%)	0.71	0/4491
4	L1	0.59	0/1634	0.71	0/2195
5	L2	0.50	0/1952	0.65	0/2622
6	L3	0.57	0/3153	0.64	1/4239 (0.0%)
7	L4	0.58	0/2802	0.67	0/3792
8	L5	0.58	0/2426	0.61	0/3271
9	L6	0.62	0/1261	0.68	0/1694
10	L7	0.59	0/1822	0.64	0/2451
11	L8	0.54	0/1850	0.63	0/2495
12	L9	0.57	0/1540	0.62	0/2073
13	50	0.56	0/1754	0.65	0/2350
14	51	0.53	0/1375	0.59	0/1842
15	53	0.56	0/1568	0.67	0/2106
16	54	0.60	0/1069	0.63	0/1438
17	55	0.55	0/1758	0.62	0/2354
18	56	0.56	0/1586	0.65	0/2128
19	57	0.57	0/1466	0.66	0/1968
20	58	0.57	0/1466	0.68	0/1965
21	59	0.46	0/1539	0.63	0/2050
22	60	0.62	0/1482	0.63	0/1990
23	61	0.58	0/1301	0.66	0/1743
24	62	0.54	0/812	0.60	0/1099
25	63	0.55	0/1019	0.64	0/1369
26	64	0.60	0/521	0.61	0/691
27	65	0.54	0/984	0.61	0/1325
28	66	0.54	0/1005	0.64	0/1341
29	67	0.52	0/1119	0.58	0/1497
30	68	0.57	0/1205	0.70	1/1612 (0.1%)
31	69	0.52	0/474	0.64	0/629
32	70	0.51	0/751	0.58	0/1008
33	71	0.53	0/904	0.64	0/1213
34	72	0.59	0/1041	0.67	1/1394 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	73	0.63	0/869	0.67	0/1168
36	74	0.50	0/891	0.65	0/1191
37	75	0.52	0/979	0.61	0/1301
38	76	0.52	0/779	0.66	0/1034
39	77	0.55	0/697	0.61	0/923
40	78	0.50	0/619	0.58	0/826
41	79	0.52	0/444	0.61	0/588
42	80	0.59	0/424	0.65	0/562
43	81	0.73	0/235	0.72	0/300
44	82	0.57	0/839	0.63	0/1108
45	83	0.48	0/702	0.63	0/934
46	1S	0.74	1/42445 (0.0%)	0.75	20/66138 (0.0%)
47	S0	0.50	0/1653	0.62	0/2261
48	S1	0.51	0/1735	0.61	0/2335
49	S2	0.46	0/1665	0.59	0/2263
50	S3	0.53	0/1759	0.60	0/2368
51	S4	0.49	0/2110	0.62	0/2839
52	S5	0.50	0/1630	0.60	0/2202
53	S6	0.51	0/1844	0.61	0/2464
54	S7	0.51	0/1506	0.62	0/2028
55	S8	0.51	0/1515	0.58	0/2021
56	S9	0.47	0/1519	0.63	0/2035
57	10	0.58	0/837	0.61	0/1131
58	11	0.54	0/1273	0.60	0/1712
59	12	0.61	0/943	0.70	1/1274 (0.1%)
60	13	0.51	0/1216	0.62	0/1638
61	14	0.48	0/953	0.63	1/1279 (0.1%)
62	15	0.60	0/1012	0.67	0/1356
63	16	0.53	0/1126	0.64	1/1510 (0.1%)
64	17	0.52	0/974	0.62	0/1304
65	18	0.53	0/1212	0.62	0/1628
66	19	0.54	0/1131	0.62	0/1517
67	20	0.55	0/866	0.61	0/1169
68	21	0.49	0/694	0.61	0/935
69	22	0.46	0/1039	0.58	0/1395
70	23	0.49	0/1140	0.65	1/1518 (0.1%)
71	24	0.52	0/1088	0.55	0/1449
72	25	0.53	0/571	0.65	0/768
73	26	0.47	0/782	0.59	0/1047
74	27	0.53	0/621	0.66	0/838
75	28	0.49	0/500	0.61	0/670
76	29	0.57	0/454	0.56	0/602
77	30	0.51	0/483	0.62	0/643

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
78	3I	0.57	0/505	0.71	1/682 (0.1%)
79	RA	0.54	0/2498	0.61	0/3398
All	All	0.70	10/219225 (0.0%)	0.70	61/322063 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	2S	0	92
2	8S	0	10
46	1S	1	37
All	All	1	139

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
46	1S	1	U	OP3-P	-6.84	1.52	1.61
3	5S	1	G	OP3-P	-6.79	1.53	1.61
2	8S	1	A	OP3-P	-6.58	1.53	1.61
1	2S	485	C	N1-C2	6.43	1.46	1.40
1	2S	483	C	N1-C2	5.87	1.46	1.40

The worst 5 of 61 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2S	1103	A	C5'-C4'-O4'	9.19	120.13	109.10
46	1S	1573	A	C2'-C3'-O3'	8.81	128.88	109.50
46	1S	1761	U	C2'-C3'-O3'	8.18	127.50	109.50
1	2S	282	G	C2'-C3'-O3'	7.58	126.18	109.50
46	1S	704	C	N1-C1'-C2'	7.44	123.67	114.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
46	1S	1573	A	C3'

5 of 139 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	2S	148	G	Sidechain
1	2S	26	A	Sidechain
1	2S	40	A	Sidechain
1	2S	59	G	Sidechain
1	2S	91	G	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2S	70742	0	35551	2043	0
2	8S	3354	0	1695	102	0
3	5S	2580	0	1304	65	0
4	L1	1609	0	1701	103	0
5	L2	1918	0	1987	169	0
6	L3	3082	0	3165	234	0
7	L4	2750	0	2863	188	0
8	L5	2376	0	2325	114	0
9	L6	1240	0	1326	93	0
10	L7	1785	0	1862	134	0
11	L8	1818	0	1908	109	0
12	L9	1519	0	1587	105	0
13	50	1718	0	1754	90	0
14	51	1354	0	1383	73	0
15	53	1543	0	1608	100	0
16	54	1054	0	1149	58	0
17	55	1721	0	1779	129	0
18	56	1556	0	1659	119	0
19	57	1443	0	1485	104	0
20	58	1442	0	1543	92	0
21	59	1522	0	1617	96	0
22	60	1446	0	1487	97	0
23	61	1277	0	1323	94	0
24	62	796	0	812	41	0
25	63	1004	0	1048	91	0
26	64	509	0	537	20	0
27	65	969	0	1036	62	0
28	66	994	0	1081	57	0
29	67	1093	0	1155	67	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
30	68	1174	0	1215	96	0
31	69	463	0	491	37	0
32	70	743	0	797	56	0
33	71	890	0	938	68	0
34	72	1020	0	1090	57	0
35	73	851	0	880	47	0
36	74	881	0	949	98	0
37	75	970	0	1078	62	0
38	76	772	0	849	46	0
39	77	682	0	687	68	0
40	78	613	0	682	36	0
41	79	437	0	475	25	0
42	80	418	0	459	26	0
43	81	234	0	284	9	0
44	82	827	0	901	46	0
45	83	695	0	738	63	0
46	1S	37949	0	19093	1110	0
47	S0	1612	0	1623	120	0
48	S1	1709	0	1784	128	0
49	S2	1635	0	1723	80	0
50	S3	1734	0	1817	85	0
51	S4	2069	0	2154	160	0
52	S5	1610	0	1675	111	0
53	S6	1820	0	1918	84	0
54	S7	1481	0	1572	100	0
55	S8	1490	0	1525	112	0
56	S9	1494	0	1573	121	0
57	10	817	0	804	63	0
58	11	1245	0	1314	68	0
59	12	935	0	975	64	0
60	13	1193	0	1255	85	0
61	14	942	0	979	88	0
62	15	991	0	1035	49	0
63	16	1106	0	1166	102	0
64	17	965	0	1026	77	0
65	18	1193	0	1222	87	0
66	19	1113	0	1124	71	0
67	20	856	0	917	67	0
68	21	685	0	672	43	0
69	22	1022	0	1060	96	0
70	23	1122	0	1196	102	0
71	24	1074	0	1132	63	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
72	25	563	0	603	50	0
73	26	769	0	818	82	0
74	27	611	0	633	33	0
75	28	498	0	535	47	0
76	29	444	0	436	13	0
77	30	475	0	525	48	0
78	31	498	0	441	13	0
79	RA	2445	0	2401	121	0
80	IR	198	0	0	0	0
All	All	204247	0	150969	8302	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

The worst 5 of 8302 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2S:250:U:H5'	1:2S:251:G:H5''	1.25	1.16
46:1S:1712:A:H3'	46:1S:1713:G:H5''	1.26	1.15
60:13:22:ALA:HB1	60:13:23:PRO:HA	1.28	1.12
19:57:122:ALA:HB3	19:57:143:PRO:HB2	1.23	1.11
46:1S:845:G:H2'	46:1S:846:G:H5''	1.32	1.11

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
4	L1	202/217 (93%)	133 (66%)	52 (26%)	17 (8%)	1 11
5	L2	250/254 (98%)	199 (80%)	41 (16%)	10 (4%)	3 23

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	L3	384/387 (99%)	321 (84%)	52 (14%)	11 (3%)	4	29
7	L4	359/362 (99%)	290 (81%)	47 (13%)	22 (6%)	1	16
8	L5	294/297 (99%)	240 (82%)	41 (14%)	13 (4%)	2	22
9	L6	152/176 (86%)	132 (87%)	16 (10%)	4 (3%)	5	31
10	L7	220/244 (90%)	196 (89%)	19 (9%)	5 (2%)	6	34
11	L8	231/256 (90%)	190 (82%)	31 (13%)	10 (4%)	2	22
12	L9	189/191 (99%)	157 (83%)	27 (14%)	5 (3%)	5	31
13	50	207/221 (94%)	173 (84%)	30 (14%)	4 (2%)	8	38
14	51	167/174 (96%)	131 (78%)	27 (16%)	9 (5%)	2	19
15	53	191/199 (96%)	152 (80%)	25 (13%)	14 (7%)	1	13
16	54	134/138 (97%)	114 (85%)	14 (10%)	6 (4%)	2	22
17	55	201/204 (98%)	168 (84%)	28 (14%)	5 (2%)	5	32
18	56	195/199 (98%)	175 (90%)	15 (8%)	5 (3%)	5	31
19	57	181/184 (98%)	150 (83%)	26 (14%)	5 (3%)	5	30
20	58	183/186 (98%)	154 (84%)	25 (14%)	4 (2%)	6	35
21	59	186/189 (98%)	166 (89%)	16 (9%)	4 (2%)	6	35
22	60	170/172 (99%)	139 (82%)	26 (15%)	5 (3%)	4	29
23	61	157/160 (98%)	126 (80%)	19 (12%)	12 (8%)	1	13
24	62	98/121 (81%)	83 (85%)	12 (12%)	3 (3%)	4	27
25	63	134/137 (98%)	113 (84%)	20 (15%)	1 (1%)	22	62
26	64	59/155 (38%)	44 (75%)	14 (24%)	1 (2%)	9	42
27	65	119/142 (84%)	100 (84%)	16 (13%)	3 (2%)	5	32
28	66	124/127 (98%)	110 (89%)	13 (10%)	1 (1%)	19	60
29	67	133/136 (98%)	106 (80%)	23 (17%)	4 (3%)	4	28
30	68	146/149 (98%)	110 (75%)	27 (18%)	9 (6%)	1	16
31	69	56/59 (95%)	52 (93%)	3 (5%)	1 (2%)	8	40
32	70	95/105 (90%)	89 (94%)	5 (5%)	1 (1%)	14	52
33	71	107/113 (95%)	84 (78%)	20 (19%)	3 (3%)	5	30
34	72	125/130 (96%)	113 (90%)	12 (10%)	0	100	100
35	73	104/107 (97%)	80 (77%)	21 (20%)	3 (3%)	4	29
36	74	110/121 (91%)	92 (84%)	14 (13%)	4 (4%)	3	25

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	75	117/120 (98%)	108 (92%)	8 (7%)	1 (1%)	17	56
38	76	97/100 (97%)	81 (84%)	14 (14%)	2 (2%)	7	36
39	77	85/88 (97%)	70 (82%)	13 (15%)	2 (2%)	6	33
40	78	75/78 (96%)	69 (92%)	6 (8%)	0	100	100
41	79	48/51 (94%)	42 (88%)	5 (10%)	1 (2%)	7	36
42	80	50/128 (39%)	40 (80%)	9 (18%)	1 (2%)	7	38
43	81	23/25 (92%)	22 (96%)	1 (4%)	0	100	100
44	82	101/106 (95%)	88 (87%)	9 (9%)	4 (4%)	3	23
45	83	89/92 (97%)	74 (83%)	11 (12%)	4 (4%)	2	22
47	S0	204/252 (81%)	163 (80%)	30 (15%)	11 (5%)	2	19
48	S1	212/255 (83%)	152 (72%)	41 (19%)	19 (9%)	1	11
49	S2	215/254 (85%)	178 (83%)	27 (13%)	10 (5%)	2	21
50	S3	221/240 (92%)	181 (82%)	29 (13%)	11 (5%)	2	20
51	S4	258/261 (99%)	214 (83%)	35 (14%)	9 (4%)	3	25
52	S5	204/225 (91%)	164 (80%)	30 (15%)	10 (5%)	2	20
53	S6	224/236 (95%)	193 (86%)	25 (11%)	6 (3%)	5	31
54	S7	182/190 (96%)	138 (76%)	29 (16%)	15 (8%)	1	12
55	S8	184/200 (92%)	151 (82%)	29 (16%)	4 (2%)	6	35
56	S9	183/197 (93%)	153 (84%)	21 (12%)	9 (5%)	2	20
57	10	94/105 (90%)	75 (80%)	13 (14%)	6 (6%)	1	16
58	11	153/156 (98%)	108 (71%)	36 (24%)	9 (6%)	1	17
59	12	122/143 (85%)	85 (70%)	23 (19%)	14 (12%)	0	6
60	13	148/151 (98%)	123 (83%)	22 (15%)	3 (2%)	7	38
61	14	125/137 (91%)	95 (76%)	24 (19%)	6 (5%)	2	20
62	15	122/142 (86%)	90 (74%)	22 (18%)	10 (8%)	1	12
63	16	139/143 (97%)	114 (82%)	18 (13%)	7 (5%)	2	20
64	17	116/136 (85%)	98 (84%)	14 (12%)	4 (3%)	3	26
65	18	143/146 (98%)	115 (80%)	19 (13%)	9 (6%)	1	16
66	19	141/144 (98%)	117 (83%)	20 (14%)	4 (3%)	5	30
67	20	105/121 (87%)	88 (84%)	13 (12%)	4 (4%)	3	24
68	21	85/87 (98%)	69 (81%)	10 (12%)	6 (7%)	1	14

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
69	22	127/130 (98%)	108 (85%)	16 (13%)	3 (2%)	6	33
70	23	142/145 (98%)	102 (72%)	32 (22%)	8 (6%)	2	18
71	24	132/135 (98%)	103 (78%)	23 (17%)	6 (4%)	2	22
72	25	68/108 (63%)	46 (68%)	16 (24%)	6 (9%)	1	11
73	26	95/119 (80%)	62 (65%)	21 (22%)	12 (13%)	0	5
74	27	79/82 (96%)	59 (75%)	16 (20%)	4 (5%)	2	19
75	28	61/67 (91%)	50 (82%)	10 (16%)	1 (2%)	9	43
76	29	51/56 (91%)	44 (86%)	5 (10%)	2 (4%)	3	23
77	30	58/63 (92%)	42 (72%)	11 (19%)	5 (9%)	1	11
78	31	69/152 (45%)	42 (61%)	18 (26%)	9 (13%)	0	5
79	RA	316/319 (99%)	250 (79%)	53 (17%)	13 (4%)	3	22
All	All	11126/12097 (92%)	9048 (81%)	1604 (14%)	474 (4%)	5	22

5 of 474 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	L1	20	SER
4	L1	153	SER
4	L1	193	LEU
4	L1	199	GLN
4	L1	209	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	L1	185/198 (93%)	169 (91%)	16 (9%)	10	32
5	L2	194/196 (99%)	181 (93%)	13 (7%)	16	41
6	L3	322/323 (100%)	301 (94%)	21 (6%)	17	42
7	L4	288/289 (100%)	268 (93%)	20 (7%)	15	40
8	L5	244/245 (100%)	225 (92%)	19 (8%)	12	36

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	L6	134/153 (88%)	126 (94%)	8 (6%)	19	44
10	L7	186/205 (91%)	172 (92%)	14 (8%)	13	38
11	L8	191/208 (92%)	174 (91%)	17 (9%)	9	31
12	L9	171/171 (100%)	159 (93%)	12 (7%)	15	40
13	50	180/187 (96%)	165 (92%)	15 (8%)	11	34
14	51	147/150 (98%)	139 (95%)	8 (5%)	22	47
15	53	154/159 (97%)	137 (89%)	17 (11%)	6	23
16	54	107/109 (98%)	100 (94%)	7 (6%)	17	42
17	55	175/176 (99%)	162 (93%)	13 (7%)	13	38
18	56	160/162 (99%)	145 (91%)	15 (9%)	8	28
19	57	145/146 (99%)	136 (94%)	9 (6%)	18	43
20	58	150/151 (99%)	138 (92%)	12 (8%)	12	35
21	59	153/154 (99%)	139 (91%)	14 (9%)	9	29
22	60	156/156 (100%)	145 (93%)	11 (7%)	14	39
23	61	136/137 (99%)	125 (92%)	11 (8%)	11	35
24	62	87/107 (81%)	85 (98%)	2 (2%)	50	70
25	63	104/105 (99%)	94 (90%)	10 (10%)	8	27
26	64	54/129 (42%)	50 (93%)	4 (7%)	13	38
27	65	105/118 (89%)	95 (90%)	10 (10%)	8	28
28	66	109/110 (99%)	102 (94%)	7 (6%)	17	42
29	67	115/116 (99%)	111 (96%)	4 (4%)	36	59
30	68	118/119 (99%)	107 (91%)	11 (9%)	9	29
31	69	46/47 (98%)	40 (87%)	6 (13%)	4	18
32	70	81/88 (92%)	76 (94%)	5 (6%)	18	43
33	71	96/97 (99%)	88 (92%)	8 (8%)	11	34
34	72	109/111 (98%)	100 (92%)	9 (8%)	11	34
35	73	90/91 (99%)	83 (92%)	7 (8%)	12	36
36	74	95/103 (92%)	89 (94%)	6 (6%)	18	43
37	75	104/105 (99%)	95 (91%)	9 (9%)	10	31
38	76	81/82 (99%)	75 (93%)	6 (7%)	13	38
39	77	70/71 (99%)	64 (91%)	6 (9%)	10	32

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
40	78	68/69 (99%)	62 (91%)	6 (9%)	10	31
41	79	45/46 (98%)	41 (91%)	4 (9%)	9	31
42	80	47/116 (40%)	45 (96%)	2 (4%)	29	53
43	81	23/23 (100%)	18 (78%)	5 (22%)	1	6
44	82	88/91 (97%)	77 (88%)	11 (12%)	4	19
45	83	71/72 (99%)	68 (96%)	3 (4%)	30	54
47	S0	173/210 (82%)	163 (94%)	10 (6%)	20	45
48	S1	191/224 (85%)	173 (91%)	18 (9%)	8	28
49	S2	176/205 (86%)	170 (97%)	6 (3%)	37	60
50	S3	182/195 (93%)	168 (92%)	14 (8%)	13	37
51	S4	221/222 (100%)	199 (90%)	22 (10%)	7	26
52	S5	173/191 (91%)	163 (94%)	10 (6%)	20	45
53	S6	193/201 (96%)	184 (95%)	9 (5%)	26	51
54	S7	165/170 (97%)	154 (93%)	11 (7%)	16	41
55	S8	150/161 (93%)	142 (95%)	8 (5%)	22	47
56	S9	158/166 (95%)	146 (92%)	12 (8%)	13	37
57	10	89/98 (91%)	82 (92%)	7 (8%)	12	36
58	11	136/137 (99%)	127 (93%)	9 (7%)	16	41
59	12	100/119 (84%)	88 (88%)	12 (12%)	5	20
60	13	127/128 (99%)	114 (90%)	13 (10%)	7	25
61	14	96/105 (91%)	93 (97%)	3 (3%)	40	62
62	15	104/118 (88%)	96 (92%)	8 (8%)	13	37
63	16	117/119 (98%)	111 (95%)	6 (5%)	24	49
64	17	109/124 (88%)	94 (86%)	15 (14%)	3	17
65	18	128/129 (99%)	119 (93%)	9 (7%)	15	40
66	19	115/116 (99%)	103 (90%)	12 (10%)	7	25
67	20	100/114 (88%)	91 (91%)	9 (9%)	9	30
68	21	74/74 (100%)	70 (95%)	4 (5%)	22	47
69	22	110/111 (99%)	101 (92%)	9 (8%)	11	34
70	23	119/120 (99%)	106 (89%)	13 (11%)	6	23
71	24	112/113 (99%)	107 (96%)	5 (4%)	27	52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
72	25	61/89 (68%)	50 (82%)	11 (18%)	1	10
73	26	83/101 (82%)	75 (90%)	8 (10%)	8	27
74	27	70/71 (99%)	69 (99%)	1 (1%)	67	80
75	28	56/60 (93%)	53 (95%)	3 (5%)	22	47
76	29	47/49 (96%)	46 (98%)	1 (2%)	53	72
77	30	51/54 (94%)	47 (92%)	4 (8%)	12	36
78	31	43/135 (32%)	38 (88%)	5 (12%)	5	21
79	RA	261/262 (100%)	241 (92%)	20 (8%)	13	37
All	All	9474/10182 (93%)	8754 (92%)	720 (8%)	17	37

5 of 720 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
51	S4	38	LEU
60	13	149	LEU
51	S4	212	ASP
51	S4	11	ARG
55	S8	187	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 263 such sidechains are listed below:

Mol	Chain	Res	Type
66	19	138	GLN
69	22	16	ASN
79	RA	195	HIS
20	58	145	ASN
19	57	120	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2S	3304/3395 (97%)	521 (15%)	26 (0%)
2	8S	157/158 (99%)	22 (14%)	1 (0%)
3	5S	120/121 (99%)	10 (8%)	0
46	1S	1779/1798 (98%)	332 (18%)	21 (1%)
80	IR	0/201	-	-
All	All	5360/5673 (94%)	885 (16%)	48 (0%)

5 of 885 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2S	21	G
1	2S	26	A
1	2S	40	A
1	2S	43	A
1	2S	49	A

5 of 48 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
46	1S	103	A
46	1S	555	A
46	1S	139	C
46	1S	498	G
46	1S	794	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-5943. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 206



Y Index: 209




Z Index: 199


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.815. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2733 nm^3 ; this corresponds to an approximate mass of 2468 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.164 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-5943 and PDB model 3J6Y. Per-residue inclusion information can be found in section 3 on page 18.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.815 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.815).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















































































The table lists the average atom inclusion at the recommended contour level (0.815) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8440	 0.2020
10	 0.6900	 0.1580
11	 0.7270	 0.1970
12	 0.1660	 0.1130
13	 0.6980	 0.1670
14	 0.7520	 0.1680
15	 0.5220	 0.1310
16	 0.6880	 0.1380
17	 0.5910	 0.1590
18	 0.6440	 0.1380
19	 0.6520	 0.1110
1S	 0.9160	 0.2110
20	 0.6120	 0.1440
21	 0.7070	 0.1910
22	 0.7540	 0.1790
23	 0.7750	 0.1890
24	 0.6710	 0.1500
25	 0.6560	 0.1670
26	 0.7380	 0.1850
27	 0.6730	 0.1710
28	 0.6510	 0.1470
29	 0.6990	 0.1240
2S	 0.9440	 0.2330
30	 0.7450	 0.2020
31	 0.2810	 0.1520
50	 0.7770	 0.1990
51	 0.7460	 0.1640
53	 0.7630	 0.1880
54	 0.7540	 0.1740
55	 0.7670	 0.1580
56	 0.7850	 0.1730
57	 0.7690	 0.1840
58	 0.7760	 0.1800
59	 0.7490	 0.1840
5S	 0.9710	 0.2270







Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
60	 0.7610	 0.1720
61	 0.7940	 0.1990
62	 0.7420	 0.1890
63	 0.7860	 0.1940
64	 0.8010	 0.1850
65	 0.7740	 0.1930
66	 0.7770	 0.1750
67	 0.7500	 0.1800
68	 0.7790	 0.1840
69	 0.7770	 0.2060
70	 0.7520	 0.1950
71	 0.7800	 0.1930
72	 0.8040	 0.1970
73	 0.7930	 0.1680
74	 0.7720	 0.1700
75	 0.7610	 0.1750
76	 0.7450	 0.1760
77	 0.8160	 0.1630
78	 0.7120	 0.1760
79	 0.7740	 0.1920
80	 0.7330	 0.1660
81	 0.0470	 0.0400
82	 0.7720	 0.1930
83	 0.8100	 0.1920
8S	 0.9710	 0.2410
IR	 0.6460	 0.1160
L1	 0.4280	 0.0990
L2	 0.8020	 0.1960
L3	 0.7860	 0.1840
L4	 0.8050	 0.1940
L5	 0.7070	 0.1560
L6	 0.7820	 0.1880
L7	 0.7840	 0.1790
L8	 0.7500	 0.1840
L9	 0.7540	 0.1760
RA	 0.6500	 0.1330
S0	 0.6920	 0.1850
S1	 0.6750	 0.1730
S2	 0.7680	 0.1920
S3	 0.7040	 0.1830
S4	 0.7660	 0.1680
S5	 0.6510	 0.1450

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
S6	 0.7290	 0.1530
S7	 0.5870	 0.1690
S8	 0.7820	 0.1770
S9	 0.7450	 0.1600