



Full wwPDB EM Validation Report ⓘ

Feb 24, 2024 – 04:24 PM EST

PDB ID : 7JGA
EMDB ID : EMD-22316
Title : Cryo-EM structure of bedaquiline-saturated Mycobacterium smegmatis ATP synthase rotational state 3
Authors : Guo, H.; Courbon, G.M.; Rubinstein, J.L.
Deposited on : 2020-07-18
Resolution : 3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	548	
1	B	548	
1	C	548	
2	D	475	
2	E	475	
2	F	475	
3	G	307	
4	H	121	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	a	252	
6	b	170	
7	d	445	
8	1	86	
8	2	86	
8	3	86	
8	4	86	
8	5	86	
8	6	86	
8	7	86	
8	8	86	
8	9	86	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	PO4	F	600	-	-	X	-

2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 35797 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP synthase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	514	Total	C	N	O	S	0	0
			3841	2416	668	747	10		
1	B	508	Total	C	N	O	S	0	0
			3756	2369	659	718	10		
1	C	515	Total	C	N	O	S	0	0
			3835	2422	675	728	10		

- Molecule 2 is a protein called ATP synthase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	D	464	Total	C	N	O	S	0	0
			3486	2214	605	654	13		
2	E	464	Total	C	N	O	S	0	0
			3516	2226	605	672	13		
2	F	464	Total	C	N	O	S	0	0
			3489	2212	604	661	12		

- Molecule 3 is a protein called ATP synthase gamma chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	G	279	Total	C	N	O	S	0	0
			2117	1328	392	391	6		

- Molecule 4 is a protein called ATP synthase epsilon chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	H	117	Total	C	N	O	S	0	0
			820	521	159	139	1		

- Molecule 5 is a protein called ATP synthase subunit a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	a	207	1594	1085	250	254	5	0	0

- Molecule 6 is a protein called ATP synthase subunit b.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	b	141	949	597	180	170	2	0	0


- Molecule 7 is a protein called ATP synthase subunit b-delta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	d	428	2968	1857	555	553	3	0	0

- Molecule 8 is a protein called ATP synthase subunit c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	1	81	560	370	92	96	2	0	0
8	2	81	560	370	92	96	2	0	0
8	3	81	564	372	92	98	2	0	0
8	4	81	560	370	92	96	2	0	0
8	5	81	564	372	92	98	2	0	0
8	6	81	560	370	91	97	2	0	0
8	7	81	554	367	88	97	2	0	0
8	8	81	560	370	92	96	2	0	0
8	9	81	556	368	91	95	2	0	0

- Molecule 9 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
9	A	1	31	10	5	13	3	0
9	B	1	31	10	5	13	3	0
9	C	1	31	10	5	13	3	0

- Molecule 10 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
10	A	1	1	1	0
10	B	1	1	1	0
10	C	1	1	1	0
10	E	1	1	1	0

- Molecule 11 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					AltConf
			Total	Br	C	N	O	
13	1	1	Total	Br	C	N	O	0
			37	1	32	2	2	
13	4	1	Total	Br	C	N	O	0
			37	1	32	2	2	
13	5	1	Total	Br	C	N	O	0
			37	1	32	2	2	
13	6	1	Total	Br	C	N	O	0
			37	1	32	2	2	
13	7	1	Total	Br	C	N	O	0
			37	1	32	2	2	
13	8	1	Total	Br	C	N	O	0
			37	1	32	2	2	
13	9	1	Total	Br	C	N	O	0
			37	1	32	2	2	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP synthase subunit alpha



- Molecule 1: ATP synthase subunit alpha




- Molecule 1: ATP synthase subunit alpha





- Molecule 2: ATP synthase subunit beta









• Molecule 2: ATP synthase subunit beta




• Molecule 2: ATP synthase subunit beta




• Molecule 3: ATP synthase gamma chain




• Molecule 4: ATP synthase epsilon chain





• Molecule 5: ATP synthase subunit a








• Molecule 6: ATP synthase subunit b




• Molecule 7: ATP synthase subunit b-delta





• Molecule 8: ATP synthase subunit c









• Molecule 8: ATP synthase subunit c





• Molecule 8: ATP synthase subunit c





• Molecule 8: ATP synthase subunit c



• Molecule 8: ATP synthase subunit c




• Molecule 8: ATP synthase subunit c





• Molecule 8: ATP synthase subunit c







• Molecule 8: ATP synthase subunit c



• Molecule 8: ATP synthase subunit c



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	155488	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	41	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	75000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	13.144	Depositor
Minimum map value	-0.153	Depositor
Average map value	0.009	Depositor
Map value standard deviation	0.248	Depositor
Recommended contour level	0.95	Depositor
Map size (\AA)	329.59998, 329.59998, 329.59998	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.03, 1.03, 1.03	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, MG, ADP, BQ1, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/3901	0.47	0/5285
1	B	0.35	0/3815	0.47	0/5174
1	C	0.35	0/3895	0.48	0/5274
2	D	0.34	0/3551	0.46	0/4821
2	E	0.35	0/3581	0.47	0/4860
2	F	0.35	0/3554	0.46	0/4828
3	G	0.31	0/2145	0.46	0/2900
4	H	0.29	0/831	0.49	0/1136
5	a	0.40	0/1641	0.51	0/2247
6	b	0.42	0/958	0.69	3/1302 (0.2%)
7	d	0.31	0/2994	0.52	2/4079 (0.0%)
8	1	0.46	0/571	0.47	0/774
8	2	0.43	0/571	0.48	0/774
8	3	0.45	0/575	0.44	0/779
8	4	0.44	0/571	0.46	0/774
8	5	0.47	0/575	0.45	0/779
8	6	0.46	0/571	0.43	0/774
8	7	0.44	0/565	0.44	0/767
8	8	0.45	0/571	0.50	0/774
8	9	0.44	0/567	0.46	0/769
All	All	0.36	0/36003	0.48	5/48870 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	b	60	ARG	NE-CZ-NH1	9.13	124.86	120.30
7	d	27	ARG	NE-CZ-NH1	5.82	123.21	120.30
7	d	38	ARG	NE-CZ-NH1	5.82	123.21	120.30
6	b	60	ARG	CD-NE-CZ	5.75	131.65	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	b	72	ARG	NE-CZ-NH2	5.42	123.01	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3841	0	3829	16	0
1	B	3756	0	3722	22	0
1	C	3835	0	3830	23	0
2	D	3486	0	3464	18	0
2	E	3516	0	3491	33	0
2	F	3489	0	3453	28	0
3	G	2117	0	2135	5	0
4	H	820	0	790	28	0
5	a	1594	0	1629	0	0
6	b	949	0	900	0	0
7	d	2968	0	2905	0	0
8	1	560	0	577	8	0
8	2	560	0	577	11	0
8	3	564	0	581	9	0
8	4	560	0	577	17	0
8	5	564	0	581	6	0
8	6	560	0	575	12	0
8	7	554	0	564	16	0
8	8	560	0	577	7	0
8	9	556	0	571	9	0
9	A	31	0	12	1	0
9	B	31	0	12	1	0
9	C	31	0	12	0	0
10	A	1	0	0	0	0
10	B	1	0	0	0	0
10	C	1	0	0	0	0
10	E	1	0	0	0	0
11	E	27	0	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	F	5	0	0	4	0
13	1	37	0	31	4	0
13	4	37	0	31	3	0
13	5	37	0	31	2	0
13	6	37	0	30	4	0
13	7	37	0	31	3	0
13	8	37	0	31	7	0
13	9	37	0	30	3	0
All	All	35797	0	35591	239	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (239) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:29:ALA:O	8:3:45:ARG:NH2	1.91	1.03
8:9:65:GLU:OE1	13:9:601:BQ1:N04	2.04	0.90
2:F:193:ARG:NH2	12:F:600:PO4:O3	2.04	0.90
8:7:68:TYR:OH	8:8:71:ASN:OD1	1.88	0.89
2:F:276:ALA:O	2:F:278:GLY:N	2.13	0.82
2:D:409:GLU:OE1	2:D:410:ARG:NH1	2.12	0.82
2:E:276:ALA:O	2:E:278:GLY:N	2.13	0.81
8:1:65:GLU:OE2	13:1:601:BQ1:N04	2.14	0.80
1:C:347:SER:O	2:F:193:ARG:NH1	2.15	0.80
4:H:39:ILE:CG2	8:4:45:ARG:HA	2.14	0.78
2:E:275:SER:OG	2:E:276:ALA:N	2.16	0.78
2:F:166:LYS:N	12:F:600:PO4:O1	2.18	0.76
2:F:192:GLU:O	2:F:219:GLN:NE2	2.18	0.75
8:4:65:GLU:OE1	13:4:601:BQ1:N04	2.21	0.72
1:B:450:LEU:HD21	1:B:471:LEU:HD23	1.69	0.72
2:E:281:PRO:O	2:E:282:THR:OG1	2.07	0.72
8:8:65:GLU:OE1	13:8:601:BQ1:N04	2.22	0.71
2:E:251:LEU:HD23	2:E:294:ILE:HD12	1.73	0.71
1:A:178:LYS:NZ	9:A:600:ATP:O2B	2.20	0.70
1:B:113:PRO:HA	1:B:252:THR:HG21	1.72	0.70
4:H:39:ILE:HD13	8:4:45:ARG:HG3	1.74	0.69
4:H:32:ILE:HD11	8:4:45:ARG:HH12	1.58	0.68
4:H:37:ARG:NH2	8:4:47:PRO:HB3	2.09	0.67
2:F:319:ALA:HB3	2:F:320:PRO:HD3	1.77	0.66
4:H:39:ILE:HG23	8:4:45:ARG:HA	1.76	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:39:ILE:HG21	8:4:45:ARG:HA	1.77	0.66
1:B:178:LYS:NZ	9:B:600:ATP:O1B	2.21	0.65
4:H:32:ILE:CD1	8:4:45:ARG:HH12	2.09	0.65
1:A:356:GLU:OE1	1:A:369:ASN:ND2	2.30	0.64
4:H:39:ILE:CD1	8:4:45:ARG:HG3	2.27	0.64
2:E:157:ALA:HB3	2:E:327:LEU:HD13	1.80	0.63
2:F:342:ILE:HG22	2:F:342:ILE:O	1.99	0.63
13:1:601:BQ1:H19	13:1:601:BQ1:H15	1.81	0.63
4:H:39:ILE:HG22	8:5:46:GLN:NE2	2.14	0.63
4:H:66:ASP:OD1	4:H:105:ARG:NH1	2.32	0.62
8:9:41:SER:O	8:9:45:ARG:NH2	2.34	0.61
2:E:319:ALA:HB3	2:E:320:PRO:HD3	1.83	0.60
2:D:276:ALA:O	2:D:278:GLY:N	2.35	0.60
2:E:108:ASP:OD1	2:E:108:ASP:N	2.34	0.60
8:6:43:ILE:HD11	8:7:53:LEU:HA	1.82	0.60
1:B:376:ARG:NH1	11:E:600:ADP:O3A	2.35	0.60
2:D:448:ASP:OD2	2:D:449:HIS:N	2.35	0.59
1:C:173:ASP:OD2	1:C:174:ARG:N	2.35	0.59
2:D:275:SER:O	2:D:276:ALA:O	2.20	0.59
1:B:179:THR:OG1	1:B:272:ASP:OD2	2.19	0.59
2:E:251:LEU:HD23	2:E:294:ILE:CD1	2.32	0.59
4:H:30:GLY:HA2	8:2:45:ARG:O	2.03	0.58
8:1:44:ALA:O	8:2:46:GLN:NE2	2.37	0.58
8:6:65:GLU:OE2	13:6:601:BQ1:N04	2.37	0.57
2:E:275:SER:O	2:E:276:ALA:O	2.23	0.57
13:4:601:BQ1:H081	13:4:601:BQ1:H21	1.86	0.57
1:A:171:ILE:HD12	1:A:330:ILE:HD11	1.85	0.57
1:C:295:GLU:N	1:C:295:GLU:OE1	2.38	0.57
4:H:30:GLY:CA	8:2:45:ARG:O	2.53	0.56
2:F:275:SER:O	2:F:276:ALA:O	2.23	0.56
8:1:36:GLY:HA3	8:2:60:THR:HG21	1.86	0.56
2:E:320:PRO:HA	2:E:323:THR:HG22	1.86	0.56
8:1:7:ALA:HB1	8:2:9:ILE:HD11	1.87	0.56
8:1:68:TYR:OH	8:2:71:ASN:OD1	2.18	0.56
2:D:275:SER:OG	2:D:276:ALA:N	2.37	0.55
2:E:291:GLN:NE2	2:E:306:GLN:OE1	2.35	0.55
13:9:601:BQ1:H15	13:9:601:BQ1:H19	1.87	0.55
1:A:182:CYS:SG	1:A:329:ILE:HD11	2.46	0.54
4:H:31:GLU:CB	8:3:46:GLN:HE22	2.20	0.54
4:H:24:PHE:HE1	8:3:46:GLN:NE2	2.05	0.54
13:6:601:BQ1:H19	13:6:601:BQ1:C14	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:7:62:GLY:O	8:7:66:ALA:HB2	2.08	0.53
2:F:157:ALA:CB	2:F:327:LEU:HD13	2.39	0.53
4:H:37:ARG:CZ	8:4:47:PRO:HB2	2.39	0.53
1:C:167:ARG:NH2	1:C:310:GLU:OE2	2.41	0.52
2:D:151:VAL:HG22	2:D:355:ILE:HG13	1.90	0.52
4:H:31:GLU:CB	8:3:46:GLN:NE2	2.72	0.52
8:7:66:ALA:O	8:7:70:ILE:HD12	2.09	0.52
2:F:142:LYS:NZ	2:F:411:PHE:O	2.42	0.52
4:H:37:ARG:CZ	8:4:47:PRO:CB	2.88	0.52
1:B:478:SER:HG	1:B:479:HIS:CE1	2.29	0.51
2:E:294:ILE:HD11	2:E:304:SER:HB2	1.92	0.51
2:F:148:THR:HG23	2:F:148:THR:O	2.10	0.51
13:7:601:BQ1:C14	13:7:601:BQ1:H19	2.41	0.51
2:E:142:LYS:NZ	2:E:411:PHE:O	2.42	0.51
8:7:41:SER:OG	8:7:45:ARG:NH1	2.43	0.51
8:3:66:ALA:O	8:3:70:ILE:HD12	2.11	0.51
1:C:113:PRO:O	1:C:252:THR:OG1	2.18	0.50
8:7:32:ASP:OD1	8:8:64:VAL:HG22	2.10	0.50
1:C:294:ARG:HD3	1:C:340:PHE:CE1	2.46	0.50
2:F:233:SER:O	2:F:236:THR:HG22	2.12	0.50
8:4:68:TYR:OH	8:5:71:ASN:OD1	2.29	0.50
13:9:601:BQ1:H081	13:9:601:BQ1:H21	1.94	0.50
1:B:173:ASP:OD2	1:B:174:ARG:N	2.43	0.49
3:G:147:TYR:CG	4:H:11:VAL:HG11	2.47	0.49
3:G:245:TYR:CE2	3:G:249:LEU:HD11	2.47	0.49
8:2:66:ALA:O	8:2:70:ILE:HD12	2.13	0.49
2:E:367:ARG:NH2	2:E:440:ASP:OD1	2.32	0.49
8:6:7:ALA:HB1	8:7:9:ILE:HD11	1.95	0.49
8:9:55:THR:HB	8:9:56:PRO:HD3	1.94	0.48
1:A:113:PRO:O	1:A:252:THR:OG1	2.32	0.48
2:F:363:ASP:N	2:F:363:ASP:OD2	2.44	0.48
1:C:98:LEU:HD21	1:C:248:LEU:HD11	1.95	0.48
1:A:128:THR:HG22	1:A:129:ARG:N	2.28	0.48
1:B:494:GLU:OE1	1:B:494:GLU:N	2.37	0.48
2:E:11:ARG:NH1	2:E:23:GLU:OE1	2.46	0.48
8:2:46:GLN:OE1	8:2:52:ARG:NH2	2.46	0.48
2:D:88:VAL:HG11	2:D:233:SER:OG	2.13	0.48
2:E:11:ARG:NH2	2:E:23:GLU:OE1	2.45	0.48
2:F:192:GLU:HG2	2:F:193:ARG:N	2.28	0.48
1:C:159:MET:CE	1:C:370:VAL:HG12	2.43	0.48
2:E:52:GLU:OE2	2:E:229:ARG:NH2	2.44	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:235:LEU:HD21	2:E:293:ARG:HB2	1.96	0.47
2:F:74:VAL:HG12	2:F:75:ARG:O	2.14	0.47
8:1:79:VAL:HG12	8:2:83:PRO:HB2	1.97	0.47
1:A:68:ASN:O	1:A:75:GLY:N	2.43	0.47
2:F:235:LEU:HD21	2:F:293:ARG:HB2	1.95	0.47
2:F:294:ILE:O	2:F:294:ILE:HG22	2.15	0.47
8:9:57:PHE:CZ	8:9:61:VAL:HG21	2.50	0.47
13:5:601:BQ1:H21	13:5:601:BQ1:H081	1.96	0.47
1:C:478:SER:HG	1:C:479:HIS:CE1	2.32	0.47
2:D:142:LYS:NZ	2:D:411:PHE:O	2.45	0.47
2:E:192:GLU:HG3	2:E:193:ARG:H	1.80	0.47
13:1:601:BQ1:H081	13:1:601:BQ1:H21	1.97	0.47
13:6:601:BQ1:H081	13:6:601:BQ1:H21	1.97	0.47
8:5:40:ILE:O	8:6:53:LEU:HD11	2.15	0.46
13:7:601:BQ1:H081	13:7:601:BQ1:H21	1.97	0.46
1:B:252:THR:O	1:B:256:ILE:HG12	2.14	0.46
8:6:77:LEU:HD12	8:6:81:ALA:HB3	1.96	0.46
13:8:601:BQ1:H19	13:8:601:BQ1:H14	1.97	0.46
13:1:601:BQ1:H081	13:1:601:BQ1:C21	2.46	0.46
13:8:601:BQ1:H21	13:8:601:BQ1:H081	1.96	0.46
4:H:29:ALA:CB	8:3:45:ARG:HH22	2.29	0.46
2:D:155:LYS:HB2	2:D:327:LEU:HA	1.98	0.46
8:3:28:ALA:HB2	8:3:68:TYR:HB2	1.98	0.46
4:H:30:GLY:HA3	8:2:45:ARG:HB3	1.97	0.45
8:8:65:GLU:OE2	13:8:601:BQ1:H373	2.15	0.45
1:A:518:SER:OG	1:A:519:VAL:N	2.50	0.45
2:F:172:GLU:OE2	2:F:417:MET:N	2.46	0.45
13:8:601:BQ1:H19	13:8:601:BQ1:C14	2.47	0.45
2:E:342:ILE:HG23	2:E:413:SER:HB2	1.98	0.45
3:G:57:LEU:O	3:G:61:SER:N	2.44	0.45
8:7:57:PHE:CZ	8:7:61:VAL:HG21	2.51	0.45
8:9:79:VAL:HG23	8:9:80:PHE:CD2	2.51	0.45
2:E:157:ALA:CB	2:E:327:LEU:HD13	2.44	0.45
1:C:142:ARG:NH2	1:C:310:GLU:O	2.45	0.45
1:C:159:MET:HE1	1:C:370:VAL:HG12	1.99	0.45
8:3:78:PHE:O	8:3:82:THR:HG22	2.17	0.45
8:6:55:THR:HB	8:6:56:PRO:HD3	1.98	0.45
1:A:97:VAL:HG12	1:A:98:LEU:N	2.32	0.45
4:H:73:THR:HG22	4:H:74:GLU:N	2.32	0.44
8:1:55:THR:HB	8:1:56:PRO:HD3	1.99	0.44
2:F:161:GLY:O	2:F:166:LYS:NZ	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:364:GLU:HG3	2:F:436:ILE:HG21	1.97	0.44
1:B:350:ASP:HB3	1:B:377:VAL:HG23	1.99	0.44
1:A:128:THR:CG2	1:A:129:ARG:N	2.80	0.44
4:H:35:LEU:HB2	8:4:46:GLN:OE1	2.18	0.44
8:7:72:LEU:O	8:7:75:MET:HB3	2.18	0.44
8:5:55:THR:HB	8:5:56:PRO:HD3	1.99	0.44
8:6:68:TYR:OH	8:7:71:ASN:OD1	2.30	0.44
1:B:389:VAL:HG23	1:B:390:ALA:N	2.33	0.44
2:F:193:ARG:HH22	12:F:600:PO4:P	2.40	0.44
1:C:36:ASP:OD1	1:C:37:ALA:N	2.49	0.44
1:A:97:VAL:CG1	1:A:98:LEU:N	2.81	0.44
2:D:172:GLU:OE2	2:D:176:ARG:NE	2.37	0.44
2:D:355:ILE:O	2:D:355:ILE:HG22	2.18	0.43
8:1:25:ALA:O	8:1:29:GLY:N	2.48	0.43
13:4:601:BQ1:C14	13:4:601:BQ1:H19	2.48	0.43
8:6:60:THR:HG23	8:6:61:VAL:N	2.33	0.43
1:C:251:TYR:OH	1:C:304:LEU:HD12	2.18	0.43
2:F:157:ALA:HB3	2:F:327:LEU:HD13	1.99	0.43
8:5:40:ILE:HG23	8:6:53:LEU:HG	2.00	0.43
8:7:29:GLY:O	8:7:32:ASP:OD1	2.36	0.43
2:E:225:GLY:O	2:E:228:MET:HG2	2.17	0.43
2:D:277:VAL:HG12	2:D:277:VAL:O	2.17	0.43
1:C:386:MET:HA	1:C:389:VAL:HG22	2.01	0.43
2:E:185:SER:O	2:E:213:THR:HA	2.18	0.43
1:B:139:VAL:HG12	2:E:194:THR:HG23	1.98	0.43
2:F:232:LEU:HD22	2:F:293:ARG:NH1	2.34	0.43
1:A:65:VAL:HG12	1:A:65:VAL:O	2.18	0.43
2:F:319:ALA:HB3	2:F:320:PRO:CD	2.47	0.43
13:5:601:BQ1:O02	13:5:601:BQ1:H19	2.19	0.43
1:A:173:ASP:O	1:A:176:THR:HG22	2.19	0.43
8:8:37:ASN:HB2	8:9:34:ILE:HG22	2.01	0.43
8:6:79:VAL:HG23	8:6:80:PHE:N	2.33	0.42
4:H:35:LEU:HD11	8:3:47:PRO:HG2	2.00	0.42
2:D:190:VAL:HG22	2:D:230:VAL:HG13	2.01	0.42
4:H:37:ARG:CZ	8:4:47:PRO:HB3	2.48	0.42
4:H:37:ARG:NH1	8:4:47:PRO:HB2	2.34	0.42
8:4:37:ASN:HB2	8:5:34:ILE:HG22	2.01	0.42
8:7:16:GLY:HA2	8:7:19:LEU:HD12	2.02	0.42
1:C:341:ILE:HB	1:C:342:PRO:HD3	2.00	0.42
1:C:389:VAL:O	1:C:452:THR:HG21	2.20	0.42
1:C:540:VAL:HG23	1:C:540:VAL:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:6:601:BQ1:C16	8:7:70:ILE:HD11	2.49	0.42
13:7:601:BQ1:H21	13:7:601:BQ1:H07	2.00	0.42
1:B:411:SER:HB2	3:G:196:GLN:H	1.83	0.42
1:C:100:VAL:HG22	1:C:132:LEU:HD21	2.02	0.42
8:7:24:GLY:HA3	8:7:68:TYR:CD1	2.54	0.42
1:C:47:LEU:O	2:F:75:ARG:NH2	2.52	0.42
2:E:294:ILE:HG23	2:E:294:ILE:O	2.19	0.42
1:B:58:PHE:CD2	1:B:91:VAL:HG22	2.54	0.42
2:E:251:LEU:CD2	2:E:294:ILE:HD12	2.47	0.42
13:8:601:BQ1:H19	13:8:601:BQ1:O02	2.20	0.42
8:4:72:LEU:HD12	8:4:75:MET:CE	2.50	0.42
8:9:20:ILE:HG23	8:9:21:MET:N	2.35	0.42
1:C:77:VAL:HG13	1:C:284:ILE:HD12	2.02	0.41
1:A:310:GLU:CB	2:D:221:ASP:OD1	2.68	0.41
2:E:266:VAL:O	2:E:270:LEU:N	2.43	0.41
4:H:81:VAL:HG12	4:H:83:ASN:N	2.35	0.41
1:B:494:GLU:HG2	1:B:495:GLU:N	2.34	0.41
1:C:142:ARG:NH1	1:C:313:ALA:HB2	2.35	0.41
2:E:294:ILE:HD11	2:E:304:SER:CB	2.50	0.41
1:C:128:THR:HG22	1:C:129:ARG:H	1.86	0.41
2:F:357:ASP:O	2:F:361:VAL:HG22	2.20	0.41
8:6:37:ASN:HB2	8:7:34:ILE:HG22	2.03	0.41
2:D:235:LEU:HD21	2:D:293:ARG:HB3	2.03	0.41
2:E:386:ILE:HD11	2:E:394:LEU:HD11	2.03	0.41
8:8:65:GLU:OE1	13:8:601:BQ1:C25	2.69	0.41
1:B:173:ASP:O	1:B:176:THR:HG22	2.21	0.41
1:C:128:THR:HG22	1:C:129:ARG:N	2.35	0.41
8:2:28:ALA:HA	8:2:64:VAL:CG1	2.51	0.41
2:F:193:ARG:NH2	12:F:600:PO4:P	2.93	0.41
3:G:239:TYR:HA	3:G:242:THR:HG22	2.03	0.41
2:E:193:ARG:O	2:E:219:GLN:NE2	2.51	0.41
8:6:49:ALA:O	8:6:51:GLY:N	2.53	0.41
8:9:82:THR:HG22	8:9:85:LEU:HD22	2.03	0.41
1:B:139:VAL:CG1	2:E:194:THR:HG23	2.51	0.41
2:D:188:ALA:HB2	2:D:234:ALA:CB	2.51	0.41
2:E:254:ASP:HA	2:E:255:ASN:HA	1.88	0.41
2:F:235:LEU:O	2:F:239:GLU:HG3	2.21	0.41
1:A:519:VAL:O	1:A:520:VAL:HG12	2.21	0.40
8:8:72:LEU:O	8:8:75:MET:HB3	2.20	0.40
1:A:69:LEU:CD2	1:A:74:VAL:HG13	2.51	0.40
1:B:97:VAL:HG12	1:B:98:LEU:N	2.36	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:441:VAL:HG13	1:B:442:GLU:N	2.37	0.40
2:D:412:LEU:HD23	2:D:439:PHE:CZ	2.56	0.40
1:B:71:GLU:HA	1:B:71:GLU:OE1	2.21	0.40
1:B:283:ALA:HA	2:D:281:PRO:HB2	2.03	0.40
4:H:27:THR:HA	4:H:45:LEU:HA	2.04	0.40
8:7:32:ASP:OD1	8:7:33:GLY:N	2.54	0.40
8:9:62:GLY:O	8:9:66:ALA:HB2	2.22	0.40
1:B:182:CYS:SG	1:B:329:ILE:HD11	2.62	0.40
2:E:357:ASP:O	2:E:361:VAL:HG22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	512/548 (93%)	504 (98%)	8 (2%)	0	100	100
1	B	504/548 (92%)	487 (97%)	17 (3%)	0	100	100
1	C	509/548 (93%)	494 (97%)	15 (3%)	0	100	100
2	D	462/475 (97%)	457 (99%)	3 (1%)	2 (0%)	34	69
2	E	462/475 (97%)	446 (96%)	13 (3%)	3 (1%)	25	64
2	F	462/475 (97%)	451 (98%)	9 (2%)	2 (0%)	34	69
3	G	273/307 (89%)	270 (99%)	3 (1%)	0	100	100
4	H	115/121 (95%)	113 (98%)	2 (2%)	0	100	100
5	a	203/252 (81%)	198 (98%)	5 (2%)	0	100	100
6	b	139/170 (82%)	137 (99%)	2 (1%)	0	100	100
7	d	422/445 (95%)	419 (99%)	3 (1%)	0	100	100
8	1	79/86 (92%)	78 (99%)	1 (1%)	0	100	100
8	2	79/86 (92%)	76 (96%)	3 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	3	79/86 (92%)	77 (98%)	2 (2%)	0	100	100
8	4	79/86 (92%)	75 (95%)	4 (5%)	0	100	100
8	5	79/86 (92%)	78 (99%)	1 (1%)	0	100	100
8	6	79/86 (92%)	78 (99%)	1 (1%)	0	100	100
8	7	79/86 (92%)	77 (98%)	2 (2%)	0	100	100
8	8	79/86 (92%)	77 (98%)	2 (2%)	0	100	100
8	9	79/86 (92%)	77 (98%)	2 (2%)	0	100	100
All	All	4774/5138 (93%)	4669 (98%)	98 (2%)	7 (0%)	54	83

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	276	ALA
2	E	276	ALA
2	F	276	ALA
2	D	277	VAL
2	E	277	VAL
2	F	277	VAL
2	E	278	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	401/441 (91%)	401 (100%)	0	100	100
1	B	383/441 (87%)	383 (100%)	0	100	100
1	C	393/441 (89%)	393 (100%)	0	100	100
2	D	361/388 (93%)	360 (100%)	1 (0%)	92	96
2	E	371/388 (96%)	369 (100%)	2 (0%)	88	95
2	F	363/388 (94%)	362 (100%)	1 (0%)	92	96
3	G	209/238 (88%)	208 (100%)	1 (0%)	88	95

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	H	68/96 (71%)	68 (100%)	0	100	100
5	a	160/200 (80%)	159 (99%)	1 (1%)	86	94
6	b	74/124 (60%)	74 (100%)	0	100	100
7	d	264/347 (76%)	263 (100%)	1 (0%)	91	95
8	1	50/56 (89%)	49 (98%)	1 (2%)	55	80
8	2	50/56 (89%)	50 (100%)	0	100	100
8	3	51/56 (91%)	51 (100%)	0	100	100
8	4	50/56 (89%)	50 (100%)	0	100	100
8	5	51/56 (91%)	51 (100%)	0	100	100
8	6	50/56 (89%)	50 (100%)	0	100	100
8	7	49/56 (88%)	48 (98%)	1 (2%)	55	80
8	8	50/56 (89%)	50 (100%)	0	100	100
8	9	49/56 (88%)	49 (100%)	0	100	100
All	All	3497/3996 (88%)	3488 (100%)	9 (0%)	92	96

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	D	133	ARG
2	E	108	ASP
2	E	192	GLU
2	F	193	ARG
3	G	188	THR
5	a	50	ARG
7	d	316	TYR
8	1	6	ASN
8	7	75	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	121	GLN
1	A	455	HIS
1	B	335	ASN
1	B	465	GLN
1	C	112	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	116	GLN
1	C	453	GLN
2	E	247	GLN
2	E	326	HIS
2	F	219	GLN
2	F	326	HIS
2	F	370	GLN
7	d	104	GLN
8	1	6	ASN
8	3	46	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 4 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	ATP	B	600	10	26,33,33	0.90	1 (3%)	31,52,52	1.70	4 (12%)
13	BQ1	6	601	-	39,41,41	2.11	10 (25%)	50,59,59	1.26	7 (14%)
13	BQ1	4	601	-	39,41,41	2.08	12 (30%)	50,59,59	1.42	9 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	BQ1	1	601	-	39,41,41	2.12	10 (25%)	50,59,59	1.48	7 (14%)
12	PO4	F	600	-	4,4,4	1.01	0	6,6,6	0.39	0
13	BQ1	9	601	-	39,41,41	2.16	10 (25%)	50,59,59	1.30	6 (12%)
9	ATP	C	600	10	26,33,33	0.93	1 (3%)	31,52,52	1.66	4 (12%)
11	ADP	E	600	10	24,29,29	0.87	1 (4%)	29,45,45	1.50	5 (17%)
13	BQ1	5	601	-	39,41,41	2.17	11 (28%)	50,59,59	1.31	7 (14%)
13	BQ1	7	601	-	39,41,41	2.05	9 (23%)	50,59,59	1.43	9 (18%)
13	BQ1	8	601	-	39,41,41	2.16	11 (28%)	50,59,59	1.18	4 (8%)
9	ATP	A	600	10	26,33,33	0.90	1 (3%)	31,52,52	1.64	4 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	ATP	B	600	10	-	7/18/38/38	0/3/3/3
13	BQ1	6	601	-	-	7/28/28/28	0/5/5/5
13	BQ1	4	601	-	-	7/28/28/28	0/5/5/5
13	BQ1	1	601	-	-	11/28/28/28	0/5/5/5
13	BQ1	9	601	-	-	2/28/28/28	0/5/5/5
9	ATP	C	600	10	-	2/18/38/38	0/3/3/3
11	ADP	E	600	10	-	7/12/32/32	0/3/3/3
13	BQ1	5	601	-	-	5/28/28/28	0/5/5/5
13	BQ1	7	601	-	-	7/28/28/28	0/5/5/5
13	BQ1	8	601	-	-	7/28/28/28	0/5/5/5
9	ATP	A	600	10	-	2/18/38/38	0/3/3/3

All (77) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	5	601	BQ1	C10-C07	6.61	1.61	1.52
13	1	601	BQ1	C10-C07	6.45	1.60	1.52
13	9	601	BQ1	C10-C07	6.42	1.60	1.52
13	8	601	BQ1	C10-C07	6.38	1.60	1.52
13	6	601	BQ1	C10-C07	6.12	1.60	1.52
13	7	601	BQ1	C10-C07	5.98	1.60	1.52
13	4	601	BQ1	C10-C07	5.93	1.60	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	7	601	BQ1	O03-C17	4.82	1.42	1.35
13	6	601	BQ1	C12-C07	4.68	1.58	1.52
13	1	601	BQ1	C12-C07	4.62	1.58	1.52
13	5	601	BQ1	C12-C07	4.59	1.58	1.52
13	6	601	BQ1	O03-C17	4.53	1.42	1.35
13	9	601	BQ1	C12-C07	4.40	1.58	1.52
13	7	601	BQ1	C12-C07	4.37	1.58	1.52
13	4	601	BQ1	C12-C07	4.34	1.58	1.52
13	9	601	BQ1	O03-C17	4.33	1.41	1.35
13	8	601	BQ1	O03-C17	4.32	1.41	1.35
13	4	601	BQ1	O03-C17	4.32	1.41	1.35
13	8	601	BQ1	C12-C07	4.29	1.58	1.52
13	1	601	BQ1	C22-C24	-4.23	1.35	1.42
13	5	601	BQ1	O03-C17	4.17	1.41	1.35
13	9	601	BQ1	O02-C06	-4.13	1.36	1.43
13	6	601	BQ1	O02-C06	-4.05	1.36	1.43
13	8	601	BQ1	O02-C06	-3.98	1.36	1.43
13	6	601	BQ1	C22-C24	-3.89	1.36	1.42
13	5	601	BQ1	O02-C06	-3.86	1.37	1.43
13	7	601	BQ1	C22-C24	-3.77	1.36	1.42
13	4	601	BQ1	O02-C06	-3.76	1.37	1.43
13	1	601	BQ1	O03-C17	3.75	1.41	1.35
13	5	601	BQ1	C22-C24	-3.65	1.36	1.42
13	1	601	BQ1	O02-C06	-3.64	1.37	1.43
13	4	601	BQ1	C22-C24	-3.59	1.36	1.42
13	8	601	BQ1	C08-C11	3.58	1.58	1.53
13	9	601	BQ1	C22-C24	-3.55	1.36	1.42
13	8	601	BQ1	C22-C24	-3.52	1.36	1.42
13	7	601	BQ1	O02-C06	-3.45	1.37	1.43
13	4	601	BQ1	C13-C16	-3.18	1.37	1.43
13	8	601	BQ1	C13-C16	-3.13	1.37	1.43
13	5	601	BQ1	C13-C16	-3.12	1.37	1.43
13	1	601	BQ1	C13-C16	-3.12	1.37	1.43
13	1	601	BQ1	C08-C11	3.08	1.57	1.53
13	6	601	BQ1	C13-C16	-3.06	1.37	1.43
13	9	601	BQ1	C13-C16	-3.02	1.37	1.43
13	7	601	BQ1	C13-C16	-2.89	1.37	1.43
13	5	601	BQ1	C08-C11	2.81	1.57	1.53
13	9	601	BQ1	C33-C35	2.78	1.41	1.36
13	9	601	BQ1	C08-C11	2.75	1.57	1.53
13	9	601	BQ1	C15-C10	2.71	1.41	1.36
13	5	601	BQ1	C33-C35	2.66	1.40	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	8	601	BQ1	C33-C35	2.64	1.40	1.36
13	6	601	BQ1	C33-C35	2.61	1.40	1.36
13	1	601	BQ1	C33-C35	2.58	1.40	1.36
13	5	601	BQ1	C15-C10	2.50	1.40	1.36
13	6	601	BQ1	C15-C10	2.42	1.40	1.36
13	1	601	BQ1	C15-C10	2.38	1.40	1.36
13	4	601	BQ1	C08-C11	2.37	1.56	1.53
13	7	601	BQ1	C33-C35	2.36	1.40	1.36
13	4	601	BQ1	C33-C35	2.32	1.40	1.36
13	6	601	BQ1	C08-C11	2.32	1.56	1.53
13	7	601	BQ1	C15-C10	2.31	1.40	1.36
13	8	601	BQ1	C15-C10	2.29	1.40	1.36
9	B	600	ATP	C5-C4	2.28	1.47	1.40
13	5	601	BQ1	BR-C35	2.23	1.94	1.90
11	E	600	ADP	C5-C4	2.22	1.46	1.40
13	7	601	BQ1	BR-C35	2.20	1.94	1.90
13	4	601	BQ1	BR-C35	2.20	1.94	1.90
13	8	601	BQ1	BR-C35	2.18	1.94	1.90
9	C	600	ATP	C5-C4	2.16	1.46	1.40
13	9	601	BQ1	BR-C35	2.16	1.94	1.90
13	8	601	BQ1	C34-C24	2.14	1.45	1.41
13	6	601	BQ1	BR-C35	2.12	1.94	1.90
13	4	601	BQ1	C15-C10	2.10	1.40	1.36
13	1	601	BQ1	BR-C35	2.08	1.94	1.90
13	4	601	BQ1	C34-C24	2.07	1.45	1.41
9	A	600	ATP	C5-C4	2.05	1.46	1.40
13	4	601	BQ1	C34-C36	2.01	1.40	1.36
13	5	601	BQ1	C15-C22	2.00	1.46	1.42

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	1	601	BQ1	C37-O03-C17	-6.50	110.77	117.21
13	7	601	BQ1	C10-C17-N05	-4.84	120.95	125.70
9	C	600	ATP	PB-O3B-PG	-4.82	116.27	132.83
9	B	600	ATP	PB-O3B-PG	-4.51	117.34	132.83
9	C	600	ATP	PA-O3A-PB	-4.26	118.21	132.83
9	A	600	ATP	PA-O3A-PB	-4.24	118.28	132.83
9	B	600	ATP	PA-O3A-PB	-4.06	118.89	132.83
13	6	601	BQ1	C10-C17-N05	-4.05	121.73	125.70
9	A	600	ATP	PB-O3B-PG	-4.02	119.02	132.83
11	E	600	ADP	PA-O3A-PB	-3.99	119.13	132.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	4	601	BQ1	C10-C17-N05	-3.93	121.84	125.70
13	8	601	BQ1	C10-C17-N05	-3.72	122.05	125.70
13	5	601	BQ1	C10-C17-N05	-3.72	122.06	125.70
13	9	601	BQ1	C37-O03-C17	-3.66	113.58	117.21
13	9	601	BQ1	C10-C17-N05	-3.65	122.12	125.70
13	7	601	BQ1	C08-C11-N04	-3.44	103.91	112.64
9	B	600	ATP	N3-C2-N1	-3.34	123.45	128.68
9	A	600	ATP	N3-C2-N1	-3.34	123.46	128.68
9	C	600	ATP	N3-C2-N1	-3.33	123.47	128.68
11	E	600	ADP	N3-C2-N1	-3.32	123.48	128.68
13	5	601	BQ1	C37-O03-C17	-3.11	114.14	117.21
13	1	601	BQ1	C10-C17-N05	-3.06	122.70	125.70
13	4	601	BQ1	C37-O03-C17	-3.00	114.24	117.21
13	9	601	BQ1	O03-C17-C10	2.89	119.49	115.03
13	4	601	BQ1	C12-C07-C10	-2.88	106.18	111.34
9	B	600	ATP	C3'-C2'-C1'	2.83	105.24	100.98
13	8	601	BQ1	C14-C09-C06	-2.76	116.46	120.35
13	8	601	BQ1	C12-C07-C10	-2.75	106.41	111.34
13	7	601	BQ1	C09-C06-C07	2.74	114.84	110.71
13	7	601	BQ1	O03-C17-C10	2.72	119.23	115.03
13	1	601	BQ1	O03-C17-C10	2.72	119.22	115.03
13	5	601	BQ1	O03-C17-C10	2.68	119.17	115.03
13	4	601	BQ1	C09-C06-C07	2.65	114.71	110.71
13	5	601	BQ1	C14-C09-C06	-2.62	116.66	120.35
13	6	601	BQ1	C21-C13-C09	-2.60	120.01	124.57
9	A	600	ATP	N6-C6-N1	2.55	123.87	118.57
13	9	601	BQ1	C14-C09-C06	-2.54	116.76	120.35
13	4	601	BQ1	C14-C09-C06	-2.54	116.77	120.35
13	6	601	BQ1	C14-C09-C06	-2.44	116.91	120.35
13	4	601	BQ1	C08-C11-N04	-2.43	106.46	112.64
13	1	601	BQ1	C12-C07-C10	-2.40	107.04	111.34
13	4	601	BQ1	O03-C17-C10	2.36	118.68	115.03
13	6	601	BQ1	C37-O03-C17	-2.35	114.88	117.21
13	6	601	BQ1	O03-C17-C10	2.31	118.60	115.03
13	7	601	BQ1	C14-C09-C06	-2.26	117.16	120.35
11	E	600	ADP	C4-C5-N7	-2.25	107.05	109.40
13	6	601	BQ1	C09-C06-C07	2.25	114.10	110.71
13	5	601	BQ1	C36-C35-C33	-2.24	118.86	121.99
13	7	601	BQ1	C36-C35-C33	-2.24	118.87	121.99
9	C	600	ATP	N6-C6-N1	2.24	123.22	118.57
13	4	601	BQ1	C36-C35-C33	-2.19	118.93	121.99
13	1	601	BQ1	C14-C09-C06	-2.19	117.27	120.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	5	601	BQ1	C17-N05-C24	2.18	121.25	116.41
13	8	601	BQ1	C17-N05-C24	2.18	121.24	116.41
13	7	601	BQ1	C15-C10-C17	2.17	118.84	116.37
13	7	601	BQ1	C17-N05-C24	2.17	121.22	116.41
11	E	600	ADP	C3'-C2'-C1'	2.14	104.20	100.98
13	7	601	BQ1	C33-C22-C24	2.12	121.05	118.27
13	1	601	BQ1	C17-N05-C24	2.12	121.11	116.41
13	4	601	BQ1	C17-N05-C24	2.08	121.03	116.41
13	9	601	BQ1	C17-N05-C24	2.08	121.02	116.41
13	6	601	BQ1	C17-N05-C24	2.05	120.96	116.41
13	9	601	BQ1	C27-C16-C23	-2.03	118.43	123.19
13	5	601	BQ1	C12-C07-C10	-2.02	107.72	111.34
11	E	600	ADP	N6-C6-N1	2.01	122.74	118.57
13	1	601	BQ1	C21-C13-C09	-2.01	121.05	124.57

There are no chirality outliers.

All (64) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	600	ATP	C5'-O5'-PA-O2A
9	A	600	ATP	C5'-O5'-PA-O3A
9	B	600	ATP	PB-O3B-PG-O3G
9	C	600	ATP	C5'-O5'-PA-O2A
9	C	600	ATP	C5'-O5'-PA-O3A
11	E	600	ADP	PA-O3A-PB-O2B
11	E	600	ADP	PA-O3A-PB-O3B
11	E	600	ADP	C5'-O5'-PA-O1A
13	1	601	BQ1	N05-C17-O03-C37
13	1	601	BQ1	C10-C17-O03-C37
13	1	601	BQ1	O02-C06-C07-C10
13	1	601	BQ1	O02-C06-C07-C12
13	1	601	BQ1	C08-C06-C07-C10
13	1	601	BQ1	C08-C06-C07-C12
13	1	601	BQ1	C09-C06-C07-C10
13	1	601	BQ1	C09-C06-C07-C12
13	1	601	BQ1	O02-C06-C08-C11
13	1	601	BQ1	C09-C06-C08-C11
13	4	601	BQ1	C06-C07-C12-C19
13	4	601	BQ1	C06-C08-C11-N04
13	5	601	BQ1	O02-C06-C08-C11
13	5	601	BQ1	C09-C06-C08-C11
13	6	601	BQ1	C09-C06-C08-C11

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
13	6	601	BQ1	C06-C07-C12-C18
13	6	601	BQ1	C06-C07-C12-C19
13	7	601	BQ1	C10-C17-O03-C37
13	7	601	BQ1	C06-C07-C12-C19
13	8	601	BQ1	O02-C06-C08-C11
13	8	601	BQ1	C09-C06-C08-C11
13	8	601	BQ1	C06-C07-C12-C18
13	8	601	BQ1	C06-C07-C12-C19
13	9	601	BQ1	N05-C17-O03-C37
13	9	601	BQ1	C10-C17-O03-C37
13	7	601	BQ1	N05-C17-O03-C37
13	4	601	BQ1	C08-C11-N04-C25
13	4	601	BQ1	C08-C11-N04-C26
13	7	601	BQ1	C08-C11-N04-C25
13	7	601	BQ1	C08-C11-N04-C26
13	1	601	BQ1	C07-C06-C08-C11
13	4	601	BQ1	C06-C07-C12-C18
13	5	601	BQ1	C07-C06-C08-C11
13	6	601	BQ1	C07-C06-C08-C11
13	7	601	BQ1	C06-C07-C12-C18
13	8	601	BQ1	C07-C06-C08-C11
11	E	600	ADP	C5'-O5'-PA-O3A
9	B	600	ATP	PA-O3A-PB-O2B
13	4	601	BQ1	C12-C07-C10-C17
13	5	601	BQ1	C12-C07-C10-C17
13	6	601	BQ1	O02-C06-C08-C11
13	6	601	BQ1	C12-C07-C10-C17
13	8	601	BQ1	N05-C17-O03-C37
13	8	601	BQ1	C10-C17-O03-C37
9	B	600	ATP	PB-O3B-PG-O1G
11	E	600	ADP	PA-O3A-PB-O1B
9	B	600	ATP	PB-O3B-PG-O2G
9	B	600	ATP	C5'-O5'-PA-O3A
11	E	600	ADP	O4'-C4'-C5'-O5'
9	B	600	ATP	PA-O3A-PB-O1B
13	4	601	BQ1	C12-C07-C10-C15
13	5	601	BQ1	C12-C07-C10-C15
13	6	601	BQ1	C12-C07-C10-C15
9	B	600	ATP	C5'-O5'-PA-O2A
11	E	600	ADP	C5'-O5'-PA-O2A
13	7	601	BQ1	C12-C07-C10-C17


There are no ring outliers.


11 monomers are involved in 33 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	600	ATP	1	0
13	6	601	BQ1	4	0
13	4	601	BQ1	3	0
13	1	601	BQ1	4	0
12	F	600	PO4	4	0
13	9	601	BQ1	3	0
11	E	600	ADP	1	0
13	5	601	BQ1	2	0
13	7	601	BQ1	3	0
13	8	601	BQ1	7	0
9	A	600	ATP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-22316. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 157




Y Index: 165




Z Index: 199


6.3.2 Raw map



X Index: 156



Y Index: 162




Z Index: 205


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.95. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_22316_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 200 nm^3 ; this corresponds to an approximate mass of 181 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	3.15	3.54	3.22
Unmasked-calculated*	3.91	6.59	4.01

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.91 differs from the reported value 3.2 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-22316 and PDB model 7JGA. Per-residue inclusion information can be found in section 3 on page 9.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.95 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.95).











































9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.95) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7160	 0.4380
1	 0.4310	 0.2440
2	 0.5530	 0.3120
3	 0.6300	 0.3560
4	 0.5740	 0.3400
5	 0.5340	 0.3060
6	 0.4290	 0.2710
7	 0.4350	 0.2620
8	 0.4560	 0.2500
9	 0.3980	 0.2330
A	 0.8020	 0.4950
B	 0.8040	 0.4910
C	 0.8050	 0.4980
D	 0.8200	 0.5020
E	 0.8070	 0.5000
F	 0.8070	 0.5010
G	 0.7700	 0.4770
H	 0.7570	 0.4600
a	 0.3730	 0.2310
b	 0.4850	 0.2990
d	 0.6480	 0.3870

