



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 25, 2020 – 02:24 PM BST

PDB ID : 2JHE  
Title : N-terminal domain of TyrR transcription factor (residues 1 - 190)  
Authors : Verger, D.; Carr, P.D.; Kwok, T.; Ollis, D.L.  
Deposited on : 2007-02-21  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	190	 17% 66% 27% 6% ..
1	B	190	 9% 68% 24% 7% ..
1	C	190	 23% 65% 25% 7% ..
1	D	190	 15% 68% 26% 5% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PG4	C	1189	-	-	X	-

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 5900 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TRANSCRIPTION REGULATOR TYRR.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	189	Total 1398	C 885	N 247	O 257	S 9	0	0	0
1	B	189	Total 1468	C 927	N 257	O 275	S 9	0	0	0
1	C	187	Total 1433	C 901	N 254	O 269	S 9	0	0	0
1	D	189	Total 1417	C 892	N 249	O 267	S 9	0	0	0

- Molecule 2 is 2-(2-ETHOXYETHOXY)ETHANOL (three-letter code: AE3) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 9	C 6	O 3	0	0

- Molecule 3 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			12	8	4		
3	C	1	Total	C	O	0	0
			12	8	4		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
5	A	43	Total 43	O 43	0	0
5	B	48	Total 48	O 48	0	0
5	C	35	Total 35	O 35	0	0
5	D	20	Total 20	O 20	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: TRANSCRIPTION REGULATOR TYRR



- Molecule 1: TRANSCRIPTION REGULATOR TYRR




- Molecule 1: TRANSCRIPTION REGULATOR TYRR



## ● Molecule 1: TRANSCRIPTION REGULATOR TYRR

Chain D: 





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	134.46Å 72.01Å 96.81Å 90.00° 98.46° 90.00°	Depositor
Resolution (Å)	24.40 – 2.30 24.31 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.2 (24.40-2.30) 98.2 (24.31-2.30)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.00 (at 2.31Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.248 , 0.317 0.249 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	39.9	Xtrriage
Anisotropy	0.484	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 47.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	5900	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.12% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: AE3, PG4, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.97	1/1421 (0.1%)	0.92	5/1935 (0.3%)
1	B	0.97	2/1494 (0.1%)	1.02	7/2028 (0.3%)
1	C	0.79	0/1456	0.92	1/1977 (0.1%)
1	D	0.77	1/1441 (0.1%)	0.88	0/1962
All	All	0.88	4/5812 (0.1%)	0.94	13/7902 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	2
1	D	0	3
All	All	0	6

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	176	THR	C-N	22.68	1.86	1.34
1	B	176	THR	C-N	12.71	1.63	1.34
1	B	49	GLU	CG-CD	6.59	1.61	1.51
1	D	176	THR	C-N	-5.90	1.20	1.34

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	176	THR	O-C-N	-10.97	105.14	122.70
1	B	176	THR	CA-C-N	7.68	134.10	117.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	59	ARG	NE-CZ-NH1	-6.73	116.94	120.30
1	B	67	VAL	CB-CA-C	-6.66	98.74	111.40
1	B	59	ARG	NE-CZ-NH2	6.58	123.59	120.30
1	A	2	ARG	NE-CZ-NH1	6.33	123.47	120.30
1	A	10	ARG	NE-CZ-NH2	-5.91	117.34	120.30
1	A	10	ARG	NE-CZ-NH1	5.68	123.14	120.30
1	B	2	ARG	NE-CZ-NH1	5.28	122.94	120.30
1	A	67	VAL	CB-CA-C	-5.28	101.38	111.40
1	C	10	ARG	NE-CZ-NH1	5.19	122.89	120.30
1	B	94	LEU	CA-CB-CG	5.13	127.10	115.30
1	A	80	LEU	CB-CG-CD1	5.10	119.67	111.00

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	166	LEU	Peptide
1	C	176	THR	Mainchain
1	C	78	GLU	Peptide
1	D	165	TYR	Peptide
1	D	176	THR	Mainchain
1	D	49	GLU	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1398	0	1329	54	0
1	B	1468	0	1423	41	2
1	C	1433	0	1389	73	1
1	D	1417	0	1342	41	1
2	A	9	0	14	1	0
3	A	12	0	15	5	0
3	C	12	0	15	9	0
4	B	5	0	0	0	0
5	A	43	0	0	0	0
5	B	48	0	0	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	35	0	0	2	0
5	D	20	0	0	0	0
All	All	5900	0	5527	195	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (195) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:176:THR:CG2	1:C:180:VAL:HG23	1.31	1.54
1:C:176:THR:CG2	1:C:180:VAL:CG2	1.94	1.43
1:C:176:THR:HG21	1:C:180:VAL:CG2	1.54	1.33
1:A:176:THR:C	1:A:178:ALA:N	1.86	1.28
1:B:1:MET:CE	1:B:46:LEU:HB2	1.72	1.19
1:C:14:THR:H	3:C:1189:PG4:H42	1.12	1.14
1:C:176:THR:HG23	1:C:180:VAL:HG23	1.15	1.11
1:D:96:VAL:O	1:D:169:GLU:HB2	1.49	1.09
1:C:14:THR:HB	3:C:1189:PG4:H31	1.31	1.06
1:B:1:MET:HE1	1:B:46:LEU:CB	1.86	1.04
1:A:94:LEU:HD12	1:A:172:GLN:HE22	1.21	1.02
1:B:96:VAL:O	1:B:169:GLU:CB	2.09	1.00
1:C:176:THR:HG21	1:C:180:VAL:HG23	1.03	0.98
1:C:176:THR:CG2	1:C:180:VAL:HG21	1.95	0.95
1:C:10:ARG:O	3:C:1189:PG4:H51	1.69	0.92
1:C:176:THR:HG23	1:C:180:VAL:CG2	1.79	0.92
1:C:83:SER:O	1:C:87:GLU:HG2	1.69	0.91
1:B:1:MET:HE1	1:B:46:LEU:HB2	0.92	0.91
1:C:176:THR:HG21	1:C:180:VAL:HG21	1.51	0.89
1:B:115:GLN:HE22	1:B:123:HIS:CE1	1.92	0.88
1:B:92:PRO:HB2	1:B:174:VAL:HG22	1.55	0.86
1:A:94:LEU:CD1	1:A:172:GLN:HE22	1.90	0.84
1:D:180:VAL:HG22	1:D:183:ARG:HH12	1.42	0.84
1:A:94:LEU:O	1:A:172:GLN:NE2	2.11	0.84
1:C:92:PRO:HB2	1:C:174:VAL:CG2	2.08	0.84
1:D:168:ASP:O	1:D:169:GLU:HB3	1.77	0.83
1:D:92:PRO:HB2	1:D:174:VAL:HG22	1.61	0.82
1:C:3:LEU:HD21	1:C:51:PHE:HE1	1.44	0.82
1:D:49:GLU:O	1:D:49:GLU:HG2	1.81	0.81
1:C:90:PRO:HD3	1:D:162:THR:HG21	1.62	0.81
1:C:92:PRO:HB2	1:C:174:VAL:HG22	1.61	0.81

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:3:LEU:HD21	1:C:51:PHE:CE1	2.18	0.79
1:A:94:LEU:HD12	1:A:172:GLN:NE2	1.97	0.79
1:C:181:MET:O	1:C:185:THR:HG23	1.82	0.78
1:C:78:GLU:HA	1:C:81:ALA:H	1.48	0.78
1:A:2:ARG:HD2	1:A:72:TRP:HA	1.65	0.76
1:A:160:GLU:O	1:A:172:GLN:HB2	1.84	0.76
1:C:176:THR:HG23	1:C:180:VAL:CB	2.14	0.76
1:A:94:LEU:CD1	1:A:172:GLN:NE2	2.49	0.75
1:B:118:ASP:HB2	5:B:2028:HOH:O	1.85	0.75
1:B:20:LEU:HD11	1:B:57:GLU:OE1	1.86	0.74
1:A:2:ARG:HD3	1:A:76:GLU:OE1	1.88	0.74
1:C:115:GLN:HE22	1:C:123:HIS:CD2	2.07	0.73
1:A:157:PHE:CD2	1:A:174:VAL:HG12	2.24	0.72
1:C:45:GLU:HG3	1:C:45:GLU:O	1.88	0.72
1:D:28:LEU:HD11	1:D:31:ILE:HG22	1.71	0.72
1:A:109:SER:O	1:A:113:PHE:HD2	1.72	0.71
1:C:33:ILE:HD13	1:D:28:LEU:HD23	1.73	0.71
1:B:1:MET:HE3	1:B:43:PHE:HE1	1.55	0.70
1:A:173:HIS:NE2	1:B:89:LEU:HD22	2.07	0.70
1:D:31:ILE:HD11	1:D:33:ILE:HG13	1.74	0.69
1:C:14:THR:H	3:C:1189:PG4:C4	2.00	0.69
1:A:96:VAL:O	1:A:169:GLU:CB	2.42	0.68
1:C:10:ARG:HB3	1:C:10:ARG:HH11	1.58	0.68
1:D:13:LEU:HD13	1:D:39:ILE:HD12	1.75	0.67
1:B:119:ARG:NH2	5:B:2029:HOH:O	2.27	0.67
1:D:51:PHE:O	1:D:55:MET:HG2	1.95	0.67
1:D:47:GLU:C	1:D:49:GLU:H	1.97	0.67
1:C:96:VAL:O	1:C:169:GLU:CB	2.42	0.67
1:D:31:ILE:CD1	1:D:39:ILE:HG23	2.25	0.67
1:A:94:LEU:HD12	1:A:94:LEU:O	1.97	0.65
1:B:1:MET:CE	1:B:43:PHE:HE1	2.09	0.65
1:D:47:GLU:O	1:D:49:GLU:N	2.30	0.64
1:B:115:GLN:HE22	1:B:123:HIS:HE1	1.46	0.63
1:C:79:HIS:HB2	1:D:79:HIS:HA	1.80	0.63
1:A:180:VAL:HG11	3:A:1192:PG4:H22	1.82	0.62
1:C:78:GLU:OE1	1:C:78:GLU:N	2.33	0.62
1:A:10:ARG:CG	1:A:13:LEU:HD12	2.29	0.61
1:A:180:VAL:HG11	3:A:1192:PG4:C2	2.30	0.61
1:D:180:VAL:HG22	1:D:183:ARG:NH1	2.12	0.61
1:C:12:GLY:H	3:C:1189:PG4:C1	2.14	0.61
1:C:173:HIS:CD2	5:C:2034:HOH:O	2.52	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1192:PG4:H42	1:B:160:GLU:OE2	2.01	0.61
1:A:157:PHE:CD2	1:A:174:VAL:CG1	2.83	0.61
1:D:168:ASP:O	1:D:169:GLU:CB	2.49	0.61
1:C:51:PHE:CZ	1:C:55:MET:SD	2.94	0.60
1:A:94:LEU:HD12	1:A:94:LEU:C	2.21	0.60
1:C:14:THR:N	3:C:1189:PG4:H42	1.98	0.60
1:A:173:HIS:CE1	1:B:89:LEU:HD22	2.37	0.59
1:C:10:ARG:CB	1:C:10:ARG:HH11	2.15	0.59
1:A:14:THR:HG22	1:B:18:LEU:HD21	1.85	0.59
1:C:77:ARG:HD3	1:C:78:GLU:HB2	1.85	0.58
1:A:72:TRP:NE1	1:A:77:ARG:HG3	2.17	0.58
1:D:137:TRP:O	1:D:140:SER:HB3	2.03	0.58
1:A:2:ARG:CD	1:A:76:GLU:OE1	2.51	0.58
1:A:113:PHE:HB2	1:A:120:LEU:HD11	1.86	0.57
1:C:10:ARG:CG	1:C:10:ARG:HH11	2.16	0.57
1:C:82:LEU:HB3	1:D:82:LEU:HD23	1.87	0.57
1:C:5:VAL:HG22	1:C:67:VAL:HG13	1.87	0.56
1:C:24:ARG:HB2	1:C:26:ILE:HD12	1.87	0.56
1:A:10:ARG:HD3	1:A:62:ALA:O	2.04	0.56
1:D:24:ARG:NH2	1:D:57:GLU:OE1	2.37	0.56
1:C:44:ALA:O	1:C:46:LEU:N	2.38	0.55
1:C:100:SER:OG	1:C:124:THR:HG23	2.07	0.55
1:A:168:ASP:O	1:A:169:GLU:CB	2.55	0.55
1:B:167:GLN:NE2	1:B:169:GLU:O	2.40	0.55
1:D:47:GLU:C	1:D:49:GLU:N	2.60	0.55
1:B:137:TRP:CZ3	1:B:161:ILE:HG12	2.42	0.55
1:B:91:GLU:OE1	1:B:175:LEU:HD12	2.07	0.54
1:C:176:THR:CG2	1:C:180:VAL:CB	2.74	0.54
1:A:89:LEU:HD12	1:A:93:VAL:HG21	1.90	0.54
1:B:97:ASP:HA	1:B:169:GLU:CB	2.38	0.54
1:C:176:THR:HG23	1:C:180:VAL:HB	1.90	0.54
1:A:151:VAL:HA	1:A:155:GLN:O	2.08	0.53
1:C:124:THR:HG22	1:C:126:ALA:H	1.73	0.53
1:B:168:ASP:O	1:B:169:GLU:CB	2.56	0.53
1:C:95:SER:HB3	1:D:85:LEU:HD12	1.90	0.53
1:A:109:SER:O	1:A:113:PHE:CD2	2.57	0.53
1:C:12:GLY:N	3:C:1189:PG4:H41	2.24	0.53
1:A:176:THR:H	3:A:1192:PG4:C1	2.22	0.52
1:A:89:LEU:CD1	1:A:93:VAL:HG21	2.40	0.52
1:C:173:HIS:HD2	5:C:2034:HOH:O	1.88	0.52
1:C:2:ARG:HB3	1:C:70:VAL:HG12	1.92	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:ARG:HA	1:B:41:LEU:O	2.10	0.51
1:A:10:ARG:HG2	1:A:13:LEU:HD12	1.92	0.51
1:B:92:PRO:HB2	1:B:174:VAL:CG2	2.33	0.51
1:A:179:VAL:O	1:A:183:ARG:HG3	2.11	0.50
1:A:97:ASP:HA	1:A:169:GLU:CB	2.42	0.50
1:A:20:LEU:HD21	1:A:57:GLU:HG2	1.93	0.50
1:B:1:MET:HE3	1:B:43:PHE:CE1	2.43	0.50
1:A:112:LEU:HD11	1:A:157:PHE:HZ	1.77	0.50
1:C:19:ASP:OD1	1:D:15:ARG:HD3	2.12	0.50
1:A:176:THR:O	1:A:181:MET:HG3	2.13	0.49
1:C:78:GLU:OE1	1:C:78:GLU:CA	2.59	0.49
1:B:165:TYR:HB3	1:B:168:ASP:OD2	2.12	0.49
1:A:180:VAL:HG11	3:A:1192:PG4:O2	2.13	0.48
1:B:34:ASP:HB3	1:B:38:ARG:HB2	1.93	0.48
1:C:33:ILE:CD1	1:D:28:LEU:HD23	2.41	0.48
1:B:115:GLN:HB2	1:B:120:LEU:HD13	1.96	0.48
1:D:97:ASP:HA	1:D:169:GLU:HB3	1.95	0.48
1:C:78:GLU:HG3	1:C:81:ALA:HB2	1.95	0.48
1:D:2:ARG:HD3	1:D:73:MET:HG2	1.95	0.48
1:B:147:ASN:HA	1:B:159:MET:O	2.14	0.48
1:C:51:PHE:CE2	1:C:55:MET:SD	3.06	0.48
1:D:31:ILE:HD11	1:D:33:ILE:CG1	2.40	0.48
1:C:10:ARG:HG2	1:C:10:ARG:HH11	1.78	0.47
1:D:164:VAL:HG23	1:D:170:ASN:HA	1.97	0.47
1:B:181:MET:O	1:B:185:THR:OG1	2.31	0.47
1:B:53:SER:O	1:B:57:GLU:HG3	2.15	0.47
1:C:1:MET:HG3	1:C:2:ARG:N	2.29	0.47
1:C:18:LEU:HD11	1:D:18:LEU:HD23	1.97	0.46
1:C:176:THR:HG22	1:C:180:VAL:HG21	1.92	0.46
1:A:15:ARG:HD3	1:B:19:ASP:OD1	2.16	0.46
1:B:27:ASP:HB3	1:B:44:ALA:HB3	1.98	0.46
1:C:78:GLU:HA	1:C:81:ALA:N	2.25	0.46
1:A:34:ASP:HA	1:A:35:PRO:HD2	1.69	0.46
1:C:115:GLN:HB2	1:C:120:LEU:HD13	1.97	0.46
1:D:146:HIS:NE2	1:D:148:GLU:OE1	2.34	0.45
1:D:71:PRO:HB2	1:D:72:TRP:CD1	2.52	0.45
1:D:97:ASP:HA	1:D:169:GLU:CB	2.47	0.45
1:D:31:ILE:HD11	1:D:33:ILE:CD1	2.47	0.45
1:B:1:MET:HB3	1:B:43:PHE:CE1	2.51	0.45
1:C:3:LEU:HD12	1:C:43:PHE:HZ	1.80	0.44
1:D:7:CYS:HB2	1:D:13:LEU:HD11	1.98	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:85:LEU:HD23	1:D:85:LEU:C	2.38	0.44
1:A:4:GLU:OE1	1:A:68:ARG:NH2	2.45	0.44
1:C:168:ASP:O	1:C:169:GLU:CB	2.64	0.44
1:C:17:LEU:O	1:C:21:LEU:HG	2.17	0.44
1:A:146:HIS:HB3	1:A:161:ILE:CG2	2.47	0.44
1:B:4:GLU:OE2	1:B:38:ARG:HD3	2.18	0.44
1:A:92:PRO:HB2	1:A:174:VAL:HB	2.00	0.43
1:A:72:TRP:CE2	1:A:77:ARG:HG3	2.53	0.43
1:C:162:THR:O	1:C:170:ASN:HA	2.19	0.43
1:C:46:LEU:HD11	1:C:50:SER:HB2	2.01	0.43
1:C:76:GLU:HA	1:C:79:HIS:CE1	2.53	0.43
1:A:166:LEU:HB3	1:A:167:GLN:H	1.61	0.43
1:B:24:ARG:HB2	1:B:26:ILE:HD12	2.00	0.43
1:B:53:SER:O	1:B:57:GLU:CG	2.67	0.43
1:C:12:GLY:H	3:C:1189:PG4:H41	1.84	0.43
1:C:115:GLN:NE2	1:C:123:HIS:CD2	2.83	0.43
1:A:48:PHE:O	1:A:51:PHE:HB3	2.18	0.43
1:A:157:PHE:HB3	1:A:174:VAL:HG13	2.01	0.43
1:B:123:HIS:HA	1:B:127:GLN:NE2	2.33	0.43
1:A:112:LEU:HD11	1:A:157:PHE:CZ	2.53	0.42
1:A:10:ARG:HG3	1:A:13:LEU:HD12	1.99	0.42
1:A:173:HIS:NE2	1:B:89:LEU:CD2	2.79	0.42
1:A:1:MET:HG3	1:A:2:ARG:N	2.34	0.42
1:C:14:THR:HB	3:C:1189:PG4:C3	2.23	0.42
1:D:110:CYS:HB3	1:D:115:GLN:O	2.20	0.41
1:D:46:LEU:O	1:D:47:GLU:C	2.58	0.41
1:A:39:ILE:HD11	2:A:1191:AE3:H3C1	2.02	0.41
1:C:31:ILE:HA	1:C:40:TYR:O	2.20	0.41
1:D:137:TRP:CZ3	1:D:161:ILE:HG12	2.55	0.41
1:C:107:PRO:O	1:C:111:GLN:HG2	2.19	0.41
1:C:171:ASP:HB3	1:D:85:LEU:HG	2.01	0.41
1:A:146:HIS:HB3	1:A:161:ILE:HG22	2.03	0.41
1:B:47:GLU:H	1:B:47:GLU:HG3	1.65	0.41
1:C:176:THR:HG23	1:C:180:VAL:H	1.86	0.41
1:D:58:ILE:CG2	1:D:67:VAL:HG21	2.51	0.41
1:D:58:ILE:HG22	1:D:67:VAL:HG21	2.03	0.41
1:C:96:VAL:HA	1:C:101:LYS:O	2.22	0.40
1:B:29:ARG:HA	1:B:29:ARG:HD3	1.88	0.40
1:A:85:LEU:C	1:A:85:LEU:HD12	2.42	0.40
1:B:165:TYR:CG	1:B:166:LEU:N	2.89	0.40
1:C:2:ARG:HA	1:C:41:LEU:O	2.22	0.40



All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:36:ILE:O	1:D:133:ASN:ND2[4_556]	1.87	0.33
1:B:59:ARG:NH1	1:C:49:GLU:OE1[1_554]	2.04	0.16

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	187/190 (98%)	170 (91%)	13 (7%)	4 (2%)	7	5
1	B	187/190 (98%)	178 (95%)	6 (3%)	3 (2%)	9	9
1	C	185/190 (97%)	169 (91%)	11 (6%)	5 (3%)	5	3
1	D	187/190 (98%)	175 (94%)	5 (3%)	7 (4%)	3	2
All	All	746/760 (98%)	692 (93%)	35 (5%)	19 (2%)	5	4

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	169	GLU
1	B	167	GLN
1	B	169	GLU
1	C	45	GLU
1	C	169	GLU
1	D	49	GLU
1	D	169	GLU
1	A	165	TYR
1	A	189	GLY
1	D	45	GLU
1	D	47	GLU
1	D	48	PHE
1	D	153	ASN
1	C	77	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	187	ARG
1	A	187	ARG
1	C	44	ALA
1	D	167	GLN
1	B	37	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	139/169 (82%)	119 (86%)	20 (14%)	3	3
1	B	155/169 (92%)	136 (88%)	19 (12%)	4	5
1	C	151/169 (89%)	136 (90%)	15 (10%)	8	9
1	D	144/169 (85%)	126 (88%)	18 (12%)	4	5
All	All	589/676 (87%)	517 (88%)	72 (12%)	5	5

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	GLU
1	A	10	ARG
1	A	11	LEU
1	A	46	LEU
1	A	67	VAL
1	A	70	VAL
1	A	80	LEU
1	A	82	LEU
1	A	85	LEU
1	A	109	SER
1	A	112	LEU
1	A	118	ASP
1	A	120	LEU
1	A	140	SER
1	A	151	VAL
1	A	158	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	171	ASP
1	A	172	GLN
1	A	180	VAL
1	A	185	THR
1	B	1	MET
1	B	9	ASP
1	B	10	ARG
1	B	17	LEU
1	B	46	LEU
1	B	47	GLU
1	B	48	PHE
1	B	57	GLU
1	B	104	MET
1	B	118	ASP
1	B	119	ARG
1	B	120	LEU
1	B	135	LEU
1	B	138	LEU
1	B	140	SER
1	B	156	ASN
1	B	166	LEU
1	B	175	LEU
1	B	185	THR
1	C	1	MET
1	C	10	ARG
1	C	17	LEU
1	C	43	PHE
1	C	67	VAL
1	C	69	THR
1	C	70	VAL
1	C	78	GLU
1	C	79	HIS
1	C	83	SER
1	C	87	GLU
1	C	104	MET
1	C	138	LEU
1	C	151	VAL
1	C	173	HIS
1	D	13	LEU
1	D	18	LEU
1	D	20	LEU
1	D	31	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	38	ARG
1	D	52	SER
1	D	70	VAL
1	D	80	LEU
1	D	82	LEU
1	D	104	MET
1	D	111	GLN
1	D	120	LEU
1	D	138	LEU
1	D	139	GLU
1	D	140	SER
1	D	162	THR
1	D	168	ASP
1	D	185	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	122	ASN
1	A	127	GLN
1	A	147	ASN
1	A	172	GLN
1	B	122	ASN
1	B	123	HIS
1	B	127	GLN
1	B	149	HIS
1	B	156	ASN
1	C	79	HIS
1	C	115	GLN
1	C	143	GLN
1	C	153	ASN
1	C	173	HIS
1	D	111	GLN
1	D	167	GLN
1	D	173	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	AE3	A	1191	-	8,8,8	0.74	0	7,7,7	0.53	0
3	PG4	C	1189	-	11,11,12	0.75	0	10,10,11	0.43	0
3	PG4	A	1192	-	11,11,12	0.55	0	10,10,11	0.40	0
4	SO4	B	1191	-	4,4,4	0.32	0	6,6,6	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AE3	A	1191	-	-	6/6/6/6	-
3	PG4	C	1189	-	-	7/9/9/10	-
3	PG4	A	1192	-	-	4/9/9/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1192	PG4	O2-C3-C4-O3
2	A	1191	AE3	O2-C3-C4-O3
3	C	1189	PG4	O2-C3-C4-O3
3	A	1192	PG4	O3-C5-C6-O4
2	A	1191	AE3	O3-C5-C6-O4
3	A	1192	PG4	O4-C7-C8-O5
3	C	1189	PG4	C1-C2-O2-C3
2	A	1191	AE3	C6-C5-O3-C4
3	C	1189	PG4	O4-C7-C8-O5
3	C	1189	PG4	O3-C5-C6-O4
2	A	1191	AE3	C4-C3-O2-C2
3	A	1192	PG4	C4-C3-O2-C2
2	A	1191	AE3	C3-C4-O3-C5
3	C	1189	PG4	C8-C7-O4-C6
3	C	1189	PG4	C4-C3-O2-C2
3	C	1189	PG4	C5-C6-O4-C7
2	A	1191	AE3	C1-C2-O2-C3

There are no ring outliers.

3 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1191	AE3	1	0
3	C	1189	PG4	9	0
3	A	1192	PG4	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	189/190 (99%)	1.08	33 (17%) <b>1</b> <b>1</b>	24, 39, 50, 55	0
1	B	189/190 (99%)	0.77	18 (9%) <b>8</b> <b>11</b>	23, 43, 51, 57	0
1	C	187/190 (98%)	1.08	43 (22%) <b>0</b> <b>1</b>	30, 42, 54, 66	0
1	D	189/190 (99%)	1.03	29 (15%) <b>2</b> <b>3</b>	34, 43, 54, 57	0
All	All	754/760 (99%)	0.99	123 (16%) <b>1</b> <b>2</b>	23, 42, 52, 66	0

All (123) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	166	LEU	10.6
1	D	46	LEU	6.8
1	D	48	PHE	5.6
1	A	154	GLY	5.0
1	A	166	LEU	4.9
1	D	122	ASN	4.7
1	A	189	GLY	4.6
1	C	36	ILE	4.3
1	B	31	ILE	4.3
1	C	142	PRO	4.1
1	A	188	MET	4.1
1	D	119	ARG	3.9
1	C	166	LEU	3.9
1	D	45	GLU	3.9
1	A	110	CYS	3.8
1	C	71	PRO	3.8
1	D	31	ILE	3.7
1	A	39	ILE	3.7
1	B	172	GLN	3.7
1	D	118	ASP	3.7
1	D	50	SER	3.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	31	ILE	3.6
1	C	140	SER	3.6
1	A	190	ARG	3.5
1	A	165	TYR	3.5
1	A	143	GLN	3.4
1	A	187	ARG	3.4
1	A	151	VAL	3.3
1	B	39	ILE	3.3
1	B	41	LEU	3.2
1	C	37	GLY	3.2
1	A	98	MET	3.1
1	B	165	TYR	3.1
1	A	172	GLN	3.1
1	D	171	ASP	3.0
1	C	188	MET	3.0
1	B	5	VAL	3.0
1	C	31	ILE	3.0
1	C	96	VAL	3.0
1	C	77	ARG	3.0
1	C	171	ASP	2.9
1	D	79	HIS	2.9
1	C	18	LEU	2.9
1	A	146	HIS	2.9
1	C	75	SER	2.9
1	D	178	ALA	2.8
1	C	143	GLN	2.8
1	C	165	TYR	2.7
1	C	17	LEU	2.7
1	C	89	LEU	2.7
1	C	172	GLN	2.7
1	D	172	GLN	2.7
1	D	17	LEU	2.7
1	C	129	ILE	2.7
1	C	119	ARG	2.7
1	C	41	LEU	2.7
1	A	47	GLU	2.6
1	B	178	ALA	2.6
1	B	174	VAL	2.6
1	C	78	GLU	2.6
1	C	79	HIS	2.6
1	C	76	GLU	2.6
1	A	41	LEU	2.6

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	114	GLY	2.6
1	C	94	LEU	2.6
1	B	67	VAL	2.5
1	D	111	GLN	2.5
1	A	94	LEU	2.5
1	A	114	GLY	2.5
1	A	141	GLU	2.5
1	D	94	LEU	2.5
1	A	33	ILE	2.5
1	A	137	TRP	2.4
1	D	158	LEU	2.4
1	A	118	ASP	2.4
1	C	9	ASP	2.4
1	C	161	ILE	2.4
1	B	17	LEU	2.4
1	C	28	LEU	2.4
1	D	41	LEU	2.4
1	A	48	PHE	2.4
1	B	164	VAL	2.4
1	B	3	LEU	2.4
1	C	93	VAL	2.4
1	D	165	TYR	2.3
1	C	14	THR	2.3
1	A	9	ASP	2.3
1	B	166	LEU	2.3
1	B	118	ASP	2.3
1	C	174	VAL	2.3
1	D	96	VAL	2.3
1	D	63	GLY	2.3
1	C	85	LEU	2.3
1	A	113	PHE	2.3
1	B	48	PHE	2.3
1	C	122	ASN	2.3
1	C	144	ASP	2.3
1	D	174	VAL	2.3
1	B	128	LEU	2.2
1	B	47	GLU	2.2
1	C	182	LEU	2.2
1	A	164	VAL	2.2
1	C	7	CYS	2.2
1	D	143	GLN	2.2
1	A	93	VAL	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	180	VAL	2.2
1	C	139	GLU	2.2
1	B	93	VAL	2.2
1	D	51	PHE	2.2
1	A	185	THR	2.2
1	A	17	LEU	2.1
1	D	28	LEU	2.1
1	D	120	LEU	2.1
1	D	188	MET	2.1
1	A	173	HIS	2.1
1	D	62	ALA	2.1
1	C	141	GLU	2.1
1	D	115	GLN	2.1
1	C	107	PRO	2.1
1	A	45	GLU	2.1
1	A	144	ASP	2.0
1	C	33	ILE	2.0
1	C	175	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	PG4	C	1189	12/13	0.78	0.26	31,44,60,60	0
3	PG4	A	1192	12/13	0.85	0.29	52,62,70,71	0
2	AE3	A	1191	9/9	0.92	0.16	40,52,53,54	0
4	SO4	B	1191	5/5	0.98	0.17	33,39,43,43	0

## 6.5 Other polymers

There are no such residues in this entry.