



# wwPDB EM Validation Summary Report ⓘ

Oct 23, 2023 – 04:04 PM JST

PDB ID : 8JOV  
EMDB ID : EMD-36463  
Title : Portal-tail complex of phage GP4  
Authors : Liu, H.; Chen, W.  
Deposited on : 2023-06-08  
Resolution : 3.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	781	
1	3	781	
1	6	781	
1	U	781	
1	Y	781	
1	c	781	
1	g	781	
1	k	781	
1	o	781	


























*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	r	781	69%	30%
1	u	781	70%	30%
1	x	781	69%	30%
2	1	439	26%	74%
2	4	439	26%	74%
2	7	439	26%	74%
2	M	439	26%	74%
2	N	439	26%	74%
2	O	439	26%	74%
2	P	439	26%	74%
2	Q	439	26%	74%
2	R	439	26%	74%
2	V	439	26%	74%
2	Z	439	26%	74%
2	d	439	26%	74%
2	h	439	26%	74%
2	l	439	26%	74%
2	p	439	26%	74%
2	s	439	26%	74%
2	v	439	26%	74%
2	y	439	26%	74%
3	2	220	97%	.
3	5	220	97%	.
3	T	220	97%	.
3	X	220	97%	.


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	b	220	 97%
3	f	220	 97%
3	j	220	 97%
3	n	220	 97%
3	q	220	 97%
3	t	220	 97%
3	w	220	 97%
3	z	220	 97%
4	A	577	 89% .. 10%
4	B	577	 89% .. 10%
4	C	577	 88% .. 10%
4	D	577	 89% .. 10%
4	E	577	 89% .. 10%
4	F	577	 88% .. 10%
5	G	206	 99%
5	H	206	 99%
5	I	206	 99%
5	J	206	 99%
5	K	206	 99%
5	L	206	 99%
5	S	206	 99%
5	W	206	 98% ..
5	a	206	 99%
5	e	206	 99%
5	i	206	 99%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
5	m	206	 99%

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 128070 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Portal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	547	4297	2681	780	816	20	0	0
1	3	547	4297	2681	780	816	20	0	0
1	6	547	4297	2681	780	816	20	0	0
1	U	547	4297	2681	780	816	20	0	0
1	Y	547	4297	2681	780	816	20	0	0
1	c	547	4297	2681	780	816	20	0	0
1	g	547	4297	2681	780	816	20	0	0
1	k	547	4297	2681	780	816	20	0	0
1	o	547	4297	2681	780	816	20	0	0
1	r	547	4297	2681	780	816	20	0	0
1	u	547	4297	2681	780	816	20	0	0
1	x	547	4297	2681	780	816	20	0	0

- Molecule 2 is a protein called Putative tail fiber protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	116	829	507	150	170	2	0	0
2	4	116	829	507	150	170	2	0	0
2	7	116	829	507	150	170	2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
2	M	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	N	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	O	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	P	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	Q	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	R	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	V	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	Z	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	d	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	h	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	l	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	p	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	s	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	v	116	Total	C	N	O	S	0	0
			829	507	150	170	2		
2	y	116	Total	C	N	O	S	0	0
			829	507	150	170	2		

- Molecule 3 is a protein called Virion associated protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		
3	5	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		
3	T	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		
3	X	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
3	b	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		
3	f	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		
3	j	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		
3	n	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		
3	q	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		
3	t	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		
3	w	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		
3	z	213	Total	C	N	O	S	0	0
			1615	1013	281	316	5		

- Molecule 4 is a protein called Virion-associated phage protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A	518	Total	C	N	O	S	0	0
			3812	2413	656	725	18		
4	B	518	Total	C	N	O	S	0	0
			3812	2413	656	725	18		
4	C	518	Total	C	N	O	S	0	0
			3812	2413	656	725	18		
4	D	518	Total	C	N	O	S	0	0
			3812	2413	656	725	18		
4	E	518	Total	C	N	O	S	0	0
			3812	2413	656	725	18		
4	F	518	Total	C	N	O	S	0	0
			3812	2413	656	725	18		

- Molecule 5 is a protein called gp81 of phage GP4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	G	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		
5	H	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		
5	I	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		

*Continued on next page...*




*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
5	J	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		
5	K	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		
5	L	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		
5	S	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		
5	W	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		
5	a	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		
5	e	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		
5	i	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		
5	m	204	Total	C	N	O	S	0	0
			1611	1021	279	303	8		


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Portal protein



- Molecule 1: Portal protein




- Molecule 1: Portal protein










● Molecule 1: Portal protein



● Molecule 2: Putative tail fiber protein


















• Molecule 2: Putative tail fiber protein



• Molecule 2: Putative tail fiber protein



GLU	ILE	PRO	ALA	PRO	ASN	GLN	LEU	ALA	GLY	VAL	THR	LYS	THR	LEU	GLY	ARG	GLN	LEU	GLY	PHE	SER
LEU	SER	PRO	ASN	GLU	PRO	GLN	VAL	ILE	ASN	THR	LYS	VAL	LEU	ALA	VAL	GLU	GLN	LEU	GLY	ARG	SER

• Molecule 2: Putative tail fiber protein



MET	ALA	ALA	V4	V65	D119	GLY	LYS	THR	LEU	GLY	ASP	THR	THR	GLY	ASN	PHE	ARG	GLN	LEU	ASP	PRO
ALA	GLY	PHE	ALA	SER	GLN	ASN	SER	THR	ILE	ASP	THR	VAL	HIS	GLY	PHE	ASN	GLN	LEU	ARG	GLN	ALA
VAL	SER	THR	THR	GLY	VAL	ASN	THR	TYR	GLY	ASP	ARG	LYS	VAL	SER	ASP	THR	LEU	ILE	VAL	GLY	ALA
ALA	ASN	ALA	PRO	GLY	ALA	THR	THR	THR	ASN	GLY	ARG	GLY	ASP	GLY	THR	ASP	THR	SER	GLY	PHE	PRO
SER	GLU	ALA	SER	LEU	SER	LYS	LEU	PHE	GLY	PHE	ASP	THR	TYR	LYS	GLY	ARG	GLN	LEU	ASP	ALA	ALA
LEU	GLN	PRO	ILE	VAL	ALA	THR	VAL	VAL	GLN	GLU	LEU	SER	ARG	VAL	ASP	GLY	ALA	GLN	VAL	ALA	ALA

• Molecule 2: Putative tail fiber protein




MET	ALA	V4	G30	V65	D119	GLY	LYS	THR	LEU	GLY	ASP	THR	THR	GLY	ASN	PHE	ARG	GLN	LEU	ASP	PRO
SER	THR	ALA	GLY	PHE	ALA	SER	GLU	THR	ASN	THR	TRP	PHE	THR	GLY	ALA	ASP	THR	VAL	HIS	GLY	ALA
ASP	GLY	VAL	VAL	THR	GLY	VAL	ASN	ASN	THR	THR	TYR	GLY	PRO	THR	PHE	ARG	LYS	SER	VAL	THR	GLY
ASP	THR	ALA	ASN	ALA	GLY	ALA	GLY	VAL	ASN	ASP	GLY	THR	TYR	LYS	THR	THR	THR	THR	THR	THR	ILE
ALA	PRO	SER	GLU	SER	LYS	LEU	GLY	ARG	ILE	ILE	ARG	GLY	PHE	ALA	GLN	GLN	LEU	ALA	ALA	THR	SER
PRO	ASN	LEU	GLN	ILE	VAL	THR	THR	VAL	LYS	ALA	VAL	VAL	GLN	THR	VAL	LEU	GLN	ALA	ALA	PRO	TYR

• Molecule 2: Putative tail fiber protein




MET	ALA	V4	V65	P84	R91	D119	GLY	LYS	THR	LEU	GLY	ASP	THR	THR	GLY	ASN	PHE	ARG	GLN	LEU	ASP
ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA





- Molecule 3: Virion associated protein




- Molecule 3: Virion associated protein




- Molecule 3: Virion associated protein




- Molecule 3: Virion associated protein



- Molecule 3: Virion associated protein




- Molecule 3: Virion associated protein




- Molecule 3: Virion associated protein








• Molecule 3: Virion associated protein





• Molecule 3: Virion associated protein





• Molecule 4: Virion-associated phage protein




• Molecule 4: Virion-associated phage protein




• Molecule 4: Virion-associated phage protein




• Molecule 4: Virion-associated phage protein




• Molecule 4: Virion-associated phage protein




• Molecule 4: Virion-associated phage protein



• Molecule 5: gp81 of phage GP4



• Molecule 5: gp81 of phage GP4



• Molecule 5: gp81 of phage GP4



Chain I:  99%




- Molecule 5: gp81 of phage GP4

Chain J:  99%



- Molecule 5: gp81 of phage GP4

Chain K:  99%




- Molecule 5: gp81 of phage GP4

Chain L:  99%




- Molecule 5: gp81 of phage GP4

Chain S:  99%




- Molecule 5: gp81 of phage GP4

Chain W:  98%




- Molecule 5: gp81 of phage GP4

Chain a:  99%




- Molecule 5: gp81 of phage GP4

Chain e:  99%



- Molecule 5: gp81 of phage GP4

Chain i:  99%



- Molecule 5: gp81 of phage GP4

Chain m:  99%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	39883	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	35	Depositor
Minimum defocus (nm)	100	Depositor
Maximum defocus (nm)	3800	Depositor
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	31.901	Depositor
Minimum map value	-13.810	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.650	Depositor
Recommended contour level	3.0	Depositor
Map size (Å)	508.0, 508.0, 508.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.27, 1.27, 1.27	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	0	0.26	0/4368	0.54	2/5900 (0.0%)
1	3	0.25	0/4368	0.53	2/5900 (0.0%)
1	6	0.26	0/4368	0.54	2/5900 (0.0%)
1	U	0.25	0/4368	0.52	2/5900 (0.0%)
1	Y	0.27	0/4368	0.54	2/5900 (0.0%)
1	c	0.26	0/4368	0.52	2/5900 (0.0%)
1	g	0.26	0/4368	0.54	2/5900 (0.0%)
1	k	0.25	0/4368	0.52	2/5900 (0.0%)
1	o	0.27	0/4368	0.54	2/5900 (0.0%)
1	r	0.26	0/4368	0.52	2/5900 (0.0%)
1	u	0.27	0/4368	0.55	2/5900 (0.0%)
1	x	0.25	0/4368	0.53	3/5900 (0.1%)
2	1	0.25	0/840	0.54	0/1141
2	4	0.27	0/840	0.61	1/1141 (0.1%)
2	7	0.27	0/840	0.61	0/1141
2	M	0.26	0/840	0.56	0/1141
2	N	0.27	0/840	0.57	0/1141
2	O	0.26	0/840	0.58	0/1141
2	P	0.25	0/840	0.55	0/1141
2	Q	0.25	0/840	0.55	0/1141
2	R	0.26	0/840	0.57	0/1141
2	V	0.25	0/840	0.54	0/1141
2	Z	0.28	0/840	0.61	1/1141 (0.1%)
2	d	0.27	0/840	0.61	0/1141
2	h	0.26	0/840	0.56	0/1141
2	l	0.27	0/840	0.57	0/1141
2	p	0.26	0/840	0.57	0/1141
2	s	0.24	0/840	0.56	0/1141
2	v	0.27	0/840	0.62	1/1141 (0.1%)
2	y	0.26	0/840	0.57	0/1141
3	2	0.27	0/1653	0.51	0/2265
3	5	0.26	0/1653	0.52	0/2265
3	T	0.27	0/1653	0.54	0/2265
3	X	0.27	0/1653	0.53	0/2265

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
3	b	0.27	0/1653	0.54	0/2265
3	f	0.27	0/1653	0.55	0/2265
3	j	0.28	0/1653	0.53	0/2265
3	n	0.28	0/1653	0.55	0/2265
3	q	0.27	0/1653	0.50	0/2265
3	t	0.27	0/1653	0.51	0/2265
3	w	0.27	0/1653	0.50	0/2265
3	z	0.26	0/1653	0.51	0/2265
4	A	0.26	0/3893	0.55	4/5306 (0.1%)
4	B	0.26	0/3893	0.55	4/5306 (0.1%)
4	C	0.26	0/3893	0.55	4/5306 (0.1%)
4	D	0.26	0/3893	0.55	4/5306 (0.1%)
4	E	0.26	0/3893	0.55	4/5306 (0.1%)
4	F	0.26	0/3893	0.56	4/5306 (0.1%)
5	G	0.27	0/1648	0.54	0/2241
5	H	0.28	0/1648	0.56	0/2241
5	I	0.28	0/1648	0.55	0/2241
5	J	0.28	0/1648	0.55	0/2241
5	K	0.27	0/1648	0.56	0/2241
5	L	0.28	0/1648	0.55	0/2241
5	S	0.27	0/1648	0.54	0/2241
5	W	0.28	0/1648	0.57	1/2241 (0.0%)
5	a	0.27	0/1648	0.53	0/2241
5	e	0.27	0/1648	0.54	0/2241
5	i	0.29	0/1648	0.56	1/2241 (0.0%)
5	m	0.28	0/1648	0.54	0/2241
All	All	0.26	0/130506	0.54	54/177246 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	r	0	1
4	F	0	1
5	H	0	1
All	All	0	3

There are no bond length outliers.

The worst 5 of 54 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	4	84	PRO	CA-N-CD	-7.34	101.22	111.50
2	Z	84	PRO	CA-N-CD	-7.14	101.50	111.50
4	A	113	PRO	N-CA-CB	6.92	111.60	103.30
4	E	113	PRO	N-CA-CB	6.90	111.58	103.30
4	B	113	PRO	N-CA-CB	6.88	111.55	103.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	F	80	VAL	Peptide
5	H	116	VAL	Peptide
1	r	558	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	0	535/781 (68%)	516 (96%)	17 (3%)	2 (0%)	34 70
1	3	535/781 (68%)	520 (97%)	13 (2%)	2 (0%)	34 70
1	6	535/781 (68%)	516 (96%)	17 (3%)	2 (0%)	34 70
1	U	535/781 (68%)	517 (97%)	16 (3%)	2 (0%)	34 70
1	Y	535/781 (68%)	523 (98%)	10 (2%)	2 (0%)	34 70
1	c	535/781 (68%)	519 (97%)	14 (3%)	2 (0%)	34 70
1	g	535/781 (68%)	518 (97%)	15 (3%)	2 (0%)	34 70
1	k	535/781 (68%)	518 (97%)	15 (3%)	2 (0%)	34 70
1	o	535/781 (68%)	519 (97%)	14 (3%)	2 (0%)	34 70

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	r	535/781 (68%)	517 (97%)	16 (3%)	2 (0%)	34	70
1	u	535/781 (68%)	520 (97%)	13 (2%)	2 (0%)	34	70
1	x	535/781 (68%)	520 (97%)	13 (2%)	2 (0%)	34	70
2	1	114/439 (26%)	106 (93%)	7 (6%)	1 (1%)	17	54
2	4	114/439 (26%)	107 (94%)	6 (5%)	1 (1%)	17	54
2	7	114/439 (26%)	106 (93%)	7 (6%)	1 (1%)	17	54
2	M	114/439 (26%)	108 (95%)	5 (4%)	1 (1%)	17	54
2	N	114/439 (26%)	105 (92%)	8 (7%)	1 (1%)	17	54
2	O	114/439 (26%)	106 (93%)	7 (6%)	1 (1%)	17	54
2	P	114/439 (26%)	107 (94%)	6 (5%)	1 (1%)	17	54
2	Q	114/439 (26%)	105 (92%)	8 (7%)	1 (1%)	17	54
2	R	114/439 (26%)	105 (92%)	8 (7%)	1 (1%)	17	54
2	V	114/439 (26%)	105 (92%)	8 (7%)	1 (1%)	17	54
2	Z	114/439 (26%)	107 (94%)	6 (5%)	1 (1%)	17	54
2	d	114/439 (26%)	105 (92%)	8 (7%)	1 (1%)	17	54
2	h	114/439 (26%)	107 (94%)	6 (5%)	1 (1%)	17	54
2	l	114/439 (26%)	106 (93%)	7 (6%)	1 (1%)	17	54
2	p	114/439 (26%)	107 (94%)	6 (5%)	1 (1%)	17	54
2	s	114/439 (26%)	108 (95%)	5 (4%)	1 (1%)	17	54
2	v	114/439 (26%)	107 (94%)	6 (5%)	1 (1%)	17	54
2	y	114/439 (26%)	106 (93%)	7 (6%)	1 (1%)	17	54
3	2	211/220 (96%)	200 (95%)	11 (5%)	0	100	100
3	5	211/220 (96%)	202 (96%)	9 (4%)	0	100	100
3	T	211/220 (96%)	196 (93%)	15 (7%)	0	100	100
3	X	211/220 (96%)	198 (94%)	13 (6%)	0	100	100
3	b	211/220 (96%)	196 (93%)	15 (7%)	0	100	100
3	f	211/220 (96%)	199 (94%)	12 (6%)	0	100	100
3	j	211/220 (96%)	197 (93%)	14 (7%)	0	100	100
3	n	211/220 (96%)	193 (92%)	18 (8%)	0	100	100
3	q	211/220 (96%)	203 (96%)	8 (4%)	0	100	100
3	t	211/220 (96%)	199 (94%)	12 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	w	211/220 (96%)	201 (95%)	10 (5%)	0	100	100
3	z	211/220 (96%)	202 (96%)	9 (4%)	0	100	100
4	A	512/577 (89%)	483 (94%)	24 (5%)	5 (1%)	15	52
4	B	512/577 (89%)	480 (94%)	27 (5%)	5 (1%)	15	52
4	C	512/577 (89%)	477 (93%)	30 (6%)	5 (1%)	15	52
4	D	512/577 (89%)	480 (94%)	27 (5%)	5 (1%)	15	52
4	E	512/577 (89%)	481 (94%)	26 (5%)	5 (1%)	15	52
4	F	512/577 (89%)	479 (94%)	28 (6%)	5 (1%)	15	52
5	G	202/206 (98%)	198 (98%)	4 (2%)	0	100	100
5	H	202/206 (98%)	199 (98%)	3 (2%)	0	100	100
5	I	202/206 (98%)	194 (96%)	8 (4%)	0	100	100
5	J	202/206 (98%)	195 (96%)	7 (4%)	0	100	100
5	K	202/206 (98%)	197 (98%)	5 (2%)	0	100	100
5	L	202/206 (98%)	194 (96%)	8 (4%)	0	100	100
5	S	202/206 (98%)	199 (98%)	3 (2%)	0	100	100
5	W	202/206 (98%)	199 (98%)	3 (2%)	0	100	100
5	a	202/206 (98%)	196 (97%)	6 (3%)	0	100	100
5	e	202/206 (98%)	198 (98%)	4 (2%)	0	100	100
5	i	202/206 (98%)	198 (98%)	4 (2%)	0	100	100
5	m	202/206 (98%)	199 (98%)	3 (2%)	0	100	100
All	All	16500/25848 (64%)	15768 (96%)	660 (4%)	72 (0%)	38	70

5 of 72 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	0	576	VAL
1	3	576	VAL
1	6	576	VAL
4	A	109	PRO
4	A	113	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM



entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	432/657 (66%)	432 (100%)	0	100	100
1	3	432/657 (66%)	430 (100%)	2 (0%)	88	94
1	6	432/657 (66%)	430 (100%)	2 (0%)	88	94
1	U	432/657 (66%)	429 (99%)	3 (1%)	84	91
1	Y	432/657 (66%)	430 (100%)	2 (0%)	88	94
1	c	432/657 (66%)	430 (100%)	2 (0%)	88	94
1	g	432/657 (66%)	431 (100%)	1 (0%)	93	97
1	k	432/657 (66%)	431 (100%)	1 (0%)	93	97
1	o	432/657 (66%)	431 (100%)	1 (0%)	93	97
1	r	432/657 (66%)	430 (100%)	2 (0%)	88	94
1	u	432/657 (66%)	432 (100%)	0	100	100
1	x	432/657 (66%)	430 (100%)	2 (0%)	88	94
2	1	84/333 (25%)	82 (98%)	2 (2%)	49	71
2	4	84/333 (25%)	82 (98%)	2 (2%)	49	71
2	7	84/333 (25%)	84 (100%)	0	100	100
2	M	84/333 (25%)	83 (99%)	1 (1%)	71	84
2	N	84/333 (25%)	82 (98%)	2 (2%)	49	71
2	O	84/333 (25%)	84 (100%)	0	100	100
2	P	84/333 (25%)	83 (99%)	1 (1%)	71	84
2	Q	84/333 (25%)	82 (98%)	2 (2%)	49	71
2	R	84/333 (25%)	84 (100%)	0	100	100
2	V	84/333 (25%)	82 (98%)	2 (2%)	49	71
2	Z	84/333 (25%)	82 (98%)	2 (2%)	49	71
2	d	84/333 (25%)	84 (100%)	0	100	100
2	h	84/333 (25%)	83 (99%)	1 (1%)	71	84
2	l	84/333 (25%)	82 (98%)	2 (2%)	49	71
2	p	84/333 (25%)	84 (100%)	0	100	100
2	s	84/333 (25%)	84 (100%)	0	100	100
2	v	84/333 (25%)	83 (99%)	1 (1%)	71	84

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	y	84/333 (25%)	84 (100%)	0	100	100
3	2	167/169 (99%)	167 (100%)	0	100	100
3	5	167/169 (99%)	167 (100%)	0	100	100
3	T	167/169 (99%)	167 (100%)	0	100	100
3	X	167/169 (99%)	167 (100%)	0	100	100
3	b	167/169 (99%)	167 (100%)	0	100	100
3	f	167/169 (99%)	167 (100%)	0	100	100
3	j	167/169 (99%)	167 (100%)	0	100	100
3	n	167/169 (99%)	167 (100%)	0	100	100
3	q	167/169 (99%)	167 (100%)	0	100	100
3	t	167/169 (99%)	167 (100%)	0	100	100
3	w	167/169 (99%)	167 (100%)	0	100	100
3	z	167/169 (99%)	167 (100%)	0	100	100
4	A	366/464 (79%)	366 (100%)	0	100	100
4	B	366/464 (79%)	365 (100%)	1 (0%)	92	96
4	C	366/464 (79%)	363 (99%)	3 (1%)	81	89
4	D	366/464 (79%)	366 (100%)	0	100	100
4	E	366/464 (79%)	365 (100%)	1 (0%)	92	96
4	F	366/464 (79%)	363 (99%)	3 (1%)	81	89
5	G	170/172 (99%)	170 (100%)	0	100	100
5	H	170/172 (99%)	170 (100%)	0	100	100
5	I	170/172 (99%)	170 (100%)	0	100	100
5	J	170/172 (99%)	170 (100%)	0	100	100
5	K	170/172 (99%)	170 (100%)	0	100	100
5	L	170/172 (99%)	170 (100%)	0	100	100
5	S	170/172 (99%)	170 (100%)	0	100	100
5	W	170/172 (99%)	169 (99%)	1 (1%)	86	92
5	a	170/172 (99%)	169 (99%)	1 (1%)	86	92
5	e	170/172 (99%)	170 (100%)	0	100	100
5	i	170/172 (99%)	170 (100%)	0	100	100
5	m	170/172 (99%)	169 (99%)	1 (1%)	86	92

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	12936/20754 (62%)	12889 (100%)	47 (0%)	91 95

5 of 47 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Y	371	TRP
1	g	430	ASN
1	Y	558	ARG
5	a	204	GLN
1	k	59	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 44 such sidechains are listed below:

Mol	Chain	Res	Type
1	k	452	GLN
2	s	74	GLN
1	k	498	GLN
2	p	74	GLN
2	v	8	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-36463. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


### 6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 181




Y Index: 220




Z Index: 176


### 6.3.2 Raw map



X Index: 200



Y Index: 200




Z Index: 176


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 3.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 5957 nm<sup>3</sup>; this corresponds to an approximate mass of 5381 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of  $0.263 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.263 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.10	6.21	4.22

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-36463 and PDB model 8JOV. Per-residue inclusion information can be found in section 3 on page 10.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 3.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (3.0).









































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary





















































The table lists the average atom inclusion at the recommended contour level (3.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9290	 0.4050
0	 0.9310	 0.4100
1	 0.8900	 0.2720
2	 0.9530	 0.4690
3	 0.9280	 0.4080
4	 0.9040	 0.3510
5	 0.9550	 0.4700
6	 0.9260	 0.4120
7	 0.9040	 0.2300
A	 0.9350	 0.3860
B	 0.9390	 0.3850
C	 0.9330	 0.3850
D	 0.9360	 0.3880
E	 0.9400	 0.3870
F	 0.9340	 0.3860
G	 0.9180	 0.4580
H	 0.9190	 0.4520
I	 0.9170	 0.4500
J	 0.9150	 0.4550
K	 0.9190	 0.4530
L	 0.9170	 0.4520
M	 0.9040	 0.2770
N	 0.9100	 0.3410
O	 0.9030	 0.2240
P	 0.8900	 0.2780
Q	 0.9010	 0.3440
R	 0.9040	 0.2240
S	 0.9310	 0.4620
T	 0.9560	 0.4550
U	 0.9270	 0.4060
V	 0.8850	 0.2670
W	 0.9240	 0.4530
X	 0.9580	 0.4570
Y	 0.9280	 0.4100
Z	 0.9080	 0.3480



*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
a	 0.9240	 0.4570
b	 0.9530	 0.4550
c	 0.9280	 0.4070
d	 0.9040	 0.2370
e	 0.9290	 0.4610
f	 0.9570	 0.4560
g	 0.9300	 0.4110
h	 0.8970	 0.2730
i	 0.9210	 0.4530
j	 0.9530	 0.4540
k	 0.9250	 0.4060
l	 0.9050	 0.3390
m	 0.9270	 0.4590
n	 0.9510	 0.4500
o	 0.9260	 0.4110
p	 0.9060	 0.2290
q	 0.9530	 0.4670
r	 0.9310	 0.4080
s	 0.8940	 0.2790
t	 0.9550	 0.4690
u	 0.9250	 0.4090
v	 0.9050	 0.3440
w	 0.9550	 0.4700
x	 0.9260	 0.4080
y	 0.9140	 0.2330
z	 0.9560	 0.4690