



# Full wwPDB NMR Structure Validation Report ⓘ

May 29, 2020 – 08:38 am BST

PDB ID : 5JTN  
Title : The structure of chaperone SecB in complex with unstructured proPhoA binding site c  
Authors : Huang, C.; Saio, T.; Rossi, P.; Kalodimos, C.G.  
Deposited on : 2016-05-09

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : 2.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 14%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	155	
1	B	155	
1	C	155	
1	D	155	
2	E	55	
2	F	55	

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 20 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:10-A:137, B:9-B:132, C:11-C:137, D:10-D:48, D:54-D:133 (498)	0.42	20

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters. No single-model clusters were found.

Cluster number	Models
1	3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20
2	1, 2, 6, 14

### 3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 11068 atoms, of which 5408 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Protein-export protein SecB.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	155	2367	762	1155	198	243	9	0
1	B	155	2367	762	1155	198	243	9	0
1	C	155	2367	762	1155	198	243	9	0
1	D	155	2367	762	1155	198	243	9	0

- Molecule 2 is a protein called Alkaline phosphatase.


Mol	Chain	Residues	Atoms				Trace	
			Total	C	H	N		O
2	E	55	800	259	394	66	81	0
2	F	55	800	259	394	66	81	0

## 4 Residue-property plots


### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 2: Alkaline phosphatase



- Molecule 2: Alkaline phosphatase




## 4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.

### 4.2.1 Score per residue for model 1


- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB




- Molecule 2: Alkaline phosphatase





- Molecule 2: Alkaline phosphatase

Chain F: 100%



#### 4.2.2 Score per residue for model 2


- Molecule 1: Protein-export protein SecB

Chain A: 77% 5% 17%



- Molecule 1: Protein-export protein SecB

Chain B: 70% 10% 20%



- Molecule 1: Protein-export protein SecB

Chain C: 72% 9% 18%



- Molecule 1: Protein-export protein SecB

Chain D: 69% 7% 23%




- Molecule 2: Alkaline phosphatase

Chain E: 100%



- Molecule 2: Alkaline phosphatase

Chain F: 100%



### 4.2.3 Score per residue for model 3


- Molecule 1: Protein-export protein SecB

Chain A: 73% 9% 17%




- Molecule 1: Protein-export protein SecB

Chain B: 65% 14% 20%




- Molecule 1: Protein-export protein SecB

Chain C: 75% 6% 18%



- Molecule 1: Protein-export protein SecB


Chain D: 65% 12% 23%



- Molecule 2: Alkaline phosphatase

Chain E: 100%





- Molecule 2: Alkaline phosphatase

Chain F: 100%



#### 4.2.4 Score per residue for model 4


- Molecule 1: Protein-export protein SecB

Chain A: 77% 6% 17%



- Molecule 1: Protein-export protein SecB

Chain B: 68% 11% 20%




- Molecule 1: Protein-export protein SecB

Chain C: 75% 7% 18%




- Molecule 1: Protein-export protein SecB

Chain D: 64% 12% 23%



- Molecule 2: Alkaline phosphatase


Chain E: 100%



- Molecule 2: Alkaline phosphatase

Chain F:

100%



#### 4.2.5 Score per residue for model 5

- Molecule 1: Protein-export protein SecB

Chain A:

71%

12%

17%



- Molecule 1: Protein-export protein SecB

Chain B:

70%

9%

20%



- Molecule 1: Protein-export protein SecB

Chain C:

72%

10%

18%




- Molecule 1: Protein-export protein SecB

Chain D:

68%

6%


23%



- Molecule 2: Alkaline phosphatase

Chain E:


100%



- Molecule 2: Alkaline phosphatase

Chain F:

100%



#### 4.2.6 Score per residue for model 6

- Molecule 1: Protein-export protein SecB

Chain A:

71%

12%

17%





- Molecule 1: Protein-export protein SecB

Chain B:

67%

13%

20%



- Molecule 1: Protein-export protein SecB

Chain C:

73%

8%

18%



- Molecule 1: Protein-export protein SecB

Chain D:


66%

10%


23%



- Molecule 2: Alkaline phosphatase




- Molecule 2: Alkaline phosphatase




#### 4.2.7 Score per residue for model 7


- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



Q153  
D154  
A155

- Molecule 1: Protein-export protein SecB




- Molecule 2: Alkaline phosphatase






- Molecule 2: Alkaline phosphatase




### 4.2.8 Score per residue for model 8

- Molecule 1: Protein-export protein SecB





- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 2: Alkaline phosphatase






- Molecule 2: Alkaline phosphatase



### 4.2.9 Score per residue for model 9


- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 2: Alkaline phosphatase





- Molecule 2: Alkaline phosphatase

Chain F:

100%



#### 4.2.10 Score per residue for model 10


- Molecule 1: Protein-export protein SecB

Chain A:

66%

15%

17%





- Molecule 1: Protein-export protein SecB

Chain B:

68%

11%

20%



- Molecule 1: Protein-export protein SecB

Chain C:

72%

9%

18%



- Molecule 1: Protein-export protein SecB

Chain D:

66%


9%

23%




- Molecule 2: Alkaline phosphatase

Chain E:  100%



- Molecule 2: Alkaline phosphatase

Chain F:  100%



#### 4.2.11 Score per residue for model 11

- Molecule 1: Protein-export protein SecB

Chain A:  72% 10% 17%




- Molecule 1: Protein-export protein SecB

Chain B:  70% 10% 20%



- Molecule 1: Protein-export protein SecB

Chain C:  70% 12% 18%




- Molecule 1: Protein-export protein SecB

Chain D:  61% 15% 23%









- Molecule 2: Alkaline phosphatase

Chain E: 100%



- Molecule 2: Alkaline phosphatase

Chain F: 100%



#### 4.2.12 Score per residue for model 12

- Molecule 1: Protein-export protein SecB

Chain A: 74% 9% 17%



- Molecule 1: Protein-export protein SecB

Chain B: 68% 12% 20%




- Molecule 1: Protein-export protein SecB

Chain C: 72% 10% 18%




- Molecule 1: Protein-export protein SecB

Chain D: 64% 12% 23%



- Molecule 2: Alkaline phosphatase

Chain E: 100%



- Molecule 2: Alkaline phosphatase

Chain F: 100%



#### 4.2.13 Score per residue for model 13


- Molecule 1: Protein-export protein SecB

Chain A: 72% 11% 17%



- Molecule 1: Protein-export protein SecB

Chain B: 68% 12% 20%




- Molecule 1: Protein-export protein SecB

Chain C: 75% 7% 18%




- Molecule 1: Protein-export protein SecB

Chain D: 69% 8% 23%




- Molecule 2: Alkaline phosphatase

Chain E: 100%



- Molecule 2: Alkaline phosphatase

Chain F: 100%



#### 4.2.14 Score per residue for model 14


- Molecule 1: Protein-export protein SecB

Chain A: 74% 8% 17%



- Molecule 1: Protein-export protein SecB

Chain B: 67% 12% 20%



- Molecule 1: Protein-export protein SecB

Chain C: 73% 9% 18%




- Molecule 1: Protein-export protein SecB


Chain D: 70% 6% 23%



- Molecule 2: Alkaline phosphatase



- Molecule 2: Alkaline phosphatase




### 4.2.15 Score per residue for model 15

- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB





- Molecule 2: Alkaline phosphatase

Chain E: 100%



- Molecule 2: Alkaline phosphatase


Chain F: 100%



#### 4.2.16 Score per residue for model 16

- Molecule 1: Protein-export protein SecB

Chain A: 77% 6% 17%



- Molecule 1: Protein-export protein SecB

Chain B: 73% 7% 20%




- Molecule 1: Protein-export protein SecB


Chain C: 69% 12% 18%



- Molecule 1: Protein-export protein SecB



Chain D: 62% 14% 23%







- Molecule 2: Alkaline phosphatase

Chain E:



- Molecule 2: Alkaline phosphatase

Chain F:



#### 4.2.17 Score per residue for model 17

- Molecule 1: Protein-export protein SecB

Chain A:



- Molecule 1: Protein-export protein SecB

Chain B:




- Molecule 1: Protein-export protein SecB


Chain C:



- Molecule 1: Protein-export protein SecB

Chain D:





- Molecule 2: Alkaline phosphatase




- Molecule 2: Alkaline phosphatase



### 4.2.18 Score per residue for model 18

- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



E151  
H152  
Q153  
D154  
A155


- Molecule 2: Alkaline phosphatase

Chain E:



- Molecule 2: Alkaline phosphatase


Chain F:



#### 4.2.19 Score per residue for model 19


- Molecule 1: Protein-export protein SecB

Chain A:



- Molecule 1: Protein-export protein SecB


Chain B:



A145  
G146  
E147  
G148  
T149  
E150  
E151  
H152  
Q153  
D154  
A155


- Molecule 1: Protein-export protein SecB

Chain C:



- Molecule 1: Protein-export protein SecB

Chain D:






Q144  
A145  
G146  
E147  
G148  
T149  
E150  
H151  
Q152  
D154  
A155

- Molecule 2: Alkaline phosphatase


Chain E:



G91 G92 G93 F94 F95 G96 I97 D98 A99 L100 P101 L102 T103 G104 Q105 Y106 T107 H108 Y109 A110 L111 M112 K113 K114 T115 G116 K117 F118 D119 Y120 V121 T122 D123 S124 A125 A126 S127 A128 T129 A130 W131 S132 T133 G134 V135 K136 T137 Y138 M139 G140 A141 L142 G143 V144 D145

- Molecule 2: Alkaline phosphatase

Chain F:



G91 G92 G93 F94 N95 G96 I97 D98 A99 L100 P101 L102 T103 G104 Q105 Y106 T107 H108 Y109 A110 L111 M112 K113 K114 T115 G116 K117 F118 D119 Y120 V121 T122 D123 S124 A125 A126 S127 A128 T129 A130 W131 T133 G134 V135 K136 T137 Y138 M139 G140 A141 L142 G143 V144 D145

#### 4.2.20 Score per residue for model 20 (medoid)

- Molecule 1: Protein-export protein SecB

Chain A:



M1 S2 E3 Q4 N5 N6 T7 E8 M9 I13 I21 S22 F23 V31 K34 D35 V40 K41 L42 L51 E57 L60 R61 V62 A66 A73 C76 F84 S85 I86 I89 M117 P124 M138 M139 Y140 L141 Q142 Q143 Q144 A145 E146 G148

T149  
E150  
H151  
Q153  
D154  
A155

- Molecule 1: Protein-export protein SecB

Chain B:



M1 S2 E3 Q4 N5 N6 T7 E8 M9 T10 I21 A25 A28 P29 Q37 L42 S48 Y56 I86 I89 L98 C102 C113 M117 L128 F133 D134 A135 L136 F137 M138 M139 Y140 Q142 Q143 Q144 A145 G146 E147 T149 E150 H152

Q153  
D154  
A155

- Molecule 1: Protein-export protein SecB

Chain C:



M1 S2 E3 Q4 N5 N6 T7 E8 M9 F11 R15 V31 K34 L51 D64 E57 L60 A73 C102 E112 M117 P130 M138 M139 Y140 Q142 Q143 Q144 A145 G146 E147 G148 T149 E150 H151 H152 Q153 D154 A155

- Molecule 1: Protein-export protein SecB

Chain D:






- Molecule 2: Alkaline phosphatase

Chain E:  100%



- Molecule 2: Alkaline phosphatase

Chain F:  100%



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *target function*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	
CYANA	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	input_cs.cif
Number of chemical shift lists	6
Total number of shifts	4940
Number of shifts mapped to atoms	4940
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	14%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality i

### 6.1 Standard geometry i

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	997	971	969	6±3
1	B	962	942	940	8±2
1	C	990	964	962	6±2
1	D	929	909	907	7±2
2	E	0	0	0	0±0
2	F	0	0	0	0±0
All	All	77560	75720	75560	493

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:31:VAL:HG21	1:A:73:ALA:HA	0.73	1.60	5	13
1:D:40:VAL:HG13	1:D:64:VAL:HG13	0.72	1.61	12	18
1:C:31:VAL:HG21	1:C:73:ALA:HA	0.71	1.63	12	19
1:B:64:VAL:HG11	1:B:126:LEU:HD21	0.69	1.65	16	16
1:C:117:MET:HE2	1:D:21:ILE:HG21	0.69	1.62	16	3
1:A:84:PHE:HB3	1:A:86:ILE:HD11	0.66	1.66	4	16
1:B:21:ILE:HD11	1:B:113:CYS:SG	0.64	2.33	3	8
1:D:76:CYS:SG	1:D:114:ILE:HG12	0.63	2.34	18	10
1:C:11:PHE:HE1	1:C:102:CYS:HG	0.61	1.36	16	3

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:23:PHE:HB2	1:A:117:MET:SD	0.60	2.36	1	6
1:B:98:LEU:HA	1:B:102:CYS:SG	0.59	2.37	20	7
1:C:34:LYS:HG2	1:C:68:LEU:HD13	0.59	1.74	1	4
1:B:45:ASP:HB3	1:B:61:ARG:HD2	0.59	1.74	1	1
1:C:43:ASP:HB2	1:C:63:THR:HB	0.58	1.75	13	1
1:D:42:LEU:HD22	1:D:128:LEU:HD11	0.58	1.75	4	1
1:D:98:LEU:HA	1:D:102:CYS:SG	0.57	2.40	3	6
1:A:31:VAL:HG22	1:A:68:LEU:HD12	0.57	1.77	11	5
1:D:43:ASP:HB2	1:D:63:THR:HB	0.56	1.77	9	2
1:B:25:ALA:CB	1:B:28:ALA:HB2	0.56	2.30	19	8
1:C:117:MET:HE3	1:D:21:ILE:HD13	0.56	1.78	11	2
1:D:11:PHE:HE2	1:D:102:CYS:HG	0.55	1.44	12	3
1:B:18:THR:HG21	1:B:21:ILE:HD11	0.55	1.78	2	3
1:B:42:LEU:HD13	1:B:128:LEU:HD22	0.55	1.78	20	4
1:D:20:ASP:HB3	1:D:79:GLN:HB2	0.54	1.79	8	11
1:B:9:MET:HB3	1:B:89:ILE:HG23	0.54	1.80	3	2
1:C:20:ASP:HB3	1:C:79:GLN:HB2	0.54	1.80	7	10
1:D:42:LEU:HD11	1:D:62:VAL:HG13	0.54	1.80	17	7
1:B:125:GLN:HB2	1:C:124:PRO:HA	0.54	1.79	6	2
1:A:44:LEU:HD11	1:A:131:VAL:HG21	0.54	1.79	18	3
1:B:94:MET:SD	1:B:95:ALA:N	0.53	2.81	13	2
1:B:52:ALA:HB3	1:B:55:VAL:HB	0.53	1.80	15	2
1:D:31:VAL:HG21	1:D:73:ALA:HA	0.53	1.81	20	2
1:A:127:ASN:ND2	1:C:15:ARG:HA	0.53	2.19	18	4
1:D:114:ILE:HA	1:D:117:MET:HE1	0.53	1.79	19	1
1:D:98:LEU:HD23	1:D:102:CYS:SG	0.53	2.44	4	1
1:B:86:ILE:HG22	1:B:89:ILE:HD11	0.52	1.81	17	5
1:D:76:CYS:SG	1:D:114:ILE:HG23	0.52	2.44	6	5
1:C:113:CYS:SG	1:D:120:ARG:HD3	0.52	2.45	11	1
1:C:86:ILE:HD13	1:C:97:CYS:SG	0.52	2.44	9	7
1:D:93:GLN:HA	1:D:96:HIS:HB3	0.52	1.81	6	1
1:C:19:LYS:HE3	1:D:28:ALA:HB3	0.52	1.79	5	3
1:D:45:ASP:HB3	1:D:61:ARG:HB3	0.52	1.81	16	2
1:D:40:VAL:HG21	1:D:126:LEU:HD13	0.52	1.82	20	5
1:D:94:MET:SD	1:D:95:ALA:N	0.51	2.83	10	8
1:B:25:ALA:HB3	1:B:28:ALA:HB2	0.51	1.83	5	2
1:C:86:ILE:HG21	1:C:94:MET:HE1	0.51	1.82	15	4
1:A:113:CYS:SG	1:B:120:ARG:HD3	0.50	2.46	19	6
1:A:23:PHE:HD1	1:A:76:CYS:HG	0.50	1.48	20	1
1:B:9:MET:SD	1:B:10:THR:N	0.50	2.85	20	4
1:B:40:VAL:HG11	1:B:126:LEU:HD11	0.50	1.83	8	6

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:31:VAL:HG22	1:B:68:LEU:HD12	0.50	1.83	6	4
1:C:76:CYS:SG	1:C:114:ILE:HG23	0.50	2.47	16	3
1:D:89:ILE:HD12	1:D:94:MET:HA	0.50	1.83	16	1
1:A:20:ASP:HB3	1:A:79:GLN:HB2	0.50	1.83	1	1
1:B:11:PHE:HE1	1:B:102:CYS:HG	0.50	1.50	10	2
1:A:21:ILE:HD13	1:B:117:MET:SD	0.50	2.46	20	2
1:C:51:LEU:HD11	1:C:57:GLU:HB2	0.49	1.85	11	10
1:D:61:ARG:HG2	1:D:79:GLN:HG2	0.49	1.85	9	2
1:C:113:CYS:O	1:C:117:MET:SD	0.49	2.71	16	3
1:D:40:VAL:HG22	1:D:66:ALA:HB2	0.49	1.84	11	4
1:A:13:ILE:HG21	1:C:130:PRO:HG2	0.49	1.85	20	3
1:C:11:PHE:HE1	1:C:102:CYS:SG	0.48	2.31	16	1
1:B:25:ALA:HB1	1:B:28:ALA:HB2	0.48	1.84	19	2
1:D:57:GLU:HG2	1:D:83:ILE:HG13	0.48	1.85	20	2
1:A:100:ALA:HB1	1:A:134:ASP:HA	0.48	1.85	13	3
1:A:47:ALA:HB2	1:A:61:ARG:HH22	0.48	1.67	10	1
1:C:51:LEU:HD11	1:C:83:ILE:HD12	0.48	1.86	2	3
1:B:55:VAL:HG22	1:B:85:SER:HA	0.48	1.85	8	2
1:B:113:CYS:O	1:B:117:MET:HG2	0.47	2.09	11	10
1:C:64:VAL:HG21	1:C:114:ILE:HG21	0.47	1.87	14	3
1:A:40:VAL:HG22	1:A:66:ALA:HB2	0.47	1.86	20	1
1:D:14:GLN:HB2	1:D:83:ILE:HG23	0.47	1.86	4	2
1:A:64:VAL:HG11	1:A:126:LEU:HD21	0.47	1.86	1	6
1:B:16:ILE:HG21	1:B:109:TYR:CD1	0.47	2.45	11	6
1:B:54:ASP:HB3	1:B:87:ALA:HB2	0.47	1.87	11	1
1:A:42:LEU:HD21	1:A:62:VAL:HG13	0.47	1.85	20	1
1:D:76:CYS:SG	1:D:117:MET:HE3	0.47	2.49	11	2
1:A:89:ILE:HD13	1:A:89:ILE:H	0.47	1.69	11	1
1:C:42:LEU:H	1:C:42:LEU:HD23	0.46	1.71	2	1
1:C:17:TYR:HB3	1:D:122:THR:HG23	0.46	1.87	6	3
1:A:51:LEU:HD11	1:A:57:GLU:HB2	0.46	1.87	12	4
1:B:48:SER:HB3	1:B:56:TYR:HE1	0.46	1.71	20	2
1:A:40:VAL:HG11	1:A:126:LEU:HD11	0.46	1.86	5	2
1:C:64:VAL:HG23	1:C:114:ILE:HD13	0.46	1.87	7	2
1:B:40:VAL:HG13	1:B:64:VAL:HG13	0.46	1.88	18	1
1:D:86:ILE:HG12	1:D:98:LEU:HD21	0.46	1.88	17	1
1:D:13:ILE:HD13	1:D:105:ILE:HG21	0.45	1.88	3	1
1:A:44:LEU:HD22	1:A:60:LEU:HD21	0.45	1.87	18	2
1:D:40:VAL:CG1	1:D:64:VAL:HG13	0.45	2.41	7	2
1:A:31:VAL:CG2	1:A:68:LEU:HD12	0.45	2.40	11	2
1:A:111:ARG:HH12	1:C:105:ILE:HD12	0.45	1.71	13	2

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:9:MET:HG2	1:B:89:ILE:HG23	0.45	1.88	20	1
1:A:120:ARG:HD3	1:B:113:CYS:SG	0.45	2.52	6	2
1:B:130:PRO:HG3	1:D:16:ILE:HD11	0.45	1.88	2	1
1:D:64:VAL:HB	1:D:76:CYS:HB2	0.45	1.87	8	1
1:B:45:ASP:HB2	1:B:61:ARG:HB3	0.45	1.88	14	1
1:B:43:ASP:HB2	1:B:63:THR:HB	0.45	1.88	3	1
1:D:54:ASP:O	1:D:85:SER:HA	0.45	2.11	18	1
1:B:76:CYS:SG	1:B:114:ILE:HA	0.45	2.52	12	5
1:C:44:LEU:HD11	1:C:131:VAL:HG11	0.45	1.89	5	1
1:D:89:ILE:HD13	1:D:94:MET:HA	0.45	1.88	20	2
1:A:114:ILE:HD13	1:A:128:LEU:HD11	0.44	1.89	7	1
1:A:43:ASP:HB2	1:A:63:THR:HB	0.44	1.87	19	3
1:A:90:GLU:HA	1:A:94:MET:HB2	0.44	1.89	10	2
1:C:89:ILE:HD11	1:C:94:MET:HE3	0.44	1.89	18	2
1:A:45:ASP:HB2	1:A:61:ARG:HB3	0.44	1.89	13	1
1:B:27:ASN:ND2	1:B:71:GLU:HB2	0.44	2.26	18	3
1:C:84:PHE:CZ	1:C:106:LEU:HD11	0.44	2.47	8	1
1:B:16:ILE:HB	1:D:127:ASN:ND2	0.44	2.28	16	1
1:C:120:ARG:HD3	1:D:113:CYS:SG	0.44	2.53	16	1
1:A:64:VAL:HB	1:A:76:CYS:HB2	0.44	1.88	19	1
1:A:111:ARG:NH1	1:C:105:ILE:HD12	0.44	2.27	5	6
1:A:61:ARG:HG3	1:A:79:GLN:HG2	0.44	1.88	13	1
1:C:20:ASP:HA	1:D:23:PHE:O	0.44	2.13	17	1
1:D:128:LEU:HD23	1:D:128:LEU:H	0.44	1.73	2	1
1:A:30:HIS:HA	1:A:33:GLN:NE2	0.44	2.27	6	2
1:B:21:ILE:CD1	1:B:113:CYS:SG	0.44	3.05	14	1
1:B:86:ILE:HB	1:B:89:ILE:HD11	0.44	1.89	4	2
1:D:98:LEU:HD12	1:D:102:CYS:SG	0.44	2.53	11	1
1:B:76:CYS:SG	1:B:117:MET:HB2	0.43	2.52	6	1
1:D:31:VAL:HG22	1:D:68:LEU:HD12	0.43	1.90	3	2
1:A:21:ILE:HG21	1:B:117:MET:SD	0.43	2.53	5	1
1:D:34:LYS:NZ	1:D:71:GLU:HB3	0.43	2.29	15	1
1:B:31:VAL:HG21	1:B:73:ALA:HA	0.43	1.90	13	2
1:B:111:ARG:HG3	1:B:128:LEU:HB2	0.43	1.89	13	1
1:B:9:MET:SD	1:B:89:ILE:HG23	0.43	2.54	2	1
1:C:34:LYS:HZ3	1:C:71:GLU:HG2	0.43	1.73	10	1
1:D:34:LYS:HZ1	1:D:71:GLU:HB3	0.43	1.73	15	1
1:A:42:LEU:HD11	1:A:128:LEU:HD13	0.43	1.91	3	1
1:B:28:ALA:HB3	1:B:29:PRO:HD3	0.43	1.91	15	4
1:D:13:ILE:HG21	1:D:16:ILE:HD11	0.43	1.91	5	1
1:A:11:PHE:CD1	1:A:86:ILE:HD12	0.43	2.48	11	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:D:47:ALA:HB3	1:D:59:VAL:HB	0.43	1.89	17	2
1:D:25:ALA:HB1	1:D:28:ALA:HB2	0.43	1.89	19	1
1:C:86:ILE:HG21	1:C:94:MET:HE3	0.43	1.90	3	1
1:B:19:LYS:HD2	1:B:81:GLY:HA3	0.43	1.90	4	1
1:C:94:MET:HA	1:C:94:MET:HE3	0.43	1.91	4	1
1:C:96:HIS:O	1:C:100:ALA:HB3	0.43	2.14	16	1
1:D:22:SER:HB3	1:D:77:GLU:HB2	0.43	1.91	9	1
1:A:36:TRP:CE3	1:A:68:LEU:HD21	0.42	2.49	8	1
1:B:115:THR:HG21	1:C:119:SER:OG	0.42	2.14	12	1
1:A:40:VAL:HG21	1:A:126:LEU:HD13	0.42	1.90	6	1
1:C:43:ASP:HB3	1:C:63:THR:HB	0.42	1.89	10	1
1:A:13:ILE:CD1	1:A:105:ILE:HG21	0.42	2.44	5	2
1:A:23:PHE:HB3	1:B:21:ILE:HB	0.42	1.90	8	1
1:B:86:ILE:H	1:B:86:ILE:HD13	0.42	1.74	9	1
1:B:42:LEU:HD11	1:B:62:VAL:CG1	0.42	2.44	12	1
1:A:64:VAL:O	1:A:75:LEU:HD12	0.42	2.15	15	1
1:D:111:ARG:HD3	1:D:128:LEU:O	0.42	2.14	20	1
1:B:9:MET:HG3	1:B:89:ILE:HG23	0.42	1.92	4	1
1:A:28:ALA:HB3	1:A:29:PRO:HD3	0.42	1.91	11	1
1:A:20:ASP:HA	1:B:23:PHE:O	0.42	2.14	16	1
1:B:89:ILE:HB	1:B:94:MET:HA	0.42	1.92	5	2
1:B:11:PHE:CE1	1:B:102:CYS:SG	0.42	3.13	7	1
1:A:96:HIS:O	1:A:100:ALA:HB3	0.42	2.14	16	2
1:A:34:LYS:HD3	1:A:35:ASP:N	0.42	2.29	20	1
1:B:40:VAL:CG1	1:B:64:VAL:HG13	0.42	2.45	18	1
1:B:21:ILE:HD12	1:B:113:CYS:SG	0.42	2.55	14	1
1:D:89:ILE:HD13	1:D:94:MET:HB2	0.41	1.92	5	1
1:B:89:ILE:HD12	1:B:94:MET:HA	0.41	1.91	9	1
1:D:34:LYS:NZ	1:D:71:GLU:HG2	0.41	2.31	5	1
1:A:116:SER:O	1:A:120:ARG:HB2	0.41	2.15	9	1
1:A:30:HIS:O	1:A:33:GLN:HG2	0.41	2.15	15	1
1:A:21:ILE:HG23	1:A:117:MET:SD	0.41	2.55	20	1
1:D:24:GLU:HB2	1:D:75:LEU:HB2	0.41	1.90	14	1
1:B:48:SER:HB2	1:B:56:TYR:CE2	0.41	2.50	3	1
1:D:16:ILE:N	1:D:16:ILE:HD12	0.41	2.31	5	1
1:D:86:ILE:HG22	1:D:89:ILE:HD11	0.41	1.91	10	1
1:C:128:LEU:H	1:C:128:LEU:HD23	0.41	1.76	12	1
1:C:31:VAL:HA	1:C:34:LYS:HZ2	0.41	1.76	10	1
1:B:64:VAL:HG23	1:B:114:ILE:HD13	0.40	1.92	12	1
1:D:86:ILE:HD11	1:D:102:CYS:SG	0.40	2.57	9	1
1:A:130:PRO:HB3	1:C:101:TYR:OH	0.40	2.16	13	1

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:56:TYR:HE1	1:B:86:ILE:HD12	0.40	1.75	15	1
1:D:114:ILE:O	1:D:118:VAL:HG23	0.40	2.17	16	1
1:B:20:ASP:HB3	1:B:79:GLN:HB2	0.40	1.93	3	1
1:C:122:THR:HG21	1:D:16:ILE:O	0.40	2.15	5	1
1:C:114:ILE:O	1:C:118:VAL:HG23	0.40	2.17	11	1
1:B:37:GLN:NE2	1:B:37:GLN:H	0.40	2.15	19	1
1:B:43:ASP:HB3	1:B:63:THR:HB	0.40	1.94	19	1
1:C:89:ILE:HD12	1:C:94:MET:HA	0.40	1.93	7	1
1:C:102:CYS:HB2	1:C:103:PRO:HD3	0.40	1.92	8	1
1:B:64:VAL:HG11	1:B:126:LEU:CD2	0.40	2.42	6	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	128/155 (83%)	123±1 (96±1%)	5±1 (4±1%)	0±0 (0±0%)	100	100
1	B	124/155 (80%)	116±1 (93±1%)	8±1 (6±1%)	1±1 (1±1%)	32	76
1	C	127/155 (82%)	120±1 (95±1%)	7±1 (5±1%)	0±0 (0±0%)	54	85
1	D	119/155 (77%)	113±2 (95±1%)	5±2 (4±2%)	1±0 (0±0%)	32	76
2	E	0	-	-	-	-	-
2	F	0	-	-	-	-	-
All	All	9960/14600 (68%)	9449 (95%)	484 (5%)	27 (0%)	44	80

All 6 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	D	28	ALA	11
1	B	9	MET	7
1	B	130	PRO	3
1	C	130	PRO	3
1	B	28	ALA	2
1	B	53	ASP	1

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	109/132 (83%)	105±1 (97±1%)	4±1 (3±1%)	41	87
1	B	106/132 (80%)	103±1 (97±1%)	3±1 (3±1%)	45	89
1	C	108/132 (82%)	104±1 (96±1%)	5±1 (4±1%)	33	82
1	D	102/132 (77%)	97±2 (95±2%)	5±2 (5±2%)	31	79
2	E	0	-	-	-	-
2	F	0	-	-	-	-
All	All	8500/12160 (70%)	8184 (96%)	316 (4%)	37	85

All 74 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	60	LEU	20
1	D	60	LEU	20
1	A	89	ILE	20
1	C	117	MET	20
1	C	60	LEU	20
1	D	89	ILE	19
1	D	70	GLU	13
1	C	34	LYS	13
1	B	89	ILE	11
1	D	94	MET	9
1	C	15	ARG	9
1	B	86	ILE	7
1	B	37	GLN	6
1	A	70	GLU	6
1	A	14	GLN	6
1	D	41	LYS	6
1	D	90	GLU	5
1	C	112	GLU	5
1	B	54	ASP	5
1	D	54	ASP	5
1	B	56	TYR	5
1	D	128	LEU	4
1	A	37	GLN	4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	C	41	LYS	4
1	C	128	LEU	4
1	B	94	MET	4
1	B	9	MET	3
1	D	61	ARG	3
1	B	70	GLU	3
1	B	12	GLN	3
1	B	60	LEU	2
1	C	53	ASP	2
1	A	41	LYS	2
1	C	37	GLN	2
1	A	104	ASN	2
1	B	46	THR	2
1	A	90	GLU	2
1	D	39	GLU	2
1	B	44	LEU	2
1	D	57	GLU	2
1	A	12	GLN	1
1	C	61	ARG	1
1	C	130	PRO	1
1	B	125	GLN	1
1	C	42	LEU	1
1	D	12	GLN	1
1	A	93	GLN	1
1	C	54	ASP	1
1	A	61	ARG	1
1	D	83	ILE	1
1	B	41	LYS	1
1	B	127	ASN	1
1	B	51	LEU	1
1	A	122	THR	1
1	B	96	HIS	1
1	A	39	GLU	1
1	C	39	GLU	1
1	B	112	GLU	1
1	C	126	LEU	1
1	A	127	ASN	1
1	A	30	HIS	1
1	C	94	MET	1
1	B	98	LEU	1
1	C	104	ASN	1
1	B	11	PHE	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	D	46	THR	1
1	A	27	ASN	1
1	C	70	GLU	1
1	A	54	ASP	1
1	B	90	GLU	1
1	D	43	ASP	1
1	D	104	ASN	1
1	C	19	LYS	1
1	C	92	THR	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 6.7 Other polymers [i](#)

There are no such molecules in this entry.

### 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 14% for the well-defined parts and 15% for the entire structure.

### 7.1 Chemical shift list 1

File name: input\_cs.cif

Chemical shift list name: *assigned\_chemical\_shift\_5*

#### 7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	377
Number of shifts mapped to atoms	377
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

#### 7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	45	$-0.20 \pm 0.08$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	37	$0.15 \pm 0.06$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
$^{15}\text{N}$	52	$-0.99 \pm 0.25$	Should be applied

#### 7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 1%, i.e. 33 atoms were assigned a chemical shift out of a possible 5964. 0 out of 81 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	19/2434 (1%)	9/968 (1%)	5/996 (1%)	5/470 (1%)
Sidechain	6/2993 (0%)	2/1745 (0%)	4/1137 (0%)	0/111 (0%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	8/537 (1%)	4/285 (1%)	4/232 (2%)	0/20 (0%)
Overall	33/5964 (1%)	15/2998 (1%)	13/2365 (1%)	5/601 (1%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 4%, i.e. 347 atoms were assigned a chemical shift out of a possible 8588. 0 out of 102 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	183/3586 (5%)	86/1428 (6%)	45/1460 (3%)	52/698 (7%)
Sidechain	110/4234 (3%)	48/2466 (2%)	62/1608 (4%)	0/160 (0%)
Aromatic	54/768 (7%)	28/404 (7%)	25/330 (8%)	1/34 (3%)
Overall	347/8588 (4%)	162/4298 (4%)	132/3398 (4%)	53/892 (6%)


### 7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.


### 7.1.5 Random Coil Index (RCI) plots [i](#)

The images below report *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



Random coil index (RCI) for chain E:



## 7.2 Chemical shift list 2

File name: input\_cs.cif

Chemical shift list name: *assigned\_chemical\_shift\_6*

### 7.2.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	377
Number of shifts mapped to atoms	377
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

### 7.2.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	45	$-0.20 \pm 0.08$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	37	$0.15 \pm 0.08$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
$^{15}\text{N}$	52	$-0.98 \pm 0.24$	Should be applied

### 7.2.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 1%, i.e. 33 atoms were assigned a chemical shift out of a possible 5964. 0 out of 81 assigned methyl groups (LEU and VAL) were assigned

stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	19/2434 (1%)	9/968 (1%)	5/996 (1%)	5/470 (1%)
Sidechain	6/2993 (0%)	2/1745 (0%)	4/1137 (0%)	0/111 (0%)
Aromatic	8/537 (1%)	4/285 (1%)	4/232 (2%)	0/20 (0%)
Overall	33/5964 (1%)	15/2998 (1%)	13/2365 (1%)	5/601 (1%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 4%, i.e. 347 atoms were assigned a chemical shift out of a possible 8588. 0 out of 102 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	183/3586 (5%)	86/1428 (6%)	45/1460 (3%)	52/698 (7%)
Sidechain	110/4234 (3%)	48/2466 (2%)	62/1608 (4%)	0/160 (0%)
Aromatic	54/768 (7%)	28/404 (7%)	25/330 (8%)	1/34 (3%)
Overall	347/8588 (4%)	162/4298 (4%)	132/3398 (4%)	53/892 (6%)


#### 7.2.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

#### 7.2.5 Random Coil Index (RCI) plots [i](#)


The images below report *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



Random coil index (RCI) for chain E:





### 7.3 Chemical shift list 3

File name: input\_cs.cif

Chemical shift list name: *assigned\_chemical\_shift\_list\_1*

#### 7.3.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1049
Number of shifts mapped to atoms	1049
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

#### 7.3.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	139	$0.26 \pm 0.14$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	128	$0.85 \pm 0.13$	Should be applied
$^{13}\text{C}'$	137	$0.29 \pm 0.12$	None needed ( $< 0.5$ ppm)
$^{15}\text{N}$	133	$-1.15 \pm 0.49$	Should be applied

#### 7.3.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 14%, i.e. 818 atoms were assigned a chemical shift out of a possible 5964. 0 out of 81 assigned methyl groups (LEU and VAL) were assigned

stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	471/2434 (19%)	115/968 (12%)	241/996 (24%)	115/470 (24%)
Sidechain	226/2993 (8%)	63/1745 (4%)	163/1137 (14%)	0/111 (0%)
Aromatic	121/537 (23%)	61/285 (21%)	59/232 (25%)	1/20 (5%)
Overall	818/5964 (14%)	239/2998 (8%)	463/2365 (20%)	116/601 (19%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 11%, i.e. 930 atoms were assigned a chemical shift out of a possible 8588. 0 out of 102 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	542/3586 (15%)	133/1428 (9%)	276/1460 (19%)	133/698 (19%)
Sidechain	255/4234 (6%)	70/2466 (3%)	185/1608 (12%)	0/160 (0%)
Aromatic	133/768 (17%)	67/404 (17%)	65/330 (20%)	1/34 (3%)
Overall	930/8588 (11%)	270/4298 (6%)	526/3398 (15%)	134/892 (15%)


### 7.3.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

### 7.3.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



## 7.4 Chemical shift list 4

File name: input\_cs.cif

Chemical shift list name: *assigned\_chemical\_shift\_list\_2*

### 7.4.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1044
Number of shifts mapped to atoms	1044
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

### 7.4.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	140	$0.28 \pm 0.07$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	126	$0.78 \pm 0.21$	Should be applied
$^{13}\text{C}'$	135	$0.26 \pm 0.10$	None needed ( $< 0.5$ ppm)
$^{15}\text{N}$	132	$-1.09 \pm 0.30$	Should be applied

### 7.4.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 14%, i.e. 813 atoms were assigned a chemical shift out of a possible 5964. 0 out of 81 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	468/2434 (19%)	114/968 (12%)	240/996 (24%)	114/470 (24%)
Sidechain	224/2993 (7%)	63/1745 (4%)	161/1137 (14%)	0/111 (0%)
Aromatic	121/537 (23%)	61/285 (21%)	59/232 (25%)	1/20 (5%)
Overall	813/5964 (14%)	238/2998 (8%)	460/2365 (19%)	115/601 (19%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 11%, i.e. 925 atoms were assigned a chemical shift out of a possible 8588. 0 out of 102 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	539/3586 (15%)	132/1428 (9%)	275/1460 (19%)	132/698 (19%)
Sidechain	253/4234 (6%)	70/2466 (3%)	183/1608 (11%)	0/160 (0%)
Aromatic	133/768 (17%)	67/404 (17%)	65/330 (20%)	1/34 (3%)
Overall	925/8588 (11%)	269/4298 (6%)	523/3398 (15%)	133/892 (15%)


#### 7.4.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

#### 7.4.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



## 7.5 Chemical shift list 5

File name: input\_cs.cif

Chemical shift list name: *assigned\_chemical\_shift\_list\_3*

### 7.5.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1044
Number of shifts mapped to atoms	1044

Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

### 7.5.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	140	$0.27 \pm 0.10$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	126	$0.78 \pm 0.16$	Should be applied
$^{13}\text{C}'$	135	$0.26 \pm 0.10$	None needed ( $< 0.5$ ppm)
$^{15}\text{N}$	132	$-1.09 \pm 0.34$	Should be applied

### 7.5.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 14%, i.e. 813 atoms were assigned a chemical shift out of a possible 5964. 0 out of 81 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	468/2434 (19%)	114/968 (12%)	240/996 (24%)	114/470 (24%)
Sidechain	224/2993 (7%)	63/1745 (4%)	161/1137 (14%)	0/111 (0%)
Aromatic	121/537 (23%)	61/285 (21%)	59/232 (25%)	1/20 (5%)
Overall	813/5964 (14%)	238/2998 (8%)	460/2365 (19%)	115/601 (19%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 11%, i.e. 925 atoms were assigned a chemical shift out of a possible 8588. 0 out of 102 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	539/3586 (15%)	132/1428 (9%)	275/1460 (19%)	132/698 (19%)
Sidechain	253/4234 (6%)	70/2466 (3%)	183/1608 (11%)	0/160 (0%)
Aromatic	133/768 (17%)	67/404 (17%)	65/330 (20%)	1/34 (3%)
Overall	925/8588 (11%)	269/4298 (6%)	523/3398 (15%)	133/892 (15%)


### 7.5.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

### 7.5.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



## 7.6 Chemical shift list 6

File name: input\_cs.cif

Chemical shift list name: *assigned\_chemical\_shift\_list\_4*

### 7.6.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1049
Number of shifts mapped to atoms	1049
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

### 7.6.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

*Continued on next page...*

Continued from previous page...

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	139	0.26 $\pm$ 0.12	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	128	0.85 $\pm$ 0.15	Should be applied
$^{13}\text{C}'$	137	0.29 $\pm$ 0.19	None needed (< 0.5 ppm)
$^{15}\text{N}$	133	-1.16 $\pm$ 0.22	Should be applied

### 7.6.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 14%, i.e. 818 atoms were assigned a chemical shift out of a possible 5964. 0 out of 81 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	471/2434 (19%)	115/968 (12%)	241/996 (24%)	115/470 (24%)
Sidechain	226/2993 (8%)	63/1745 (4%)	163/1137 (14%)	0/111 (0%)
Aromatic	121/537 (23%)	61/285 (21%)	59/232 (25%)	1/20 (5%)
Overall	818/5964 (14%)	239/2998 (8%)	463/2365 (20%)	116/601 (19%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 11%, i.e. 930 atoms were assigned a chemical shift out of a possible 8588. 0 out of 102 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	542/3586 (15%)	133/1428 (9%)	276/1460 (19%)	133/698 (19%)
Sidechain	255/4234 (6%)	70/2466 (3%)	185/1608 (12%)	0/160 (0%)
Aromatic	133/768 (17%)	67/404 (17%)	65/330 (20%)	1/34 (3%)
Overall	930/8588 (11%)	270/4298 (6%)	526/3398 (15%)	134/892 (15%)

### 7.6.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

### 7.6.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble

composition.

Random coil index (RCI) for chain A:

