

# wwPDB X-ray Structure Validation Summary Report (i)

May 26, 2020 – 01:48 pm BST

PDB ID : 5K0B

Title: Crystal Structure of COMT in complex with 2,4-dimethyl-5-[3-(1-phenylethyl

)-1H-pyrazol-5-yl]-1,3-thiazole

Authors: Ehler, A.; Rodriguez-Sarmiento, R.M.; Rudolph, M.G.

Deposited on : 2016-05-17

Resolution : 2.36 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul: 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.11

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac: 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.11

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.36 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# { m Entries})$	$(\#  ext{Entries},  ext{resolution range}( ext{Å}))$
$R_{free}$	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	218	91%	6% •
1	В	218	92%	6% ••
1	С	218	95%	
1	D	218	94%	5%
1	Е	218	17%	17% •
1	F	218	94%	





 $Continued\ from\ previous\ page...$ 

Mol	Chain	Length	Quality of chain					
1	G	218	89%	8% •				
1	Н	218	94%	5% •				

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	$\operatorname{CL}$	Ε	305	-	=	_	X



# 2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 14551 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Catechol O-methyltransferase.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	A	214	Total	С	N	О	S	0	0	0
1	A	214	1679	1066	278	323	12	0	0	
1	В	215	Total	С	N	О	S	0	0	0
1	Ъ	219	1683	1068	279	324	12	0	0	
1	С	216	Total	С	N	О	S	0	0	0
1		210	1692	1074	280	326	12	0	0	U
1	D	217	Total	С	N	О	S	0	0	0
1	ש	211	1698	1077	281	328	12			U
1	Е	216	Total	С	N	О	S	0	0	0
1	12	210	1692	1074	280	326	12	0	0	
1	F	214	Total	С	N	О	S	0	0	0
1	I.	214	1679	1066	278	323	12	0	0	
1	G	214	Total	С	N	О	S	0	0	0
1	G	214	1679	1066	278	323	12	0	0	
1	Н	216	Total	С	N	О	S	0	0	0
1	11	216	1692	1074	280	326	12	U	U	U

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	91	ILE	MET	engineered mutation	UNP P22734
A	95	CYS	TYR	engineered mutation	UNP P22734
A	156	GLU	LYS	engineered mutation	UNP P22734
A	219	SER	_	expression tag	UNP P22734
В	91	ILE	MET	engineered mutation	UNP P22734
В	95	CYS	TYR	engineered mutation	UNP P22734
В	156	GLU	LYS	engineered mutation	UNP P22734
В	219	SER	-	expression tag	UNP P22734
С	91	ILE	MET	engineered mutation	UNP P22734
С	95	CYS	TYR	engineered mutation	UNP P22734
С	156	GLU	LYS	engineered mutation	UNP P22734
С	219	SER	-	expression tag	UNP P22734
D	91	ILE	MET	engineered mutation	UNP P22734



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	95	CYS	TYR	engineered mutation	UNP P22734
D	156	GLU	LYS	engineered mutation	UNP P22734
D	219	SER	_	expression tag	UNP P22734
Е	91	ILE	MET	engineered mutation	UNP P22734
Е	95	CYS	TYR	engineered mutation	UNP P22734
Е	156	GLU	LYS	engineered mutation	UNP P22734
Е	219	SER	-	expression tag	UNP P22734
F	91	ILE	MET	engineered mutation	UNP P22734
F	95	CYS	TYR	engineered mutation	UNP P22734
F	156	GLU	LYS	engineered mutation	UNP P22734
F	219	SER	-	expression tag	UNP P22734
G	91	ILE	MET	engineered mutation	UNP P22734
G	95	CYS	TYR	engineered mutation	UNP P22734
G	156	GLU	LYS	engineered mutation	UNP P22734
G	219	SER	=	expression tag	UNP P22734
Н	91	ILE	MET	engineered mutation	UNP P22734
Н	95	CYS	TYR	engineered mutation	UNP P22734
Н	156	GLU	LYS	engineered mutation	UNP P22734
Н	219	SER	-	expression tag	UNP P22734

 $\bullet$  Molecule 2 is 2,4-dimethyl-5-{3-[(1R)-1-phenylethyl]-1H-pyrazol-5-yl}-1,3-thiazole (three-letter code: 6PS) (formula:  $C_{16}H_{17}N_3S$ ).




N	/Iol	Chain	Residues	Atoms				ZeroOcc	AltConf
	2	A	1	Total 20	C 16	N 3	S 1	0	0



 $Continued\ from\ previous\ page...$ 

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	В	1	Total	С	N	S	0	0
2	Б	1	20	16	3	1	U	0
2	С	1	Total	С	N	S	0	0
2		1	20	16	3	1		U
2	D	1	Total	С	N	S	0	0
	ע	1	20	16	3	1		0
2	E	1	Total	С	N	S	0	0
	تا ا	1	20	16	3	1	0	0
2	F	1	Total	С	N	S	0	0
	I.	1	20	16	3	1	0	0
2	G	1	Total	С	N	S	0	0
	G	1	20	16	3	1	U	U
2	Н	1	Total	С	N	S	0	0
	11	1	20	16	3	1	U	

• Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	В	1	Total O P 5 4 1	0	0



Continued from previous page...

Mol	Chain	$oxed{ \mathbf{Residues} \ \mathbf{Residues} }$	Atoms	ZeroOcc	AltConf
3	В	1	Total O P 5 4 1	0	0
3	В	1	Total O P 5 4 1	0	0
3	В	1	Total O P 5 4 1	0	0
3	С	1	Total O P 5 4 1	0	0
3	С	1	Total O P 5 4 1	0	0
3	D	1	Total O P 5 4 1	0	0
3	Е	1	Total O P 5 4 1	0	0
3	F	1	Total O P 5 4 1	0	0
3	G	1	Total O P 5 4 1	0	0
3	G	1	Total O P 5 4 1	0	0
3	G	1	Total O P 5 4 1	0	0
3	Н	1	Total O P 5 4 1	0	0
3	Н	1	Total O P 5 4 1	0	0

• Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	D	1	Total K 1 1	0	0
4	Е	1	Total K 1 1	0	0
4	Н	1	Total K 1 1	0	0
4	В	2	Total K 2 2	0	0
4	С	1	Total K 1 1	0	0
4	A	2	Total K 2 2	0	0



• Molecule 5 is	CHLORIDE ION (	three-letter code:	CL)	(formula:	Cl).
-----------------	----------------	--------------------	-----	-----------	------

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	Н	1	Total Cl 1 1	0	0
5	В	1	Total Cl 1 1	0	0
5	С	1	Total Cl 1 1	0	0
5	E	2	$\begin{array}{cc} \text{Total} & \text{Cl} \\ 2 & 2 \end{array}$	0	0

• Molecule 6 is 3-CYCLOHEXYL-1-PROPYLSULFONIC ACID (three-letter code: CXS) (formula:  $C_9H_{19}NO_3S$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
6	С	1	Total	С	N	О	S	0	0	
0		1	14	9	1	3	1	U	U	
6	С	1	Total	С	Ν	Ο	S	0	0	
	)	1	14	9	1	3	1	U	U	
6	D	1	Total	С	Ν	Ο	S	0	0	
	D	1	14	9	1	3	1			
6	E	1	Total	С	Ν	Ο	S	0	0	
	Ľ	1	14	9	1	3	1	U	U	
6	E	1	Total	С	Ν	Ο	S	0	0	
	נו	1	14	9	1	3	1	U	U	
6	F	1	Total	С	Ν	Ο	S	0	0	
	Г	1	14	9	1	3	1	0	U	



 $Continued\ from\ previous\ page...$ 

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
6	П	1	Total	С	N	О	S	0	0
0	11	1	14	9	1	3	1	0	0

• Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	${f Atoms}$	ZeroOcc	AltConf
7	С	1	Total C O 4 2 2	0	0
7	D	1	Total C O 4 2 2	0	0
7	D	1	Total C O 4 2 2	0	0

• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	101	Total O 101 101	0	0
8	В	133	Total O 133 133	0	0
8	С	102	Total O 102 102	0	0
8	D	55	Total O 55 55	0	0
8	Е	39	Total O 39 39	0	0



 $Continued\ from\ previous\ page...$ 

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	F	116	Total O 116 116	0	0
8	G	82	Total O 82 82	0	0
8	Н	61	Total O 61 61	0	0




## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Catechol O-methyltransferase









# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 61	Depositor
Cell constants	$222.09 \text{\AA}  222.09 \text{Å}  123.08 \text{Å}$	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
Resolution (Å)	48.09 - 2.36	Depositor
Resolution (A)	48.08 - 2.36	EDS
% Data completeness	99.8 (48.09-2.36)	Depositor
(in resolution range)	91.2 (48.08-2.36)	EDS
$R_{merge}$	0.19	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.55~({\rm at}~2.37{\rm \AA})$	Xtriage
Refinement program	PHENIX	Depositor
D D.	0.155 , $0.195$	Depositor
$R, R_{free}$	0.162 , $0.198$	DCC
$R_{free}$ test set	7094  reflections  (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	38.4	Xtriage
Anisotropy	0.403	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.34 , 48.0	EDS
L-test for twinning <sup>2</sup>	$< L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	0.026 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	14551	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 1.92% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $< L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CXS, 6PS, CL, PO4, EDO, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles	
MIOI	Chain	RMSZ	# Z >5	RMSZ	# Z  > 5
1	A	0.39	0/1710	0.55	0/2319
1	В	0.42	0/1714	0.56	0/2324
1	С	0.38	0/1724	0.51	0/2339
1	D	0.35	0/1730	0.49	0/2347
1	Е	0.32	0/1724	0.49	0/2339
1	F	0.42	0/1710	0.57	0/2319
1	G	0.38	0/1710	0.53	0/2319
1	Н	0.35	0/1724	0.51	0/2339
All	All	0.38	0/13746	0.53	0/18645

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	$\mathbf{H}(\mathbf{added})$	Clashes	Symm-Clashes
1	A	1679	0	1677	9	0
1	В	1683	0	1680	10	0
1	С	1692	0	1690	11	0
1	D	1698	0	1695	9	0
1	E	1692	0	1690	22	0



Continued from previous page...

Mol	Chain	Non-H		H(added)	Clashes	Symm-Clashes
1	F	1679	0	1677	5	0
1	G	1679	0	1677	10	0
1	Н	1692	0	1690	7	0
2	A	20	0	0	0	0
2	В	20	0	0	0	0
2	С	20	0	0	0	0
2	D	20	0	0	0	0
2	Е	20	0	0	0	0
2	F	20	0	0	0	0
2	G	20	0	0	0	0
2	Н	20	0	0	0	0
3	A	15	0	0	2	0
3	В	20	0	0	0	0
3	С	10	0	0	0	0
3	D	5	0	0	1	0
3	Ε	5	0	0	0	0
3	F	5	0	0	0	0
3	G	15	0	0	0	0
3	Н	10	0	0	0	0
4	A	2	0	0	0	0
4	В	2	0	0	0	0
4	С	1	0	0	0	0
4	D	1	0	0	0	0
4	Е	1	0	0	0	0
4	Н	1	0	0	0	0
5	В	1	0	0	0	0
5	С	1	0	0	0	0
5	Е	2	0	0	0	0
5	Н	1	0	0	0	0
6	С	28	0	38	3	0
6	D	14	0	19	0	0
6	Е	28	0	38	2	0
6	F	14	0	19	0	0
6	Н	14	0	19	0	0
7	С	4	0	6	0	0
7	D	8	0	12	0	0
8	A	101	0	0	1	0
8	В	133	0	0	0	0
8	С	102	0	0	1	0
8	D	55	0	0	1	0
8	Е	39	0	0	0	0
8	F	116	0	0	0	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	$\mathbf{H}(\mathbf{added})$	Clashes	Symm-Clashes
8	G	82	0	0	0	0
8	Н	61	0	0	0	0
All	All	14551	0	13627	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 73 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$egin{array}{l}  ext{Interatomic} \  ext{distance} \ ( ext{Å}) \end{array}$	$egin{array}{c}  ext{Clash} \  ext{overlap } ( ext{Å}) \end{array}$
1:E:39:ALA:O	1:E:41:ASN:N	2.30	0.64
1:B:169:ASP:HA	1:E:207:LEU:HD23	1.80	0.63
1:D:174:PRO:HD3	1:D:201:MET:HE3	1.80	0.62
1:A:144:LYS:N	3:A:304:PO4:O2	2.24	0.62
1:F:67:ALA:HB2	1:F:88:THR:HG21	1.83	0.61

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	${f Analysed}$	Favoured	Allowed	Outliers	Perce	ntiles
1	A	$212/218\ (97\%)$	203 (96%)	9 (4%)	0	100	100
1	В	$213/218 \ (98\%)$	202 (95%)	11 (5%)	0	100	100
1	С	$214/218 \ (98\%)$	208 (97%)	6 (3%)	0	100	100
1	D	$215/218 \ (99\%)$	208 (97%)	7 (3%)	0	100	100
1	Е	214/218 (98%)	206 (96%)	7 (3%)	1 (0%)	29	32
1	F	$212/218 \ (97\%)$	204 (96%)	8 (4%)	0	100	100
1	G	212/218 (97%)	201 (95%)	11 (5%)	0	100	100
1	Н	214/218 (98%)	205 (96%)	9 (4%)	0	100	100



Continued from previous page...

Mol	Chain	Analysed	Favoured	voured Allowed		Percentiles
All	All	1706/1744 (98%)	1637 (96%)	68 (4%)	1 (0%)	51 63

#### All (1) Ramachandran outliers are listed below:

Mol	Chain	${f Res}$	Type
1	E	40	MET

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles			
1	A	184/187 (98%)	180 (98%)	4 (2%)	52	63		
1	В	184/187 (98%)	180 (98%)	4 (2%)	52	63		
1	С	186/187 (100%)	186 (100%)	0	100	100		
1	D	187/187 (100%)	185 (99%)	2 (1%)	73	84		
1	E	$186/187 \; (100\%)$	179 (96%)	7 (4%)	33	41		
1	F	184/187 (98%)	182 (99%)	2 (1%)	73	84		
1	G	184/187 (98%)	178 (97%)	6 (3%)	38	46		
1	Н	186/187 (100%)	185 (100%)	1 (0%)	88	94		
All	All	1481/1496 (99%)	1455 (98%)	26 (2%)	59	70		

5 of 26 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Ε	75	ARG
1	Ε	146	ARG
1	G	201	MET
1	E	116	ASN
1	Ε	142	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:



Mol	Chain	${f Res}$	$\mathbf{Type}$
1	Ε	125	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 5.6 Ligand geometry (i)

Of 48 ligands modelled in this entry, 13 are monoatomic - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Trens	Chain	Dog	Link	Во	Bond lengths			ond ang	les
Mol	Type	Chain	m Res	Link	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	6PS	G	301	-	17,22,22	1.33	1 (5%)	16,31,31	1.61	4 (25%)
6	CXS	F	302	-	14,14,14	1.07	2 (14%)	18,18,18	1.91	4 (22%)
2	6PS	С	301	-	17,22,22	1.39	1 (5%)	16,31,31	1.74	3 (18%)
7	EDO	D	303	-	3,3,3	0.48	0	2,2,2	0.45	0
3	PO4	G	303	-	4,4,4	0.88	0	6,6,6	0.43	0
3	PO4	В	303	i	4,4,4	1.06	0	6,6,6	0.55	0
6	CXS	Н	302	-	14,14,14	1.02	2 (14%)	18,18,18	2.19	5 (27%)
3	PO4	G	302	_	4,4,4	0.94	0	6,6,6	0.53	0
2	6PS	D	301	-	17,22,22	1.49	1 (5%)	16,31,31	1.55	3 (18%)
6	CXS	С	303	-	14,14,14	1.10	2 (14%)	18,18,18	1.82	4 (22%)
2	6PS	Н	301	-	17,22,22	1.33	1 (5%)	16,31,31	1.84	4 (25%)
7	EDO	С	304	_	3,3,3	0.54	0	2,2,2	0.09	0



Mol	Т	Chain	Dog	Link	Во	nd leng	ths	В	ond ang	gles
MIOI	Type	Chain	Res	Link	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	PO4	G	304	-	4,4,4	0.81	0	6,6,6	0.68	0
3	PO4	A	303	-	4,4,4	0.99	0	6,6,6	0.52	0
3	PO4	A	302	_	4,4,4	0.80	0	6,6,6	0.44	0
3	PO4	F	303	_	4,4,4	0.85	0	6,6,6	0.51	0
3	PO4	В	304	_	4,4,4	0.97	0	6,6,6	0.40	0
6	CXS	E	303	_	14,14,14	1.05	2 (14%)	18,18,18	1.78	4 (22%)
3	PO4	Н	304	_	4,4,4	0.79	0	6,6,6	0.45	0
7	EDO	D	304	_	3,3,3	0.50	0	2,2,2	0.11	0
6	CXS	E	302	_	14,14,14	1.02	1 (7%)	18,18,18	2.05	5 (27%)
6	CXS	С	302	_	14,14,14	1.08	2 (14%)	18,18,18	1.90	6 (33%)
3	PO4	Н	305	-	4,4,4	0.87	0	6,6,6	0.50	0
3	PO4	D	305	_	4,4,4	0.82	0	6,6,6	0.53	0
3	PO4	С	305	_	4,4,4	0.99	0	6,6,6	0.47	0
3	PO4	Е	306	_	4,4,4	0.81	0	6,6,6	0.35	0
2	6PS	A	301	_	17,22,22	1.31	1 (5%)	16,31,31	1.91	4 (25%)
6	CXS	D	302	_	14,14,14	1.09	1 (7%)	18,18,18	2.14	5 (27%)
2	6PS	F	301	-	17,22,22	1.42	1 (5%)	16,31,31	1.80	3 (18%)
3	PO4	В	302	_	4,4,4	1.03	0	6,6,6	0.49	0
3	PO4	A	304	_	4,4,4	1.02	0	6,6,6	0.32	0
2	6PS	В	301	-	17,22,22	1.39	2 (11%)	16,31,31	1.83	5 (31%)
3	PO4	С	306	4	4,4,4	0.92	0	6,6,6	0.39	0
3	PO4	В	305	-	4,4,4	0.88	0	6,6,6	0.48	0
2	6PS	Е	301	-	17,22,22	1.20	1 (5%)	16,31,31	1.88	4 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	6PS	G	301	-	-	2/8/12/12	0/3/3/3
6	CXS	F	302	-	-	2/8/16/16	0/1/1/1
2	6PS	A	301	-	-	2/8/12/12	0/3/3/3
6	CXS	D	302	-	-	0/8/16/16	0/1/1/1
2	6PS	С	301	_	-	2/8/12/12	0/3/3/3
6	CXS	С	303	-	-	0/8/16/16	0/1/1/1
7	EDO	D	303	_	-	0/1/1/1	-
2	6PS	Н	301	_	_	2/8/12/12	0/3/3/3
7	EDO	С	304	-	-	0/1/1/1	-



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	CXS	Е	303	_	-	3/8/16/16	0/1/1/1
2	6PS	F	301	-	-	2/8/12/12	0/3/3/3
7	EDO	D	304	-	-	0/1/1/1	ı
2	6PS	В	301	_	-	2/8/12/12	0/3/3/3
6	CXS	Е	302	-	-	0/8/16/16	0/1/1/1
6	CXS	С	302	_	-	4/8/16/16	0/1/1/1
6	CXS	Н	302	_	-	5/8/16/16	0/1/1/1
2	6PS	D	301	-	-	1/8/12/12	0/3/3/3
2	6PS	Е	301	_	-	2/8/12/12	0/3/3/3

The worst 5 of 21 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	${f Observed(\AA)}$	$\mathbf{Ideal}( exttt{\AA})$
2	D	301	6PS	N10-N09	-4.24	1.29	1.37
2	F	301	6PS	N10-N09	-3.87	1.30	1.37
2	С	301	6PS	N10-N09	-3.77	1.30	1.37
2	A	301	6PS	N10-N09	-3.74	1.30	1.37
2	G	301	6PS	N10-N09	-3.71	1.30	1.37

The worst 5 of 63 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
2	A	301	6PS	C01-C02-S03	5.78	127.89	120.12
6	D	302	CXS	C3-N-C4	-5.37	103.60	114.14
6	F	302	CXS	O3-S-O1	-5.14	98.71	111.27
2	E	301	6PS	C01-C02-S03	4.86	126.65	120.12
6	E	302	CXS	O3-S-C1	4.83	113.58	105.77

There are no chirality outliers.

5 of 29 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	F	302	CXS	C1-C2-C3-N
6	F	302	CXS	C9-C4-N-C3
6	E	303	CXS	C2-C1-S-O3
6	С	302	CXS	S-C1-C2-C3
2	Н	301	6PS	C12-C11-C13-C14


There are no ring outliers.

6 monomers are involved in 8 short contacts:





Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	С	303	CXS	3	0
3	A	303	PO4	1	0
6	E	303	CXS	1	0
6	E	302	CXS	1	0
3	D	305	PO4	1	0
3	A	304	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






























### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

#### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	$\#\mathrm{RSRZ}{>}2$	$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q < 0.9
1	A	214/218 (98%)	-0.25	0 100 100	27, 39, 64, 118	0
1	В	215/218 (98%)	-0.05	6 (2%) 53 64	26, 37, 61, 122	0
1	С	$216/218 \ (99\%)$	-0.23	2 (0%) 84 90	27, 41, 68, 92	0
1	D	217/218 (99%)	0.02	4 (1%) 68 77	27, 56, 89, 115	0
1	E	$216/218 \ (99\%)$	0.83	38 (17%) 1 2	31, 74, 111, 142	0
1	F	214/218 (98%)	-0.07	5 (2%) 60 70	25, 36, 71, 135	0
1	G	214/218 (98%)	0.05	7 (3%) 46 59	33, 48, 79, 122	0
1	Н	$216/218 \ (99\%)$	0.22	9 (4%) 36 48	32, 52, 81, 111	0
All	All	1722/1744 (98%)	0.07	71 (4%) 37 49	25, 46, 90, 142	0

The worst 5 of 71 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	38	TRP	5.4
1	E	13	VAL	4.6
1	E	35	GLN	4.5
1	E	87	LEU	4.5
1	G	131	ASP	4.1

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no carbohydrates in this entry.



#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
5	$\operatorname{CL}$	Е	305	1/1	0.77	0.57	66,66,66,66	0
6	CXS	E	302	14/14	0.80	0.28	81,96,140,142	0
3	PO4	G	304	5/5	0.82	0.18	107,112,114,118	0
4	K	D	306	1/1	0.82	0.13	115,115,115,115	0
3	PO4	F	303	5/5	0.86	0.23	116,119,121,124	0
6	CXS	F	302	14/14	0.86	0.19	74,79,95,102	0
6	CXS	Е	303	14/14	0.86	0.27	61,75,106,109	0
3	PO4	G	303	5/5	0.87	0.22	97,99,103,111	0
3	PO4	В	304	5/5	0.90	0.30	95,99,108,110	0
3	PO4	G	302	5/5	0.90	0.18	94,94,95,100	0
5	$\operatorname{CL}$	С	308	1/1	0.90	0.31	55,55,55,55	0
3	PO4	Н	305	5/5	0.91	0.23	95,96,104,112	0
5	$\operatorname{CL}$	Н	303	1/1	0.92	0.28	57,57,57,57	0
3	PO4	A	304	5/5	0.92	0.18	78,91,93,98	0
3	PO4	С	306	5/5	0.93	0.19	93,95,101,103	0
3	PO4	Е	306	5/5	0.94	0.20	66,67,79,85	0
7	EDO	D	303	4/4	0.94	0.37	41,43,54,68	0
3	PO4	D	305	5/5	0.94	0.16	102,103,105,108	0
3	PO4	В	305	5/5	0.94	0.19	88,92,99,102	0
5	$\operatorname{CL}$	В	307	1/1	0.95	0.19	72,72,72,72	0
4	K	С	307	1/1	0.96	0.06	55,55,55,55	0
4	K	A	305	1/1	0.96	0.09	47,47,47,47	0
6	CXS	С	303	14/14	0.96	0.17	67,74,80,81	0
5	$\operatorname{CL}$	Е	304	1/1	0.96	0.15	54,54,54,54	0
6	CXS	D	302	14/14	0.96	0.16	36,45,49,50	0
2	6PS	Н	301	20/20	0.97	0.15	22,29,36,40	0
4	K	Е	307	1/1	0.97	0.07	68,68,68,68	0
7	EDO	С	304	4/4	0.97	0.12	42,44,45,47	0
2	6PS	G	301	20/20	0.97	0.12	34,46,50,50	0
3	PO4	В	303	5/5	0.97	0.17	69,71,77,79	0
3	PO4	Н	304	5/5	0.97	0.20	80,80,85,94	0
7	EDO	D	304	4/4	0.97	0.15	55,56,57,58	0
2	6PS	A	301	20/20	0.98	0.12	26,32,39,48	0
3	PO4	A	303	5/5	0.98	0.14	65,69,70,80	0
4	K	В	308	1/1	0.98	0.06	55,55,55,55	0
2	6PS	D	301	20/20	0.98	0.15	29,35,40,41	0
2	6PS	F	301	20/20	0.98	0.12	22,31,42,42	0




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B\text{-}factors}({f \AA}^2)$	Q < 0.9
2	6PS	С	301	20/20	0.98	0.16	18,28,35,43	0
2	6PS	В	301	20/20	0.98	0.14	17,28,38,40	0
4	K	В	306	1/1	0.98	0.08	50,50,50,50	0
6	CXS	С	302	14/14	0.98	0.17	29,35,39,40	0
4	K	A	306	1/1	0.98	0.09	53,53,53,53	0
2	6PS	E	301	20/20	0.98	0.17	33,41,47,48	0
4	K	Н	306	1/1	0.99	0.09	57,57,57,57	0
3	PO4	A	302	5/5	0.99	0.12	42,43,49,52	0
6	CXS	Н	302	14/14	0.99	0.12	33,41,45,49	0
3	PO4	В	302	5/5	0.99	0.14	39,46,52,59	0
3	PO4	С	305	5/5	0.99	0.14	38,43,49,55	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.














#### Electron density around 6PS F 301:


 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)
















## 6.5 Other polymers (i)

There are no such residues in this entry.

