



wwPDB EM Validation Summary Report ⓘ

Jul 2, 2024 – 06:40 PM JST

PDB ID : 8K2D
EMDB ID : EMD-36839
Title : Cryo-EM structure of the yeast 80S ribosome with tigecycline, eEF2, Stm1 and eIF5A
Authors : Buschauer, R.; Beckmann, R.; Cheng, J.
Deposited on : 2023-07-12
Resolution : 3.20 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY









The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C2	1800	 71% 21% 6%
2	C1	3396	 75% 18% 6%
3	C4	121	 83% 17%
4	C3	158	 82% 16% ..
5	SA	252	 81% 18%
6	SB	255	 84% 15%
7	SC	254	 84% 15%
8	SD	240	 91% 7%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	SE	261	 99%
10	SF	225	 91% 8%
11	SG	236	 92% 8%
12	SH	190	 95% ..
13	SI	200	 94% 6%
14	SJ	197	 94% 6%
15	SK	105	 83% 5% 12%
16	SL	156	 92% 6%
17	SM	143	 24% 85% 13%
18	SN	151	 99% ..
19	SO	137	 92% 7%
20	SP	142	 83% 16%
21	SQ	143	 97% ..
22	SR	136	 83% 15%
23	SS	146	 97% ..
24	ST	144	 99% .
25	SU	121	 83% 17%
26	SV	87	 99% .
27	SW	130	 98% ..
28	SX	145	 99% ..
29	SY	135	 96% ..
30	SZ	108	 62% 36%
31	Sa	119	 82% 18%
32	Sb	82	 98% ..
33	Sc	67	 91% 6%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Sd	56	 95% 5%
35	Se	63	 14% 92% 5%
36	Sf	152	 22% 78%
37	Sg	319	 97%
38	LA	254	 98%
39	LB	387	 99%
40	LC	362	 99%
41	LD	297	 98%
42	LE	176	 88% 11%
43	LF	244	 91% 9%
44	LG	256	 90% 10%
45	LH	191	 98%
46	LI	221	 94% 5%
47	LJ	174	 96%
48	LK	165	 22% 95%
49	LL	199	 94%
50	LM	138	 99%
51	LN	204	 100%
52	LO	199	 98%
53	LP	184	 94% 5%
54	LQ	186	 99%
55	LR	189	 92% 8%
56	LS	172	 100%
57	LT	160	 99%
58	LU	121	 80% 19%


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	LV	137	 98%
60	LW	155	 41% 59%
61	LX	142	 85% 15%
62	LY	127	 98%
63	LZ	136	 96%
64	La	149	 97%
65	Lb	59	 97%
66	Lc	105	 95% 5%
67	Ld	113	 6% 96%
68	Le	130	 98%
69	Lf	107	 99%
70	Lg	121	 93% 7%
71	Lh	120	 98%
72	Li	100	 98%
73	Lj	88	 93% 7%
74	Lk	78	 97%
75	Ll	51	 96%
76	Lm	128	 41% 59%
77	Ln	25	 16% 100%
78	Lo	106	 99%
79	Lp	92	 97%
80	CE	157	 92% 7%
81	L1	217	 99%
82	P0	312	 17% 64% 35%
83	CD	842	 43% 95%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
84	CS	273	 44% 55%

2 Entry composition i

There are 88 unique types of molecules in this entry. The entry contains 210169 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	C2	1700	36234	16201	6426	11907	1700	0	0

- Molecule 2 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	C1	3188	68200	30463	12307	22242	3188	0	0

- Molecule 3 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	C4	121	2579	1152	461	845	121	0	0

- Molecule 4 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	C3	157	3333	1491	584	1101	157	0	0

- Molecule 5 is a protein called Small ribosomal subunit protein uS2A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	SA	206	1583	1017	281	283	2	0	0

- Molecule 6 is a protein called 40S ribosomal protein S1-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	SB	216	1722	1091	312	315	4	0	0

- Molecule 7 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	SC	217	1635	1047	289	297	2	0	0

- Molecule 8 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	SD	223	1734	1101	313	314	6	0	0

- Molecule 9 is a protein called 40S ribosomal protein S4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	SE	260	2068	1316	389	360	3	0	0

- Molecule 10 is a protein called Small ribosomal subunit protein uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	SF	206	1609	1007	300	299	3	0	0

- Molecule 11 is a protein called 40S ribosomal protein S6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	SG	218	1755	1102	337	313	3	0	0

- Molecule 12 is a protein called 40S ribosomal protein S7-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	SH	185	1486	954	266	266	0	0

- Molecule 13 is a protein called 40S ribosomal protein S8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	SI	188	1489	925	298	264	2	0	0

- Molecule 14 is a protein called 40S ribosomal protein S9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	SJ	185	Total	C	N	O	S	0	0
			1494	943	289	261	1		

- Molecule 15 is a protein called Small ribosomal subunit protein eS10A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	SK	92	Total	C	N	O	S	0	0
			741	478	121	140	2		

- Molecule 16 is a protein called Small ribosomal subunit protein uS17A.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	SL	146	Total	C	N	O	S	0	0
			1168	747	221	197	3		

- Molecule 17 is a protein called Small ribosomal subunit protein eS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	SM	124	Total	C	N	O	S	0	0
			890	560	156	172	2		

- Molecule 18 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	SN	150	Total	C	N	O	S	0	0
			1192	759	224	207	2		

- Molecule 19 is a protein called 40S ribosomal protein S14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	SO	128	Total	C	N	O	S	0	0
			949	582	188	176	3		

- Molecule 20 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	SP	119	Total	C	N	O	S	0	0
			939	595	176	161	7		

- Molecule 21 is a protein called Small ribosomal subunit protein uS9A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
21	SQ	141	1105	708	203	194	0	0

- Molecule 22 is a protein called Small ribosomal subunit protein eS17A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	SR	115	896	557	172	165	2	0	0

- Molecule 23 is a protein called Small ribosomal subunit protein uS13A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	SS	145	1192	743	237	210	2	0	0

- Molecule 24 is a protein called Small ribosomal subunit protein eS19A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	ST	143	1112	694	208	208	2	0	0

- Molecule 25 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	SU	101	805	512	145	147	1	0	0

- Molecule 26 is a protein called Small ribosomal subunit protein eS21A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	SV	87	684	420	125	137	2	0	0

- Molecule 27 is a protein called 40S ribosomal protein S22-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	SW	129	1021	650	188	180	3	0	0

- Molecule 28 is a protein called 40S ribosomal protein S23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	SX	144	1121	708	220	191	2	0	0

- Molecule 29 is a protein called 40S ribosomal protein S24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	SY	134	1073	676	208	189		0	0

- Molecule 30 is a protein called Small ribosomal subunit protein eS25A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	SZ	69	558	357	103	98		0	0

- Molecule 31 is a protein called Small ribosomal subunit protein eS26B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	Sa	97	769	475	160	129	5	0	0

- Molecule 32 is a protein called 40S ribosomal protein S27-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	Sb	81	610	382	110	113	5	0	0

- Molecule 33 is a protein called Small ribosomal subunit protein eS28A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	Sc	63	497	306	99	91	1	0	0

- Molecule 34 is a protein called Small ribosomal subunit protein uS14A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	Sd	53	442	274	92	72	4	0	0

- Molecule 35 is a protein called 40S ribosomal protein S30-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Se	60	Total	C	N	O	S	0	0
			475	299	98	77	1		

- Molecule 36 is a protein called Ubiquitin-ribosomal protein eS31 fusion protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Sf	33	Total	C	N	O	S	0	0
			248	153	46	45	4		

- Molecule 37 is a protein called Small ribosomal subunit protein RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Sg	313	Total	C	N	O	S	0	0
			2403	1521	411	463	8		

- Molecule 38 is a protein called Large ribosomal subunit protein uL2A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	LA	252	Total	C	N	O	S	0	0
			1912	1190	388	333	1		

- Molecule 39 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	LB	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		

- Molecule 40 is a protein called Large ribosomal subunit protein uL4A.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	LC	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 41 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	LD	294	Total	C	N	O	S	0	0
			2359	1489	412	456	2		

- Molecule 42 is a protein called Large ribosomal subunit protein eL6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	LE	157	Total	C	N	O	S	0	0
			1248	806	224	217	1		

- Molecule 43 is a protein called Large ribosomal subunit protein uL30A.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	LF	223	Total	C	N	O	S	0	0
			1791	1155	325	310	1		

- Molecule 44 is a protein called Large ribosomal subunit protein eL8A.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	LG	231	Total	C	N	O	S	0	0
			1763	1130	316	314	3		

- Molecule 45 is a protein called Large ribosomal subunit protein uL6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	LH	190	Total	C	N	O	S	0	0
			1510	957	273	276	4		

- Molecule 46 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	LI	209	Total	C	N	O	S	0	0
			1696	1077	321	293	5		

- Molecule 47 is a protein called Large ribosomal subunit protein uL5A.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	LJ	169	Total	C	N	O	S	0	0
			1353	847	253	249	4		

- Molecule 48 is a protein called Large ribosomal subunit protein uL11A.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	LK	158	Total	C	N	O	S	0	0
			1196	750	216	228	2		

- Molecule 49 is a protein called Large ribosomal subunit protein eL13A.

Mol	Chain	Residues	Atoms			AltConf	Trace	
			Total	C	N			O
49	LL	194	1548	965	316	267	0	0

- Molecule 50 is a protein called Large ribosomal subunit protein eL14A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	LM	137	1059	678	200	179	2	0	0

- Molecule 51 is a protein called Large ribosomal subunit protein eL15A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	LN	203	1720	1077	361	281	1	0	0

- Molecule 52 is a protein called Large ribosomal subunit protein uL13A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	LO	197	1555	1003	289	262	1	0	0

- Molecule 53 is a protein called Large ribosomal subunit protein uL22A.

Mol	Chain	Residues	Atoms			AltConf	Trace	
			Total	C	N			O
53	LP	175	1378	856	273	249	0	0

- Molecule 54 is a protein called Large ribosomal subunit protein eL18A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	LQ	185	1441	908	290	241	2	0	0

- Molecule 55 is a protein called Large ribosomal subunit protein eL19A.

Mol	Chain	Residues	Atoms			AltConf	Trace	
			Total	C	N			O
55	LR	174	1365	843	286	236	0	0

- Molecule 56 is a protein called Large ribosomal subunit protein eL20A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	LS	172	1445	930	267	244	4	0	0

- Molecule 57 is a protein called Large ribosomal subunit protein eL21A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	LT	159	1276	805	246	221	4	0	0

- Molecule 58 is a protein called Large ribosomal subunit protein eL22A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
58	LU	98	778	505	127	146	0	0

- Molecule 59 is a protein called Large ribosomal subunit protein uL14A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	LV	134	993	623	187	176	7	0	0

- Molecule 60 is a protein called Large ribosomal subunit protein eL24A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	LW	63	521	336	102	82	1	0	0

- Molecule 61 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
61	LX	120	959	617	168	172	2	0	0

- Molecule 62 is a protein called Large ribosomal subunit protein uL24A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
62	LY	124	976	614	190	172	0	0

- Molecule 63 is a protein called Large ribosomal subunit protein eL27A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
63	LZ	135	1092	710	202	180	0	0

- Molecule 64 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	La	148	1173	749	231	190	3	0	0

- Molecule 65 is a protein called Large ribosomal subunit protein eL29.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
65	Lb	58	462	289	100	73	0	0

- Molecule 66 is a protein called Large ribosomal subunit protein eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	Lc	100	767	492	128	146	1	0	0

- Molecule 67 is a protein called Large ribosomal subunit protein eL31A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	Ld	109	883	559	167	156	1	0	0

- Molecule 68 is a protein called Large ribosomal subunit protein eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	Le	127	1020	647	205	167	1	0	0

- Molecule 69 is a protein called Large ribosomal subunit protein eL33A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	Lf	106	850	540	165	144	1	0	0

- Molecule 70 is a protein called Large ribosomal subunit protein eL34A.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	Lg	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 71 is a protein called Large ribosomal subunit protein uL29A.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Lh	119	Total	C	N	O	S	0	0
			965	612	185	167	1		

- Molecule 72 is a protein called Large ribosomal subunit protein eL36A.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Li	99	Total	C	N	O	S	0	0
			770	481	156	131	2		

- Molecule 73 is a protein called Large ribosomal subunit protein eL37A.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	Lj	82	Total	C	N	O	S	0	0
			650	396	142	107	5		

- Molecule 74 is a protein called Large ribosomal subunit protein eL38.

Mol	Chain	Residues	Atoms				AltConf	Trace
74	Lk	77	Total	C	N	O	0	0
			608	388	114	106		

- Molecule 75 is a protein called Large ribosomal subunit protein eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Ll	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 76 is a protein called Ubiquitin-ribosomal protein eL40A fusion protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	Lm	52	Total	C	N	O	S	0	0
			417	259	86	67	5		

- Molecule 77 is a protein called Large ribosomal subunit protein eL41A.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Ln	25	Total	C	N	O	S	0	0
			233	142	63	27	1		

- Molecule 78 is a protein called Large ribosomal subunit protein eL42A.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	Lo	105	Total	C	N	O	S	0	0
			847	534	170	138	5		

- Molecule 79 is a protein called Large ribosomal subunit protein eL43A.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	Lp	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 80 is a protein called Eukaryotic translation initiation factor 5A-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	CE	146	Total	C	N	O	S	0	0
			1097	686	184	218	9		

- Molecule 81 is a protein called Large ribosomal subunit protein uL1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	L1	217	Total	C	N	O	S	0	0
			1718	1097	299	312	10		

- Molecule 82 is a protein called Large ribosomal subunit protein uL10.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	P0	203	Total	C	N	O	S	0	0
			1571	1006	272	289	4		

- Molecule 83 is a protein called Elongation factor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
83	CD	816	Total	C	N	O	S	0	0
			6348	4042	1079	1197	30		


- Molecule 84 is a protein called Suppressor protein STM1.

Mol	Chain	Residues	Atoms			AltConf	Trace	
			Total	C	N			O
84	CS	122	919	541	184	194	0	0

- Molecule 85 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
85	C2	1	Total	Zn	0
			1	1	
85	SM	1	Total	Zn	0
			1	1	
85	Sa	1	Total	Zn	0
			1	1	
85	Sb	1	Total	Zn	0
			1	1	
85	Lg	1	Total	Zn	0
			1	1	
85	Lj	1	Total	Zn	0
			1	1	
85	Lm	1	Total	Zn	0
			1	1	
85	Lo	1	Total	Zn	0
			1	1	
85	Lp	1	Total	Zn	0
			1	1	

- Molecule 86 is TIGECYCLINE (three-letter code: T1C) (formula: C₂₉H₄₁N₅O₈).




Mol	Chain	Residues	Atoms				AltConf
86	C1	1	Total	C	N	O	0
			42	29	5	8	
86	C1	1	Total	C	N	O	0
			42	29	5	8	
86	C1	1	Total	C	N	O	0
			42	29	5	8	
86	C1	1	Total	C	N	O	0
			42	29	5	8	
86	C1	1	Total	C	N	O	0
			42	29	5	8	

- Molecule 87 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
87	C1	2	Total	Mg	0
			2	2	
87	C3	1	Total	Mg	0
			1	1	
87	CD	1	Total	Mg	0
			1	1	

- Molecule 88 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).





Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
88	CD	1	28	10	5	11	2	0



G1207	U1208	U1305	U1306	C1216	A1217	U1218	C1219	U1220	A1221	G1222	A1223	G1230	A1231	C1232	U1235	G1236	C1239	A1240	U1241	G1242	A1244	A1245	G1246	G1250	A1251	A1252	U1253	C1254	C1255	G1256	C1257	U1258	A1259	A1263	G1264	U1265	G1266	U1267	C1277	G1281	C1282	C1283	G1284	G1285	A1286	U1287	U1288	G1289	G1295	A1301																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
U1522	U1523	G1536	A1539	A1546	U1554	U1555	G1560	U1564	A1564	A1565	U1566	U1567	U1568	U1569	U1570	U1571	U1572	U1573	U1574	U1575	U1576	U1577	C1578	C1581	C1582	A1583	A1587	A1588	A1589	A1593	G1604	A1605	A1619	U1620	U1629	C1639	A1642	A1643	C1644	A1645	G1646	C1657	G1658	A1683	A1696	U1716	U1717	U1724	G1736	A1741	A1750	G1751	A1760	C1761	C1762	U1763	U1764	U1765	G1770	G1775	G1778	C1779	G1780	G1794	A1797	G1808	A1812	A1813	A1814	U1815	A1816	A1817	U1818	U1819	U1820	U1821	A1839	U1840	A1841	A1842	C1846	C1849	A1858	C1866																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
A1867	G1878	U1880	A1886	A1893	G1906	C1907	U1925	G1953	U1953	U1954	U1955	U1956	U1957	U1958	U1959	U1960	U1961	U1962	U1963	U1964	U1965	U1966	U1967	U1968	U1969	U1970	U1971	U1972	U1973	U1974	U1975	U1976	U1977	U1978	U1979	U1980	U1981	U1982	U1983	U1984	U1985	U1986	U1987	U1988	U1989	U1990	U1991	U1992	U1993	U1994	U1995	U1996	U1997	U1998	U1999	U2000	U2001	U2002	U2003	U2004	U2005	U2006	U2007	U2008	U2009	U2010	U2011	U2012	U2013	U2014	U2015	U2016	U2017	U2018	U2019	U2020	U2021	U2022	U2023	U2024	U2025	U2026	U2027	U2028	U2029	U2030	U2031	U2032	U2033	U2034	U2035	U2036	U2037	U2038	U2039	U2040	U2041	U2042	U2043	U2044	U2045	U2046	U2047	U2048	U2049	U2050	U2051	U2052	U2053	U2054	U2055	U2056	U2057	U2058	U2059	U2060	U2061	U2062	U2063	U2064	U2065	U2066	U2067	U2068	U2069	U2070	U2071	U2072	U2073	U2074	U2075	U2076	U2077	U2078	U2079	U2080	U2081	U2082	U2083	U2084	U2085	U2086	U2087	U2088	U2089	U2090	U2091	U2092	U2093	U2094	U2095	U2096	U2097	U2098	U2099	U2100	U2101	U2102	U2103	U2104	U2105	U2106	U2107	U2108	U2109	U2110	U2111	U2112	U2113	U2114	U2121	U2122	U2131	U2132	U2137	U2140	U2144	U2158	U2169	U2170	U2171	U2172	U2173	U2174	U2175	U2176	U2177	U2178	U2179	U2180	U2181	U2182	U2183	U2184	U2185	U2186	U2187	U2188	U2189	U2190	U2191	U2192	U2193	U2194	U2195	U2196	U2197	U2198	U2199	U2200	U2201	U2202	U2203	U2204	U2205	U2206	U2207	U2208	U2209	U2210	U2211	U2212	U2213	U2214	U2215	U2216	U2217	U2218	U2219	U2220	U2221	U2222	U2223	U2224	U2225	U2226	U2227	U2228	U2229	U2230	U2231	U2232	U2233	U2234	U2235	U2236	U2237	U2238	U2239	U2240	U2241	U2242	U2243	U2244	U2245	U2246	U2247	U2248	U2249	U2250	U2251	U2252	U2253	U2254	U2255	U2256	U2257	U2258	U2259	U2260	U2261	U2262	U2263	U2264	U2265	U2266	U2267	U2268	U2269	U2270	U2271	U2272	U2273	U2274	U2275	U2276	U2277	U2278	U2279	U2280	U2281	U2282	U2283	U2284	U2285	U2286	U2287	U2288	U2289	U2290	U2291	U2292	U2293	U2294	U2295	U2296	U2297	U2298	U2299	U2300	U2301	U2302	U2303	U2304	U2305	U2306	U2307	U2308	U2309	U2310	U2313	U2314	U2315	U2316	U2317	U2318	U2319	U2320	U2321	U2322	U2323	U2324	U2325	U2326	U2327	U2328	U2329	U2330	U2331	U2332	U2333	U2334	U2335	U2336	U2337	U2338	U2339	U2340	U2341	U2342	U2343	U2344	U2345	U2346	U2347	U2348	U2349	U2350	U2351	U2352	U2353	U2354	U2355	U2356	U2357	U2358	U2359	U2360	U2361	U2362	U2363	U2364	U2365	U2366	U2367	U2368	U2369	U2370	U2371	U2372	U2373	U2374	U2375	U2376	U2377	U2378	U2379	U2380	U2381	U2382	U2383	U2384	U2385	U2386	U2387	U2388	U2389	U2390	U2391	U2392	U2393	U2394	U2395	U2396	U2397	U2398	U2399	U2400	U2401	U2402	U2403	U2404	U2405	U2406	U2407	U2408	U2409	U2410	U2411	U2412	U2413	U2414	U2415	U2416	U2417	U2418	U2419	U2420	U2421	U2422	U2423	U2424	U2425	U2426	U2427	U2428	U2429	U2430	U2431	U2432	U2433	U2434	U2435	U2436	U2437	U2438	U2439	U2440	U2441	U2442	U2443	U2444	U2445	U2446	U2447	U2448	U2449	U2450	U2451	U2452	U2453	U2454	U2455	U2456	U2457	U2458	U2459	U2460	U2461	U2462	U2463	U2464	U2465	U2466	U2467	U2468	U2469	U2470	U2471	U2472	U2473	U2474	U2475	U2476	U2477	U2478	U2479	U2480	U2481	U2482	U2483	U2484	U2485	U2486	U2487	U2488	U2489	U2490	U2491	U2492	U2493	U2494	U2495	U2496	U2497	U2498	U2499	U2500	U2501	U2502	U2503	U2504	U2505	U2506	U2507	U2508	U2509	U2510	U2511	U2512	U2513	U2514	U2515	U2516	U2517	U2518	U2519	U2520	U2521	U2522	U2523	U2524	U2525	U2526	U2527	U2528	U2529	U2530	U2531	U2532	U2533	U2534	U2535	U2536	U2537	U2538	U2539	U2540	U2541	U2542	U2543	U2544	U2545	U2546	U2547	U2548	U2549	U2550	U2551	U2552	U2553	U2554	U2555	U2556	U2557	U2558	U2559	U2560	U2561	U2562	U2563	U2564	U2565	U2566	U2567	U2568	U2569	U2570	U2571	U2572	U2573	U2574	U2575	U2576	U2577	U2578	U2579	U2580	U2581	U2582	U2583	U2584	U2585	U2586	U2587	U2588	U2589	U2590	U2591	U2592	U2593	U2594	U2595	U2596	U2597	U2598	U2599	U2600	U2601	U2602	U2603	U2604	U2605	U2606	U2607	U2608	U2609	U2610	U2611	U2612	U2613	U2614	U2615	U2616	U2617	U2618	U2619	U2620	U2621	U2622	U2623	U2624	U2625	U2626	U2627	U2628	U2629	U2630	U2631	U2632	U2633	U2634	U2635	U2636	U2637	U2638	U2639	U2640	U2641	U2642	U2643	U2644	U2645	U2646	U2647	U2648	U2649	U2650	U2651	U2652	U2653	U2654	U2655	U2656	U2657	U2658	U2659	U2660	U2661	U2662	U2663	U2664	U2665	U2666	U2667	U2668	U2669	U2670	U2671	U2672	U2673	U2674	U2675	U2676	U2677	U2678	U2679	U2680	U2681	U2682	U2683	U2684	U2685	U2686	U2687	U2688	U2689	U2690	U2691	U2692	U2693	U2694	U2695	U2696	U2697	U2698	U2699	U2700	U2701	U2702	U2703	U2704	U2705	U2706	U2707	U2708	U2709	U2710	U2711	U2712	U2713	U2714	U2715	U2716	U2717	U2718	U2719	U2720	U2721	U2722	U2723	U2724	U2725	U2726	U2727	U2728	U2729	U2730	U2731	U2732	U2733	U2734	U2735	U2736	U2737	U2738	U2739	U2740	U2741	U2742	U2743	U2744	U2745	U2746	U2747	U2748	U2749	U2750	U2751	U2752	U2753	U2754	U2755	U2756	U2757	U2758	U2759	U2760	U2761	U2762	U2763	U2764	U2765	U2766	U2767	U2768	U2769	U2770	U2771	U2772	U2773	U2774	U2775	U2776	U2777	U2778	U2779	U2780	U2781	U2782	U2783	U2784	U2785	U2786	U2787	U2788	U2789	U2790	U2791	U2792	U2793	U2794	U2795	U2796	U2797	U2798	U2799	U2800	U2801	U2802	U2803	U2804	U2805	U2806	U2807	U2808	U2809	U2810	U2811	U2812	U2813	U2814	U2815	U2816	U2817	U2818	U2819	U2820	U2821	U2822	U2823	U2824	U2825	U2826	U2827	U2828	U2829	U2830	U2831	U2832	U2833	U2834	U2835	U2836	U2837	U2838	U2839	U2840	U2841	U2842	U2843	U2844	U2845	U2846	U2847	U2848	U2849	U2850	U2851	U2852	U2853	U2854	U2855	U2856	U2857	U2858	U2859	U2860	U2861	U2862	U2863	U2864	U2865	U2866	U2867	U2868	U2869	U2870	U2871	U2872	U2873	U2874	U2875	U2876	U2877	U2878	U2879	U2880	U2881	U2882	U2883	U2884	U2885	U2886	U2887	U2888	U2889	U2890	U2891	U2892	U2893	U2894	U2895	U2896	U2897	U2898	U2899	U2900	U2901	U2902	U2903	U2904	U2905	U2906	U2907	U2908	U2909	U2910	U2911	U2912	U2913	U2914	U2915	U2916	U2917	U2918	U2919	U2920	U2921	U2922	U2923	U2924	U2925	U2926	U2927	U2928	U2929	U2930	U2931	U2932	U2933	U2934	U2935	U2936	U2937	U2938	U2939	U2940	U2941	U2942	U2943	U2944	U2945	U2946	U2947	U2948	U2949	U2950	U2951	U2952	U2953	U2954	U2955	U2956	U2957	U2958	U2959	U2960	U2961	U2962	U2963	U2964	U2965	U2966	U2967	U2968	U2969	U2970	U2971	U2972	U2973	U2974	U2975	U2976	U2977	U2978	U2979	U2980	U2981	U2982	U2983	U2984	U2985	U2986	U2987	U2988	U2989	U2990	U2991	U2992	U2993	U2994	U2995	U2996	U2997	U2998	U2999	U3000	U3001	U3002	U3003	U3004	U3005	U3006	U3007	U3008	U3009	U3010	U3011	U3012	U3013	U3014	U3015	U3016	U3017	U3018	U3019	U3020	U3021	U3022	U3023	U3024	U3025	U3026	U3027	U3028	U3029	U3030	U3031	U3032	U3033	U3034	U3035	U3036	U3037	U3038	U3039	U3040	U3041	U3042	U3043	U3044	U3045	U3046	U3047	U3048	U3049	U3050	U3051	U3052	U3053	U3054	U3055	U3056	U3057	U3058	U3059	U3060	U3061	U3062	U3063	U3064	U3065	U3066	U3067	U3068	U3069	U3070	U3071	U3072	U3073	U3074	U3075	U3076	U3077	U3078	U3079	U3080	U3081	U3082	U3083	U3084	U3085	U





• Molecule 3: 5S rRNA





• Molecule 4: 5.8S rRNA




• Molecule 5: Small ribosomal subunit protein uS2A




• Molecule 6: 40S ribosomal protein S1-A




• Molecule 7: 40S ribosomal protein S2




• Molecule 8: Small ribosomal subunit protein uS3




• Molecule 9: 40S ribosomal protein S4-A




- Molecule 10: Small ribosomal subunit protein uS7




- Molecule 11: 40S ribosomal protein S6-A




- Molecule 12: 40S ribosomal protein S7-A





- Molecule 13: 40S ribosomal protein S8-A





- Molecule 14: 40S ribosomal protein S9-A






- Molecule 15: Small ribosomal subunit protein eS10A




- Molecule 16: Small ribosomal subunit protein uS17A




- Molecule 17: Small ribosomal subunit protein eS12





- Molecule 18: 40S ribosomal protein S13




- Molecule 19: 40S ribosomal protein S14-A





- Molecule 20: Small ribosomal subunit protein uS19



- Molecule 21: Small ribosomal subunit protein uS9A




- Molecule 22: Small ribosomal subunit protein eS17A





- Molecule 23: Small ribosomal subunit protein uS13A



- Molecule 24: Small ribosomal subunit protein eS19A



- Molecule 25: Small ribosomal subunit protein uS10




- Molecule 26: Small ribosomal subunit protein eS21A



- Molecule 27: 40S ribosomal protein S22-A




- Molecule 28: 40S ribosomal protein S23-A




- Molecule 29: 40S ribosomal protein S24-A

Chain SY:  96%





- Molecule 30: Small ribosomal subunit protein eS25A

Chain SZ:  62%



- Molecule 31: Small ribosomal subunit protein eS26B

Chain Sa:  82%





- Molecule 32: 40S ribosomal protein S27-A

Chain Sb:  98%




- Molecule 33: Small ribosomal subunit protein eS28A

Chain Sc:  91%





- Molecule 34: Small ribosomal subunit protein uS14A

Chain Sd:  95%





- Molecule 35: 40S ribosomal protein S30-A


Chain Se:  92%




- Molecule 36: Ubiquitin-ribosomal protein eS31 fusion protein




- Molecule 37: Small ribosomal subunit protein RACK1




- Molecule 38: Large ribosomal subunit protein uL2A



- Molecule 39: Large ribosomal subunit protein uL3




- Molecule 40: Large ribosomal subunit protein uL4A





- Molecule 41: Large ribosomal subunit protein uL18







- Molecule 42: Large ribosomal subunit protein eL6A




- Molecule 43: Large ribosomal subunit protein uL30A




- Molecule 44: Large ribosomal subunit protein eL8A



- Molecule 45: Large ribosomal subunit protein uL6A




- Molecule 46: Large ribosomal subunit protein uL16




- Molecule 47: Large ribosomal subunit protein uL5A




- Molecule 48: Large ribosomal subunit protein uL11A



- Molecule 49: Large ribosomal subunit protein eL13A




- Molecule 50: Large ribosomal subunit protein eL14A




- Molecule 51: Large ribosomal subunit protein eL15A




- Molecule 52: Large ribosomal subunit protein uL13A



- Molecule 53: Large ribosomal subunit protein uL22A




- Molecule 54: Large ribosomal subunit protein eL18A



- Molecule 55: Large ribosomal subunit protein eL19A

Chain LR:  92% 8%




- Molecule 56: Large ribosomal subunit protein eL20A

Chain LS:  100%





- Molecule 57: Large ribosomal subunit protein eL21A

Chain LT:  99%




- Molecule 58: Large ribosomal subunit protein eL22A

Chain LU:  80% 19%





- Molecule 59: Large ribosomal subunit protein uL14A

Chain LV:  98%





- Molecule 60: Large ribosomal subunit protein eL24A

Chain LW:  41% 59%




- Molecule 61: Large ribosomal subunit protein uL23

Chain LX:  85% 15%




- Molecule 62: Large ribosomal subunit protein uL24A

Chain LY: 98%



- Molecule 63: Large ribosomal subunit protein eL27A

Chain LZ: 96%




- Molecule 64: Large ribosomal subunit protein uL15

Chain La: 97%




- Molecule 65: Large ribosomal subunit protein eL29

Chain Lb: 97%




- Molecule 66: Large ribosomal subunit protein eL30

Chain Lc: 95%




- Molecule 67: Large ribosomal subunit protein eL31A

Chain Ld: 6%



- Molecule 68: Large ribosomal subunit protein eL32

Chain Le:  98%



- Molecule 69: Large ribosomal subunit protein eL33A

Chain Lf:  99%




- Molecule 70: Large ribosomal subunit protein eL34A

Chain Lg:  93% 7%




- Molecule 71: Large ribosomal subunit protein uL29A

Chain Lh:  98%




- Molecule 72: Large ribosomal subunit protein eL36A

Chain Li:  98%



- Molecule 73: Large ribosomal subunit protein eL37A

Chain Lj:  93% 7%



- Molecule 74: Large ribosomal subunit protein eL38

Chain Lk:  97%





- Molecule 75: Large ribosomal subunit protein eL39

Chain Ll:  96%




- Molecule 76: Ubiquitin-ribosomal protein eL40A fusion protein

Chain Lm:  41% 59%




- Molecule 77: Large ribosomal subunit protein eL41A

Chain Ln:  16% 100%



- Molecule 78: Large ribosomal subunit protein eL42A

Chain Lo:  99%




- Molecule 79: Large ribosomal subunit protein eL43A

Chain Lp:  97%



- Molecule 80: Eukaryotic translation initiation factor 5A-1

Chain CE:  92% 7%



- Molecule 81: Large ribosomal subunit protein uL1A

Chain L1:  99%

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	105095	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; Relion	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	44	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	2.447	Depositor
Minimum map value	-0.053	Depositor
Average map value	0.008	Depositor
Map value standard deviation	0.069	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	406.56, 406.56, 406.56	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.847, 0.847, 0.847	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 5CT, GDP, T1C, ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	C2	0.49	0/40528	0.96	94/63141 (0.1%)
2	C1	0.70	0/76341	0.93	113/119019 (0.1%)
3	C4	0.55	0/2883	0.90	3/4491 (0.1%)
4	C3	0.66	0/3724	0.90	6/5798 (0.1%)
5	SA	0.36	0/1623	0.71	1/2222 (0.0%)
6	SB	0.39	0/1748	0.69	2/2352 (0.1%)
7	SC	0.43	1/1665 (0.1%)	0.70	2/2263 (0.1%)
8	SD	0.39	0/1759	0.77	3/2368 (0.1%)
9	SE	0.37	0/2109	0.71	1/2839 (0.0%)
10	SF	0.33	0/1629	0.66	0/2202
11	SG	0.30	0/1779	0.62	0/2379
12	SH	0.33	0/1511	0.69	0/2036
13	SI	0.36	0/1514	0.68	0/2021
14	SJ	0.38	0/1519	0.68	0/2035
15	SK	0.44	0/757	0.75	0/1022
16	SL	0.36	0/1194	0.58	0/1610
17	SM	0.36	0/898	0.80	1/1220 (0.1%)
18	SN	0.39	0/1215	0.67	0/1638
19	SO	0.34	0/960	0.72	2/1290 (0.2%)
20	SP	0.35	0/959	0.75	0/1288
21	SQ	0.36	0/1125	0.71	0/1510
22	SR	0.37	0/904	0.77	2/1210 (0.2%)
23	SS	0.39	0/1211	0.80	1/1628 (0.1%)
24	ST	0.32	0/1130	0.60	0/1517
25	SU	0.34	0/815	0.72	0/1102
26	SV	0.40	0/693	0.77	1/935 (0.1%)
27	SW	0.35	0/1038	0.65	1/1395 (0.1%)
28	SX	0.36	0/1139	0.66	0/1518
29	SY	0.36	0/1087	0.78	1/1449 (0.1%)
30	SZ	0.40	1/566 (0.2%)	0.74	1/761 (0.1%)
31	Sa	0.36	0/782	0.66	0/1047
32	Sb	0.29	0/620	0.69	0/838

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	Sc	0.33	0/499	0.86	2/670 (0.3%)
34	Sd	0.34	0/452	0.70	0/600
35	Se	0.43	0/483	0.82	1/643 (0.2%)
36	Sf	0.31	0/253	0.65	0/340
37	Sg	0.32	0/2456	0.70	0/3343
38	LA	0.43	0/1946	0.72	0/2614
39	LB	0.41	0/3146	0.63	0/4228
40	LC	0.40	0/2800	0.65	0/3790
41	LD	0.36	0/2408	0.62	1/3248 (0.0%)
42	LE	0.36	0/1269	0.65	1/1705 (0.1%)
43	LF	0.38	0/1828	0.61	0/2461
44	LG	0.38	0/1795	0.66	0/2429
45	LH	0.42	0/1531	0.71	2/2062 (0.1%)
46	LI	0.39	0/1732	0.65	1/2323 (0.0%)
47	LJ	0.34	0/1374	0.71	0/1842
48	LK	0.32	0/1210	0.58	0/1627
49	LL	0.40	0/1573	0.73	1/2113 (0.0%)
50	LM	0.36	0/1074	0.65	0/1446
51	LN	0.48	0/1757	0.68	0/2354
52	LO	0.47	2/1585 (0.1%)	0.65	0/2128
53	LP	0.38	0/1400	0.61	0/1882
54	LQ	0.34	0/1465	0.63	0/1965
55	LR	0.37	0/1382	0.62	0/1849
56	LS	0.44	0/1481	0.67	0/1990
57	LT	0.40	0/1300	0.64	0/1743
58	LU	0.36	0/794	0.66	1/1076 (0.1%)
59	LV	0.39	0/1008	0.65	0/1356
60	LW	0.43	0/533	0.67	0/707
61	LX	0.41	0/974	0.69	0/1314
62	LY	0.32	0/987	0.63	0/1318
63	LZ	0.39	0/1118	0.68	1/1497 (0.1%)
64	La	0.38	0/1204	0.67	1/1612 (0.1%)
65	Lb	0.33	0/473	0.62	0/629
66	Lc	0.33	0/775	0.56	0/1040
67	Ld	0.37	0/897	0.64	0/1205
68	Le	0.43	0/1041	0.67	0/1394
69	Lf	0.44	0/868	0.64	0/1168
70	Lg	0.38	0/890	0.65	0/1189
71	Lh	0.39	0/974	0.66	2/1297 (0.2%)
72	Li	0.33	0/777	0.64	0/1033
73	Lj	0.45	0/665	0.62	0/882
74	Lk	0.32	0/614	0.71	0/822
75	Ll	0.41	0/443	0.71	0/588

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
76	Lm	0.35	0/423	0.64	0/562
77	Ln	0.32	0/234	0.75	0/300
78	Lo	0.37	0/860	0.61	0/1136
79	Lp	0.41	0/701	0.70	0/934
80	CE	0.37	0/1097	0.69	0/1476
81	L1	0.40	0/1745	0.67	1/2342 (0.0%)
82	P0	0.30	0/1598	0.60	0/2161
83	CD	0.37	1/6469 (0.0%)	0.73	12/8760 (0.1%)
84	CS	0.40	1/929 (0.1%)	0.66	0/1245
All	All	0.53	6/224715 (0.0%)	0.84	262/328582 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	SA	0	1
10	SF	0	1
12	SH	0	3
16	SL	0	1
17	SM	0	1
21	SQ	0	2
23	SS	0	2
25	SU	0	1
29	SY	0	1
32	Sb	0	1
35	Se	0	1
37	Sg	0	1
38	LA	0	1
40	LC	0	1
47	LJ	0	1
49	LL	0	2
57	LT	0	1
64	La	0	1
65	Lb	0	1
72	Li	0	1
79	Lp	0	1
83	CD	0	2
All	All	0	28

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	SC	54	GLU	CD-OE2	-7.58	1.17	1.25
52	LO	4	GLU	CD-OE2	-6.18	1.18	1.25
84	CS	110	TRP	CB-CG	-6.13	1.39	1.50
30	SZ	53	GLU	CD-OE1	-5.33	1.19	1.25
83	CD	610	ASP	CB-CG	5.29	1.62	1.51

The worst 5 of 262 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C2	190	C	N3-C4-C5	9.40	125.66	121.90
58	LU	91	ASP	CB-CG-OD1	9.25	126.63	118.30
35	Se	56	MET	CG-SD-CE	-9.24	85.41	100.20
1	C2	1246	C	N1-C2-O2	9.16	124.40	118.90
83	CD	542	LEU	CB-CG-CD2	-9.07	95.59	111.00

There are no chirality outliers.

5 of 28 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
5	SA	206	ASP	Peptide
10	SF	42	LEU	Peptide
12	SH	111	LYS	Peptide
12	SH	30	SER	Peptide
12	SH	31	SER	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	SA	204/252 (81%)	175 (86%)	28 (14%)	1 (0%)	29	67
6	SB	214/255 (84%)	196 (92%)	18 (8%)	0	100	100
7	SC	215/254 (85%)	201 (94%)	13 (6%)	1 (0%)	29	67
8	SD	221/240 (92%)	195 (88%)	25 (11%)	1 (0%)	29	67
9	SE	258/261 (99%)	234 (91%)	24 (9%)	0	100	100
10	SF	204/225 (91%)	176 (86%)	28 (14%)	0	100	100
11	SG	216/236 (92%)	202 (94%)	14 (6%)	0	100	100
12	SH	183/190 (96%)	161 (88%)	22 (12%)	0	100	100
13	SI	184/200 (92%)	175 (95%)	9 (5%)	0	100	100
14	SJ	183/197 (93%)	168 (92%)	15 (8%)	0	100	100
15	SK	90/105 (86%)	76 (84%)	9 (10%)	5 (6%)	2	14
16	SL	144/156 (92%)	134 (93%)	10 (7%)	0	100	100
17	SM	122/143 (85%)	85 (70%)	36 (30%)	1 (1%)	19	58
18	SN	148/151 (98%)	138 (93%)	10 (7%)	0	100	100
19	SO	126/137 (92%)	106 (84%)	20 (16%)	0	100	100
20	SP	117/142 (82%)	105 (90%)	11 (9%)	1 (1%)	17	56
21	SQ	139/143 (97%)	123 (88%)	15 (11%)	1 (1%)	22	61
22	SR	111/136 (82%)	102 (92%)	9 (8%)	0	100	100
23	SS	143/146 (98%)	127 (89%)	15 (10%)	1 (1%)	22	61
24	ST	141/144 (98%)	132 (94%)	9 (6%)	0	100	100
25	SU	99/121 (82%)	94 (95%)	5 (5%)	0	100	100
26	SV	85/87 (98%)	78 (92%)	7 (8%)	0	100	100
27	SW	127/130 (98%)	120 (94%)	7 (6%)	0	100	100
28	SX	142/145 (98%)	135 (95%)	7 (5%)	0	100	100
29	SY	132/135 (98%)	117 (89%)	13 (10%)	2 (2%)	10	44
30	SZ	67/108 (62%)	65 (97%)	2 (3%)	0	100	100
31	Sa	95/119 (80%)	81 (85%)	14 (15%)	0	100	100
32	Sb	79/82 (96%)	67 (85%)	12 (15%)	0	100	100
33	Sc	61/67 (91%)	54 (88%)	7 (12%)	0	100	100
34	Sd	51/56 (91%)	49 (96%)	2 (4%)	0	100	100
35	Se	58/63 (92%)	50 (86%)	8 (14%)	0	100	100
36	Sf	31/152 (20%)	27 (87%)	4 (13%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	Sg	311/319 (98%)	277 (89%)	34 (11%)	0	100	100
38	LA	250/254 (98%)	225 (90%)	25 (10%)	0	100	100
39	LB	384/387 (99%)	366 (95%)	18 (5%)	0	100	100
40	LC	359/362 (99%)	325 (90%)	33 (9%)	1 (0%)	41	74
41	LD	292/297 (98%)	277 (95%)	15 (5%)	0	100	100
42	LE	153/176 (87%)	140 (92%)	13 (8%)	0	100	100
43	LF	221/244 (91%)	218 (99%)	3 (1%)	0	100	100
44	LG	229/256 (90%)	206 (90%)	23 (10%)	0	100	100
45	LH	188/191 (98%)	182 (97%)	6 (3%)	0	100	100
46	LI	205/221 (93%)	196 (96%)	9 (4%)	0	100	100
47	LJ	167/174 (96%)	141 (84%)	25 (15%)	1 (1%)	25	64
48	LK	156/165 (94%)	152 (97%)	4 (3%)	0	100	100
49	LL	192/199 (96%)	171 (89%)	17 (9%)	4 (2%)	7	37
50	LM	135/138 (98%)	131 (97%)	4 (3%)	0	100	100
51	LN	201/204 (98%)	193 (96%)	8 (4%)	0	100	100
52	LO	195/199 (98%)	192 (98%)	3 (2%)	0	100	100
53	LP	171/184 (93%)	167 (98%)	4 (2%)	0	100	100
54	LQ	183/186 (98%)	177 (97%)	6 (3%)	0	100	100
55	LR	172/189 (91%)	169 (98%)	3 (2%)	0	100	100
56	LS	170/172 (99%)	167 (98%)	3 (2%)	0	100	100
57	LT	157/160 (98%)	153 (98%)	4 (2%)	0	100	100
58	LU	96/121 (79%)	93 (97%)	3 (3%)	0	100	100
59	LV	132/137 (96%)	127 (96%)	5 (4%)	0	100	100
60	LW	61/155 (39%)	59 (97%)	2 (3%)	0	100	100
61	LX	118/142 (83%)	107 (91%)	11 (9%)	0	100	100
62	LY	122/127 (96%)	117 (96%)	5 (4%)	0	100	100
63	LZ	133/136 (98%)	118 (89%)	12 (9%)	3 (2%)	6	34
64	La	146/149 (98%)	124 (85%)	20 (14%)	2 (1%)	11	46
65	Lb	56/59 (95%)	46 (82%)	10 (18%)	0	100	100
66	Lc	98/105 (93%)	93 (95%)	5 (5%)	0	100	100
67	Ld	107/113 (95%)	101 (94%)	6 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
68	Le	125/130 (96%)	116 (93%)	9 (7%)	0	100	100
69	Lf	104/107 (97%)	97 (93%)	7 (7%)	0	100	100
70	Lg	110/121 (91%)	108 (98%)	2 (2%)	0	100	100
71	Lh	117/120 (98%)	108 (92%)	9 (8%)	0	100	100
72	Li	97/100 (97%)	92 (95%)	5 (5%)	0	100	100
73	Lj	80/88 (91%)	76 (95%)	4 (5%)	0	100	100
74	Lk	75/78 (96%)	70 (93%)	4 (5%)	1 (1%)	12	47
75	Ll	48/51 (94%)	45 (94%)	3 (6%)	0	100	100
76	Lm	50/128 (39%)	50 (100%)	0	0	100	100
77	Ln	23/25 (92%)	22 (96%)	1 (4%)	0	100	100
78	Lo	103/106 (97%)	100 (97%)	3 (3%)	0	100	100
79	Lp	89/92 (97%)	84 (94%)	5 (6%)	0	100	100
80	CE	143/157 (91%)	130 (91%)	12 (8%)	1 (1%)	22	61
81	L1	215/217 (99%)	190 (88%)	24 (11%)	1 (0%)	29	67
82	P0	201/312 (64%)	194 (96%)	7 (4%)	0	100	100
83	CD	810/842 (96%)	749 (92%)	58 (7%)	3 (0%)	34	69
84	CS	120/273 (44%)	113 (94%)	7 (6%)	0	100	100
All	All	12460/13846 (90%)	11502 (92%)	927 (7%)	31 (0%)	50	79

5 of 31 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
15	SK	81	ASN
29	SY	32	ARG
47	LJ	95	ASN
49	LL	48	PRO
80	CE	110	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	SA	165/210 (79%)	165 (100%)	0	100	100
6	SB	192/224 (86%)	192 (100%)	0	100	100
7	SC	176/205 (86%)	176 (100%)	0	100	100
8	SD	182/195 (93%)	181 (100%)	1 (0%)	88	95
9	SE	221/222 (100%)	221 (100%)	0	100	100
10	SF	173/191 (91%)	172 (99%)	1 (1%)	86	94
11	SG	187/201 (93%)	187 (100%)	0	100	100
12	SH	165/170 (97%)	164 (99%)	1 (1%)	86	94
13	SI	150/161 (93%)	149 (99%)	1 (1%)	84	94
14	SJ	158/166 (95%)	158 (100%)	0	100	100
15	SK	73/98 (74%)	73 (100%)	0	100	100
16	SL	129/137 (94%)	128 (99%)	1 (1%)	81	93
17	SM	88/119 (74%)	88 (100%)	0	100	100
18	SN	127/128 (99%)	126 (99%)	1 (1%)	81	93
19	SO	97/105 (92%)	97 (100%)	0	100	100
20	SP	98/118 (83%)	98 (100%)	0	100	100
21	SQ	117/119 (98%)	117 (100%)	0	100	100
22	SR	92/124 (74%)	92 (100%)	0	100	100
23	SS	128/129 (99%)	128 (100%)	0	100	100
24	ST	115/116 (99%)	115 (100%)	0	100	100
25	SU	94/114 (82%)	94 (100%)	0	100	100
26	SV	74/74 (100%)	74 (100%)	0	100	100
27	SW	110/111 (99%)	110 (100%)	0	100	100
28	SX	119/120 (99%)	118 (99%)	1 (1%)	81	93
29	SY	112/113 (99%)	112 (100%)	0	100	100
30	SZ	61/89 (68%)	61 (100%)	0	100	100
31	Sa	83/100 (83%)	83 (100%)	0	100	100
32	Sb	70/71 (99%)	70 (100%)	0	100	100
33	Sc	56/60 (93%)	56 (100%)	0	100	100
34	Sd	47/49 (96%)	47 (100%)	0	100	100
35	Se	51/54 (94%)	51 (100%)	0	100	100
36	Sf	27/135 (20%)	27 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	Sg	255/262 (97%)	254 (100%)	1 (0%)	91	95
38	LA	192/196 (98%)	191 (100%)	1 (0%)	88	95
39	LB	318/323 (98%)	317 (100%)	1 (0%)	92	96
40	LC	288/289 (100%)	287 (100%)	1 (0%)	92	96
41	LD	243/245 (99%)	242 (100%)	1 (0%)	91	95
42	LE	135/153 (88%)	134 (99%)	1 (1%)	84	94
43	LF	187/205 (91%)	187 (100%)	0	100	100
44	LG	177/208 (85%)	176 (99%)	1 (1%)	86	94
45	LH	170/171 (99%)	170 (100%)	0	100	100
46	LI	177/187 (95%)	177 (100%)	0	100	100
47	LJ	147/150 (98%)	147 (100%)	0	100	100
48	LK	129/136 (95%)	128 (99%)	1 (1%)	81	93
49	LL	154/159 (97%)	153 (99%)	1 (1%)	86	94
50	LM	108/109 (99%)	108 (100%)	0	100	100
51	LN	175/176 (99%)	175 (100%)	0	100	100
52	LO	160/162 (99%)	160 (100%)	0	100	100
53	LP	139/146 (95%)	137 (99%)	2 (1%)	67	86
54	LQ	150/151 (99%)	149 (99%)	1 (1%)	84	94
55	LR	133/154 (86%)	133 (100%)	0	100	100
56	LS	156/156 (100%)	156 (100%)	0	100	100
57	LT	136/137 (99%)	136 (100%)	0	100	100
58	LU	85/107 (79%)	85 (100%)	0	100	100
59	LV	103/105 (98%)	103 (100%)	0	100	100
60	LW	55/129 (43%)	55 (100%)	0	100	100
61	LX	104/118 (88%)	104 (100%)	0	100	100
62	LY	107/110 (97%)	107 (100%)	0	100	100
63	LZ	115/116 (99%)	114 (99%)	1 (1%)	78	91
64	La	118/119 (99%)	118 (100%)	0	100	100
65	Lb	46/47 (98%)	46 (100%)	0	100	100
66	Lc	84/88 (96%)	84 (100%)	0	100	100
67	Ld	94/97 (97%)	94 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
68	Le	109/111 (98%)	109 (100%)	0	100	100
69	Lf	90/91 (99%)	90 (100%)	0	100	100
70	Lg	95/103 (92%)	95 (100%)	0	100	100
71	Lh	103/105 (98%)	103 (100%)	0	100	100
72	Li	80/82 (98%)	80 (100%)	0	100	100
73	Lj	67/71 (94%)	67 (100%)	0	100	100
74	Lk	67/69 (97%)	67 (100%)	0	100	100
75	Ll	45/46 (98%)	44 (98%)	1 (2%)	52	79
76	Lm	47/116 (40%)	47 (100%)	0	100	100
77	Ln	23/23 (100%)	23 (100%)	0	100	100
78	Lo	90/91 (99%)	90 (100%)	0	100	100
79	Lp	71/72 (99%)	70 (99%)	1 (1%)	67	86
80	CE	116/132 (88%)	116 (100%)	0	100	100
81	L1	198/198 (100%)	198 (100%)	0	100	100
82	P0	171/254 (67%)	169 (99%)	2 (1%)	71	88
83	CD	695/715 (97%)	691 (99%)	4 (1%)	86	94
84	CS	97/228 (42%)	96 (99%)	1 (1%)	76	90
All	All	10541/11646 (90%)	10512 (100%)	29 (0%)	92	96

5 of 29 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
48	LK	41	LYS
83	CD	555	LYS
53	LP	173	ARG
83	CD	32	LYS
53	LP	171	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
78	Lo	47	GLN
75	Ll	33	ASN
29	SY	106	GLN
26	SV	74	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
67	Ld	57	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	C2	1693/1800 (94%)	389 (22%)	20 (1%)
2	C1	3182/3396 (93%)	605 (19%)	29 (0%)
3	C4	120/121 (99%)	19 (15%)	0
4	C3	156/158 (98%)	24 (15%)	1 (0%)
All	All	5151/5475 (94%)	1037 (20%)	50 (0%)

5 of 1037 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	C2	4	C
1	C2	17	C
1	C2	25	C
1	C2	26	A
1	C2	27	U

5 of 50 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	C1	1216	C
2	C1	1841	A
4	C3	80	A
2	C1	1307	G
2	C1	1716	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
80	5CT	CE	51	80	13,14,15	0.75	0	9,15,17	1.01	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
80	5CT	CE	51	80	-	7/13/14/16	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
80	CE	51	5CT	C1-C2-C3-C4
80	CE	51	5CT	O1-C2-C3-C4
80	CE	51	5CT	C-CA-CB-CG
80	CE	51	5CT	O-C-CA-CB
80	CE	51	5CT	CG-CD-CE-NZ

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 13 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
86	T1C	C1	3403	-	44,45,45	1.16	3 (6%)	53,72,72	0.93	1 (1%)
88	GDP	CD	902	87	24,30,30	0.95	1 (4%)	30,47,47	1.35	4 (13%)
86	T1C	C1	3402	-	44,45,45	1.20	4 (9%)	53,72,72	1.17	3 (5%)
86	T1C	C1	3405	-	44,45,45	1.20	4 (9%)	53,72,72	1.50	6 (11%)
86	T1C	C1	3406	87	44,45,45	1.18	3 (6%)	53,72,72	1.14	4 (7%)
86	T1C	C1	3404	87	44,45,45	1.20	4 (9%)	53,72,72	1.09	5 (9%)
86	T1C	C1	3401	-	44,45,45	1.18	4 (9%)	53,72,72	1.44	8 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
86	T1C	C1	3403	-	-	9/22/80/80	0/4/4/4
88	GDP	CD	902	87	-	3/12/32/32	0/3/3/3
86	T1C	C1	3402	-	-	13/22/80/80	0/4/4/4
86	T1C	C1	3405	-	-	16/22/80/80	0/4/4/4
86	T1C	C1	3406	87	-	13/22/80/80	0/4/4/4
86	T1C	C1	3404	87	-	13/22/80/80	0/4/4/4
86	T1C	C1	3401	-	-	11/22/80/80	0/4/4/4

The worst 5 of 23 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
86	C1	3402	T1C	C21-N21	5.50	1.48	1.33
86	C1	3401	T1C	C21-N21	5.49	1.48	1.33
86	C1	3405	T1C	C21-N21	5.45	1.47	1.33
86	C1	3403	T1C	C21-N21	5.44	1.47	1.33
86	C1	3406	T1C	C21-N21	5.42	1.47	1.33

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
86	C1	3405	T1C	C1-C1C-C12	4.92	115.64	109.88
86	C1	3401	T1C	C11-C1B-C12	4.63	122.47	118.80
86	C1	3402	T1C	C1C-C1-C2	4.41	122.75	115.75
86	C1	3401	T1C	C1C-C1-C2	4.21	122.43	115.75
86	C1	3405	T1C	C11-C1B-C12	4.12	122.06	118.80

There are no chirality outliers.


5 of 78 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
86	C1	3401	T1C	C94-C93-N92-C92
86	C1	3401	T1C	C95-C93-N92-C92
86	C1	3401	T1C	C96-C93-N92-C92
86	C1	3401	T1C	C41-C4-N4-C43
86	C1	3401	T1C	C1-C2-C21-O21



There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-36839. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240



Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 215




Y Index: 257




Z Index: 273


6.3.2 Raw map



X Index: 214



Y Index: 257




Z Index: 268


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2009 nm^3 ; this corresponds to an approximate mass of 1814 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.312 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	3.15	3.70	3.18
Unmasked-calculated*	3.50	4.51	3.62

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-36839 and PDB model 8K2D. Per-residue inclusion information can be found in section 3 on page 22.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















































































The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9000	 0.4230
C1	 0.9620	 0.5020
C2	 0.9420	 0.4350
C3	 0.9710	 0.5150
C4	 0.9860	 0.5090
CD	 0.4440	 0.0840
CE	 0.8360	 0.3830
CS	 0.7520	 0.2870
L1	 0.8120	 0.3130
LA	 0.9230	 0.4870
LB	 0.9210	 0.4770
LC	 0.9180	 0.4430
LD	 0.8600	 0.3730
LE	 0.8800	 0.4040
LF	 0.9230	 0.4680
LG	 0.8900	 0.3810
LH	 0.8950	 0.4250
LI	 0.8790	 0.4210
LJ	 0.8710	 0.3800
LK	 0.5530	 0.0950
LL	 0.8960	 0.4120
LM	 0.9060	 0.4350
LN	 0.9420	 0.5080
LO	 0.9290	 0.4850
LP	 0.9130	 0.4790
LQ	 0.9180	 0.4610
LR	 0.9230	 0.4750
LS	 0.9190	 0.4660
LT	 0.9040	 0.4640
LU	 0.8670	 0.3870
LV	 0.9040	 0.4670
LW	 0.9010	 0.4500
LX	 0.8910	 0.4410
LY	 0.8850	 0.4330
LZ	 0.8970	 0.4020



















Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
La	 0.9290	 0.4640
Lb	 0.8580	 0.4070
Lc	 0.8600	 0.4080
Ld	 0.8540	 0.4350
Le	 0.9000	 0.4730
Lf	 0.9430	 0.5020
Lg	 0.9100	 0.4730
Lh	 0.8680	 0.4160
Li	 0.8590	 0.3880
Lj	 0.9540	 0.5330
Lk	 0.8590	 0.3490
Ll	 0.9160	 0.4700
Lm	 0.8810	 0.4510
Ln	 0.6840	 0.3370
Lo	 0.8720	 0.4510
Lp	 0.9060	 0.4630
P0	 0.5980	 0.1070
SA	 0.9010	 0.3580
SB	 0.8390	 0.3260
SC	 0.8940	 0.4070
SD	 0.8300	 0.3090
SE	 0.8760	 0.3740
SF	 0.8050	 0.2530
SG	 0.7980	 0.2840
SH	 0.8310	 0.2840
SI	 0.8710	 0.3860
SJ	 0.8450	 0.3470
SK	 0.8350	 0.2590
SL	 0.8710	 0.4210
SM	 0.6440	 0.0520
SN	 0.8800	 0.3890
SO	 0.8720	 0.3790
SP	 0.8410	 0.2920
SQ	 0.8480	 0.2960
SR	 0.8280	 0.2760
SS	 0.8530	 0.2990
ST	 0.8320	 0.2860
SU	 0.8430	 0.2770
SV	 0.8780	 0.3650
SW	 0.9220	 0.4620
SX	 0.8850	 0.4200
SY	 0.8000	 0.3060

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
SZ	 0.8080	 0.2260
Sa	 0.9040	 0.4240
Sb	 0.8990	 0.3820
Sc	 0.7900	 0.2750
Sd	 0.9050	 0.4130
Se	 0.7230	 0.2750
Sf	 0.6430	 0.0470
Sg	 0.8050	 0.1970