

Full wwPDB X-ray Structure Validation Report (i)

May 13, 2020 - 07:27 am BST

PDB ID	:	3K5F
Title	:	Human BACE-1 COMPLEX WITH AYH011
Authors	:	Rondeau, JM.
Deposited on	:	2009-10-07
Resolution	:	2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
$\operatorname{CCP4}$:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	402	9%	15%	• 7%
1	В	402	6% 80%	13%	6%
1	С	402	4% 78%	14%	• 6%



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 9464 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Δ	272	Total	С	Ν	Ο	\mathbf{S}	0	0	0
	A	373	2928	1874	487	553	14	0		
1	р	277	Total	С	Ν	Ο	S	0	0	0
		511	2966	1898	493	561	14			
1	1 0	277	Total	С	Ν	Ο	S	0	0	0
	377	2966	1898	493	561	14	0	0		

• Molecule 1 is a protein called Beta-secretase 1.

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	$\mathbf{Comment}$	Reference
А	33P	GLY	-	expression tag	UNP P56817
А	34P	PRO	-	expression tag	UNP P56817
В	33P	GLY	-	expression tag	UNP P56817
В	34P	PRO	-	expression tag	UNP P56817
С	33P	GLY	-	expression tag	UNP P56817
C	34P	PRO	_	expression tag	UNP P56817

• Molecule 2 is (1R,3S)-3-[1-(acetylamino)-1-methylethyl]-N-[(1S,2S,4R)-1-benzyl-5-(butyla mino)-2-hydroxy-4-methyl-5-oxopentyl]cyclohexanecarboxamide (three-letter code: AYH) (formula: C₂₉H₄₇N₃O₄).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	А	1	Total 36	C 29	N 3	0 4	0	0
2	В	1	Total 36	C 29	N 3	0 4	0	0
2	С	1	Total 36	С 29	N 3	0 4	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	176	Total O 176 176	0	0
3	В	170	Total O 170 170	0	0
3	С	150	Total O 150 150	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Beta-secretase 1





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	82.65Å 103.71 Å 101.82 Å	Depositor
a, b, c, α , β , γ	90.00° 102.53° 90.00°	Depositor
$\mathbf{B}_{\mathrm{ascolution}}(\mathbf{A})$	43.62 - 2.25	Depositor
Resolution (A)	43.62 - 2.25	EDS
% Data completeness	91.6 (43.62-2.25)	Depositor
(in resolution range)	91.7 (43.62 - 2.25)	EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$< I/\sigma(I) > 1$	$6.54 (at 2.24 \text{\AA})$	Xtriage
Refinement program	CNS, CNX	Depositor
D D.	0.209 , 0.232	Depositor
Π, Π_{free}	0.199 , 0.223	DCC
R_{free} test set	3718 reflections $(5.11%)$	wwPDB-VP
Wilson B-factor (Å ²)	42.7	Xtriage
Anisotropy	0.300	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , 45.1	EDS
L-test for $twinning^2$	$ < L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9464	wwPDB-VP
Average B, all atoms $(Å^2)$	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.04% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: AYH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.34	0/3000	0.62	2/4076~(0.0%)	
1	В	0.34	0/3041	0.61	0/4133	
1	С	0.34	0/3041	0.61	0/4133	
All	All	0.34	0/9082	0.61	2/12342~(0.0%)	

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	342	TYR	N-CA-C	-5.24	96.87	111.00
1	А	359	CYS	CA-CB-SG	5.04	123.07	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2928	0	2848	41	0
1	В	2966	0	2875	31	0
1	С	2966	0	2875	45	0
2	А	36	0	47	0	0
2	В	36	0	47	0	0
2	С	36	0	47	0	0



Mol	Chain	$n \mid Non-H \mid H(model)$		H(added)	Clashes	Symm-Clashes				
3	А	176	0	0	4	0				
3	В	170	0	0	1	0				
3	С	150	0	0	6	0				
All	All	9464	0	8739	113	0				

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:202:ILE:HD12	1:C:379:MET:HE2	1.64	0.79	
1:C:202:ILE:CD1	1:C:379:MET:HG3	2.11	0.78	
1:A:196:GLU:HG3	3:A:531:HOH:O	1.84	0.78	
1:C:267:LEU:H	1:C:267:LEU:HD23	1.49	0.76	
1:B:363:ASP:HB3	1:B:366:ARG:O	1.90	0.72	
1:C:335:ALA:O	1:C:339:GLU:HG3	1.93	0.68	
1:C:196:GLU:HG3	3:C:535:HOH:O	1.95	0.66	
1:A:106:ASP:OD1	1:C:1:GLU:HG2	1.97	0.64	
1:A:276:PRO:O	1:A:279:ILE:HG12	1.98	0.64	
1:C:363:ASP:HB3	1:C:366:ARG:O	1.98	0.63	
1:A:2:MET:HG2	1:A:90:GLY:HA2	1.82	0.62	
1:C:304:GLN:HG3	1:C:361:VAL:HG11	1.81	0.62	
1:B:260:GLY:HA3	1:B:266:GLN:HE21	1.65	0.60	
1:C:276:PRO:O	1:C:279:ILE:HG12	2.02	0.60	
1:B:335:ALA:O	1:B:339:GLU:HG3	2.01	0.60	
1:A:205:ARG:HD3	1:A:212:ASP:OD2	2.02	0.59	
1:C:267:LEU:HD23	1:C:267:LEU:N	2.17	0.59	
1:C:202:ILE:CD1	1:C:379:MET:HE2	2.32	0.59	
1:C:235:ARG:HB2	1:C:332:VAL:HB	1.85	0.58	
1:B:196:GLU:HG3	3:B:490:HOH:O	2.02	0.58	
1:C:2:MET:HG2	1:C:90:GLY:HA2	1.84	0.58	
1:C:20:VAL:HG12	1:C:85:VAL:HG22	1.86	0.57	
1:A:104:GLU:OE1	1:C:46(P):SER:HA	2.04	0.57	
1:A:260:GLY:HA3	1:A:266:GLN:HE21	1.70	0.56	
1:B:20:VAL:HG12	1:B:85:VAL:HG22	1.88	0.56	
1:A:123:TYR:CZ	1:A:196:GLU:HG2	2.42	0.55	
1:A:20:VAL:HG12	1:A:85:VAL:HG22	1.88	0.55	
1:B:365:PHE:CD1	1:B:366:ARG:HG3	2.41	0.55	
1:B:2:MET:HG2	1:B:90:GLY:HA2	1.88	0.55	
1:B:235:ARG:HB2	1:B:332:VAL:HB	1.90	0.54	



Interstomic Clash						
Atom-1	Atom-2	distance $(Å)$	overlan (Å)			
1:C:202:ILE:HD13	1:C:379:MET:HG3	1.89	0.54			
1:A:325:SER:HB3	3:A:537:HOH:O	2.08	0.53			
1:B:271:GLN:HA	1:B:317:ASP:OD1	2.08	0.53			
1:A:280:PHE:HB3	1:A:302:PRO:HB3	1.92	0.52			
1:C:309:VAL:HG11	1:C:321:LYS:HG3	1.92	0.52			
1:B:301:LEU:HD11	1:B:367:THR:HA	1.92	0.52			
1:C:202:ILE:HD11	1:C:379:MET:HG3	1.88	0.51			
1:A:314:THR:HB	1:A:316:GLN:NE2	2.26	0.51			
1:C:216:ASP:HA	3:C:536:HOH:O	2.10	0.51			
1:C:238:LYS:O	1:C:242:GLU:HG3	2.12	0.50			
1:A:235:ARG:HB2	1:A:332:VAL:HB	1.94	0.50			
1:B:110:ILE:HB	1:B:113:SER:HB3	1.93	0.49			
1:A:104:GLU:HG2	1:C:48(P):VAL:HB	1.94	0.49			
1:C:123:TYR:CZ	1:C:196:GLU:HG2	2.48	0.49			
1:C:110:ILE:HB	1:C:113:SER:HB3	1.94	0.49			
1:B:238:LYS:O	1:B:242:GLU:HG3	2.12	0.49			
1:B:267:LEU:HD23	1:B:267:LEU:H	1.78	0.49			
1:B:276:PRO:O	1:B:279:ILE:HG12	2.13	0.48			
1:A:269:CYS:HA	1:A:319:CYS:HA	1.95	0.48			
1:A:378:ASP:HB3	1:A:381:ASP:OD2	2.14	0.48			
1:B:260:GLY:HA3	1:B:266:GLN:HG3	1.93	0.48			
1:A:314:THR:HB	1:A:316:GLN:HE22	1.78	0.48			
1:B:8:GLY:O	1:B:170:VAL:HG22	2.13	0.48			
1:C:278:ASN:HD22	1:C:278:ASN:H	1.60	0.48			
1:B:123:TYR:CZ	1:B:196:GLU:HG2	2.48	0.47			
1:A:113:SER:N	3:A:420:HOH:O	2.48	0.47			
1:A:238:LYS:O	1:A:242:GLU:HG3	2.15	0.47			
1:B:265:GLU:O	1:B:321:LYS:HE2	2.14	0.47			
1:B:179:ILE:HG23	1:B:342:TYR:HE2	1.78	0.47			
1:B:272:ALA:HB2	1:B:316:GLN:O	2.14	0.47			
1:A:235:ARG:HB3	1:A:327:SER:HB2	1.96	0.47			
1:A:65:LYS:HE2	1:A:129:PRO:HG3	1.97	0.47			
1:A:110:ILE:HB	1:A:113:SER:HB3	1.95	0.46			
1:A:298:ILE:HB	1:A:341:PHE:CZ	2.50	0.46			
1:C:32:ASP:OD1	1:C:230:GLY:HA3	2.16	0.46			
1:C:63:LEU:HG	1:C:81:GLY:HA2	1.98	0.46			
1:B:235:ARG:HB3	1:B:327:SER:HB2	1.99	0.45			
1:B:303:GLN:HB2	1:B:361:VAL:HG11	1.98	0.45			
1:A:314:THR:HG22	1:A:315:SER:N	2.32	0.45			
1:C:211:GLN:HB2	3:C:526:HOH:O	2.17	0.45			
1:A:113:SER:O	1:A:114:ASN:CB	2.65	0.45			



		Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
1:C:235:ARG:HB3	1:C:327:SER:HB2	1.98	0.45	
1:A:267:LEU:HD23	1:A:267:LEU:N	2.31	0.45	
1:B:63:LEU:HG	1:B:81:GLY:HA2	1.98	0.45	
1:A:1:GLU:HG2	1:B:106:ASP:OD1	2.17	0.44	
1:B:113:SER:O	1:B:114:ASN:CB	2.65	0.44	
1:A:259:ASP:O	1:A:263:LEU:HG	2.17	0.44	
1:C:278:ASN:HD22	1:C:278:ASN:N	2.15	0.44	
1:C:378:ASP:HB2	3:C:487:HOH:O	2.15	0.44	
1:A:63:LEU:HG	1:A:81:GLY:HA2	1.99	0.44	
1:C:23:PRO:HA	1:C:24:PRO:HD3	1.87	0.44	
1:C:179:ILE:HG23	1:C:342:TYR:HE2	1.83	0.44	
1:A:222:TYR:HA	1:A:223:ASP:HA	1.69	0.44	
1:B:19:THR:HA	1:B:25:GLN:O	2.18	0.44	
1:A:271:GLN:HB3	1:A:274:THR:HG21	1.99	0.44	
1:A:265:GLU:O	1:A:321:LYS:HE2	2.17	0.44	
1:C:272:ALA:HB2	1:C:316:GLN:O	2.17	0.44	
1:B:301:LEU:HD11	1:B:367:THR:CA	2.48	0.44	
1:C:44:PRO:HA	3:C:440:HOH:O	2.18	0.43	
1:A:23:PRO:HA	1:A:24:PRO:HD3	1.88	0.43	
1:B:65:LYS:HE2	1:B:129:PRO:HG3	2.00	0.43	
1:C:151:SER:OG	1:C:175:ILE:HB	2.18	0.43	
1:A:32:ASP:OD1	1:A:230:GLY:HA3	2.18	0.43	
1:C:222:TYR:HA	1:C:223:ASP:HA	1.67	0.43	
1:A:184:TYR:HB2	1:A:356:VAL:O	2.19	0.42	
1:B:45:HIS:HA	1:B:46:PRO:HD3	1.91	0.42	
1:C:197:TRP:CG	1:C:198:TYR:N	2.86	0.42	
1:A:271:GLN:HB3	1:A:274:THR:CG2	2.50	0.42	
1:C:113:SER:O	1:C:114:ASN:CB	2.68	0.41	
1:B:344:VAL:O	1:B:352:ILE:HA	2.21	0.41	
1:C:292:THR:HG21	1:C:378:ASP:HB3	2.02	0.41	
1:A:197:TRP:CG	1:A:198:TYR:N	2.88	0.41	
1:C:4:ASP:HA	1:C:172:GLY:O	2.21	0.41	
1:A:181:HIS:HB3	3:A:540:HOH:O	2.19	0.41	
1:C:268:VAL:O	1:C:319:CYS:HA	2.21	0.41	
1:A:114:ASN:HA	1:A:114:ASN:HD22	1.67	0.41	
1:C:75:LYS:HE2	3:C:400:HOH:O	2.20	0.41	
1:C:216:ASP:OD1	1:C:218:LYS:HB2	2.21	0.41	
1:B:134:GLU:HA	1:B:135:PRO:HD3	1.93	0.40	
1:A:126:ILE:HG23	1:A:197:TRP:HB2	2.03	0.40	
1:A:45:HIS:HA	1:A:46:PRO:HD3	1.92	0.40	
1:C:301:LEU:HD12	$1:\overline{\text{C:361:VAL:HG23}}$	2.04	0.40	



Continued from previous page...

Atom-1	Atom-2	${f Interatomic} \ {f distance} \ ({ m \AA})$	Clash overlap (Å)	
1:C:314:THR:HB	1:C:316:GLN:OE1	2.21	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	367/402~(91%)	350~(95%)	12 (3%)	5 (1%)	11	7
1	В	373/402~(93%)	354~(95%)	16 (4%)	3 (1%)	19	17
1	С	373/402~(93%)	357~(96%)	13 (4%)	3 (1%)	19	17
All	All	1113/1206~(92%)	1061 (95%)	41 (4%)	11 (1%)	15	13

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	360	HIS
1	С	313	ALA
1	А	316	GLN
1	В	272	ALA
1	С	316	GLN
1	А	315	SER
1	А	272	ALA
1	А	313	ALA
1	А	70	PRO
1	С	70	PRO
1	В	70	PRO



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	A	318/342~(93%)	312~(98%)	6 (2%)	57 66	;	
1	В	322/342~(94%)	318~(99%)	4 (1%)	71 80		
1	С	322/342~(94%)	317~(98%)	5 (2%)	62 73		
All	All	962/1026~(94%)	947 (98%)	15 (2%)	62 73		

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	114	ASN
1	А	197	TRP
1	А	205	ARG
1	А	267	LEU
1	А	316	GLN
1	А	360	HIS
1	В	114	ASN
1	В	197	TRP
1	В	254	THR
1	В	373	PRO
1	С	114	ASN
1	С	197	TRP
1	С	259	ASP
1	С	267	LEU
1	С	278	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	73	GLN
1	А	114	ASN
1	А	211	GLN
1	А	266	GLN
1	А	271	GLN
1	А	316	GLN



Mol	Chain	Res	Type
1	А	326	GLN
1	В	73	GLN
1	В	114	ASN
1	В	266	GLN
1	В	271	GLN
1	В	316	GLN
1	В	326	GLN
1	С	73	GLN
1	С	114	ASN
1	С	211	GLN
1	С	271	GLN
1	С	278	ASN
1	С	294	GLN
1	С	316	GLN
1	С	326	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Turne	Chain	Res	Link	Bond lengths			Bond angles		
MOI	туре				Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AYH	В	387	-	35,37,37	1.06	1 (2%)	$41,\!50,\!50$	1.32	6 (14%)
2	AYH	А	387	-	35,37,37	0.95	0	$41,\!50,\!50$	1.28	5 (12%)
2	AYH	C	387	-	35,37,37	1.09	1 (2%)	41,50,50	1.27	4 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AYH	В	387	-	-	0/40/50/50	0/2/2/2
2	AYH	А	387	-	-	0/40/50/50	0/2/2/2
2	AYH	С	387	-	-	0/40/50/50	0/2/2/2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(A)	$\operatorname{Ideal}(\operatorname{\AA})$
2	С	387	AYH	C76-C67	2.98	1.56	1.53
2	В	387	AYH	C80-C67	2.73	1.55	1.53

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	В	387	AYH	C12-C9-C5	-4.36	107.02	114.74
2	А	387	AYH	C12-C9-C5	-4.30	107.12	114.74
2	С	387	AYH	C12-C9-C5	-4.19	107.32	114.74
2	С	387	AYH	C3-N1-C49	-3.33	117.19	123.07
2	А	387	AYH	C3-N1-C49	-2.88	117.99	123.07
2	В	387	AYH	C3-N1-C49	-2.82	118.09	123.07
2	В	387	AYH	C5-C3-N1	2.70	115.13	109.92
2	А	387	AYH	C5-C3-N1	2.39	114.52	109.92
2	С	387	AYH	C5-C3-N1	2.32	114.39	109.92
2	В	387	AYH	C14-C12-C18	-2.30	105.72	109.42
2	В	387	AYH	C80-C67-N68	2.27	111.77	107.37
2	С	387	AYH	C80-C67-N68	2.12	111.48	107.37
2	А	387	AYH	C22-N20-C18	-2.09	118.86	122.59
2	В	387	AYH	C22-N20-C18	-2.09	118.87	122.59
2	А	387	AYH	C80-C67-N68	2.06	111.37	107.37

There are no chirality outliers.

There are no torsion outliers.



There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		$\mathbf{OWAB}(\mathbf{\AA}^2)$	$Q{<}0.9$	
1	А	373/402~(92%)	0.51	37~(9%)	7	7	25, 42, 82, 112	0
1	В	377/402~(93%)	0.35	23 (6%)	21	23	26, 43, 77, 112	0
1	С	377/402~(93%)	0.32	17 (4%)	33	36	27, 44, 72, 107	0
All	All	1127/1206~(93%)	0.39	77~(6%)	17	18	25, 43, 78, 112	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	312	VAL	11.5
1	В	365	PHE	9.0
1	В	312	VAL	8.7
1	В	313	ALA	7.2
1	А	313	ALA	7.1
1	А	311	ASP	7.1
1	В	314	THR	7.1
1	В	315	SER	6.8
1	С	312	VAL	6.5
1	А	315	SER	6.4
1	А	314	THR	5.8
1	А	310	GLU	5.6
1	А	273	GLY	5.5
1	С	362	HIS	5.4
1	С	314	THR	5.3
1	В	364	GLU	5.3
1	С	313	ALA	5.0
1	С	311	ASP	4.8
1	В	311	ASP	4.6
1	A	360	HIS	4.6
1	A	268	VAL	4.6
1	A	316	GLN	4.2
1	С	364	GLU	4.2



Mol	Chain	Res	Type	RSRZ
1	C	365	PHE	4.1
1	С	316	GLN	4.1
1	С	315	SER	4.1
1	А	251	ALA	4.0
1	А	270	TRP	3.8
1	В	316	GLN	3.8
1	А	250	ALA	3.5
1	В	361	VAL	3.4
1	А	254	THR	3.4
1	А	271	GLN	3.3
1	С	47	PHE	3.3
1	А	272	ALA	3.2
1	В	362	HIS	3.2
1	А	319	CYS	3.2
1	А	317	ASP	3.2
1	А	318	ASP	3.2
1	А	279	ILE	3.1
1	В	310	GLU	3.1
1	А	368	ALA	3.0
1	А	145	HIS	3.0
1	С	271	GLN	2.9
1	В	271	GLN	2.9
1	А	309	VAL	2.8
1	А	275	THR	2.8
1	С	310	GLU	2.8
1	С	145	HIS	2.7
1	В	47	PHE	2.6
1	А	274	THR	2.6
1	А	320	TYR	2.6
1	А	280	PHE	2.6
1	В	145	HIS	2.6
1	В	317	ASP	2.4
1	А	252	SER	2.4
1	В	55	GLN	2.4
1	С	49	HIS	2.4
1	А	269	CYS	2.3
1	В	59	THR	2.3
1	В	363	ASP	2.3
1	А	367	THR	2.2
1	С	46	PRO	2.2
1	С	112	GLY	2.2

LYS Continued on next page...

214

2.2

А

1



Mol	Chain	Res	Type	RSRZ
1	В	113	SER	2.2
1	А	256	LYS	2.1
1	В	360	HIS	2.1
1	В	51	TYR	2.1
1	А	211	GLN	2.1
1	А	276	PRO	2.1
1	В	46(P)	SER	2.1
1	С	317	ASP	2.1
1	А	366	ARG	2.1
1	А	277	TRP	2.1
1	А	46	PRO	2.0
1	В	367	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
2	AYH	С	387	36/36	0.96	0.15	$27,\!32,\!38,\!45$	0
2	AYH	А	387	36/36	0.97	0.16	$26,\!34,\!39,\!41$	0
2	AYH	В	387	36/36	0.97	0.19	$27,\!33,\!38,\!40$	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers (i)

There are no such residues in this entry.

