



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 9, 2023 – 07:33 AM EDT

PDB ID : 7K80
Title : KIR3DL1*001 in complex with HLA-A*24:02 presenting the RYPLTFGW peptide
Authors : MacLachlan, B.J.; Rossjohn, J.; Vivian, J.P.
Deposited on : 2020-09-24
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	5% (Poor fit), 79% (0-1 outliers), 20% (2-3+ outliers)
1	D	276	4% (Poor fit), 91% (0-1 outliers), 8% (2-3+ outliers)
2	B	100	5% (Poor fit), 82% (0-1 outliers), 18% (2-3+ outliers)
2	E	100	2% (Poor fit), 87% (0-1 outliers), 13% (2-3+ outliers)
3	C	8	75% (0-1 outliers), 25% (2-3+ outliers)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	8	 75% 25%
4	G	299	 5% 80% 16%
4	H	299	 5% 72% 20% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	NAG	G	402	-	-	-	X

2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 11001 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MHC class I antigen.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	276	Total	C	N	O	S	0	0	0
			2231	1389	402	430	10			
1	D	276	Total	C	N	O	S	0	0	0
			2227	1387	402	428	10			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			
2	E	100	Total	C	N	O	S	0	0	0
			833	531	141	157	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	expression tag	UNP P61769
E	0	MET	-	expression tag	UNP P61769

- Molecule 3 is a protein called ARG-TYR-PRO-LEU-THR-PHE-GLY-TRP.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	8	Total	C	N	O	0	0	0
			75	52	12	11			
3	F	8	Total	C	N	O	0	0	0
			75	52	12	11			

- Molecule 4 is a protein called Killer cell immunoglobulin-like receptor 3DL1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	G	290	Total	C	N	O	S	0	1	0
			2273	1442	412	405	14			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	H	275	2162	1373	391	385	13	0	0	0

- Molecule 5 is FORMIC ACID (three-letter code: FMT) (formula: CH_2O_2).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
5	A	1	3	1	2	0	0

- Molecule 6 is ACETATE ION (three-letter code: ACT) (formula: $\text{C}_2\text{H}_3\text{O}_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	D	1	Total C O 4 2 2	0	0
6	E	1	Total C O 4 2 2	0	0
6	E	1	Total C O 4 2 2	0	0

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	G	1	Total C N O 14 8 1 5	0	0
7	G	1	Total C N O 14 8 1 5	0	0
7	G	1	Total C N O 14 8 1 5	0	0
7	H	1	Total C N O 14 8 1 5	0	0
7	H	1	Total C N O 14 8 1 5	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	24	Total O 24 24	0	0
8	B	12	Total O 12 12	0	0
8	C	1	Total O 1 1	0	0
8	D	60	Total O 60 60	0	0
8	E	19	Total O 19 19	0	0
8	F	2	Total O 2 2	0	0
8	G	49	Total O 49 49	0	0
8	H	28	Total O 28 28	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MHC class I antigen




- Molecule 1: MHC class I antigen



- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin



- Molecule 3: ARG-TYR-PRO-LEU-THR-PHE-GLY-TRP










- Molecule 3: ARG-TYR-PRO-LEU-THR-PHE-GLY-TRP



- Molecule 4: Killer cell immunoglobulin-like receptor 3DL1



- Molecule 4: Killer cell immunoglobulin-like receptor 3DL1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	51.27Å 85.02Å 94.83Å 82.47° 85.97° 77.92°	Depositor
Resolution (Å)	40.00 – 2.40 43.09 – 2.40	Depositor EDS
% Data completeness (in resolution range)	96.9 (40.00-2.40) 97.0 (43.09-2.40)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 2.39Å)	Xtrriage
Refinement program	PHENIX (1.17.1_3660: ???)	Depositor
R, R_{free}	0.198 , 0.249 0.198 , 0.249	Depositor DCC
R_{free} test set	2982 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	48.6	Xtrriage
Anisotropy	0.072	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 49.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11001	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 79.15 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.9359e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, FMT, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/2292	0.58	3/3109 (0.1%)
1	D	0.28	0/2288	0.49	0/3104
2	B	0.29	0/860	0.54	0/1162
2	E	0.28	0/856	0.47	0/1157
3	C	0.29	0/79	0.87	1/106 (0.9%)
3	F	0.24	0/79	0.51	0/106
4	G	0.27	0/2353	0.49	0/3201
4	H	0.28	0/2232	0.47	0/3032
All	All	0.29	0/11039	0.51	4/14977 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	4	LEU	CA-CB-CG	6.88	131.12	115.30
1	A	272	LEU	CB-CG-CD2	6.00	121.20	111.00
1	A	25	VAL	CG1-CB-CG2	5.33	119.43	110.90
1	A	176	LYS	CD-CE-NZ	5.28	123.83	111.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2231	0	2088	45	0
1	D	2227	0	2082	21	0
2	B	837	0	803	11	0
2	E	833	0	799	7	0
3	C	75	0	71	2	0
3	F	75	0	71	2	0
4	G	2273	0	2197	41	0
4	H	2162	0	2083	32	0
5	A	3	0	1	0	0
6	A	4	0	3	0	0
6	D	8	0	6	1	0
6	E	8	0	6	0	0
7	G	42	0	39	1	0
7	H	28	0	26	1	0
8	A	24	0	0	0	0
8	B	12	0	0	1	0
8	C	1	0	0	0	0
8	D	60	0	0	1	0
8	E	19	0	0	0	0
8	F	2	0	0	0	0
8	G	49	0	0	3	0
8	H	28	0	0	0	0
All	All	11001	0	10275	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:226:ARG:HH12	4:G:253:ARG:CZ	1.34	1.37
4:G:226:ARG:NH1	4:G:253:ARG:CZ	2.18	1.07
4:G:226:ARG:HH12	4:G:253:ARG:NH1	1.59	0.99
4:G:253:ARG:H	4:G:253:ARG:HD3	1.32	0.95
1:D:262:GLN:HG2	1:D:263:HIS:N	1.88	0.88
1:A:108:ARG:HG2	1:A:109:PHE:H	1.37	0.87
4:G:221:LEU:HG	4:G:261:LEU:HD11	1.60	0.84
4:G:226:ARG:HH12	4:G:253:ARG:NH2	1.80	0.80
4:G:226:ARG:NH1	4:G:253:ARG:NH2	2.32	0.77
4:G:226:ARG:NH1	4:G:253:ARG:NH1	2.31	0.76
1:A:195:SER:HB3	1:A:198:GLU:HB2	1.68	0.75
1:A:275:GLU:HG2	1:A:276:PRO:HD2	1.74	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:96:ASP:OD1	2:B:98:ASP:OD1	2.12	0.68
1:A:219:ARG:NH2	1:A:253:GLU:OE1	2.27	0.67
4:G:226:ARG:NH2	4:G:253:ARG:HH22	1.92	0.66
4:G:226:ARG:HH22	4:G:253:ARG:HH22	1.44	0.65
4:G:122:GLN:OE1	8:G:501:HOH:O	2.13	0.65
1:A:195:SER:OG	1:A:196:ASP:N	2.28	0.64
4:G:142:ASP:OD2	8:G:502:HOH:O	2.15	0.63
2:B:46:ILE:HG22	2:B:47:GLU:O	2.00	0.62
1:A:219:ARG:HD2	1:A:257:TYR:CZ	2.34	0.62
2:E:72:PRO:HB2	2:E:97:ARG:HH21	1.65	0.62
1:A:70:HIS:CG	3:C:5:THR:HG21	2.35	0.61
4:G:57:GLU:HG3	4:G:58:SER:H	1.64	0.61
1:A:70:HIS:CD2	3:C:5:THR:HG21	2.34	0.61
1:A:194:ILE:HD11	1:A:200:THR:HG23	1.82	0.61
4:G:93:VAL:HG21	7:G:400:NAG:H82	1.82	0.61
1:A:5:MET:HB2	1:A:168:LEU:HD13	1.82	0.61
4:H:181:THR:HB	4:H:184:GLN:HB2	1.83	0.60
4:H:93:VAL:HG21	7:H:400:NAG:H82	1.84	0.60
3:F:4:LEU:HD23	3:F:4:LEU:H	1.65	0.60
1:D:108:ARG:NH2	8:D:404:HOH:O	2.34	0.60
1:A:72:GLN:OE1	1:A:75:ARG:NH1	2.27	0.59
4:G:236:ARG:NH1	4:G:270:TYR:OH	2.36	0.59
4:G:48:PRO:HG2	4:G:52:GLY:HA2	1.86	0.58
2:B:17:ASN:OD1	2:B:97:ARG:NH1	2.38	0.57
1:A:22:PHE:CD2	1:A:71:SER:HB2	2.39	0.57
2:B:75:LYS:O	2:B:75:LYS:HG3	2.04	0.57
1:A:127:LYS:HD3	1:A:132:SER:OG	2.06	0.56
1:D:54:GLN:HB2	6:D:302:ACT:H2	1.88	0.56
1:A:195:SER:HB3	1:A:198:GLU:HG3	1.88	0.56
4:G:253:ARG:HD3	4:G:253:ARG:N	2.12	0.55
4:G:108:HIS:NE2	8:G:501:HOH:O	2.33	0.55
4:H:49:ILE:HD12	4:H:50:PHE:CD2	2.41	0.55
1:A:219:ARG:HD2	1:A:257:TYR:CE1	2.42	0.55
1:A:109:PHE:HD2	1:A:165:VAL:HG11	1.70	0.55
1:A:108:ARG:CG	1:A:109:PHE:H	2.16	0.54
2:B:87:LEU:O	8:B:101:HOH:O	2.18	0.54
4:G:42:GLU:HG2	4:G:71:ASN:HB3	1.89	0.54
1:D:5:MET:HB2	1:D:168:LEU:HD13	1.90	0.54
2:B:73:THR:O	2:B:97:ARG:NH2	2.40	0.53
4:G:130:GLU:HB2	4:G:179:THR:HG22	1.90	0.53
1:A:20:PRO:HB2	1:A:75:ARG:HH21	1.71	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:201:GLU:OE1	4:G:227:SER:OG	2.25	0.53
4:G:43:ASP:OD1	4:G:44:ARG:HG3	2.09	0.52
1:D:108:ARG:HG3	1:D:109:PHE:H	1.74	0.52
4:G:226:ARG:CZ	4:G:253:ARG:NH2	2.73	0.52
1:A:4:SER:HB2	1:A:6:ARG:NH1	2.25	0.51
1:A:255:GLN:H	1:A:255:GLN:NE2	2.08	0.51
1:A:255:GLN:H	1:A:255:GLN:CD	2.13	0.51
1:D:109:PHE:HD2	1:D:165:VAL:HG11	1.74	0.51
1:D:201:LEU:HB2	1:D:247:VAL:HG23	1.94	0.50
4:H:250:LYS:HB2	4:H:254:THR:OG1	2.09	0.50
4:H:235:SER:HB2	4:H:242:GLU:OE1	2.11	0.50
1:D:196:ASP:N	1:D:196:ASP:OD1	2.44	0.50
1:A:223:ASP:OD2	1:A:223:ASP:N	2.46	0.49
1:A:249:VAL:HG12	1:A:257:TYR:CZ	2.47	0.49
4:G:105:LEU:HD13	4:G:123:CYS:SG	2.52	0.49
4:H:18:VAL:O	4:H:96:VAL:HA	2.13	0.49
1:D:186:LYS:N	1:D:186:LYS:HD2	2.26	0.49
2:B:7:ILE:HD12	2:B:82:VAL:HG21	1.95	0.49
4:H:201:GLU:OE2	4:H:227:SER:OG	2.30	0.49
1:A:249:VAL:HG12	1:A:257:TYR:CE1	2.48	0.49
2:E:22:PHE:CE2	2:E:69:GLU:HG3	2.48	0.49
1:D:145:ARG:HD2	4:H:228:SER:HB2	1.95	0.49
4:G:126:ASP:N	4:G:126:ASP:OD1	2.44	0.49
1:A:135:ALA:HB3	1:A:141:GLN:HG2	1.95	0.48
1:A:25:VAL:HG23	1:A:32:GLN:NE2	2.29	0.48
4:G:226:ARG:NH2	4:G:253:ARG:NH2	2.60	0.48
1:A:4:SER:HB2	1:A:6:ARG:HH12	1.79	0.48
4:G:219:VAL:HG13	4:G:261:LEU:HD13	1.96	0.48
4:G:42:GLU:HA	4:G:45:ILE:HD13	1.96	0.47
4:G:104:SER:O	4:G:123:CYS:HA	2.14	0.47
1:D:253:GLU:HB3	1:D:256:ARG:HG3	1.96	0.47
1:D:223:ASP:N	1:D:223:ASP:OD1	2.47	0.47
4:H:113:VAL:HG11	4:H:164:MET:HE3	1.97	0.47
4:G:118:ARG:NH2	4:G:163:PRO:HD3	2.30	0.47
1:D:117:ALA:HB2	2:E:60:TRP:CE2	2.50	0.47
1:D:262:GLN:HG2	1:D:263:HIS:H	1.75	0.47
4:H:204:SER:O	4:H:223:CYS:HA	2.14	0.46
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.50	0.46
1:A:219:ARG:HG3	1:A:256:ARG:HB3	1.97	0.46
4:G:8:PRO:HB3	4:G:30:TYR:HB2	1.97	0.46
1:D:70:HIS:CD2	3:F:5:THR:HG21	2.51	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:56:GLN:O	4:H:58:SER:N	2.48	0.46
4:H:43:ASP:HB2	4:H:44:ARG:HE	1.81	0.46
2:B:72:PRO:HB2	2:B:97:ARG:HH12	1.81	0.46
2:B:75:LYS:NZ	2:B:77:GLU:HB2	2.30	0.46
1:D:219:ARG:H	1:D:224:GLN:HE22	1.64	0.46
4:H:18:VAL:HG21	4:H:24:VAL:HB	1.97	0.46
2:B:15:ALA:HB3	2:B:97:ARG:HG3	1.98	0.46
4:H:48:PRO:HG2	4:H:52:GLY:HA2	1.98	0.46
1:A:108:ARG:HG3	1:A:169:ARG:NH2	2.31	0.45
1:D:219:ARG:NH1	1:D:256:ARG:HD2	2.32	0.45
1:D:97:MET:HG3	1:D:116:TYR:CZ	2.51	0.45
4:H:124:TRP:HA	4:H:155:SER:O	2.16	0.45
1:A:194:ILE:CD1	1:A:200:THR:HG23	2.46	0.45
4:H:173:ARG:HD3	4:H:188:PRO:HB2	1.98	0.45
4:H:30:TYR:CE2	4:H:86:SER:HB3	2.52	0.45
4:H:223:CYS:O	4:H:256:GLN:HA	2.17	0.45
1:A:260:HIS:HA	1:A:270:LEU:O	2.17	0.45
2:E:72:PRO:HB2	2:E:97:ARG:NH2	2.31	0.44
2:E:19:LYS:O	2:E:72:PRO:HD2	2.17	0.44
4:H:152:ASP:OD2	4:H:153:GLY:N	2.50	0.44
1:A:201:LEU:HB2	1:A:247:VAL:HG23	1.98	0.44
1:A:50:PRO:HA	1:A:53:GLU:HG3	2.00	0.44
1:A:224:GLN:O	1:A:228:THR:HG22	2.17	0.44
1:D:109:PHE:CD2	1:D:165:VAL:HG11	2.53	0.44
4:H:44:ARG:HB3	4:H:47:ILE:HG13	2.00	0.44
4:G:212:LYS:HB3	4:G:212:LYS:HE3	1.72	0.43
4:H:66:THR:HB	4:H:184:GLN:NE2	2.33	0.43
1:D:108:ARG:HE	1:D:109:PHE:H	1.66	0.43
4:H:233:HIS:O	4:H:272:CYS:HA	2.18	0.43
1:A:13:SER:O	1:A:92:SER:HB3	2.18	0.43
1:A:44:ARG:NH2	1:A:61:ASP:OD1	2.51	0.43
1:A:186:LYS:N	1:A:186:LYS:HD3	2.33	0.43
1:A:195:SER:HB3	1:A:198:GLU:CB	2.42	0.43
1:A:194:ILE:CG1	1:A:200:THR:HG23	2.48	0.43
4:H:130:GLU:HB2	4:H:179:THR:HG22	2.01	0.42
4:G:31:ARG:O	4:G:33:ARG:HG2	2.19	0.42
4:H:105:LEU:HD13	4:H:123:CYS:SG	2.59	0.42
4:G:36:ASN:ND2	4:G:56:GLN:O	2.53	0.42
4:G:269:THR:HA	4:G:291:LEU:HA	2.02	0.42
4:H:26:LEU:HD21	4:H:94:ILE:HD11	2.00	0.42
1:D:28:VAL:HG11	1:D:179:LEU:HD13	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:27:ARG:HB3	4:G:34:PHE:CD2	2.54	0.42
4:G:7:LYS:HA	4:G:8:PRO:HD3	1.93	0.42
4:H:232:TYR:O	4:H:244:ARG:HA	2.19	0.42
4:H:76:GLY:N	4:H:86:SER:OG	2.52	0.42
1:A:189:MET:SD	1:A:274:TRP:HB2	2.60	0.41
4:G:209:PRO:HD2	4:G:219:VAL:HG23	2.02	0.41
4:H:81:SER:HB2	4:H:82:PRO:HD2	2.02	0.41
4:G:76:GLY:N	4:G:86:SER:OG	2.52	0.41
1:A:13:SER:HB3	1:A:78:LEU:HD13	2.01	0.41
4:G:277:ARG:HH11	4:G:277:ARG:HG2	1.86	0.41
1:A:5:MET:O	1:A:100:GLY:HA3	2.21	0.41
2:E:25:CYS:HB2	2:E:39:LEU:HD21	2.03	0.41
4:G:226:ARG:HH22	4:G:253:ARG:NH2	2.14	0.41
4:H:108:HIS:HB2	4:H:120:ILE:HB	2.02	0.41
4:H:149:GLN:HE21	4:H:149:GLN:HB3	1.65	0.41
4:H:101:ARG:HB2	4:H:127:ILE:HD11	2.02	0.41
4:H:151:HIS:O	4:H:154:VAL:HG22	2.21	0.41
1:A:108:ARG:HG2	1:A:109:PHE:N	2.18	0.40
1:A:201:LEU:HB2	1:A:247:VAL:CG2	2.52	0.40
2:E:49:VAL:HG22	2:E:68:THR:HB	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/276 (99%)	269 (98%)	5 (2%)	0	100	100
1	D	274/276 (99%)	267 (97%)	7 (3%)	0	100	100
2	B	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
2	E	98/100 (98%)	95 (97%)	3 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	6/8 (75%)	6 (100%)	0	0	100	100
3	F	6/8 (75%)	6 (100%)	0	0	100	100
4	G	289/299 (97%)	281 (97%)	8 (3%)	0	100	100
4	H	269/299 (90%)	256 (95%)	12 (4%)	1 (0%)	34	48
All	All	1314/1366 (96%)	1276 (97%)	37 (3%)	1 (0%)	51	68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	H	57	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/232 (100%)	224 (97%)	7 (3%)	41	61
1	D	230/232 (99%)	227 (99%)	3 (1%)	69	84
2	B	95/95 (100%)	92 (97%)	3 (3%)	39	59
2	E	94/95 (99%)	91 (97%)	3 (3%)	39	59
3	C	7/7 (100%)	7 (100%)	0	100	100
3	F	7/7 (100%)	7 (100%)	0	100	100
4	G	251/256 (98%)	246 (98%)	5 (2%)	55	74
4	H	239/256 (93%)	234 (98%)	5 (2%)	53	72
All	All	1154/1180 (98%)	1128 (98%)	26 (2%)	50	70

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	SER
1	A	71	SER
1	A	121	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	223	ASP
1	A	256	ARG
1	A	268	LYS
1	A	273	ARG
2	B	0	MET
2	B	70	PHE
2	B	74	GLU
1	D	186	LYS
1	D	219	ARG
1	D	223	ASP
2	E	48	LYS
2	E	70	PHE
2	E	75	LYS
4	G	46	HIS
4	G	224	SER
4	G	235	SER
4	G	253	ARG
4	G	279	SER
4	H	44	ARG
4	H	142	ASP
4	H	174	CYS
4	H	177	SER
4	H	222	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	174	ASN
1	D	114	HIS
1	D	224	GLN
4	G	36	ASN
4	G	56	GLN
4	H	149	GLN
4	H	184	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	FMT	A	301	-	2,2,2	0.72	0	1,1,1	0.25	0
6	ACT	D	301	-	3,3,3	1.30	0	3,3,3	1.38	0
6	ACT	D	302	-	3,3,3	1.31	0	3,3,3	1.52	0
7	NAG	H	401	4	14,14,15	0.20	0	17,19,21	0.42	0
6	ACT	A	302	-	3,3,3	1.30	0	3,3,3	1.52	0
6	ACT	E	101	-	3,3,3	1.31	0	3,3,3	1.53	0
7	NAG	G	402	4	14,14,15	0.47	0	17,19,21	0.44	0
7	NAG	G	400	4	14,14,15	0.28	0	17,19,21	0.55	0
6	ACT	E	102	-	3,3,3	1.30	0	3,3,3	1.52	0
7	NAG	G	401	4	14,14,15	0.18	0	17,19,21	0.59	0
7	NAG	H	400	4	14,14,15	0.26	0	17,19,21	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	G	402	4	-	4/6/23/26	0/1/1/1
7	NAG	G	401	4	-	1/6/23/26	0/1/1/1
7	NAG	G	400	4	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	H	401	4	-	4/6/23/26	0/1/1/1
7	NAG	H	400	4	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	H	401	NAG	C4-C5-C6-O6
7	H	401	NAG	O5-C5-C6-O6
7	G	402	NAG	O5-C5-C6-O6
7	H	401	NAG	C8-C7-N2-C2
7	H	401	NAG	O7-C7-N2-C2
7	G	402	NAG	C4-C5-C6-O6
7	G	402	NAG	C1-C2-N2-C7
7	G	400	NAG	O5-C5-C6-O6
7	H	400	NAG	O5-C5-C6-O6
7	G	400	NAG	C4-C5-C6-O6
7	G	401	NAG	C3-C2-N2-C7
7	H	400	NAG	C4-C5-C6-O6
7	G	402	NAG	C3-C2-N2-C7

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	D	302	ACT	1	0
7	G	400	NAG	1	0
7	H	400	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/276 (100%)	0.35	13 (4%) 31 30	40, 71, 125, 147	0
1	D	276/276 (100%)	0.22	10 (3%) 42 42	31, 54, 112, 139	0
2	B	100/100 (100%)	0.15	5 (5%) 28 27	39, 59, 115, 145	0
2	E	100/100 (100%)	0.07	2 (2%) 65 63	32, 58, 107, 123	0
3	C	8/8 (100%)	0.43	0 100 100	54, 66, 101, 115	0
3	F	8/8 (100%)	0.12	0 100 100	41, 48, 59, 70	0
4	G	290/299 (96%)	0.25	16 (5%) 25 24	35, 63, 123, 152	0
4	H	275/299 (91%)	0.36	14 (5%) 28 26	39, 75, 132, 164	0
All	All	1333/1366 (97%)	0.27	60 (4%) 33 31	31, 65, 121, 164	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	H	82	PRO	5.9
4	H	128	MET	5.2
4	G	265	THR	4.7
1	A	257	TYR	4.6
1	A	276	PRO	4.5
4	G	56	GLN	4.0
1	A	225	THR	4.0
1	A	219	ARG	3.9
4	G	82	PRO	3.9
1	D	225	THR	3.8
4	H	45	ILE	3.6
4	G	215	ALA	3.6
2	B	0	MET	3.4
1	A	196	ASP	3.3
4	G	43	ASP	3.3
1	A	221	GLY	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	98	ASP	3.1
4	H	152	ASP	3.1
1	D	221	GLY	3.1
4	G	266	HIS	3.0
4	G	214	GLN	3.0
1	A	220	ASP	2.9
1	A	222	GLU	2.9
4	H	79	PRO	2.8
1	A	256	ARG	2.8
1	A	194	ILE	2.7
4	G	264	ALA	2.7
4	G	216	GLY	2.7
1	A	226	GLN	2.7
2	B	98	ASP	2.7
4	G	243	ARG	2.6
4	H	85	TRP	2.6
4	G	253	ARG	2.5
1	D	220	ASP	2.5
2	E	75	LYS	2.5
1	D	226	GLN	2.4
4	G	263	PRO	2.4
4	H	40	TYR	2.4
4	H	208	GLN	2.4
1	A	273	ARG	2.4
2	B	75	LYS	2.3
1	D	223	ASP	2.3
4	G	238	GLY	2.3
4	G	44	ARG	2.3
4	G	35	ASN	2.3
4	H	64	VAL	2.3
4	H	80	HIS	2.3
2	B	74	GLU	2.2
4	H	43	ASP	2.2
1	A	108	ARG	2.2
1	D	268	LYS	2.1
4	H	151	HIS	2.1
4	H	19	PRO	2.1
4	H	218	SER	2.1
1	D	256	ARG	2.1
1	D	1	GLY	2.1
1	D	276	PRO	2.1
4	G	151	HIS	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	19	LYS	2.0
1	D	196	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	ACT	D	302	4/4	0.62	0.36	89,92,93,94	0
7	NAG	G	402	14/15	0.74	0.43	120,125,128,128	0
6	ACT	E	102	4/4	0.79	0.32	86,96,99,102	0
5	FMT	A	301	3/3	0.86	0.40	98,98,98,99	0
6	ACT	D	301	4/4	0.90	0.23	70,82,83,89	0
7	NAG	G	401	14/15	0.92	0.15	65,82,87,92	0
7	NAG	H	400	14/15	0.92	0.22	75,88,101,101	0
7	NAG	H	401	14/15	0.92	0.18	74,87,90,92	0
6	ACT	E	101	4/4	0.93	0.14	51,72,74,76	0
6	ACT	A	302	4/4	0.95	0.12	66,73,76,77	0
7	NAG	G	400	14/15	0.95	0.13	62,75,83,89	0

6.5 Other polymers [i](#)

There are no such residues in this entry.