



# Full wwPDB X-ray Structure Validation Report i

Oct 9, 2023 – 05:00 AM EDT

PDB ID : 7K93  
Title : DENV2 NS1 in complex with neutralizing 2B7 single chain Fab variable region (scFv)  
Authors : Akey, D.L.; Smith, J.L.  
Deposited on : 2020-09-28  
Resolution : 2.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1



Continued from previous page...

Mol	Chain	Length	Quality of chain			
2	G	251	%	75%	15%	• 8%
2	I	251	6%	76%	16%	• 8%
2	K	251	%	73%	17%	• 8%

## 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 17581 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Non-structural protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	327	Total 2597	C 1632	N 450	O 495	S 20	0	0	0
1	B	328	Total 2600	C 1635	N 450	O 495	S 20	0	0	0
1	C	335	Total 2642	C 1663	N 457	O 502	S 20	0	0	0
1	D	325	Total 2578	C 1622	N 446	O 490	S 20	0	0	0

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-23	ALA	-	expression tag	UNP D0EPS0
A	-22	HIS	-	expression tag	UNP D0EPS0
A	-21	HIS	-	expression tag	UNP D0EPS0
A	-20	HIS	-	expression tag	UNP D0EPS0
A	-19	HIS	-	expression tag	UNP D0EPS0
A	-18	HIS	-	expression tag	UNP D0EPS0
A	-17	HIS	-	expression tag	UNP D0EPS0
A	-16	SER	-	expression tag	UNP D0EPS0
A	-15	SER	-	expression tag	UNP D0EPS0
A	-14	GLY	-	expression tag	UNP D0EPS0
A	-13	VAL	-	expression tag	UNP D0EPS0
A	-12	ASP	-	expression tag	UNP D0EPS0
A	-11	LEU	-	expression tag	UNP D0EPS0
A	-10	GLY	-	expression tag	UNP D0EPS0
A	-9	THR	-	expression tag	UNP D0EPS0
A	-8	GLU	-	expression tag	UNP D0EPS0
A	-7	ASN	-	expression tag	UNP D0EPS0
A	-6	LEU	-	expression tag	UNP D0EPS0
A	-5	TYR	-	expression tag	UNP D0EPS0
A	-4	PHE	-	expression tag	UNP D0EPS0
A	-3	GLN	-	expression tag	UNP D0EPS0

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP D0EPS0
A	-1	ASN	-	expression tag	UNP D0EPS0
B	-23	ALA	-	expression tag	UNP D0EPS0
B	-22	HIS	-	expression tag	UNP D0EPS0
B	-21	HIS	-	expression tag	UNP D0EPS0
B	-20	HIS	-	expression tag	UNP D0EPS0
B	-19	HIS	-	expression tag	UNP D0EPS0
B	-18	HIS	-	expression tag	UNP D0EPS0
B	-17	HIS	-	expression tag	UNP D0EPS0
B	-16	SER	-	expression tag	UNP D0EPS0
B	-15	SER	-	expression tag	UNP D0EPS0
B	-14	GLY	-	expression tag	UNP D0EPS0
B	-13	VAL	-	expression tag	UNP D0EPS0
B	-12	ASP	-	expression tag	UNP D0EPS0
B	-11	LEU	-	expression tag	UNP D0EPS0
B	-10	GLY	-	expression tag	UNP D0EPS0
B	-9	THR	-	expression tag	UNP D0EPS0
B	-8	GLU	-	expression tag	UNP D0EPS0
B	-7	ASN	-	expression tag	UNP D0EPS0
B	-6	LEU	-	expression tag	UNP D0EPS0
B	-5	TYR	-	expression tag	UNP D0EPS0
B	-4	PHE	-	expression tag	UNP D0EPS0
B	-3	GLN	-	expression tag	UNP D0EPS0
B	-2	SER	-	expression tag	UNP D0EPS0
B	-1	ASN	-	expression tag	UNP D0EPS0
C	-23	ALA	-	expression tag	UNP D0EPS0
C	-22	HIS	-	expression tag	UNP D0EPS0
C	-21	HIS	-	expression tag	UNP D0EPS0
C	-20	HIS	-	expression tag	UNP D0EPS0
C	-19	HIS	-	expression tag	UNP D0EPS0
C	-18	HIS	-	expression tag	UNP D0EPS0
C	-17	HIS	-	expression tag	UNP D0EPS0
C	-16	SER	-	expression tag	UNP D0EPS0
C	-15	SER	-	expression tag	UNP D0EPS0
C	-14	GLY	-	expression tag	UNP D0EPS0
C	-13	VAL	-	expression tag	UNP D0EPS0
C	-12	ASP	-	expression tag	UNP D0EPS0
C	-11	LEU	-	expression tag	UNP D0EPS0
C	-10	GLY	-	expression tag	UNP D0EPS0
C	-9	THR	-	expression tag	UNP D0EPS0
C	-8	GLU	-	expression tag	UNP D0EPS0
C	-7	ASN	-	expression tag	UNP D0EPS0

*Continued on next page...*



$C_8H_{15}NO_6$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		


### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Non-structural protein 1



- Molecule 1: Non-structural protein 1







## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	69.63 Å   165.59 Å   258.59 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	47.38 – 2.89 47.38 – 2.89	Depositor EDS
% Data completeness (in resolution range)	99.0 (47.38-2.89) 89.5 (47.38-2.89)	Depositor EDS
$R_{merge}$	0.20	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	0.64 (at 2.91 Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
$R$ , $R_{free}$	0.223 , 0.269 0.226 , 0.266	Depositor DCC
$R_{free}$ test set	2412 reflections (3.57%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	66.8	Xtriage
Anisotropy	0.428	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 29.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	17581	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	84.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.55% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.





















*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	K	196/203 (97%)	185 (94%)	11 (6%)	21 52
All	All	1936/2136 (91%)	1838 (95%)	98 (5%)	24 56

All (98) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-7	ASN
1	A	-5	TYR
1	A	-3	GLN
1	A	5	VAL
1	A	58	ARG
1	A	84	VAL
1	A	97	MET
1	A	181	SER
1	A	204	SER
1	A	209	THR
1	A	222	ASN
1	A	246	ASN
1	A	270	LEU
1	A	289	GLU
1	A	294	ARG
1	A	297	SER
1	A	331	TYR
1	B	17	SER
1	B	35	GLN
1	B	51	GLU
1	B	58	ARG
1	B	70	GLN
1	B	79	LEU
1	B	84	VAL
1	B	90	THR
1	B	188	ILE
1	B	204	SER
1	B	221	LYS
1	B	294	ARG
1	B	297	SER
1	B	349	LEU
1	C	9	LYS
1	C	58	ARG
1	C	61	THR
1	C	79	LEU
1	C	83	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	130	ASN
1	C	172	LYS
1	C	204	SER
1	C	209	THR
1	C	222	ASN
1	C	270	LEU
1	C	289	GLU
1	C	294	ARG
1	C	315	SER
1	D	5	VAL
1	D	19	ILE
1	D	58	ARG
1	D	79	LEU
1	D	84	VAL
1	D	90	THR
1	D	97	MET
1	D	131	GLN
1	D	204	SER
1	D	251	VAL
1	D	252	SER
1	D	262	THR
1	D	288	THR
1	D	294	ARG
1	D	306	LYS
1	D	331	TYR
2	E	3	GLN
2	E	4	LEU
2	E	34	MET
2	E	37	MET
2	E	44	ASP
2	E	98	ARG
2	E	103	ARG
2	E	117	THR
2	E	219	VAL
2	G	4	LEU
2	G	13	LYS
2	G	37	MET
2	G	43	GLN
2	G	44	ASP
2	G	81	MET
2	G	98	ARG
2	G	115	THR

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	D	131	GLN
1	D	222	ASN
1	D	269	HIS
2	E	39	GLN
2	E	179	GLN
2	K	154	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	A	401	1	14,14,15	0.37	0	17,19,21	0.61	1 (5%)
3	NAG	D	401	1	14,14,15	0.96	2 (14%)	17,19,21	0.72	0
3	NAG	C	401	1	14,14,15	0.88	1 (7%)	17,19,21	0.66	1 (5%)
3	NAG	B	401	1	14,14,15	0.83	1 (7%)	17,19,21	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.  
 '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	401	1	-	4/6/23/26	0/1/1/1
3	NAG	D	401	1	-	1/6/23/26	0/1/1/1
3	NAG	C	401	1	-	3/6/23/26	0/1/1/1
3	NAG	B	401	1	-	2/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	401	NAG	O5-C1	2.77	1.48	1.43
3	C	401	NAG	O5-C1	2.76	1.48	1.43
3	D	401	NAG	C1-C2	2.54	1.56	1.52
3	D	401	NAG	O5-C1	2.42	1.47	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	401	NAG	C1-O5-C5	2.27	115.27	112.19
3	A	401	NAG	C1-O5-C5	2.05	114.97	112.19

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	401	NAG	O5-C5-C6-O6
3	A	401	NAG	O5-C5-C6-O6
3	A	401	NAG	C8-C7-N2-C2
3	A	401	NAG	O7-C7-N2-C2
3	C	401	NAG	C8-C7-N2-C2
3	C	401	NAG	O7-C7-N2-C2
3	A	401	NAG	C4-C5-C6-O6
3	B	401	NAG	C4-C5-C6-O6
3	C	401	NAG	O5-C5-C6-O6
3	D	401	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	NAG	1	0

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	327/376 (86%)	0.73	36 (11%) <span style="background-color: red; color: white; border: 1px solid black; padding: 2px;">5</span> <span style="background-color: red; color: white; border: 1px solid black; padding: 2px;">4</span>	64, 90, 155, 172	0
1	B	328/376 (87%)	0.39	16 (4%) <span style="background-color: pink; color: black; border: 1px solid black; padding: 2px;">29</span> <span style="background-color: pink; color: black; border: 1px solid black; padding: 2px;">26</span>	67, 82, 114, 125	0
1	C	335/376 (89%)	0.22	7 (2%) <span style="background-color: lightblue; color: black; border: 1px solid black; padding: 2px;">63</span> <span style="background-color: lightblue; color: black; border: 1px solid black; padding: 2px;">61</span>	55, 66, 94, 115	0
1	D	325/376 (86%)	0.41	15 (4%) <span style="background-color: pink; color: black; border: 1px solid black; padding: 2px;">32</span> <span style="background-color: pink; color: black; border: 1px solid black; padding: 2px;">29</span>	57, 81, 107, 122	0
2	E	233/251 (92%)	0.21	2 (0%) <span style="background-color: lightblue; color: black; border: 1px solid black; padding: 2px;">84</span> <span style="background-color: lightblue; color: black; border: 1px solid black; padding: 2px;">84</span>	68, 85, 110, 120	0
2	G	232/251 (92%)	0.17	2 (0%) <span style="background-color: lightblue; color: black; border: 1px solid black; padding: 2px;">84</span> <span style="background-color: lightblue; color: black; border: 1px solid black; padding: 2px;">84</span>	64, 78, 90, 99	0
2	I	232/251 (92%)	0.48	14 (6%) <span style="background-color: pink; color: black; border: 1px solid black; padding: 2px;">21</span> <span style="background-color: pink; color: black; border: 1px solid black; padding: 2px;">18</span>	66, 81, 131, 152	0
2	K	232/251 (92%)	0.23	3 (1%) <span style="background-color: lightblue; color: black; border: 1px solid black; padding: 2px;">77</span> <span style="background-color: lightblue; color: black; border: 1px solid black; padding: 2px;">77</span>	67, 83, 105, 119	0
All	All	2244/2508 (89%)	0.37	95 (4%) <span style="background-color: pink; color: black; border: 1px solid black; padding: 2px;">36</span> <span style="background-color: pink; color: black; border: 1px solid black; padding: 2px;">32</span>	55, 80, 123, 172	0

All (95) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	134	LEU	7.0
1	D	160	PHE	6.7
1	C	8	TRP	6.6
1	B	8	TRP	5.6
1	A	142	GLU	5.5
1	A	28	TRP	5.3
1	A	105	ARG	5.2
1	D	8	TRP	4.4
1	A	78	ILE	4.4
1	A	8	TRP	4.3
1	A	106	PRO	4.3
1	A	57	ILE	4.2
1	A	88	ILE	4.1
1	A	54	ILE	4.0
1	D	142	GLU	4.0
1	A	132	THR	4.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	-5	TYR	3.8
1	A	24	ASN	3.8
1	C	28	TRP	3.7
1	A	87	THR	3.7
1	A	149	ALA	3.6
1	D	82	ASN	3.6
1	A	175	GLN	3.6
1	B	87	THR	3.6
1	D	28	TRP	3.5
1	D	314	ARG	3.5
1	A	82	ASN	3.4
1	A	73	PRO	3.3
1	D	78	ILE	3.3
1	A	143	CYS	3.3
1	A	133	PHE	3.3
2	I	217	ILE	3.2
1	B	134	LEU	3.2
1	A	104	LEU	3.1
1	A	144	PRO	3.1
1	A	141	ALA	3.1
2	I	144	SER	3.0
2	I	158	ILE	2.9
2	G	120	SER	2.9
1	A	56	GLY	2.9
2	I	249	LYS	2.9
2	G	20	MET	2.9
1	A	86	LEU	2.8
1	C	173	GLU	2.8
1	D	83	GLU	2.8
1	B	88	ILE	2.8
1	D	89	MET	2.8
1	C	-9	THR	2.7
2	E	248	LYS	2.7
1	A	173	GLU	2.6
2	I	196	LEU	2.6
1	A	85	LYS	2.6
1	A	103	SER	2.6
2	I	157	THR	2.6
2	K	195	LEU	2.6
1	B	68	TRP	2.5
1	B	42	LEU	2.5
1	A	89	MET	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	191	ASN	2.5
1	B	46	ILE	2.5
1	D	168	TRP	2.4
1	D	289	GLU	2.4
1	A	140	THR	2.4
1	C	9	LYS	2.4
1	D	173	GLU	2.4
1	B	86	LEU	2.4
2	I	150	VAL	2.3
2	I	156	ALA	2.3
2	K	227	TYR	2.3
1	B	90	THR	2.3
1	A	153	LEU	2.3
1	B	43	ALA	2.3
1	B	75	LEU	2.3
1	B	78	ILE	2.2
1	D	74	GLU	2.2
1	D	133	PHE	2.2
1	B	326	GLU	2.2
2	I	112	GLN	2.1
1	A	75	LEU	2.1
1	A	71	ILE	2.1
1	D	86	LEU	2.1
1	C	351	THR	2.1
1	A	37	GLU	2.1
1	B	104	LEU	2.1
2	I	228	TYR	2.1
1	B	28	TRP	2.1
1	A	47	GLN	2.0
2	I	34	MET	2.0
1	A	191	ASN	2.0
2	I	145	PRO	2.0
1	B	135	ILE	2.0
2	K	244	LYS	2.0
2	E	70	LEU	2.0
2	I	188	LEU	2.0
2	I	215	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	NAG	C	401	14/15	0.83	0.16	89,89,89,89	0
3	NAG	A	401	14/15	0.85	0.14	91,91,91,91	0
3	NAG	B	401	14/15	0.90	0.12	91,91,91,91	0
3	NAG	D	401	14/15	0.91	0.17	87,87,87,87	0

### 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.