



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 10, 2022 – 11:25 PM EST

PDB ID : 1KAF  
Title : DNA Binding Domain Of The Phage T4 Transcription Factor MotA (AA105-211)  
Authors : Li, N.; Sickmier, E.A.; Zhang, R.; Joachimiak, A.; White, S.W.  
Deposited on : 2001-11-01  
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3665 (1.60-1.60)
Ramachandran outliers	138981	3564 (1.60-1.60)
Sidechain outliers	138945	3563 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	108	
1	B	108	
1	C	108	
1	D	108	
1	E	108	
1	F	108	

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 5785 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcription regulatory protein MOTA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	108	874	550	150	166	8	0	0	0
1	B	108	874	550	150	166	8	0	0	0
1	C	108	874	550	150	166	8	0	0	0
1	D	104	842	530	146	159	7	0	0	0
1	E	103	836	527	145	157	7	0	0	0
1	F	104	842	530	146	159	7	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	104	MET	-	initiating methionine	UNP P22915
B	104	MET	-	initiating methionine	UNP P22915
C	104	MET	-	initiating methionine	UNP P22915
D	104	MET	-	initiating methionine	UNP P22915
E	104	MET	-	initiating methionine	UNP P22915
F	104	MET	-	initiating methionine	UNP P22915

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	100	Total 100	O 100	0	0
2	B	119	Total 119	O 119	0	0
2	C	142	Total 142	O 142	0	0

*Continued on next page...*

*Continued from previous page...*


<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
2	D	105	Total 105	O 105	0	0
2	E	93	Total 93	O 93	0	0
2	F	84	Total 84	O 84	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Transcription regulatory protein MOTA

Chain A:  86% 12%




- Molecule 1: Transcription regulatory protein MOTA

Chain B:  73% 25%




- Molecule 1: Transcription regulatory protein MOTA

Chain C:  78% 20%



- Molecule 1: Transcription regulatory protein MOTA

Chain D:  81% 13%



- Molecule 1: Transcription regulatory protein MOTA

Chain E:  69% 23% 5%



- Molecule 1: Transcription regulatory protein MOTA

Chain F:  66% 27%



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	31.28Å 54.73Å 91.44Å 94.77° 91.10° 95.61°	Depositor
Resolution (Å)	30.00 – 1.60	Depositor
% Data completeness (in resolution range)	(Not available) (30.00-1.60)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	CNS	Depositor
R, $R_{free}$	0.226 , 0.258	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	5785	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	12.0	wwPDB-VP

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.33	0/883	0.63	2/1177 (0.2%)
1	B	0.32	0/883	0.60	0/1177
1	C	0.31	0/883	0.64	0/1177
1	D	0.31	0/851	0.60	0/1134
1	E	0.31	0/845	0.62	0/1126
1	F	0.30	0/851	0.59	0/1134
All	All	0.31	0/5196	0.61	2/6925 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	160	MET	N-CA-C	-5.04	97.40	111.00
1	A	133	ILE	N-CA-C	-5.03	97.42	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	874	0	891	13	0
1	B	874	0	891	28	0
1	C	874	0	891	27	0
1	D	842	0	858	16	0
1	E	836	0	853	30	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	842	0	858	31	0
2	A	100	0	0	1	0
2	B	119	0	0	2	0
2	C	142	0	0	1	0
2	D	105	0	0	1	0
2	E	93	0	0	2	0
2	F	84	0	0	1	0
All	All	5785	0	5242	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:186:LYS:HE3	1:D:186:LYS:H	1.27	0.96
1:E:195:LYS:HD3	1:E:195:LYS:H	1.29	0.95
1:C:186:LYS:HE3	1:C:186:LYS:H	1.28	0.94
1:D:186:LYS:H	1:D:186:LYS:CE	1.85	0.89
1:C:104:MET:HE2	1:C:133:ILE:HG22	1.56	0.86
1:F:210:GLU:O	1:F:211:LEU:HB2	1.75	0.85
1:F:139:LEU:HD23	1:F:153:GLU:HB3	1.59	0.84
1:C:104:MET:HE3	1:C:136:SER:H	1.41	0.83
1:A:186:LYS:HE3	1:A:186:LYS:HA	1.62	0.81
1:F:186:LYS:HD3	1:F:186:LYS:H	1.44	0.81
1:B:129:LYS:HG3	1:B:143:GLU:HA	1.65	0.79
1:C:104:MET:CE	1:C:133:ILE:HG22	2.15	0.77
1:C:186:LYS:H	1:C:186:LYS:CE	1.99	0.75
1:B:114:LYS:O	1:B:118:LEU:HD23	1.95	0.67
1:A:151:ASN:HD22	1:A:151:ASN:C	1.99	0.66
1:D:186:LYS:HE3	1:D:186:LYS:N	2.08	0.66
1:C:186:LYS:HD3	1:F:173:GLN:HE22	1.58	0.66
1:B:129:LYS:CG	1:B:143:GLU:HA	2.25	0.65
1:B:199:GLU:H	1:B:199:GLU:CD	2.00	0.65
1:F:151:ASN:C	1:F:151:ASN:HD22	2.01	0.65
1:B:119:LYS:HB3	1:B:119:LYS:NZ	2.12	0.64
1:E:111:GLU:C	1:E:113:ASP:H	2.01	0.64
1:C:187:ASN:HD21	1:C:189:ASN:ND2	1.96	0.63
1:C:162:ILE:HD11	1:C:204:VAL:HG11	1.81	0.63
1:A:184:ILE:HD12	1:D:186:LYS:HE2	1.82	0.62
1:C:157:ASN:HD22	1:C:158:GLY:N	1.98	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:187:ASN:ND2	1:B:189:ASN:H	1.96	0.61
1:B:119:LYS:HD3	2:B:262:HOH:O	2.01	0.60
1:E:187:ASN:ND2	1:E:189:ASN:H	1.99	0.60
1:F:153:GLU:HG3	1:F:161:ARG:HB3	1.83	0.60
1:C:157:ASN:ND2	1:C:159:ASN:H	2.00	0.60
1:C:157:ASN:HD22	1:C:157:ASN:C	2.05	0.59
1:B:139:LEU:HD23	1:B:153:GLU:HB2	1.84	0.59
1:C:104:MET:HE3	1:C:136:SER:N	2.16	0.59
1:E:137:ASN:ND2	1:E:139:LEU:HD21	2.18	0.59
1:C:104:MET:CE	1:C:136:SER:H	2.13	0.58
1:B:187:ASN:HD22	1:B:188:GLY:N	2.01	0.58
1:C:170:HIS:O	1:C:174:LYS:HG3	2.04	0.57
1:A:151:ASN:ND2	1:A:163:PHE:HB3	2.19	0.57
1:B:130:LYS:HE3	1:B:132:GLU:OE2	2.03	0.57
1:E:113:ASP:HB3	1:E:201:ILE:CD1	2.34	0.57
1:E:195:LYS:HE2	1:E:200:ASN:HD21	1.69	0.56
1:F:186:LYS:H	1:F:186:LYS:CD	2.14	0.56
1:D:187:ASN:ND2	1:D:189:ASN:H	2.03	0.55
1:F:143:GLU:HG3	1:F:144:LYS:HE3	1.87	0.55
1:E:187:ASN:C	1:E:187:ASN:HD22	2.10	0.55
1:F:160:MET:HE1	1:F:204:VAL:HG11	1.88	0.55
1:F:187:ASN:ND2	1:F:189:ASN:H	2.04	0.54
1:D:187:ASN:HD22	1:D:188:GLY:N	2.05	0.54
1:E:109:ASP:O	1:E:112:GLU:HG3	2.09	0.53
1:E:178:ILE:HD13	1:E:207:VAL:HG21	1.90	0.53
1:F:187:ASN:C	1:F:187:ASN:HD22	2.10	0.52
1:E:187:ASN:HD22	1:E:189:ASN:H	1.57	0.52
1:C:162:ILE:HD13	1:C:180:MET:CE	2.40	0.52
1:D:110:MET:HG2	1:D:114:LYS:HE3	1.91	0.52
1:E:187:ASN:HD21	1:E:189:ASN:HB2	1.76	0.51
1:A:207:VAL:O	1:A:211:LEU:HD13	2.11	0.51
1:F:157:ASN:C	1:F:157:ASN:HD22	2.12	0.51
1:B:187:ASN:HD22	1:B:187:ASN:C	2.14	0.51
1:E:195:LYS:H	1:E:195:LYS:CD	2.05	0.50
1:E:155:ASN:HB2	2:E:252:HOH:O	2.11	0.50
1:F:186:LYS:HD3	1:F:186:LYS:N	2.22	0.50
1:C:137:ASN:ND2	1:C:156:ASN:H	2.10	0.50
1:E:128:LEU:HD22	1:E:128:LEU:N	2.27	0.50
1:E:118:LEU:HD11	1:E:138:TYR:OH	2.12	0.50
1:B:174:LYS:HB3	1:B:174:LYS:NZ	2.27	0.49
1:C:128:LEU:HD23	1:C:142:LEU:HD23	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:130:LYS:HE2	1:E:132:GLU:OE2	2.13	0.49
1:F:157:ASN:ND2	1:F:159:ASN:H	2.11	0.49
1:C:137:ASN:HD22	1:C:156:ASN:H	1.60	0.49
1:D:187:ASN:HD22	1:D:187:ASN:C	2.16	0.49
1:B:200:ASN:O	1:B:204:VAL:HG23	2.13	0.49
1:B:119:LYS:HG3	2:B:298:HOH:O	2.11	0.48
1:F:206:THR:O	1:F:210:GLU:HG3	2.12	0.48
1:B:162:ILE:HB	1:B:192:LEU:HB2	1.94	0.48
1:E:161:ARG:NH2	1:E:191:TYR:CD2	2.80	0.48
1:E:195:LYS:HE2	1:E:200:ASN:ND2	2.28	0.48
1:D:129:LYS:HB2	1:D:129:LYS:NZ	2.28	0.48
1:F:136:SER:HB2	1:F:156:ASN:HB2	1.96	0.48
1:B:104:MET:HE3	1:B:133:ILE:HG22	1.96	0.48
1:A:137:ASN:ND2	1:A:156:ASN:H	2.12	0.47
1:B:104:MET:CE	1:B:133:ILE:HG22	2.44	0.47
1:D:165:TYR:OH	1:D:166:LYS:HE3	2.15	0.47
1:E:111:GLU:C	1:E:113:ASP:N	2.67	0.47
1:D:171:HIS:HD2	2:D:234:HOH:O	1.98	0.47
1:F:157:ASN:HD22	1:F:158:GLY:N	2.12	0.47
1:C:108:SER:O	1:C:112:GLU:HG3	2.14	0.47
1:A:169:GLU:O	1:A:173:GLN:HG3	2.15	0.46
1:C:186:LYS:HE3	1:C:186:LYS:N	2.13	0.46
1:F:143:GLU:O	1:F:144:LYS:HD3	2.16	0.46
1:A:184:ILE:CG2	1:D:186:LYS:HG3	2.46	0.46
1:C:178:ILE:HD13	1:C:207:VAL:HG21	1.97	0.45
1:D:139:LEU:HD12	1:D:139:LEU:N	2.31	0.45
1:F:114:LYS:HG3	1:F:138:TYR:CD2	2.51	0.45
1:F:160:MET:HE1	1:F:204:VAL:CG1	2.47	0.45
1:F:174:LYS:HE3	1:F:211:LEU:HD23	1.99	0.45
1:E:112:GLU:OE1	1:E:112:GLU:C	2.56	0.45
1:B:143:GLU:HG2	1:B:144:LYS:HG3	1.98	0.44
1:F:151:ASN:C	1:F:151:ASN:ND2	2.68	0.44
1:B:161:ARG:HG2	1:B:193:ASP:OD1	2.18	0.44
1:B:199:GLU:CD	1:B:199:GLU:N	2.68	0.44
1:E:183:LYS:HD2	2:E:233:HOH:O	2.16	0.44
1:F:187:ASN:HD21	1:F:189:ASN:HB2	1.81	0.44
1:B:119:LYS:HB3	1:B:119:LYS:HZ3	1.80	0.44
1:C:157:ASN:ND2	1:C:157:ASN:C	2.71	0.44
1:E:110:MET:C	1:E:112:GLU:N	2.71	0.44
1:C:104:MET:HG2	2:C:274:HOH:O	2.17	0.44
1:A:137:ASN:HD22	1:A:156:ASN:H	1.66	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:165:TYR:OH	1:C:166:LYS:NZ	2.51	0.43
1:F:184:ILE:HG23	1:F:184:ILE:O	2.19	0.43
1:B:119:LYS:NZ	1:B:119:LYS:CB	2.81	0.43
1:F:159:ASN:C	1:F:196:ARG:HG3	2.39	0.43
1:B:117:MET:HE2	1:B:160:MET:HE3	2.00	0.43
1:F:162:ILE:HB	1:F:192:LEU:HB2	2.01	0.43
1:A:151:ASN:C	1:A:151:ASN:ND2	2.70	0.42
1:C:162:ILE:HD13	1:C:180:MET:HE1	2.01	0.42
1:E:111:GLU:O	1:E:113:ASP:N	2.52	0.42
1:F:184:ILE:HG22	2:F:281:HOH:O	2.19	0.42
1:D:161:ARG:HB2	1:D:193:ASP:OD1	2.19	0.42
1:F:114:LYS:HD3	1:F:115:ASP:N	2.35	0.42
1:B:118:LEU:HD11	1:B:131:VAL:CG2	2.50	0.42
1:A:184:ILE:HG21	1:D:186:LYS:HG3	2.01	0.42
1:B:117:MET:HE2	1:B:160:MET:CE	2.49	0.42
1:B:138:TYR:HB2	1:B:154:ILE:HB	2.02	0.42
1:F:211:LEU:HD12	1:F:211:LEU:HA	1.93	0.42
1:A:171:HIS:HD2	2:A:230:HOH:O	2.02	0.41
1:E:110:MET:C	1:E:112:GLU:H	2.23	0.41
1:E:126:PHE:O	1:E:128:LEU:HD22	2.19	0.41
1:A:162:ILE:HB	1:A:192:LEU:HB2	2.02	0.41
1:B:129:LYS:HE3	1:B:142:LEU:O	2.21	0.41
1:E:129:LYS:O	1:E:130:LYS:HB3	2.21	0.41
1:C:187:ASN:HD21	1:C:189:ASN:CG	2.23	0.41
1:E:161:ARG:HD2	1:E:193:ASP:OD2	2.20	0.41
1:C:104:MET:HE3	1:C:133:ILE:HG22	2.01	0.41
1:E:110:MET:O	1:E:112:GLU:N	2.54	0.41
1:D:110:MET:HE2	1:D:196:ARG:HH21	1.86	0.41
1:E:162:ILE:HB	1:E:192:LEU:HB2	2.03	0.40
1:F:110:MET:CE	1:F:154:ILE:HG22	2.51	0.40
1:F:116:LEU:HD12	1:F:119:LYS:HE2	2.03	0.40
1:E:113:ASP:HB3	1:E:201:ILE:HD11	2.04	0.40
1:B:174:LYS:HB3	1:B:174:LYS:HZ2	1.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	106/108 (98%)	104 (98%)	2 (2%)	0	100	100
1	B	106/108 (98%)	105 (99%)	1 (1%)	0	100	100
1	C	106/108 (98%)	104 (98%)	2 (2%)	0	100	100
1	D	102/108 (94%)	101 (99%)	1 (1%)	0	100	100
1	E	101/108 (94%)	98 (97%)	2 (2%)	1 (1%)	15	3
1	F	102/108 (94%)	101 (99%)	1 (1%)	0	100	100
All	All	623/648 (96%)	613 (98%)	9 (1%)	1 (0%)	47	26

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	112	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	97/97 (100%)	95 (98%)	2 (2%)	53	29
1	B	97/97 (100%)	95 (98%)	2 (2%)	53	29
1	C	97/97 (100%)	95 (98%)	2 (2%)	53	29
1	D	93/97 (96%)	89 (96%)	4 (4%)	29	9
1	E	92/97 (95%)	89 (97%)	3 (3%)	38	14
1	F	93/97 (96%)	88 (95%)	5 (5%)	22	5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	569/582 (98%)	551 (97%)	18 (3%)	39 15

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	151	ASN
1	A	186	LYS
1	B	187	ASN
1	B	199	GLU
1	C	157	ASN
1	C	186	LYS
1	D	137	ASN
1	D	151	ASN
1	D	186	LYS
1	D	187	ASN
1	E	112	GLU
1	E	187	ASN
1	E	195	LYS
1	F	151	ASN
1	F	157	ASN
1	F	183	LYS
1	F	186	LYS
1	F	187	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	137	ASN
1	A	147	ASN
1	A	151	ASN
1	A	171	HIS
1	A	189	ASN
1	B	187	ASN
1	B	189	ASN
1	C	137	ASN
1	C	157	ASN
1	C	187	ASN
1	D	137	ASN
1	D	171	HIS
1	D	173	GLN
1	D	187	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	189	ASN
1	E	187	ASN
1	E	189	ASN
1	F	137	ASN
1	F	151	ASN
1	F	157	ASN
1	F	173	GLN
1	F	187	ASN
1	F	189	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.