



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 5, 2023 – 08:44 AM EST

PDB ID : 1KBI
Title : Crystallographic Study of the Recombinant Flavin-binding Domain of Baker's Yeast Flavocytochrome b2: Comparison with the Intact Wild-type Enzyme
Authors : Cunane, L.M.; Barton, J.D.; Chen, Z.-W.; Welsh, F.E.; Chapman, S.K.; Reid, G.A.; Mathews, F.S.
Deposited on : 2001-11-06
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	511	
1	B	511	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	PO4	B	900	-	-	X	-
6	PYR	B	800	-	X	-	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 7863 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYTOCHROME B2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	504	Total 3939	C 2498	N 668	O 758	S 15	0	4	0
1	B	405	Total 3152	C 1994	N 538	O 609	S 11	0	0	0

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $C_{17}H_{21}N_4O_9P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
3	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 4 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
4	A	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			8	6	2		
4	A	1	Total	C	O	0	0
			8	6	2		
4	A	1	Total	C	O	0	0
			8	6	2		
4	B	1	Total	C	O	0	0
			8	6	2		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	P	0	0
			3	2	1		

- Molecule 6 is PYRUVIC ACID (three-letter code: PYR) (formula: C₃H₄O₃).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	C O	0	0
			6	3 3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	371	Total	O	0	0
			371	371		
7	B	247	Total	O	0	0
			247	247		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CYTOCHROME B2



• Molecule 1: CYTOCHROME B2



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	164.16Å 164.16Å 111.60Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.30 28.16 – 2.30	Depositor EDS
% Data completeness (in resolution range)	80.5 (30.00-2.30) 80.6 (28.16-2.30)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.29 (at 2.31Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.170 , 0.211 0.164 , 0.205	Depositor DCC
R_{free} test set	6657 reflections (9.91%)	wwPDB-VP
Wilson B-factor (Å ²)	29.4	Xtrriage
Anisotropy	0.197	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 46.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.022 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7863	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, HEM, MPD, PO4, PYR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/4014	0.89	5/5439 (0.1%)
1	B	0.60	3/3202 (0.1%)	0.93	10/4326 (0.2%)
All	All	0.56	3/7216 (0.0%)	0.91	15/9765 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	314	GLU	C-N	5.57	1.46	1.34
1	B	314	GLU	N-CA	5.17	1.56	1.46
1	B	311	ASN	C-N	-5.05	1.22	1.34

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	313	GLU	O-C-N	-23.79	84.63	122.70
1	A	310	THR	CA-C-O	-22.65	72.54	120.10
1	A	310	THR	CA-C-N	20.68	162.70	117.20
1	A	310	THR	O-C-N	-16.77	95.87	122.70
1	B	313	GLU	CA-C-N	16.26	152.97	117.20
1	B	310	THR	O-C-N	-9.82	106.98	122.70
1	B	312	VAL	O-C-N	6.84	133.65	122.70
1	A	310	THR	N-CA-C	6.12	127.54	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	314	GLU	O-C-N	6.11	132.48	122.70
1	B	312	VAL	CA-C-N	-6.09	103.80	117.20
1	B	310	THR	CA-C-N	5.78	129.91	117.20
1	A	381	SER	N-CA-C	-5.32	96.64	111.00
1	B	311	ASN	O-C-N	-5.26	114.29	122.70
1	B	100	GLY	N-CA-C	-5.14	100.25	113.10
1	B	381	SER	N-CA-C	-5.05	97.36	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	310	THR	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3939	0	3956	81	1
1	B	3152	0	3205	46	1
2	A	43	0	30	8	0
3	A	31	0	19	0	0
3	B	31	0	19	1	0
4	A	32	0	56	3	0
4	B	8	0	14	0	0
5	B	3	0	0	0	2
6	B	6	0	0	0	0
7	A	371	0	0	6	0
7	B	247	0	0	4	0
All	All	7863	0	7299	128	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:506:THR:HB	7:B:1098:HOH:O	1.75	0.85
1:B:270:GLU:OE2	1:B:343:LYS:HG2	1.76	0.84
1:B:317:GLY:O	1:B:320:ARG:HG2	1.82	0.80
1:A:20:ASN:HD22	1:A:20:ASN:H	1.29	0.78
1:B:186:SER:HB3	1:B:248:ILE:HD11	1.66	0.77
1:A:28:VAL:CG2	1:A:57:ASP:HA	2.16	0.76
1:B:313:GLU:O	1:B:314:GLU:CB	2.33	0.76
1:B:343:LYS:N	1:B:343:LYS:HD3	2.02	0.75
1:A:355:GLU:HG2	4:A:702:MPD:H51	1.69	0.73
1:A:58:VAL:HG21	2:A:760:HEM:HBC1	1.71	0.73
1:B:235:PRO:HG2	1:B:236:GLU:OE1	1.90	0.71
1:A:396:GLU:C	1:A:398:ARG:H	1.95	0.68
1:A:28:VAL:HG22	1:A:57:ASP:HA	1.75	0.68
1:B:399:ASN:C	1:B:401:LYS:H	1.92	0.67
1:A:49:VAL:HG21	2:A:760:HEM:HMD3	1.76	0.67
1:B:136:LEU:HD21	1:B:440:SER:HB3	1.75	0.66
1:A:399:ASN:O	1:A:401:LYS:N	2.29	0.65
1:A:19:HIS:HB2	1:A:26:TRP:HB2	1.77	0.65
1:A:58:VAL:CG2	1:A:61:ILE:HD12	2.29	0.62
1:A:263:ASP:OD1	4:A:701:MPD:H51	2.00	0.61
1:B:99:PRO:HA	7:B:1073:HOH:O	1.98	0.61
1:A:58:VAL:HG23	1:A:61:ILE:HD12	1.81	0.61
1:A:89:PRO:HB3	1:A:91:GLU:OE2	2.01	0.60
1:B:396:GLU:HG2	1:B:401:LYS:HG2	1.84	0.59
1:B:186:SER:CB	1:B:248:ILE:HD11	2.31	0.59
1:B:379:ASP:O	1:B:380:PHE:HB2	2.01	0.59
1:A:40:LEU:HG	1:A:41:PRO:HD3	1.84	0.58
1:B:399:ASN:C	1:B:401:LYS:N	2.55	0.58
1:A:56:LYS:HE3	7:A:1132:HOH:O	2.04	0.57
1:A:93:VAL:O	1:A:93:VAL:HG23	2.05	0.57
1:B:396:GLU:C	1:B:398:ARG:H	2.07	0.57
1:A:28:VAL:HG23	1:A:57:ASP:HA	1.87	0.57
1:B:343:LYS:N	1:B:343:LYS:CD	2.65	0.57
1:A:63:GLU:HG3	7:A:1086:HOH:O	2.03	0.56
1:A:36:LEU:O	1:A:40:LEU:HD23	2.05	0.56
1:A:16:VAL:HB	1:A:88:MET:HE1	1.88	0.56
1:A:102:THR:OG1	1:A:104[B]:GLU:HG2	2.05	0.56
1:B:129:GLU:HG3	1:B:437:TYR:CE2	2.41	0.55
1:B:230:LEU:HD21	1:B:325:PHE:CE2	2.41	0.55
1:A:2:PRO:HB2	1:A:4:LEU:CD2	2.37	0.55
1:A:26:TRP:CE2	1:A:81:LEU:HD11	2.42	0.54
1:A:396:GLU:C	1:A:398:ARG:N	2.62	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:ASN:HD22	1:A:20:ASN:N	1.96	0.53
1:B:405:GLU:HG2	1:B:427:LYS:HD3	1.90	0.53
1:A:129:GLU:HG3	1:A:437:TYR:CE2	2.44	0.53
1:B:370:LEU:HB2	1:B:408:VAL:HG12	1.90	0.53
1:A:89:PRO:HB2	1:A:92:LEU:HB2	1.91	0.52
1:B:400:LEU:HA	1:B:403:LYS:HG2	1.90	0.52
1:A:234:SER:OG	1:A:237:GLU:HG2	2.10	0.52
1:A:33:VAL:HG12	1:A:81:LEU:HD12	1.92	0.51
1:A:260:LYS:HE2	1:A:264:ASP:OD1	2.10	0.51
1:A:239:ILE:HA	1:A:249:GLN:HE22	1.76	0.51
1:B:310:THR:O	1:B:311:ASN:ND2	2.44	0.51
1:A:396:GLU:O	1:A:398:ARG:N	2.44	0.50
1:B:329:SER:O	1:B:331:THR:HG23	2.12	0.50
1:B:234:SER:OG	1:B:237:GLU:HG2	2.12	0.50
1:A:296:LYS:HE2	7:A:1081:HOH:O	2.12	0.49
1:A:370:LEU:HB2	1:A:408:VAL:HG12	1.92	0.49
1:A:275:LYS:NZ	7:A:1063:HOH:O	2.45	0.49
1:B:467:VAL:HG11	1:B:477:LEU:HD21	1.94	0.49
1:A:379:ASP:O	1:A:380:PHE:HB2	2.13	0.49
1:A:20:ASN:H	1:A:20:ASN:ND2	2.04	0.49
1:B:506:THR:CB	7:B:1098:HOH:O	2.46	0.49
1:A:49:VAL:HG21	2:A:760:HEM:CMD	2.42	0.49
1:A:58:VAL:HG21	2:A:760:HEM:CBC	2.42	0.49
1:A:206:LEU:HB2	7:A:1033:HOH:O	2.11	0.48
1:B:310:THR:O	1:B:311:ASN:CG	2.51	0.48
1:A:2:PRO:HB2	1:A:4:LEU:HD21	1.94	0.48
1:A:20:ASN:N	1:A:20:ASN:ND2	2.62	0.48
7:A:847:HOH:O	1:B:491:PRO:HD3	2.13	0.47
1:B:433:ARG:HG3	3:B:870:FMN:O1P	2.14	0.47
1:A:19:HIS:CD2	1:A:19:HIS:N	2.82	0.47
1:A:70:VAL:HB	2:A:760:HEM:HMB2	1.96	0.47
1:A:288[A]:GLN:HG3	1:A:293:MET:SD	2.55	0.47
1:A:33:VAL:CG1	1:A:81:LEU:HD12	2.43	0.47
1:A:263:ASP:OD2	1:A:267:LYS:HE2	2.14	0.47
1:A:30:ASN:ND2	1:A:59:THR:HG21	2.30	0.47
1:A:16:VAL:C	1:A:18:LYS:N	2.69	0.46
1:B:283:ALA:HA	1:B:377:GLN:NE2	2.30	0.46
1:B:179:ILE:HD11	1:B:455:ARG:HG3	1.98	0.46
1:B:454:LEU:O	1:B:458:ILE:HG13	2.16	0.46
1:A:70:VAL:HB	2:A:760:HEM:CMB	2.46	0.45
1:A:467:VAL:HG11	1:A:477:LEU:HD21	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:256:ASN:O	1:B:259:ARG:HD3	2.17	0.45
1:A:57:ASP:HB3	1:A:93:VAL:HG12	1.98	0.45
1:A:4:LEU:HB3	1:A:32:TYR:CZ	2.52	0.44
1:A:99:PRO:HB2	1:A:295:LEU:HD13	1.98	0.44
1:A:40:LEU:HG	1:A:41:PRO:CD	2.47	0.44
1:A:393:PRO:O	1:A:397:GLN:HG3	2.17	0.44
1:A:398:ARG:C	1:A:400:LEU:H	2.21	0.44
1:B:442:TYR:HB2	1:B:446:GLY:HA3	1.99	0.44
1:A:299:ASN:O	1:A:300:THR:C	2.56	0.44
1:A:16:VAL:O	1:A:18:LYS:N	2.51	0.43
1:A:176:LYS:HA	1:A:176:LYS:HD2	1.81	0.43
1:A:399:ASN:C	1:A:401:LYS:N	2.71	0.43
1:A:23:ASP:OD1	1:A:23:ASP:N	2.51	0.43
1:B:116:LEU:CD2	1:B:131:LEU:HG	2.48	0.43
1:A:12:SER:C	1:A:14:ALA:H	2.22	0.43
1:A:27:VAL:CG1	1:A:36:LEU:HD22	2.48	0.43
1:A:353:ARG:HH22	4:A:702:MPD:HM1	1.84	0.43
1:B:242:ALA:HA	1:B:243:PRO:HD3	1.81	0.43
1:A:506:THR:HB	7:B:1099:HOH:O	2.19	0.42
1:B:102:THR:HG23	1:B:105:ASP:OD2	2.19	0.42
1:A:297:PHE:C	1:A:299:ASN:N	2.73	0.42
1:A:58:VAL:HG22	1:A:61:ILE:HB	2.02	0.42
1:A:399:ASN:C	1:A:401:LYS:H	2.23	0.42
1:A:179:ILE:HD11	1:A:455:ARG:HG3	2.01	0.42
1:A:93:VAL:O	1:A:93:VAL:CG2	2.68	0.42
1:B:111:GLN:HE21	1:B:111:GLN:HB3	1.56	0.42
1:B:510:ASP:O	1:B:511:ALA:OXT	2.37	0.42
1:A:163:ARG:NH2	1:A:486:ARG:HG3	2.35	0.41
1:B:347:VAL:HG13	1:B:367:GLY:C	2.41	0.41
1:A:283:ALA:N	1:A:284:PRO:CD	2.84	0.41
1:A:27:VAL:HG12	1:A:36:LEU:HD22	2.02	0.41
1:A:297:PHE:O	1:A:299:ASN:N	2.54	0.41
1:B:342:THR:C	1:B:343:LYS:HD3	2.41	0.41
1:A:16:VAL:C	1:A:18:LYS:H	2.24	0.41
1:A:58:VAL:CG2	2:A:760:HEM:HBC1	2.47	0.41
1:A:84:LEU:HG	1:A:85:GLN:N	2.35	0.41
1:A:87:SER:O	1:A:88:MET:HG2	2.19	0.41
1:A:242:ALA:HA	1:A:243:PRO:HD3	1.89	0.41
1:B:286:LEU:HD22	1:B:286:LEU:HA	1.89	0.41
1:B:492:ASN:OD1	1:B:497:ASN:ND2	2.54	0.41
1:B:392:MET:HB2	1:B:393:PRO:HD3	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:ASN:N	1:A:69:ASN:HD22	2.19	0.40
1:B:119:LEU:HD13	1:B:442:TYR:CG	2.57	0.40
2:A:760:HEM:HBC2	2:A:760:HEM:HHD	2.02	0.40
1:B:213:ALA:HB2	1:B:225:GLN:HE22	1.87	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:900:PO4:P	5:B:900:PO4:O1[4_555]	1.53	0.67
5:B:900:PO4:P	5:B:900:PO4:O2[4_555]	1.57	0.63
1:A:341:LYS:O	1:B:312:VAL:CG1[3_665]	1.92	0.28

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	504/511 (99%)	465 (92%)	33 (6%)	6 (1%)	13	14
1	B	401/511 (78%)	378 (94%)	16 (4%)	7 (2%)	9	8
All	All	905/1022 (89%)	843 (93%)	49 (5%)	13 (1%)	11	11

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	310	THR
1	A	400	LEU
1	B	312	VAL
1	B	313	GLU
1	B	314	GLU
1	A	397	GLN
1	B	310	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	311	ASN
1	A	309	LYS
1	B	397	GLN
1	B	399	ASN
1	A	298	SER
1	A	13	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	433/440 (98%)	415 (96%)	18 (4%)	30	42
1	B	348/440 (79%)	332 (95%)	16 (5%)	27	38
All	All	781/880 (89%)	747 (96%)	34 (4%)	30	39

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LEU
1	A	20	ASN
1	A	36	LEU
1	A	40	LEU
1	A	69	ASN
1	A	79	LYS
1	A	91	GLU
1	A	104[A]	GLU
1	A	104[B]	GLU
1	A	131	LEU
1	A	175	ARG
1	A	184	LEU
1	A	206	LEU
1	A	240	GLU
1	A	295	LEU
1	A	477	LEU
1	A	492[A]	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	492[B]	ASN
1	B	105	ASP
1	B	111	GLN
1	B	131	LEU
1	B	184	LEU
1	B	206	LEU
1	B	236	GLU
1	B	240	GLU
1	B	260	LYS
1	B	286	LEU
1	B	295	LEU
1	B	312	VAL
1	B	316	GLN
1	B	343	LYS
1	B	402	ASP
1	B	477	LEU
1	B	483	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	ASN
1	A	30	ASN
1	A	47	GLN
1	A	53	ASN
1	A	69	ASN
1	A	85	GLN
1	A	111	GLN
1	A	149	ASN
1	A	159	ASN
1	A	225	GLN
1	A	249	GLN
1	A	316	GLN
1	A	397	GLN
1	B	111	GLN
1	B	149	ASN
1	B	159	ASN
1	B	225	GLN
1	B	311	ASN
1	B	316	GLN
1	B	397	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MPD	A	701	-	7,7,7	0.52	0	9,10,10	0.60	0
6	PYR	B	800	-	5,5,5	2.83	1 (20%)	3,6,6	1.53	1 (33%)
4	MPD	A	703	-	7,7,7	0.51	0	9,10,10	0.60	0
5	PO4	B	900	-	0,2,4	-	-	0,1,6	-	-
3	FMN	A	770	-	33,33,33	1.48	5 (15%)	48,50,50	1.07	2 (4%)
2	HEM	A	760	1	41,50,50	1.63	9 (21%)	45,82,82	1.63	9 (20%)
3	FMN	B	870	-	33,33,33	1.43	6 (18%)	48,50,50	1.13	4 (8%)
4	MPD	A	704	-	7,7,7	0.60	0	9,10,10	0.59	0
4	MPD	A	702	-	7,7,7	0.47	0	9,10,10	0.55	0
4	MPD	B	801	-	7,7,7	0.62	0	9,10,10	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MPD	A	701	-	-	0/5/5/5	-
6	PYR	B	800	-	-	4/4/4/4	-
4	MPD	A	703	-	-	0/5/5/5	-
3	FMN	A	770	-	-	7/18/18/18	0/3/3/3
2	HEM	A	760	1	-	6/12/54/54	-
3	FMN	B	870	-	-	4/18/18/18	0/3/3/3
4	MPD	A	704	-	-	0/5/5/5	-
4	MPD	A	702	-	-	1/5/5/5	-
4	MPD	B	801	-	-	0/5/5/5	-

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	800	PYR	CA-C	-5.79	1.33	1.54
3	A	770	FMN	C4A-N5	4.18	1.38	1.30
2	A	760	HEM	C4A-NA	3.88	1.44	1.36
2	A	760	HEM	CHA-C4D	3.58	1.44	1.35
3	A	770	FMN	C9A-C5A	3.41	1.46	1.41
3	B	870	FMN	C4A-N5	3.18	1.36	1.30
2	A	760	HEM	C1A-NA	2.84	1.42	1.36
2	A	760	HEM	C3C-C2C	-2.82	1.36	1.40
3	B	870	FMN	C1'-C2'	2.65	1.56	1.52
2	A	760	HEM	CBC-CAC	2.64	1.46	1.29
3	B	870	FMN	C9A-C5A	2.60	1.45	1.41
3	B	870	FMN	C10-N1	2.55	1.38	1.33
2	A	760	HEM	C3C-CAC	-2.49	1.42	1.47
3	A	770	FMN	C6-C5A	2.46	1.43	1.40
2	A	760	HEM	CBB-CAB	2.34	1.41	1.30
2	A	760	HEM	CHB-C1B	2.24	1.40	1.35
2	A	760	HEM	C1D-ND	2.19	1.43	1.38
3	A	770	FMN	C9-C9A	2.14	1.43	1.39
3	A	770	FMN	C9A-N10	2.12	1.44	1.41
3	B	870	FMN	C6-C5A	2.01	1.43	1.40
3	B	870	FMN	C8-C7	2.01	1.45	1.40

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	760	HEM	C2C-C3C-C4C	-3.88	104.19	106.90
2	A	760	HEM	C4B-CHC-C1C	3.87	127.67	122.56
2	A	760	HEM	CMD-C2D-C1D	3.33	130.11	125.04
2	A	760	HEM	CAD-C3D-C2D	-3.10	122.11	127.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	770	FMN	C10-N1-C2	3.06	123.02	116.90
2	A	760	HEM	C4A-C3A-C2A	-3.05	104.87	107.00
2	A	760	HEM	C4C-CHD-C1D	3.03	126.55	122.56
3	B	870	FMN	C10-N1-C2	2.87	122.65	116.90
3	A	770	FMN	P-O5'-C5'	2.81	126.03	118.30
2	A	760	HEM	C4D-C3D-C2D	2.70	110.83	106.90
2	A	760	HEM	C1D-C2D-C3D	-2.39	104.45	106.96
2	A	760	HEM	C2D-C1D-ND	2.31	112.64	109.88
3	B	870	FMN	C5A-N5-C4A	2.23	121.78	118.07
6	B	800	PYR	OXT-C-CA	2.21	120.02	113.97
3	B	870	FMN	C9A-C5A-N5	-2.14	120.11	122.43
3	B	870	FMN	P-O5'-C5'	2.03	123.90	118.30

There are no chirality outliers.

All (22) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	760	HEM	C2B-C3B-CAB-CBB
2	A	760	HEM	C4B-C3B-CAB-CBB
3	A	770	FMN	C5'-O5'-P-O1P
6	B	800	PYR	O-C-CA-O3
6	B	800	PYR	O-C-CA-CB
6	B	800	PYR	OXT-C-CA-O3
3	A	770	FMN	C2'-C3'-C4'-O4'
3	B	870	FMN	C2'-C3'-C4'-O4'
3	A	770	FMN	O3'-C3'-C4'-O4'
3	B	870	FMN	C5'-O5'-P-O1P
3	B	870	FMN	C4'-C5'-O5'-P
3	A	770	FMN	C4'-C5'-O5'-P
6	B	800	PYR	OXT-C-CA-CB
3	A	770	FMN	C2'-C3'-C4'-C5'
2	A	760	HEM	CAA-CBA-CGA-O2A
2	A	760	HEM	CAD-CBD-CGD-O2D
3	A	770	FMN	O3'-C3'-C4'-C5'
2	A	760	HEM	CAA-CBA-CGA-O1A
2	A	760	HEM	CAD-CBD-CGD-O1D
3	B	870	FMN	O3'-C3'-C4'-O4'
4	A	702	MPD	O2-C2-C3-C4
3	A	770	FMN	C5'-O5'-P-O3P


There are no ring outliers.


5 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	701	MPD	1	0
5	B	900	PO4	0	2
2	A	760	HEM	8	0
3	B	870	FMN	1	0
4	A	702	MPD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	504/511 (98%)	-0.22	28 (5%) 24 30	17, 29, 83, 99	0
1	B	405/511 (79%)	-0.22	22 (5%) 25 32	17, 29, 70, 99	0
All	All	909/1022 (88%)	-0.22	50 (5%) 25 31	17, 29, 80, 99	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	310	THR	10.7
1	B	311	ASN	9.2
1	A	311	ASN	8.7
1	B	312	VAL	8.1
1	A	314	GLU	8.0
1	A	310	THR	7.9
1	B	313	GLU	7.4
1	A	313	GLU	7.1
1	A	315	SER	6.7
1	B	300	THR	6.2
1	B	315	SER	6.2
1	B	299	ASN	6.1
1	B	511	ALA	6.0
1	B	309	LYS	6.0
1	A	511	ALA	5.1
1	A	312	VAL	4.8
1	A	309	LYS	4.7
1	A	7	ASN	4.5
1	B	298	SER	4.0
1	B	314	GLU	3.8
1	B	325	PHE	3.7
1	A	308	LYS	3.6
1	A	90	PRO	3.6
1	A	300	THR	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	102	THR	3.4
1	B	399	ASN	3.2
1	A	6	MET	3.1
1	A	399	ASN	3.1
1	B	100	GLY	3.1
1	A	93	VAL	3.1
1	B	107	ALA	2.9
1	B	316	GLN	2.9
1	A	18	LYS	2.8
1	A	91	GLU	2.6
1	B	104	GLU	2.6
1	A	85	GLN	2.5
1	A	52	PHE	2.4
1	A	5	ASP	2.4
1	A	15	GLU	2.3
1	A	103	LYS	2.3
1	B	108	ARG	2.3
1	A	16	VAL	2.3
1	A	21	LYS	2.3
1	A	510	ASP	2.3
1	A	3	LYS	2.2
1	B	343	LYS	2.2
1	A	298	SER	2.2
1	B	242	ALA	2.2
1	B	103	LYS	2.1
1	A	104[A]	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	MPD	A	704	8/8	0.80	0.31	96,96,99,99	0
4	MPD	A	702	8/8	0.81	0.27	80,82,84,84	0
4	MPD	A	703	8/8	0.86	0.36	91,91,92,92	0
4	MPD	B	801	8/8	0.90	0.21	70,72,72,73	0
4	MPD	A	701	8/8	0.95	0.13	39,43,52,54	0
5	PO4	B	900	3/5	0.96	0.21	65,65,68,72	1
6	PYR	B	800	6/6	0.96	0.13	41,45,51,52	0
3	FMN	B	870	31/31	0.98	0.14	18,23,27,29	0
2	HEM	A	760	43/43	0.98	0.09	21,28,34,39	0
3	FMN	A	770	31/31	0.99	0.11	15,19,24,26	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around HEM A 760:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.