



# Full wwPDB NMR Structure Validation Report ⓘ

Mar 6, 2022 – 01:09 PM EST

PDB ID : 2KF2  
Title : Solution NMR structure of of Streptomyces coelicolor polyketide cyclase SCO5315. Northeast Structural Genomics Consortium target RR365  
Authors : Cort, J.R.; Ramelot, T.A.; Ding, K.; Wang, H.; Jiang, M.; Maglaqui, M.; Xiao, R.; Nair, R.; Baran, M.C.; Everett, J.K.; Swapna, G.V.T.; Acton, T.B.; Rost, B.; Montelione, G.T.; Kennedy, M.A.; Northeast Structural Genomics Consortium (NESG)  
Deposited on : 2009-02-11

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : 2.27  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.27


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	167	 84% . . 11%

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:2-A:150 (149)	0.60	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 1 single-model cluster was found.

Cluster number	Models
1	1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 13, 14, 15, 17, 18, 19, 20
2	10, 16
Single-model clusters	12

### 3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2638 atoms, of which 1285 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Putative polyketide cyclase.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	167	2638	841	1285	244	259	9	0

There are 9 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	20	THR	ASN	SEE REMARK 999	UNP P23154
A	160	LEU	-	expression tag	UNP P23154
A	161	GLU	-	expression tag	UNP P23154
A	162	HIS	-	expression tag	UNP P23154
A	163	HIS	-	expression tag	UNP P23154
A	164	HIS	-	expression tag	UNP P23154
A	165	HIS	-	expression tag	UNP P23154
A	166	HIS	-	expression tag	UNP P23154
A	167	HIS	-	expression tag	UNP P23154

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Putative polyketide cyclase




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1 (medoid)


- Molecule 1: Putative polyketide cyclase



#### 4.2.2 Score per residue for model 2

- Molecule 1: Putative polyketide cyclase






### 4.2.3 Score per residue for model 3

- Molecule 1: Putative polyketide cyclase

Chain A: 72% 17% 11%



### 4.2.4 Score per residue for model 4

- Molecule 1: Putative polyketide cyclase

Chain A: 78% 10% 11%



### 4.2.5 Score per residue for model 5

- Molecule 1: Putative polyketide cyclase

Chain A: 75% 12% 11%



### 4.2.6 Score per residue for model 6

- Molecule 1: Putative polyketide cyclase

Chain A: 74% 15% 11%





#### 4.2.7 Score per residue for model 7

- Molecule 1: Putative polyketide cyclase

Chain A: 81% 7% 11%



#### 4.2.8 Score per residue for model 8

- Molecule 1: Putative polyketide cyclase

Chain A: 78% 11% 11%



#### 4.2.9 Score per residue for model 9

- Molecule 1: Putative polyketide cyclase

Chain A: 80% 8% 11%



#### 4.2.10 Score per residue for model 10


- Molecule 1: Putative polyketide cyclase

Chain A: 77% 11% 11%



#### 4.2.11 Score per residue for model 11


- Molecule 1: Putative polyketide cyclase

Chain A:  77% 12% • 11%



#### 4.2.12 Score per residue for model 12

- Molecule 1: Putative polyketide cyclase


Chain A:  80% 8% • 11%



#### 4.2.13 Score per residue for model 13


- Molecule 1: Putative polyketide cyclase

Chain A:  74% 15% • 11%



#### 4.2.14 Score per residue for model 14


- Molecule 1: Putative polyketide cyclase

Chain A:  80% 10% 11%



#### 4.2.15 Score per residue for model 15

- Molecule 1: Putative polyketide cyclase


Chain A:  77% 11% • 11%






#### 4.2.16 Score per residue for model 16

- Molecule 1: Putative polyketide cyclase




#### 4.2.17 Score per residue for model 17

- Molecule 1: Putative polyketide cyclase




#### 4.2.18 Score per residue for model 18

- Molecule 1: Putative polyketide cyclase



#### 4.2.19 Score per residue for model 19

- Molecule 1: Putative polyketide cyclase



#### 4.2.20 Score per residue for model 20

- Molecule 1: Putative polyketide cyclase



M1	N7	E8	I9	D24	L25	W28	P29	Y38	D45	D46	K47	L52	W65	Y70	A71	D72	R82	N92	M108	T109	Q110	D111	K115	P116	D117	M137	R151	R152	T153	A154	S155	V156	L157	A158	D159	L160	E161	H162	H163	H164	H165	H166	H167
----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics, simulated annealing*.

Of the 40 calculated structures, 20 were deposited, based on the following criterion: *lowest energy, fewest restraint violations, favorable backbone geometry*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
AutoStructure	structure solution	.
CNS	refinement	.
X-PLOR NIH	refinement	.
PSVS	structure solution	.

No chemical shift data was provided.

## 6 Model quality i

### 6.1 Standard geometry i

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1199	1137	1135	11±3
All	All	23980	22740	22700	215

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:31:LEU:HG	1:A:143:ARG:HG2	0.83	1.48	5	3
1:A:8:GLU:HG2	1:A:107:ARG:HG2	0.76	1.56	19	8
1:A:24:ASP:HB2	1:A:27:LYS:HE2	0.74	1.58	8	1
1:A:115:LYS:HA	1:A:115:LYS:HE3	0.71	1.61	19	1
1:A:114:MET:SD	1:A:125:MET:HG3	0.70	2.26	4	4
1:A:47:LYS:HG2	1:A:70:VAL:HG22	0.66	1.64	2	7
1:A:9:ILE:HG13	1:A:137:MET:HB3	0.66	1.65	20	1
1:A:52:LEU:O	1:A:64:SER:HA	0.64	1.92	16	10
1:A:7:ASN:HB2	1:A:108:TRP:HB2	0.63	1.71	20	2
1:A:48:VAL:HG13	1:A:69:ARG:HB3	0.62	1.70	13	3
1:A:44:ASP:HB3	1:A:47:LYS:HB2	0.62	1.72	2	2
1:A:15:MET:SD	1:A:99:GLU:HB2	0.62	2.34	15	1
1:A:96:GLU:HB2	1:A:107:ARG:HB2	0.62	1.72	2	1
1:A:89:GLN:HB2	1:A:115:LYS:HB2	0.61	1.69	5	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:115:LYS:HB3	1:A:116:PRO:HD3	0.61	1.72	5	4
1:A:44:ASP:HB2	1:A:47:LYS:HB2	0.61	1.70	17	2
1:A:89:GLN:HG3	1:A:115:LYS:HD2	0.60	1.73	6	1
1:A:17:LEU:HA	1:A:20:THR:HG22	0.60	1.73	12	4
1:A:56:PRO:HB3	1:A:62:VAL:HG22	0.59	1.72	17	2
1:A:17:LEU:HD23	1:A:148:ALA:HB1	0.59	1.75	19	1
1:A:56:PRO:HG3	1:A:62:VAL:HG22	0.58	1.74	19	2
1:A:115:LYS:N	1:A:116:PRO:HD2	0.58	2.14	9	4
1:A:85:THR:HG22	1:A:88:PHE:HB2	0.58	1.74	18	2
1:A:7:ASN:HD21	1:A:129:ILE:HG22	0.58	1.59	4	1
1:A:133:SER:O	1:A:137:MET:HG2	0.57	1.99	9	4
1:A:108:TRP:HB3	1:A:110:GLN:HE21	0.57	1.59	20	1
1:A:85:THR:HB	1:A:88:PHE:O	0.57	1.99	2	4
1:A:7:ASN:OD1	1:A:130:ASN:HA	0.55	2.00	5	4
1:A:90:TYR:HB3	1:A:113:ALA:HB3	0.55	1.78	10	4
1:A:5:THR:HG23	1:A:126:THR:HG23	0.55	1.79	16	1
1:A:92:ASN:HB3	1:A:111:ASP:HB2	0.55	1.79	20	1
1:A:92:ASN:HB3	1:A:111:ASP:HB3	0.53	1.81	16	1
1:A:133:SER:O	1:A:137:MET:HB2	0.52	2.05	1	1
1:A:85:THR:HG21	1:A:88:PHE:HB2	0.52	1.80	17	2
1:A:3:GLY:HA3	1:A:112:PHE:CE1	0.52	2.40	6	1
1:A:125:MET:O	1:A:129:ILE:HG12	0.52	2.05	8	1
1:A:39:GLU:HB3	1:A:51:ARG:HB3	0.52	1.82	10	1
1:A:25:ILE:HG22	1:A:28:TRP:CZ2	0.51	2.40	10	11
1:A:69:ARG:HA	1:A:79:ARG:O	0.51	2.04	10	1
1:A:15:MET:SD	1:A:99:GLU:HG2	0.51	2.46	12	1
1:A:4:HIS:HB3	1:A:111:ASP:HA	0.50	1.81	9	1
1:A:85:THR:CG2	1:A:88:PHE:HB2	0.50	2.36	18	3
1:A:28:TRP:N	1:A:29:PRO:HD2	0.50	2.22	18	10
1:A:57:ASP:HB2	1:A:63:TRP:CZ2	0.50	2.41	3	1
1:A:115:LYS:N	1:A:116:PRO:CD	0.50	2.74	18	2
1:A:24:ASP:HB2	1:A:27:LYS:HD2	0.50	1.83	19	1
1:A:7:ASN:HD21	1:A:134:ARG:HB2	0.50	1.66	14	1
1:A:115:LYS:NZ	1:A:115:LYS:HB3	0.50	2.22	18	1
1:A:8:GLU:HG2	1:A:107:ARG:HG3	0.49	1.85	4	1
1:A:7:ASN:ND2	1:A:133:SER:HB2	0.49	2.21	8	1
1:A:8:GLU:HG2	1:A:107:ARG:HD2	0.49	1.83	17	1
1:A:115:LYS:HB2	1:A:116:PRO:HD3	0.48	1.84	6	1
1:A:142:ASP:O	1:A:146:GLN:HG3	0.48	2.09	3	2
1:A:17:LEU:HA	1:A:20:THR:HB	0.48	1.86	3	5
1:A:137:MET:SD	1:A:140:ILE:HD12	0.48	2.49	16	1

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:22:THR:HB	1:A:95:TRP:HZ3	0.47	1.69	6	2
1:A:4:HIS:HA	1:A:110:GLN:O	0.47	2.09	9	1
1:A:82:ARG:HH21	1:A:85:THR:HG23	0.47	1.69	6	1
1:A:23:ASN:HA	1:A:69:ARG:NH2	0.47	2.24	11	1
1:A:132:ASN:O	1:A:136:GLN:HG2	0.47	2.09	13	1
1:A:25:ILE:HB	1:A:38:VAL:HG11	0.47	1.87	17	1
1:A:7:ASN:ND2	1:A:108:TRP:HB2	0.46	2.26	19	1
1:A:114:MET:O	1:A:115:LYS:HB2	0.46	2.10	4	2
1:A:96:GLU:HB3	1:A:107:ARG:HB2	0.46	1.87	15	3
1:A:52:LEU:HD13	1:A:65:TRP:CZ2	0.46	2.45	20	1
1:A:43:ARG:HB3	1:A:48:VAL:HG23	0.46	1.87	9	2
1:A:63:TRP:HB3	1:A:65:TRP:CZ3	0.46	2.46	14	1
1:A:114:MET:C	1:A:116:PRO:HD2	0.45	2.32	2	1
1:A:50:PHE:CZ	1:A:67:SER:HB2	0.45	2.47	11	1
1:A:57:ASP:HB2	1:A:63:TRP:CH2	0.45	2.47	11	1
1:A:38:VAL:HG22	1:A:52:LEU:HG	0.45	1.89	20	1
1:A:82:ARG:HD2	1:A:91:MET:SD	0.44	2.52	8	1
1:A:121:ASP:H	1:A:124:TRP:HD1	0.44	1.56	6	2
1:A:50:PHE:CE1	1:A:69:ARG:HB2	0.44	2.47	19	1
1:A:17:LEU:HD23	1:A:148:ALA:HB2	0.44	1.89	6	1
1:A:72:ASP:HB3	1:A:77:THR:O	0.44	2.13	5	1
1:A:25:ILE:HD11	1:A:40:VAL:HG22	0.43	1.90	1	3
1:A:137:MET:HE2	1:A:137:MET:HA	0.43	1.91	13	2
1:A:56:PRO:HA	1:A:61:LYS:O	0.43	2.12	16	1
1:A:7:ASN:HD22	1:A:133:SER:HB2	0.43	1.73	8	1
1:A:70:VAL:O	1:A:78:VAL:HA	0.43	2.13	10	1
1:A:14:PRO:O	1:A:18:VAL:HG23	0.43	2.14	3	1
1:A:125:MET:HA	1:A:125:MET:CE	0.43	2.43	2	1
1:A:139:LEU:O	1:A:143:ARG:HG2	0.43	2.14	16	1
1:A:50:PHE:CE1	1:A:67:SER:HB2	0.43	2.49	18	1
1:A:23:ASN:HA	1:A:69:ARG:HH12	0.42	1.74	19	1
1:A:5:THR:OG1	1:A:110:GLN:HB2	0.42	2.14	2	1
1:A:24:ASP:OD2	1:A:27:LYS:HG2	0.42	2.14	2	1
1:A:98:ALA:HB3	1:A:105:VAL:HB	0.42	1.90	11	1
1:A:91:MET:SD	1:A:112:PHE:HB3	0.42	2.54	12	1
1:A:100:THR:HB	1:A:103:GLY:O	0.42	2.15	2	1
1:A:137:MET:O	1:A:141:ARG:HB2	0.42	2.14	1	1
1:A:78:VAL:HB	1:A:95:TRP:HB2	0.42	1.91	5	1
1:A:89:GLN:CG	1:A:115:LYS:HD2	0.42	2.44	6	1
1:A:39:GLU:HB2	1:A:51:ARG:HB3	0.42	1.90	13	2
1:A:32:PHE:HE1	1:A:136:GLN:HB3	0.42	1.75	17	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:25:ILE:HA	1:A:28:TRP:CD1	0.42	2.50	17	2
1:A:82:ARG:HB3	1:A:91:MET:HB2	0.42	1.91	17	1
1:A:82:ARG:HH21	1:A:91:MET:HG3	0.42	1.75	3	1
1:A:37:SER:HB2	1:A:53:THR:HB	0.42	1.92	6	1
1:A:48:VAL:CG1	1:A:69:ARG:HB3	0.41	2.44	13	1
1:A:133:SER:O	1:A:137:MET:HG3	0.41	2.15	8	1
1:A:51:ARG:HG2	1:A:64:SER:HB2	0.41	1.90	16	1
1:A:24:ASP:OD2	1:A:27:LYS:HG3	0.41	2.16	16	1
1:A:17:LEU:O	1:A:21:MET:HG2	0.41	2.16	3	1
1:A:125:MET:O	1:A:129:ILE:HG13	0.41	2.14	9	1
1:A:28:TRP:HB2	1:A:38:VAL:HG21	0.41	1.93	16	1
1:A:129:ILE:O	1:A:133:SER:HB2	0.41	2.16	9	1
1:A:115:LYS:H	1:A:116:PRO:CD	0.41	2.29	7	1
1:A:112:PHE:HE2	1:A:122:ASP:HA	0.41	1.76	9	1
1:A:90:TYR:O	1:A:112:PHE:HA	0.41	2.15	10	1
1:A:76:ARG:NH1	1:A:99:GLU:HB2	0.41	2.31	11	1
1:A:68:GLU:O	1:A:80:ALA:HA	0.41	2.16	15	1
1:A:115:LYS:H	1:A:116:PRO:HD2	0.41	1.76	15	1
1:A:5:THR:CG2	1:A:126:THR:HA	0.40	2.46	2	1
1:A:31:LEU:HG	1:A:143:ARG:HG3	0.40	1.93	8	1
1:A:140:ILE:O	1:A:144:ILE:HG12	0.40	2.16	3	1
1:A:89:GLN:HE21	1:A:115:LYS:HB2	0.40	1.76	10	1
1:A:96:GLU:O	1:A:106:MET:HA	0.40	2.16	13	1
1:A:69:ARG:CZ	1:A:78:VAL:HG11	0.40	2.47	11	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	149/167 (89%)	140±2 (94±1%)	6±2 (4±1%)	2±1 (2±1%)	14	59
All	All	2980/3340 (89%)	2807 (94%)	127 (4%)	46 (2%)	14	59

All 7 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	115	LYS	19
1	A	45	ASP	13
1	A	116	PRO	7
1	A	122	ASP	3
1	A	34	GLU	2
1	A	16	GLU	1
1	A	85	THR	1

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	127/143 (89%)	125±1 (98±1%)	2±1 (2±1%)	61	94
All	All	2540/2860 (89%)	2495 (98%)	45 (2%)	61	94

All 25 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	32	PHE	7
1	A	108	TRP	5
1	A	137	MET	4
1	A	142	ASP	3
1	A	59	ASP	2
1	A	141	ARG	2
1	A	72	ASP	2
1	A	75	THR	2
1	A	127	ASP	2
1	A	20	THR	1
1	A	7	ASN	1
1	A	54	MET	1
1	A	8	GLU	1
1	A	23	ASN	1
1	A	100	THR	1
1	A	65	TRP	1
1	A	85	THR	1
1	A	16	GLU	1
1	A	47	LYS	1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	79	ARG	1
1	A	128	ASN	1
1	A	115	LYS	1
1	A	24	ASP	1
1	A	82	ARG	1
1	A	117	ASP	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 6.7 Other polymers [i](#)

There are no such molecules in this entry.

### 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

No chemical shift data were provided