

wwPDB X-ray Structure Validation Summary Report (i)

Oct 9, 2023 – 02:44 PM EDT

PDB ID : 7KM1

Title : Dihydrodipicolinate synthase (DHDPS) from C.jejuni, H59N mutant with

pyruvate bound in the active site and R,R-bislysine bound at the allosteric

site

Authors : Saran, S.; Majdi Yazdi, M.; Sanders, D.A.R.

Deposited on : 2020-11-02

Resolution : 1.84 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul: 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.35.1

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$

The reported resolution of this entry is 1.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# ext{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
R_{free}	130704	4003 (1.86-1.82)
Clashscore	141614	4233 (1.86-1.82)
Ramachandran outliers	138981	4185 (1.86-1.82)
Sidechain outliers	138945	4186 (1.86-1.82)
RSRZ outliers	127900	3957 (1.86-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	310	87%	8%	5%
1	В	310	90%	5%	• 5%
1	С	310	91%		5%
1	D	310	90%	5%	5%



Mo	Chain	Length	Quality of chain		
1	Е	310	90%	5%	5%
1	F	310	89%	7%	-



2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 14728 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called 4-hydroxy-tetrahydrodipicolinate synthase.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	A	296	Total	С	Ν	О	S	0	0	0
1	Λ	290	2278	1448	378	439	13	U	0	
1	В	296	Total	С	N	О	S	0	1	0
1	Ъ	290	2281	1449	379	440	13	U	1	
1	С	296	Total C N O S 0	0	0					
1		290	2278	1448	378	439	13	U	U	
1	D	296	Total	С	N	О	S	0	2	0
1	D	290	2285	1451	379	442	13	U		
1	Е	296	Total	С	N	О	S	0	0	0
1	l L	290	2278	1448	378	439	13	U	0	
1	F	297	Total	С	N	О	S	0	1	0
1	I'	291	2291	1454	383	441	13	U	1	

There are 78 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	expression tag	UNP Q9PPB4
A	-10	ARG	-	expression tag	UNP Q9PPB4
A	-9	GLY	-	expression tag	UNP Q9PPB4
A	-8	SER	-	expression tag	UNP Q9PPB4
A	-7	HIS	-	expression tag	UNP Q9PPB4
A	-6	HIS	-	expression tag	UNP Q9PPB4
A	-5	HIS	-	expression tag	UNP Q9PPB4
A	-4	HIS	-	expression tag	UNP Q9PPB4
A	-3	HIS	-	expression tag	UNP Q9PPB4
A	-2	HIS	-	expression tag	UNP Q9PPB4
A	-1	GLY	-	expression tag	UNP Q9PPB4
A	0	SER	-	expression tag	UNP Q9PPB4
A	59	ASN	HIS	engineered mutation	UNP Q9PPB4
В	-11	MET		expression tag	UNP Q9PPB4
В	-10	ARG	-	expression tag	UNP Q9PPB4
В	-9	GLY	-	expression tag	UNP Q9PPB4
В	-8	SER	-	expression tag	UNP Q9PPB4



 $Continued\ from\ previous\ page...$


Chain	Residue	Modelled	Actual	Comment	Reference
В	-7	HIS	-	expression tag	UNP Q9PPB4
В	-6	HIS	-	expression tag	UNP Q9PPB4
В	-5	HIS	-	expression tag	UNP Q9PPB4
В	-4	HIS	_	expression tag	UNP Q9PPB4
В	-3	HIS	-	expression tag	UNP Q9PPB4
В	-2	HIS	-	expression tag	UNP Q9PPB4
В	-1	GLY	-	expression tag	UNP Q9PPB4
В	0	SER	-	expression tag	UNP Q9PPB4
В	59	ASN	HIS	engineered mutation	UNP Q9PPB4
С	-11	MET	-	expression tag	UNP Q9PPB4
С	-10	ARG	-	expression tag	UNP Q9PPB4
С	-9	GLY	-	expression tag	UNP Q9PPB4
С	-8	SER	-	expression tag	UNP Q9PPB4
С	-7	HIS	-	expression tag	UNP Q9PPB4
С	-6	HIS	-	expression tag	UNP Q9PPB4
С	-5	HIS	-	expression tag	UNP Q9PPB4
С	-4	HIS	-	expression tag	UNP Q9PPB4
С	-3	HIS	-	expression tag	UNP Q9PPB4
С	-2	HIS	-	expression tag	UNP Q9PPB4
С	-1	GLY	-	expression tag	UNP Q9PPB4
С	0	SER	_	expression tag	UNP Q9PPB4
С	59	ASN	HIS	engineered mutation	UNP Q9PPB4
D	-11	MET	-	expression tag	UNP Q9PPB4
D	-10	ARG	-	expression tag	UNP Q9PPB4
D	-9	GLY	-	expression tag	UNP Q9PPB4
D	-8	SER	-	expression tag	UNP Q9PPB4
D	-7	HIS	-	expression tag	UNP Q9PPB4
D	-6	HIS	-	expression tag	UNP Q9PPB4
D	-5	HIS	-	expression tag	UNP Q9PPB4
D	-4	HIS	-	expression tag	UNP Q9PPB4
D	-3	HIS	-	expression tag	UNP Q9PPB4
D	-2	HIS	-	expression tag	UNP Q9PPB4
D	-1	GLY	-	expression tag	UNP Q9PPB4
D	0	SER	-	expression tag	UNP Q9PPB4
D	59	ASN	HIS	engineered mutation	UNP Q9PPB4
Е	-11	MET	-	expression tag	UNP Q9PPB4
Е	-10	ARG	-	expression tag	UNP Q9PPB4
Е	-9	GLY	-	expression tag	UNP Q9PPB4
Е	-8	SER	-	expression tag	UNP Q9PPB4
Е	-7	HIS	-	expression tag	UNP Q9PPB4
Е	-6	HIS	-	expression tag	UNP Q9PPB4
Е	-5	HIS	-	expression tag	UNP Q9PPB4



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Е	-4	HIS	-	expression tag	UNP Q9PPB4
Е	-3	HIS	-	expression tag	UNP Q9PPB4
Е	-2	HIS	-	expression tag	UNP Q9PPB4
Е	-1	GLY	-	expression tag	UNP Q9PPB4
E	0	SER	-	expression tag	UNP Q9PPB4
Е	59	ASN	HIS	engineered mutation	UNP Q9PPB4
F	-11	MET	-	expression tag	UNP Q9PPB4
F	-10	ARG	-	expression tag	UNP Q9PPB4
F	-9	GLY	-	expression tag	UNP Q9PPB4
F	-8	SER	-	expression tag	UNP Q9PPB4
F	-7	HIS	-	expression tag	UNP Q9PPB4
F	-6	HIS	-	expression tag	UNP Q9PPB4
F	-5	HIS	-	expression tag	UNP Q9PPB4
F	-4	HIS	-	expression tag	UNP Q9PPB4
F	-3	HIS	-	expression tag	UNP Q9PPB4
F	-2	HIS	-	expression tag	UNP Q9PPB4
F	-1	GLY	-	expression tag	UNP Q9PPB4
F	0	SER	-	expression tag	UNP Q9PPB4
F	59	ASN	HIS	engineered mutation	UNP Q9PPB4

• Molecule 2 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 13 8 5	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	Λ	1	Total C O	0	0
2	A	1	13 8 5	U	U
2	С	1	Total C O	0	0
2		1	13 8 5	U	0
2	Е	1	Total C O	0	0
2	<u> 1</u> 2	1	13 8 5	U	U
2	F	1	Total C O	0	0
	Г	1	13 8 5	U	U


• Molecule 3 is (2R,5R)-2,5-diamino-2,5-bis(4-aminobutyl)hexanedioic acid (three-letter code: 3VN) (formula: $C_{14}H_{30}N_4O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 22		N 4		0	0
3	С	1	Total 22				0	0
3	F	1	Total 22	C 14	N 4	O 4	0	0

• Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$) (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	С	1	Total C O 4 2 2	0	0
4	С	1	Total C O 4 2 2	0	0
4	С	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	Е	1	Total C O 4 2 2	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	Е	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0
4	F	1	Total C O 4 2 2	0	0
4	F	1	Total C O 4 2 2	0	0

• Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 7 4 3	0	0
5	A	1	Total C O 7 4 3	0	0
5	A	1	Total C O 7 4 3	0	0
5	С	1	Total C O 7 4 3	0	0
5	D	1	Total C O 7 4 3	0	0
5	Е	1	Total C O 7 4 3	0	0


• Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand



of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	2	Total Mg 2 2	0	0
6	В	2	Total Mg 2 2	0	0
6	С	1	Total Mg 1 1	0	0
6	D	2	Total Mg 2 2	0	0

• Molecule 7 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0
7	В	1	Total C O 4 2 2	0	0
7	С	1	Total C O 4 2 2	0	0
7	D	1	Total C O 4 2 2	0	0
7	Е	1	Total C O 4 2 2	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	E	1	Total C O 4 2 2	0	0
7	F	1	Total C O 4 2 2	0	0
7	F	1	Total C O 4 2 2	0	0

• Molecule 8 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
R	В	1	Total C O	0	0	
	D	1	10 6 4	O	U	
l g	\mathbf{C}	1	Total C O	0	0	
		1	10 6 4	O		
8	\mathbf{C}	1	Total C O	0	0	
		1	10 6 4	O		
Q	D	1	Total C O	0	0	
8	D	1	10 6 4	0		
Q	Е	1	Total C O	0	0	
	ינו	1	10 6 4	U	U	

• Molecule 9 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	E	1	Total C O 6 3 3	0	0
9	F	1	Total C O 6 3 3	0	0

• Molecule 10 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	127	Total O 127 127	0	0
10	В	111	Total O 111 111	0	0
10	C	115	Total O 115 115	0	0
10	D	114	Total O 114 114	0	0
10	E	96	Total O 96 96	0	0
10	F	124	Total O 124 124	0	0




3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase









4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants	85.01Å 230.45Å 200.64Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.56 - 1.84	Depositor
rtesolution (A)	49.56 - 1.84	EDS
% Data completeness	98.6 (49.56-1.84)	Depositor
(in resolution range)	98.6 (49.56-1.84)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.80 (at 1.84Å)	Xtriage
Refinement program	PHENIX dev_2398	Depositor
P. P.	0.181 , 0.211	Depositor
R, R_{free}	0.181 , 0.211	DCC
R_{free} test set	8382 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	31.0	Xtriage
Anisotropy	0.222	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.38, 52.2	EDS
L-test for twinning ²	$ < L > = 0.48, < L^2> = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14728	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.40% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, ACT, PGE, PG4, EDO, KPI, MG, 3VN, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles	
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.27	0/2301	0.49	0/3109
1	В	0.34	0/2309	0.50	0/3120
1	С	0.30	0/2301	0.50	0/3109
1	D	0.33	0/2318	0.49	0/3132
1	Е	0.30	0/2301	0.50	0/3109
1	F	0.31	0/2319	0.50	0/3134
All	All	0.31	0/13849	0.49	0/18713

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintenain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	166	KPI	Mainchain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within



the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2278	0	2318	23	0
1	В	2281	0	2319	13	0
1	С	2278	0	2317	12	0
1	D	2285	0	2317	14	0
1	Е	2278	0	2317	11	0
1	F	2291	0	2331	21	0
2	A	26	0	36	2	0
2	С	13	0	18	0	0
2	Е	13	0	18	1	0
2	F	13	0	18	6	0
3	A	22	0	28	2	0
3	С	22	0	28	0	0
3	F	22	0	28	0	0
4	A	8	0	12	3	0
4	В	24	0	36	0	0
4	С	12	0	18	0	0
4	D	8	0	12	0	0
4	Е	12	0	18	0	0
4	F	8	0	12	2	0
5	A	21	0	30	1	0
5	С	7	0	10	0	0
5	D	7	0	10	0	0
5	Е	7	0	10	0	0
6	A	2	0	0	0	0
6	В	2	0	0	0	0
6	С	1	0	0	0	0
6	D	2	0	0	0	0
7	A	8	0	6	0	0
7	В	4	0	3	0	0
7	С	4	0	3	0	0
7	D	4	0	3	0	0
7	Е	8	0	6	1	0
7	F	8	0	6	1	0
8	В	10	0	14	0	0
8	С	20	0	28	1	0
8	D	10	0	14	0	0
8	Е	10	0	14	0	0
9	E	6	0	8	0	0
9	F	6	0	8	1	0
10	A	127	0	0	0	0
10	В	111	0	0	0	0
10	С	115	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	D	114	0	0	1	0
10	Е	96	0	0	0	0
10	F	124	0	0	0	0
All	All	14728	0	14374	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 88 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$egin{aligned} & ext{Interatomic} \ & ext{distance} \ & ext{(Å)} \end{aligned}$	$egin{aligned} ext{Clash} \ ext{overlap } (ext{Å}) \end{aligned}$	
1:D:94:LYS:O	1:D:98:GLU:HG2	1.74	0.88	
1:C:74:LYS:HZ3	1:C:74:LYS:H	1.21	0.85	
1:F:154:LYS:HZ2	2:F:301:PG4:H32	1.41	0.84	
1:D:74:LYS:HA	1:D:74:LYS:HE2	1.71	0.72	
1:D:161[B]:ASN:ND2	10:D:401:HOH:O	2.27	0.67	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured Allowed		Outliers	Percentiles	
1	A	293/310 (94%)	288 (98%)	5 (2%)	0	100 1	.00
1	В	294/310 (95%)	289 (98%)	5 (2%)	0	100 1	.00
1	С	293/310 (94%)	288 (98%)	5 (2%)	0	100 1	.00
1	D	295/310 (95%)	289 (98%)	6 (2%)	0	100 1	.00
1	Е	293/310 (94%)	288 (98%)	5 (2%)	0	100 1	.00
1	F	295/310 (95%)	291 (99%)	4 (1%)	0	100 1	.00
All	All	1763/1860 (95%)	1733 (98%)	30 (2%)	0	100 1	.00



There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	A	248/260 (95%)	248 (100%)	0	100 100		
1	В	249/260 (96%)	247 (99%)	2 (1%)	81 75		
1	С	248/260 (95%)	246 (99%)	2 (1%)	81 75		
1	D	250/260~(96%)	249 (100%)	1 (0%)	91 88		
1	E	248/260 (95%)	248 (100%)	0	100 100		
1	F	250/260 (96%)	248 (99%)	2 (1%)	81 75		
All	All	1493/1560 (96%)	1486 (100%)	7 (0%)	88 85		

5 of 7 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	С	74	LYS
1	D	59	ASN
1	F	288	GLU
1	F	59	ASN
1	С	59	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	Е	59	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trino	Chain	Res	Link	Вс	Bond lengths			Bond angles		
MIOI	Type	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
1	KPI	A	166	1	11,13,14	0.93	0	10,15,17	3.18	4 (40%)	
1	KPI	В	166	1	11,13,14	2.18	3 (27%)	10,15,17	3.74	6 (60%)	
1	KPI	С	166	1	11,13,14	0.87	0	10,15,17	3.61	5 (50%)	
1	KPI	Е	166	1	11,13,14	1.79	2 (18%)	10,15,17	3.77	5 (50%)	
1	KPI	D	166	1	11,13,14	1.83	2 (18%)	10,15,17	3.82	5 (50%)	
1	KPI	F	166	1	11,13,14	2.16	3 (27%)	10,15,17	3.75	6 (60%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KPI	A	166	1	-	0/13/14/16	-
1	KPI	В	166	1	-	1/13/14/16	-
1	KPI	С	166	1	-	1/13/14/16	-
1	KPI	Е	166	1	-	0/13/14/16	-
1	KPI	D	166	1	-	0/13/14/16	-
1	KPI	F	166	1	-	0/13/14/16	-

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\text{\AA})$	Ideal(A)
1	F	166	KPI	O2-CX2	5.20	1.36	1.22
1	D	166	KPI	O2-CX2	5.15	1.36	1.22
1	В	166	KPI	O2-CX2	5.12	1.36	1.22
1	Е	166	KPI	O2-CX2	5.10	1.36	1.22
1	В	166	KPI	O-C	4.12	1.36	1.19

The worst 5 of 31 bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	С	166	KPI	C1-CX1-CX2	-8.33	110.07	118.17
1	D	166	KPI	C1-CX1-CX2	-7.93	110.46	118.17
1	F	166	KPI	C1-CX1-CX2	-7.27	111.10	118.17
1	Е	166	KPI	C1-CX1-CX2	-7.13	111.24	118.17
1	В	166	KPI	C1-CX1-CX2	-7.00	111.37	118.17

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	В	166	KPI	C1-CX1-NZ-CE
1	С	166	KPI	C1-CX1-NZ-CE

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 55 ligands modelled in this entry, 7 are monoatomic - leaving 48 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Mol Type	Chain	Res	Link	Вс	ond leng	ths	Bond angles		
MIOI	Туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	F	304	-	3,3,3	0.45	0	2,2,2	0.34	0
5	PEG	A	308	-	6,6,6	0.48	0	5,5,5	0.29	0
9	GOL	F	307	-	5,5,5	0.37	0	5,5,5	0.29	0
4	EDO	В	307	-	3,3,3	0.46	0	2,2,2	0.37	0
4	EDO	Е	304	-	3,3,3	0.46	0	2,2,2	0.32	0
3	3VN	С	302	-	17,21,21	0.82	0	18,28,28	1.49	3 (16%)
4	EDO	F	303	-	3,3,3	0.48	0	2,2,2	0.34	0



					Bo	Bond lengths			Bond angles		
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
4	EDO	D	302	_	3,3,3	0.47	0	2,2,2	0.23	0	
4	EDO	E	303	_	3,3,3	0.48	0	2,2,2	0.27	0	
2	PG4	A	301	_	12,12,12	0.52	0	11,11,11	0.24	0	
5	PEG	D	304	_	6,6,6	0.48	0	5,5,5	0.25	0	
4	EDO	D	303	_	3,3,3	0.46	0	2,2,2	0.34	0	
8	PGE	С	304	_	9,9,9	0.30	0	8,8,8	0.36	0	
7	ACT	A	312	-	3,3,3	0.73	0	3,3,3	1.43	0	
4	EDO	В	305	-	3,3,3	0.46	0	2,2,2	0.35	0	
4	EDO	В	302	-	3,3,3	0.48	0	2,2,2	0.34	0	
7	ACT	D	307	-	3,3,3	0.76	0	3,3,3	1.38	0	
4	EDO	С	305	-	3,3,3	0.46	0	2,2,2	0.32	0	
8	PGE	D	301	-	9,9,9	0.29	0	8,8,8	0.30	0	
2	PG4	F	301	-	12,12,12	0.51	0	11,11,11	0.27	0	
2	PG4	A	302	-	12,12,12	0.52	0	11,11,11	0.23	0	
4	EDO	A	304	-	3,3,3	0.44	0	2,2,2	0.36	0	
4	EDO	С	306	-	3,3,3	0.45	0	2,2,2	0.35	0	
8	PGE	С	303	-	9,9,9	0.33	0	8,8,8	0.19	0	
7	ACT	F	306	-	3,3,3	0.76	0	3,3,3	1.36	0	
5	PEG	С	308	-	6,6,6	0.45	0	5,5,5	0.24	0	
8	PGE	В	301	-	9,9,9	0.31	0	8,8,8	0.25	0	
4	EDO	A	305	-	3,3,3	0.47	0	2,2,2	0.38	0	
7	ACT	В	310	-	3,3,3	0.78	0	3,3,3	1.32	0	
5	PEG	Е	306	-	6,6,6	0.49	0	5,5,5	0.25	0	
2	PG4	С	301	-	12,12,12	0.52	0	11,11,11	0.27	0	
7	ACT	Е	308	-	3,3,3	0.76	0	3,3,3	1.32	0	
7	ACT	F	305	-	3,3,3	0.75	0	3,3,3	1.39	0	
4	EDO	В	306	_	3,3,3	0.49	0	2,2,2	0.33	0	
4	EDO	В	304	_	3,3,3	0.45	0	2,2,2	0.35	0	
7	ACT	С	310	-	3,3,3	0.78	0	3,3,3	1.36	0	
7	ACT	Е	307	-	3,3,3	0.78	0	3,3,3	1.26	0	
3	3VN	A	303	-	17,21,21	0.81	0	18,28,28	1.38	3 (16%)	
4	EDO	В	303	_	3,3,3	0.45	0	2,2,2	0.36	0	
7	ACT	A	311	-	3,3,3	0.76	0	3,3,3	1.38	0	
4	EDO	Е	305	-	3,3,3	0.47	0	2,2,2	0.30	0	
8	PGE	Е	302	-	9,9,9	0.32	0	8,8,8	0.31	0	
9	GOL	Е	309	-	5,5,5	0.33	0	5,5,5	0.33	0	
5	PEG	A	306	-	6,6,6	0.47	0	5,5,5	0.24	0	
4	EDO	С	307	-	3,3,3	0.48	0	2,2,2	0.25	0	
5	PEG	A	307	-	6,6,6	0.50	0	5,5,5	0.28	0	
2	PG4	Е	301	-	12,12,12	0.52	0	11,11,11	0.22	0	
3	3VN	F	302	-	17,21,21	0.83	0	18,28,28	1.46	4 (22%)	



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	F	304	-	-	0/1/1/1	-
5	PEG	A	308	-	-	2/4/4/4	-
9	GOL	F	307	-	-	2/4/4/4	-
4	EDO	В	307	-	-	0/1/1/1	-
4	EDO	Е	304	-	-	1/1/1/1	-
3	3VN	С	302	-	-	5/29/31/31	-
4	EDO	F	303	-	-	1/1/1/1	-
4	EDO	D	302	1	-	0/1/1/1	-
4	EDO	Е	303	-	-	0/1/1/1	-
2	PG4	A	301	-	-	1/10/10/10	-
5	PEG	D	304	-	-	2/4/4/4	_
4	EDO	D	303	-	-	0/1/1/1	-
8	PGE	С	304	-	-	2/7/7/7	-
4	EDO	В	305	-	-	0/1/1/1	-
4	EDO	В	302	-	-	0/1/1/1	-
8	PGE	D	301	-	-	2/7/7/7	-
4	EDO	С	305	-	-	1/1/1/1	-
2	PG4	F	301	-	-	4/10/10/10	-
2	PG4	A	302	-	-	5/10/10/10	-
4	EDO	A	304	-	-	0/1/1/1	-
4	EDO	С	306	-	-	0/1/1/1	-
8	PGE	С	303	-	-	3/7/7/7	-
5	PEG	С	308	-	-	1/4/4/4	-
8	PGE	В	301	-	-	1/7/7/7	-
4	EDO	A	305	-	-	0/1/1/1	-
5	PEG	Е	306	-	-	0/4/4/4	-
2	PG4	С	301	_	-	7/10/10/10	-
4	EDO	В	306	-	-	0/1/1/1	-
4	EDO	В	304	_	-	0/1/1/1	-
3	3VN	A	303	-	-	9/29/31/31	-
4	EDO	В	303	-	-	0/1/1/1	_
4	EDO	Е	305	-	-	1/1/1/1	-
8	PGE	Е	302	-	-	4/7/7/7	-
9	GOL	Е	309	-	-	2/4/4/4	-
5	PEG	A	306	-	-	2/4/4/4	-
4	EDO	С	307	-	-	0/1/1/1	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	A	307	_	-	1/4/4/4	-
2	PG4	Е	301	-	-	4/10/10/10	-
3	3VN	F	302	-	-	11/29/31/31	-

There are no bond length outliers.

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
3	A	303	3VN	C07-C06-C02	-3.09	109.72	115.20
3	F	302	3VN	C07-C06-C02	-2.99	109.90	115.20
3	С	302	3VN	C07-C06-C02	-2.95	109.97	115.20
3	С	302	3VN	O22-C20-C13	2.90	121.50	113.70
3	F	302	3VN	O22-C20-C13	2.36	120.05	113.70

There are no chirality outliers.

5 of 74 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	303	3VN	C12-C13-C20-O21
3	F	302	3VN	C11-C02-C03-O04
3	F	302	3VN	C11-C02-C03-O05
3	F	302	3VN	C12-C13-C20-O21
3	F	302	3VN	C12-C13-C20-O22

There are no ring outliers.


13 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	304	EDO	1	0
9	F	307	GOL	1	0
4	F	303	EDO	1	0
2	F	301	PG4	6	0
2	A	302	PG4	2	0
4	A	304	EDO	1	0
8	С	303	PGE	1	0
7	F	306	ACT	1	0
4	A	305	EDO	2	0
7	Е	308	ACT	1	0
3	A	303	3VN	2	0
5	A	306	PEG	1	0





\mathbf{Mol}	Chain	Res	Type	Clashes	Symm-Clashes
2	Е	301	PG4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















































































































































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	# RSRZ > 2	$OWAB(Å^2)$	Q<0.9
1	A	295/310~(95%)	-0.05	0 100 100	23, 29, 45, 56	0
1	В	295/310~(95%)	-0.16	2 (0%) 87 87	22, 28, 44, 55	0
1	С	295/310~(95%)	-0.04	3 (1%) 82 82	23, 30, 48, 57	0
1	D	295/310~(95%)	0.05	1 (0%) 94 93	23, 30, 48, 65	0
1	E	295/310~(95%)	-0.10	1 (0%) 94 93	23, 31, 48, 62	0
1	F	296/310~(95%)	-0.00	2 (0%) 87 87	23, 31, 53, 61	0
All	All	1771/1860 (95%)	-0.05	9 (0%) 91 91	22, 30, 48, 65	0

The worst 5 of 9 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	268	SER	2.7
1	Е	98	GLU	2.6
1	F	280	LYS	2.4
1	F	281	GLU	2.3
1	D	4	ASN	2.2

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
1	KPI	D	166	14/15	0.92	0.16	21,27,34,34	0
1	KPI	A	166	14/15	0.93	0.15	22,26,32,35	0
1	KPI	Е	166	14/15	0.93	0.11	24,28,36,36	0
1	KPI	В	166	14/15	0.95	0.11	20,26,33,33	0

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
1	KPI	С	166	14/15	0.95	0.11	20,24,37,39	0
1	KPI	F	166	14/15	0.95	0.11	21,27,38,40	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B\text{-}factors}({f \AA}^2)$	Q < 0.9
7	ACT	F	305	4/4	0.67	0.24	47,50,57,60	0
5	PEG	С	308	7/7	0.70	0.17	44,46,52,57	0
2	PG4	A	302	13/13	0.72	0.20	44,55,60,63	0
5	PEG	A	308	7/7	0.76	0.17	48,49,54,55	0
7	ACT	Е	308	4/4	0.78	0.18	41,48,57,59	0
9	GOL	Е	309	6/6	0.78	0.16	48,54,56,61	0
8	PGE	С	304	10/10	0.79	0.17	49,54,60,61	0
7	ACT	F	306	4/4	0.79	0.20	40,47,54,57	0
4	EDO	Е	303	4/4	0.81	0.16	44,48,48,60	0
7	ACT	A	311	4/4	0.83	0.19	45,50,50,66	0
8	PGE	Е	302	10/10	0.84	0.20	46,54,61,62	0
8	PGE	С	303	10/10	0.84	0.14	31,41,51,59	0
4	EDO	С	305	4/4	0.85	0.17	42,43,49,60	0
5	PEG	A	306	7/7	0.85	0.25	46,47,56,61	0
4	EDO	С	306	4/4	0.85	0.16	33,34,45,46	0
4	EDO	С	307	4/4	0.85	0.13	47,48,49,53	0
5	PEG	Е	306	7/7	0.86	0.11	41,49,53,61	0
4	EDO	F	303	4/4	0.86	0.29	34,42,44,55	0
4	EDO	Е	305	4/4	0.86	0.15	45,47,47,51	0
5	PEG	D	304	7/7	0.87	0.25	46,52,56,61	0
2	PG4	Е	301	13/13	0.87	0.17	40,46,54,56	0
5	PEG	A	307	7/7	0.88	0.18	50,55,55,57	0
7	ACT	В	310	4/4	0.88	0.14	35,47,49,59	0
6	MG	D	305	1/1	0.88	0.17	52,52,52,52	0
6	MG	С	309	1/1	0.89	0.08	30,30,30,30	0
2	PG4	F	301	13/13	0.89	0.13	36,43,56,57	0

Continued on next page...




Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B\text{-factors}}({f \AA}^2)$	Q<0.9
4	EDO	F	304	4/4	0.89	0.16	50,56,57,61	0
7	ACT	A	312	4/4	0.89	0.15	40,46,50,51	0
4	EDO	Е	304	4/4	0.89	0.22	35,40,42,44	0
2	PG4	С	301	13/13	0.89	0.12	41,49,57,58	0
9	GOL	F	307	6/6	0.89	0.20	49,53,60,60	0
6	MG	D	306	1/1	0.90	0.10	35,35,35,35	0
4	EDO	В	303	4/4	0.90	0.13	40,47,49,59	0
7	ACT	С	310	4/4	0.90	0.11	38,43,49,55	0
7	ACT	D	307	4/4	0.90	0.14	41,46,47,48	0
4	EDO	В	306	4/4	0.91	0.15	31,33,38,48	0
4	EDO	В	302	4/4	0.91	0.18	29,36,48,50	0
4	EDO	A	305	4/4	0.91	0.14	32,37,45,49	0
8	PGE	D	301	10/10	0.91	0.12	36,41,44,49	0
7	ACT	Е	307	4/4	0.91	0.12	39,45,49,55	0
6	MG	A	309	1/1	0.91	0.09	51,51,51,51	0
6	MG	A	310	1/1	0.91	0.14	61,61,61,61	0
4	EDO	В	304	4/4	0.92	0.32	38,41,45,53	0
3	3VN	С	302	22/22	0.92	0.11	27,31,38,43	0
4	EDO	A	304	4/4	0.93	0.24	33,39,40,56	0
8	PGE	В	301	10/10	0.93	0.10	35,42,48,56	0
4	EDO	D	303	4/4	0.94	0.12	30,36,38,41	0
3	3VN	F	302	22/22	0.94	0.10	26,29,43,45	0
2	PG4	A	301	13/13	0.94	0.14	34,38,55,61	0
6	MG	В	308	1/1	0.95	0.12	49,49,49,49	0
4	EDO	В	307	4/4	0.95	0.10	37,40,46,50	0
4	EDO	В	305	4/4	0.95	0.11	32,36,37,49	0
3	3VN	A	303	22/22	0.95	0.10	21,28,37,41	0
6	MG	В	309	1/1	0.96	0.05	30,30,30,30	0
4	EDO	D	302	4/4	0.97	0.14	28,28,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



























Electron density around GOL E 309: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around PGE C 304: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around EDO E 303:


 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)




































Electron density around EDO C 306: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)














Electron density around EDO F 303:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around EDO E 305:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)






























Electron density around MG D 305: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)


























Electron density around PG4 C 301:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around GOL F 307:

 $2 \mathrm{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)











Electron density around MG D 306:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)





















Electron density around EDO B 306: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)





Electron density around EDO B 302: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around EDO A 305:


 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)





















Electron density around MG A 309:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)








Electron density around MG A 310: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 3VN C 302:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around EDO A 304:


 $2 \mathrm{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)
















Electron density around EDO D 303: $2 \text{mF}_o\text{-DF}_c \text{ (at } 0.7 \text{ rmsd) in gray} \\ \text{mF}_o\text{-DF}_c \text{ (at } 3 \text{ rmsd) in purple (negative)}$


and green (positive)




















Electron density around MG B 308: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)




Electron density around EDO B 307:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around EDO B 305:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)














Electron density around MG B 309: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)





6.5 Other polymers (i)

There are no such residues in this entry.

