



Full wwPDB X-ray Structure Validation Report ⓘ

May 27, 2020 – 01:18 am BST

PDB ID : 4KNC
Title : Structural and functional characterization of Pseudomonas aeruginosa AlgX
Authors : Riley, L.M.; Weadge, J.T.; Baker, P.; Robinson, H.; Codee, J.D.C.; Tipton, P.A.; Ohman, D.E.; Howell, P.L.
Deposited on : 2013-05-09
Resolution : 2.14 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2523 (2.16-2.12)
Clashscore	141614	2653 (2.16-2.12)
Ramachandran outliers	138981	2618 (2.16-2.12)
Sidechain outliers	138945	2617 (2.16-2.12)
RSRZ outliers	127900	2485 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	456	 2% 82% 7% 10%
1	B	456	 6% 82% 10% 8%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 6876 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alginate biosynthesis protein AlgX.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	419	Total 3280	C 2085	N 567	O 619	S 9	0	0	0
1	A	410	Total 3224	C 2053	N 556	O 606	S 9	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	475	LEU	-	EXPRESSION TAG	UNP Q51372
B	476	GLU	-	EXPRESSION TAG	UNP Q51372
B	477	HIS	-	EXPRESSION TAG	UNP Q51372
B	478	HIS	-	EXPRESSION TAG	UNP Q51372
B	479	HIS	-	EXPRESSION TAG	UNP Q51372
B	480	HIS	-	EXPRESSION TAG	UNP Q51372
B	481	HIS	-	EXPRESSION TAG	UNP Q51372
B	482	HIS	-	EXPRESSION TAG	UNP Q51372
A	475	LEU	-	EXPRESSION TAG	UNP Q51372
A	476	GLU	-	EXPRESSION TAG	UNP Q51372
A	477	HIS	-	EXPRESSION TAG	UNP Q51372
A	478	HIS	-	EXPRESSION TAG	UNP Q51372
A	479	HIS	-	EXPRESSION TAG	UNP Q51372
A	480	HIS	-	EXPRESSION TAG	UNP Q51372
A	481	HIS	-	EXPRESSION TAG	UNP Q51372
A	482	HIS	-	EXPRESSION TAG	UNP Q51372


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	184	Total 184	O 184	0	0
2	A	188	Total 188	O 188	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Alginate biosynthesis protein AlgX



- Molecule 1: Alginate biosynthesis protein AlgX



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	123.70Å 82.44Å 92.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.64 – 2.14 43.64 – 2.14	Depositor EDS
% Data completeness (in resolution range)	93.8 (43.64-2.14) 93.1 (43.64-2.14)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.23 (at 2.14Å)	Xtrriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.176 , 0.231 0.180 , 0.230	Depositor DCC
R_{free} test set	2000 reflections (3.82%)	wwPDB-VP
Wilson B-factor (Å ²)	41.1	Xtrriage
Anisotropy	0.579	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 42.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6876	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.02 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.6665e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/3303	0.53	0/4476
1	B	0.38	0/3360	0.53	0/4555
All	All	0.38	0/6663	0.53	0/9031

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3224	0	3071	18	0
1	B	3280	0	3103	25	0
2	A	188	0	0	1	1
2	B	184	0	0	2	1
All	All	6876	0	6174	43	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (43) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:406:ARG:NH1	2:B:670:HOH:O	2.26	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:350:ARG:HH12	1:A:463:ALA:HB2	1.59	0.66
1:B:99:GLU:OE2	1:B:102:ARG:NH1	2.30	0.63
1:B:403:ASN:ND2	1:B:436:GLN:OE1	2.32	0.63
1:B:377:ARG:HH21	1:B:380:SER:HB3	1.65	0.62
1:B:396:LYS:HB2	1:B:444:GLU:HB3	1.92	0.50
1:B:379:GLY:HA2	1:B:429:ASN:HB3	1.95	0.48
1:B:69:ASP:CG	1:B:70:ASP:H	2.15	0.48
1:A:351:LYS:HE3	1:A:461:GLN:HB3	1.96	0.47
1:A:396:LYS:HD3	1:A:410:LYS:HE2	1.97	0.47
1:B:366:GLU:HA	1:B:442:GLU:HG2	1.97	0.47
1:B:202:ILE:O	1:B:204:LYS:NZ	2.32	0.47
1:A:364:ARG:HG3	2:A:640:HOH:O	2.14	0.47
1:A:67:ALA:HB1	1:A:122:LYS:O	2.16	0.45
1:A:350:ARG:NH1	1:A:463:ALA:HB2	2.29	0.45
1:B:403:ASN:OD1	1:B:405:ARG:HB2	2.17	0.45
1:A:101:LYS:NZ	1:A:106:GLU:OE2	2.35	0.44
1:A:185:SER:O	1:A:189:VAL:HG23	2.18	0.44
1:B:203:PRO:HG3	1:B:256:GLY:O	2.18	0.44
1:B:388:SER:OG	1:B:453:LEU:HD12	2.18	0.44
1:A:448:ASP:OD1	1:A:448:ASP:N	2.50	0.44
1:A:62:THR:HA	1:A:63:HIS:HA	1.81	0.43
1:A:111:TYR:CZ	1:A:326:THR:HG22	2.53	0.43
1:B:428:ARG:HE	1:B:430:ASP:HB2	1.84	0.43
1:B:88:GLU:OE1	1:B:91:ARG:NH2	2.49	0.43
1:B:62:THR:HA	1:B:63:HIS:HA	1.76	0.43
1:A:360:LEU:HD12	1:A:453:LEU:HG	2.01	0.43
1:A:207:PHE:HB2	1:A:283:GLU:HA	1.99	0.43
1:B:450:PRO:HD2	1:B:453:LEU:HD22	2.01	0.43
1:A:445:ALA:HA	1:A:446:PRO:HD3	1.80	0.42
1:B:53:TYR:CE1	1:B:63:HIS:HB2	2.54	0.42
1:B:393:HIS:CD2	1:B:415:LYS:HA	2.54	0.42
1:B:58:LEU:HA	1:B:58:LEU:HD23	1.86	0.42
1:B:216:SER:HB3	1:B:237:TYR:CE2	2.55	0.42
1:A:142:ALA:O	1:A:146:ARG:HG3	2.20	0.42
1:A:365:ASN:HB2	1:A:443:ILE:O	2.19	0.42
1:B:118:VAL:HG11	1:B:169:TYR:CG	2.55	0.41
1:A:71:TRP:CD1	1:A:172:LYS:HG2	2.56	0.41
1:B:171:PHE:HB2	1:B:174:ASP:HB3	2.03	0.41
1:B:67:ALA:HB1	1:B:122:LYS:O	2.21	0.41
1:B:403:ASN:ND2	2:B:592:HOH:O	2.54	0.41
1:A:430:ASP:O	1:A:432:ASP:N	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:342:LEU:HD23	1:B:342:LEU:HA	1.95	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:680:HOH:O	2:A:678:HOH:O[3_756]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	404/456 (89%)	392 (97%)	12 (3%)	0	100	100
1	B	413/456 (91%)	397 (96%)	16 (4%)	0	100	100
All	All	817/912 (90%)	789 (97%)	28 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	327/373 (88%)	325 (99%)	2 (1%)	86	89
1	B	330/373 (88%)	328 (99%)	2 (1%)	86	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	657/746 (88%)	653 (99%)	4 (1%)	86	89

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	97	ARG
1	B	177	TRP
1	A	97	ARG
1	A	177	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	410/456 (89%)	0.18	11 (2%) 54 61	30, 46, 76, 114	0
1	B	419/456 (91%)	0.34	29 (6%) 16 21	28, 46, 86, 122	0
All	All	829/912 (90%)	0.26	40 (4%) 30 37	28, 46, 84, 122	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	462	ALA	5.6
1	B	376	ILE	5.6
1	B	360	LEU	4.2
1	A	459	ILE	4.1
1	B	352	THR	3.8
1	B	434	ALA	3.7
1	B	438	PHE	3.7
1	A	351	LYS	3.5
1	B	431	SER	3.4
1	B	463	ALA	3.1
1	B	362	GLN	3.1
1	B	381	TYR	3.1
1	B	461	GLN	3.0
1	B	427	LEU	2.9
1	B	401	TYR	2.9
1	B	354	LEU	2.9
1	A	368	LEU	2.8
1	A	376	ILE	2.8
1	B	379	GLY	2.8
1	A	449	MET	2.7
1	A	433	TRP	2.7
1	A	349	GLY	2.7
1	B	433	TRP	2.6
1	A	353	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	387	TYR	2.5
1	B	456	GLN	2.5
1	B	453	LEU	2.4
1	A	354	LEU	2.4
1	B	448	ASP	2.4
1	B	455	VAL	2.4
1	B	347	CYS	2.3
1	A	358	VAL	2.3
1	B	375	PRO	2.3
1	B	437	GLN	2.2
1	B	459	ILE	2.2
1	A	381	TYR	2.1
1	B	252	GLY	2.1
1	B	253	ASP	2.1
1	B	460	CYS	2.1
1	B	363	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.