Full wwPDB X-ray Structure Validation Report ⓘ

Nov 6, 2023 – 07:54 PM EST

|		
PDB ID	:	5KT9
Title	:	Crystal structure of the catalase-peroxidase from B. pseudomallei treated with hydrogen peroxide and carbon monoxide
Authors	:	Loewen, P.C.
Deposited on	:	2016-07-11
Resolution	:	1.88 Å(reported)

---

1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile Ranks	Value
Rfree		0.220
Clashscore		3
Ramachandran outliers		0
Sidechain outliers		1.7%
RSRZ outliers		1.1%

Worse — *Better*

▮ Percentile relative to all X-ray structures

▯ Percentile relative to X-ray structures of similar resolution

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R$_{free}$	130704	9470 (1.90-1.86)
Clashscore	141614	10282 (1.90-1.86)
Ramachandran outliers	138981	10152 (1.90-1.86)
Sidechain outliers	138945	10152 (1.90-1.86)
RSRZ outliers	127900	9303 (1.90-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	728	88% 8%
1	B	728	87% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	MPD	B	802	-	-	X	-

2 Entry composition ⓘ

There are 7 unique types of molecules in this entry. The entry contains 12633 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catalase-peroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	713	Total 5532	C 3493	N 985	O 1040	S 14	0	5	0
1	B	713	Total 5552	C 3508	N 990	O 1040	S 14	0	9	0

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	Na 1	0	0
3	B	1	Total 1	Na 1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total 1	Cl 1	0	0
4	B	1	Total 1	Cl 1	0	0

- Molecule 5 is OXYGEN MOLECULE (three-letter code: OXY) (formula: O_2).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total 2	O 2	0	0
5	B	1	Total 2	O 2	0	0

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).

MPD

O4
OH

C1

C5
C4(S)

C2
CM

C3

OH
O2

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total 8	C 6	O 2	0	0
6	A	1	Total 8	C 6	O 2	0	0
6	B	1	Total 8	C 6	O 2	0	0
6	B	1	Total 8	C 6	O 2	0	0
6	B	1	Total 8	C 6	O 2	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	726	Total 726	O 726	0	0
7	B	689	Total 689	O 689	0	0

3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Catalase-peroxidase

Chain A:

- Molecule 1: Catalase-peroxidase

Chain B:

4 Data and refinement statistics ⓘ

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	100.85Å 113.79Å 174.63Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.88 47.67 – 1.88	Depositor EDS
% Data completeness (in resolution range)	99.2 (50.00-1.88) 99.2 (47.67-1.88)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$< I/\sigma(I) >$ [1]	2.15 (at 1.88Å)	Xtriage
Refinement program	REFMAC 5.8.0151	Depositor
R, R_{free}	0.177 , 0.213 0.187 , 0.220	Depositor DCC
R_{free} test set	8079 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å^2)	21.3	Xtriage
Anisotropy	0.920	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 48.8	EDS
L-test for twinning[2]	$< |L| > = 0.47, < L^2 > = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	12633	wwPDB-VP
Average B, all atoms (Å^2)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.00% of the height of the origin peak. No significant pseudotranslation is detected.*

---

[1]Intensities estimated from amplitudes.
[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CL, TOX, HEM, OXY, NA, MPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$|Z|$ >5	RMSZ	#$|Z|$ >5
1	A	1.39	18/5666 (0.3%)	1.17	32/7700 (0.4%)
1	B	1.38	20/5700 (0.4%)	1.21	42/7745 (0.5%)
All	All	1.38	38/11366 (0.3%)	1.19	74/15445 (0.5%)

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	726	GLU	CD-OE1	11.45	1.38	1.25
1	B	198	GLU	CD-OE2	8.73	1.35	1.25
1	A	725	GLN	CG-CD	7.76	1.69	1.51
1	A	159	TYR	CE1-CZ	-7.64	1.28	1.38
1	B	159	TYR	CE1-CZ	-7.35	1.28	1.38
1	B	584	GLU	CD-OE2	7.08	1.33	1.25
1	B	426[A]	ARG	CZ-NH2	6.37	1.41	1.33
1	B	426[B]	ARG	CZ-NH2	6.37	1.41	1.33
1	B	410	GLU	CG-CD	6.34	1.61	1.51
1	B	726	GLU	CG-CD	6.22	1.61	1.51
1	B	657	GLU	CG-CD	6.15	1.61	1.51
1	A	407	GLU	CD-OE1	6.12	1.32	1.25
1	B	36	GLY	N-CA	6.05	1.55	1.46
1	A	403	ARG	CD-NE	5.92	1.56	1.46
1	B	526	GLU	CG-CD	5.84	1.60	1.51
1	A	529	GLU	CG-CD	5.76	1.60	1.51
1	B	519	GLU	CD-OE1	5.75	1.31	1.25
1	B	708	SER	CA-CB	5.63	1.61	1.52
1	A	402	SER	CA-CB	5.61	1.61	1.52
1	A	532	ARG	NE-CZ	-5.61	1.25	1.33
1	A	407	GLU	CG-CD	5.53	1.60	1.51
1	A	719	TYR	CG-CD1	5.49	1.46	1.39
1	A	349	GLU	CD-OE2	-5.35	1.19	1.25
1	A	499	GLY	C-O	5.31	1.32	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	491	PHE	CB-CG	-5.30	1.42	1.51
1	B	42	TRP	CG-CD1	5.29	1.44	1.36
1	B	94	TRP	C-O	-5.16	1.13	1.23
1	B	205	GLU	CD-OE1	5.16	1.31	1.25
1	B	327	GLU	CG-CD	5.11	1.59	1.51
1	A	529	GLU	CD-OE2	5.09	1.31	1.25
1	A	730	ARG	CG-CD	5.08	1.64	1.51
1	A	713	ARG	CZ-NH1	5.08	1.39	1.33
1	A	697	TRP	CG-CD1	-5.06	1.29	1.36
1	B	156	LYS	CA-CB	-5.06	1.42	1.53
1	A	478	SER	CB-OG	5.06	1.48	1.42
1	A	708	SER	CB-OG	-5.05	1.35	1.42
1	A	73	GLU	CD-OE1	5.04	1.31	1.25
1	B	117	TYR	C-O	-5.02	1.13	1.23

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	713	ARG	NE-CZ-NH1	14.40	127.50	120.30
1	B	713	ARG	NE-CZ-NH2	-10.34	115.13	120.30
1	B	382	ARG	NE-CZ-NH2	-9.57	115.52	120.30
1	A	404	ARG	NE-CZ-NH2	-9.32	115.64	120.30
1	B	393	ARG	NE-CZ-NH2	-8.86	115.87	120.30
1	A	578	ARG	NE-CZ-NH2	-8.73	115.94	120.30
1	B	40	ARG	NE-CZ-NH1	7.91	124.25	120.30
1	A	123	ARG	NE-CZ-NH1	7.82	124.21	120.30
1	A	150	ARG	NE-CZ-NH2	-7.67	116.47	120.30
1	B	428	MET	CA-CB-CG	-7.65	100.29	113.30
1	B	255	ARG	NE-CZ-NH1	7.63	124.12	120.30
1	A	382	ARG	NE-CZ-NH1	7.61	124.10	120.30
1	B	76	ASP	CB-CG-OD2	-7.61	111.45	118.30
1	A	132	ARG	NE-CZ-NH1	7.45	124.02	120.30
1	A	132	ARG	NE-CZ-NH2	-7.23	116.69	120.30
1	A	426	ARG	NE-CZ-NH2	-7.11	116.75	120.30
1	A	150	ARG	NE-CZ-NH1	7.04	123.82	120.30
1	B	426[A]	ARG	NE-CZ-NH1	-6.91	116.84	120.30
1	B	426[B]	ARG	NE-CZ-NH1	-6.91	116.84	120.30
1	A	82	ARG	NE-CZ-NH1	6.87	123.73	120.30
1	A	713	ARG	NE-CZ-NH1	6.80	123.70	120.30
1	A	404	ARG	NE-CZ-NH1	6.70	123.65	120.30
1	B	255	ARG	NE-CZ-NH2	-6.66	116.97	120.30
1	B	497	ARG	NE-CZ-NH2	-6.55	117.03	120.30

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	744	ARG	NE-CZ-NH2	-6.37	117.11	120.30
1	B	578	ARG	NE-CZ-NH2	-6.35	117.12	120.30
1	B	403	ARG	NE-CZ-NH1	6.34	123.47	120.30
1	B	670	ASP	CB-CG-OD2	-6.33	112.60	118.30
1	A	428	MET	CA-CB-CG	-6.26	102.65	113.30
1	B	683	ASP	CB-CG-OD1	6.18	123.86	118.30
1	B	376	ASP	CB-CG-OD2	-6.15	112.76	118.30
1	B	506	ARG	NE-CZ-NH2	-6.12	117.24	120.30
1	B	65	ASP	CB-CG-OD2	-6.11	112.81	118.30
1	B	670	ASP	CB-CG-OD1	6.08	123.77	118.30
1	A	76	ASP	CB-CG-OD2	-6.08	112.83	118.30
1	B	404	ARG	NE-CZ-NH1	5.96	123.28	120.30
1	A	268	ASP	CB-CG-OD2	-5.96	112.94	118.30
1	B	268	ASP	CB-CG-OD1	5.94	123.65	118.30
1	A	167	ASP	CB-CG-OD1	5.94	123.64	118.30
1	B	98	ASP	CB-CG-OD2	-5.85	113.04	118.30
1	A	268	ASP	CB-CG-OD1	5.84	123.56	118.30
1	A	382	ARG	NE-CZ-NH2	-5.82	117.39	120.30
1	A	418	ARG	NE-CZ-NH2	-5.80	117.40	120.30
1	A	639	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	B	178	GLU	OE1-CD-OE2	-5.79	116.35	123.30
1	B	98	ASP	CB-CG-OD1	5.75	123.47	118.30
1	B	249	ASP	CB-CG-OD2	-5.72	113.15	118.30
1	B	159	TYR	CD1-CE1-CZ	5.63	124.87	119.80
1	A	40	ARG	NE-CZ-NH1	5.62	123.11	120.30
1	B	610	ARG	NE-CZ-NH1	5.59	123.10	120.30
1	B	633[A]	VAL	CG1-CB-CG2	-5.59	101.95	110.90
1	B	633[B]	VAL	CG1-CB-CG2	-5.59	101.95	110.90
1	A	118	ARG	NE-CZ-NH2	-5.58	117.51	120.30
1	A	506	ARG	NE-CZ-NH1	5.56	123.08	120.30
1	A	121	ASP	CB-CG-OD2	-5.54	113.32	118.30
1	A	616	LEU	CB-CG-CD1	-5.51	101.64	111.00
1	B	158	LYS	CD-CE-NZ	-5.43	99.21	111.70
1	B	434	TYR	CB-CG-CD1	5.43	124.26	121.00
1	B	506	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	A	434	TYR	CB-CG-CD1	5.37	124.22	121.00
1	B	701	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	B	414	ASP	CB-CG-OD1	5.31	123.08	118.30
1	A	326	LEU	CA-CB-CG	-5.30	103.11	115.30
1	A	610	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	A	543	LYS	CD-CE-NZ	-5.27	99.59	111.70
1	B	62	MET	C-N-CA	-5.16	111.47	122.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	343	GLU	CA-CB-CG	5.16	124.74	113.40
1	A	105	LEU	CB-CG-CD2	-5.15	102.24	111.00
1	B	412	PHE	CB-CG-CD2	-5.13	117.21	120.80
1	B	118	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	B	744	ARG	NE-CZ-NH1	5.07	122.84	120.30
1	A	670	ASP	CB-CG-OD1	5.03	122.83	118.30
1	B	689	ASP	CB-CG-OD2	-5.03	113.77	118.30
1	B	587	ASP	CB-CG-OD2	-5.00	113.80	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5532	0	5345	22	0
1	B	5552	0	5384	29	0
2	A	43	0	30	0	0
2	B	43	0	30	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
6	A	16	0	28	3	0
6	B	24	0	42	9	0
7	A	726	0	0	8	0
7	B	689	0	0	10	0
All	All	12633	0	10859	61	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

WORLDWIDE
wwPDB
PROTEIN DATA BANK

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119[B]:THR:HG21	7:A:1195:HOH:O	1.78	0.84
1:B:506:ARG:HE	6:B:802:MPD:H12	1.43	0.83
1:A:54:ARG:O	7:A:901:HOH:O	2.01	0.79
1:B:119[B]:THR:HG22	1:B:593:VAL:HG21	1.65	0.77
1:B:55:HIS:HD2	7:B:1228:HOH:O	1.67	0.76
6:B:802:MPD:H51	7:B:1227:HOH:O	1.86	0.75
1:B:119[B]:THR:HG23	7:B:1054:HOH:O	1.88	0.74
6:A:806:MPD:O4	6:A:806:MPD:O2	2.07	0.69
6:B:802:MPD:H13	7:B:1491:HOH:O	1.93	0.67
1:B:540:ARG:HA	1:B:540:ARG:NH1	2.13	0.64
1:B:629:PRO:O	1:B:633[A]:VAL:HG23	1.98	0.63
1:B:540:ARG:HA	1:B:540:ARG:CZ	2.28	0.63
1:A:70[A]:GLN:NE2	7:A:905:HOH:O	2.29	0.59
6:B:807:MPD:O4	6:B:807:MPD:C1	2.50	0.59
1:B:662:ASN:H	1:B:725:GLN:HE22	1.52	0.57
1:B:730[A]:ARG:HD2	7:B:1413:HOH:O	2.05	0.56
1:A:269:GLU:OE1	1:A:404:ARG:NH2	2.29	0.56
1:A:119[B]:THR:HG23	1:A:593:VAL:HG11	1.87	0.55
1:B:506:ARG:HE	6:B:802:MPD:C1	2.17	0.55
1:A:568:HIS:CD2	1:A:725:GLN:OE1	2.60	0.55
6:B:806:MPD:O4	6:B:806:MPD:HM2	2.05	0.55
1:A:269:GLU:HG2	7:A:1467:HOH:O	2.08	0.53
1:A:343:GLU:HG3	7:A:1471:HOH:O	2.09	0.53
1:A:50:SER:HA	1:A:53:HIS:CE1	2.44	0.52
6:B:802:MPD:C1	6:B:802:MPD:H52	2.40	0.52
1:B:428:MET:O	1:B:433:ARG:HD3	2.10	0.50
1:A:426:ARG:HG3	1:A:426:ARG:O	2.10	0.50
1:B:382:ARG:HD2	7:B:920:HOH:O	2.10	0.50
1:A:428:MET:O	1:A:433:ARG:HD3	2.12	0.49
1:B:591:MET:SD	1:B:594:LEU:HD12	2.52	0.49
1:A:51:ILE:HD11	1:A:618:VAL:HG12	1.94	0.49
1:B:633[A]:VAL:HG22	1:B:719:TYR:CZ	2.48	0.48
6:A:805:MPD:H11	6:A:805:MPD:C5	2.43	0.48
1:B:629:PRO:O	1:B:633[B]:VAL:HG12	2.14	0.47
1:B:51:ILE:HD11	1:B:618:VAL:HG12	1.96	0.47
1:A:255[A]:ARG:HG2	7:A:908:HOH:O	2.14	0.47
1:A:47:LEU:O	7:A:902:HOH:O	2.21	0.46
1:B:426[B]:ARG:NH2	7:B:901:HOH:O	0.62	0.46
1:B:633[A]:VAL:HG22	1:B:719:TYR:CE2	2.51	0.46
1:A:738:LYS:NZ	7:A:933:HOH:O	2.49	0.46
1:B:178:GLU:OE1	7:B:903:HOH:O	2.21	0.45
1:B:520[B]:GLN:OE1	1:B:647:GLN:NE2	2.49	0.45

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:805:MPD:H11	6:A:805:MPD:H53	1.98	0.45
1:A:466:LEU:O	1:A:470:VAL:HG23	2.17	0.44
1:B:406:HIS:HE1	7:B:1457:HOH:O	1.99	0.44
1:A:431:ARG:HD2	1:A:447:GLN:OE1	2.18	0.44
6:B:802:MPD:H12	6:B:802:MPD:H52	1.99	0.44
1:B:264:MET:O	1:B:265:ALA:HB3	2.18	0.44
1:B:115:GLY:O	1:B:264:MET:SD	2.77	0.43
1:B:633[A]:VAL:CG2	1:B:719:TYR:CZ	3.02	0.43
1:A:264:MET:O	1:A:265:ALA:HB3	2.18	0.43
1:B:183:LYS:HD2	7:B:1014:HOH:O	2.19	0.43
6:B:806:MPD:O4	6:B:806:MPD:CM	2.66	0.43
1:B:51:ILE:HD13	1:B:51:ILE:HG21	1.89	0.42
1:A:115:GLY:O	1:A:264:MET:SD	2.78	0.41
1:B:431:ARG:HD2	1:B:447:GLN:OE1	2.20	0.41
1:A:243:GLY:HA3	1:A:247:ASN:O	2.21	0.41
1:B:119[B]:THR:HG22	1:B:593:VAL:HG11	2.03	0.41
1:A:706:PHE:O	1:A:713:ARG:HA	2.20	0.40
1:A:119[B]:THR:CG2	1:A:593:VAL:HG11	2.51	0.40
1:B:74:LYS:HA	1:B:74:LYS:HE2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	714/728 (98%)	703 (98%)	11 (2%)	0	100	100
1	B	718/728 (99%)	708 (99%)	10 (1%)	0	100	100
All	All	1432/1456 (98%)	1411 (98%)	21 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	553/560 (99%)	543 (98%)	10 (2%)	59	52
1	B	557/560 (100%)	546 (98%)	11 (2%)	55	47
All	All	1110/1120 (99%)	1089 (98%)	21 (2%)	60	49

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	ARG
1	A	64	LYS
1	A	73	GLU
1	A	118	ARG
1	A	141	ASP
1	A	183	LYS
1	A	269	GLU
1	A	608	LYS
1	A	610	ARG
1	A	725	GLN
1	B	40	ARG
1	B	64	LYS
1	B	74	LYS
1	B	118	ARG
1	B	141	ASP
1	B	610	ARG
1	B	633[A]	VAL
1	B	633[B]	VAL
1	B	649[A]	ARG
1	B	649[B]	ARG
1	B	694	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	227	ASN
1	A	247	ASN
1	B	46	GLN
1	B	53	HIS
1	B	55	HIS
1	B	227	ASN
1	B	650	HIS
1	B	725	GLN

5.3.3   RNA ⓘ

There are no RNA molecules in this entry.

5.4   Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	#$|Z| > 2$	Counts	RMSZ	#$|Z| > 2$
1	TOX	A	111[A]	2	10,17,18	2.70	5 (50%)	10,23,25	2.27	4 (40%)
1	TOX	B	111[A]	-	10,17,18	3.99	5 (50%)	10,23,25	2.68	6 (60%)
1	TOX	B	111[B]	-	10,17,18	3.99	5 (50%)	10,23,25	2.68	6 (60%)
1	TOX	A	111[B]	-	10,17,18	2.70	5 (50%)	10,23,25	2.27	4 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TOX	A	111[A]	2	-	2/4/8/10	0/2/2/2
1	TOX	B	111[A]	-	-	2/4/8/10	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TOX	B	111[B]	-	-	2/4/8/10	0/2/2/2
1	TOX	A	111[B]	-	-	2/4/8/10	0/2/2/2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	111[A]	TOX	CD1-NE1	-10.65	1.28	1.39
1	B	111[B]	TOX	CD1-NE1	-10.65	1.28	1.39
1	A	111[A]	TOX	CD1-NE1	-5.28	1.34	1.39
1	A	111[B]	TOX	CD1-NE1	-5.28	1.34	1.39
1	B	111[A]	TOX	O-C	5.02	1.40	1.19
1	B	111[B]	TOX	O-C	5.02	1.40	1.19
1	A	111[A]	TOX	O-C	4.50	1.37	1.19
1	A	111[B]	TOX	O-C	4.50	1.37	1.19
1	A	111[A]	TOX	CE3-CD2	-3.37	1.35	1.42
1	A	111[B]	TOX	CE3-CD2	-3.37	1.35	1.42
1	B	111[A]	TOX	CZ2-CE2	-2.54	1.36	1.41
1	B	111[B]	TOX	CZ2-CE2	-2.54	1.36	1.41
1	A	111[A]	TOX	CH2-CZ3	2.50	1.44	1.38
1	A	111[B]	TOX	CH2-CZ3	2.50	1.44	1.38
1	B	111[A]	TOX	CE3-CD2	-2.45	1.37	1.42
1	B	111[B]	TOX	CE3-CD2	-2.45	1.37	1.42
1	B	111[A]	TOX	CH2-CZ3	2.06	1.43	1.38
1	B	111[B]	TOX	CH2-CZ3	2.06	1.43	1.38
1	A	111[A]	TOX	CZ3-CE3	2.01	1.41	1.36
1	A	111[B]	TOX	CZ3-CE3	2.01	1.41	1.36

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	111[A]	TOX	CB-CA-C	4.96	120.76	111.47
1	A	111[B]	TOX	CB-CA-C	4.96	120.76	111.47
1	B	111[A]	TOX	CB-CG-CD1	-4.50	122.41	127.97
1	B	111[B]	TOX	CB-CG-CD1	-4.50	122.41	127.97
1	B	111[A]	TOX	CZ3-CH2-CZ2	-4.24	114.50	120.44
1	B	111[B]	TOX	CZ3-CH2-CZ2	-4.24	114.50	120.44
1	A	111[A]	TOX	CZ2-CE2-CD2	-3.54	116.12	120.94
1	A	111[B]	TOX	CZ2-CE2-CD2	-3.54	116.12	120.94
1	B	111[A]	TOX	CB-CA-C	3.40	117.84	111.47
1	B	111[B]	TOX	CB-CA-C	3.40	117.84	111.47
1	B	111[A]	TOX	CB-CG-CD2	2.90	130.76	126.25
1	B	111[B]	TOX	CB-CG-CD2	2.90	130.76	126.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	111[A]	TOX	CZ3-CE3-CD2	-2.70	117.15	120.89
1	A	111[B]	TOX	CZ3-CE3-CD2	-2.70	117.15	120.89
1	B	111[A]	TOX	CH2-CZ2-CE2	2.49	124.23	119.44
1	B	111[B]	TOX	CH2-CZ2-CE2	2.49	124.23	119.44
1	B	111[A]	TOX	CH2-CZ3-CE3	2.17	123.48	120.44
1	B	111[B]	TOX	CH2-CZ3-CE3	2.17	123.48	120.44
1	A	111[A]	TOX	CE3-CD2-CG	-2.10	130.57	134.42
1	A	111[B]	TOX	CE3-CD2-CG	-2.10	130.57	134.42

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	111[A]	TOX	N-CA-CB-CG
1	A	111[A]	TOX	C-CA-CB-CG
1	A	111[B]	TOX	N-CA-CB-CG
1	A	111[B]	TOX	C-CA-CB-CG
1	B	111[A]	TOX	N-CA-CB-CG
1	B	111[A]	TOX	C-CA-CB-CG
1	B	111[B]	TOX	N-CA-CB-CG
1	B	111[B]	TOX	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 13 ligands modelled in this entry, 4 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	#|Z| > 2	Counts	RMSZ	#|Z| > 2
6	MPD	B	807	-	7,7,7	0.79	0	9,10,10	1.06	0
2	HEM	B	801	1	41,50,50	1.36	8 (19%)	45,82,82	1.90	12 (26%)
6	MPD	A	805	-	7,7,7	0.53	0	9,10,10	1.56	3 (33%)
6	MPD	A	806	-	7,7,7	0.99	1 (14%)	9,10,10	2.51	6 (66%)
5	OXY	A	804	-	1,1,1	0.17	0	-		
6	MPD	B	802	-	7,7,7	1.01	0	9,10,10	1.52	2 (22%)
5	OXY	B	805	-	1,1,1	0.39	0	-		
6	MPD	B	806	-	7,7,7	0.78	0	9,10,10	0.82	0
2	HEM	A	801	1	41,50,50	1.81	11 (26%)	45,82,82	2.47	22 (48%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	801	1	-	2/12/54/54	-
6	MPD	B	807	-	-	3/5/5/5	-
2	HEM	B	801	1	-	2/12/54/54	-
6	MPD	A	805	-	-	1/5/5/5	-
6	MPD	B	802	-	-	1/5/5/5	-
6	MPD	B	806	-	-	4/5/5/5	-
6	MPD	A	806	-	-	1/5/5/5	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	HEM	C4D-ND	-4.51	1.32	1.40
2	A	801	HEM	C4B-NB	-3.82	1.30	1.38
2	A	801	HEM	C1B-NB	-3.75	1.33	1.40
2	B	801	HEM	C1B-NB	-3.63	1.34	1.40
2	A	801	HEM	O1D-CGD	3.56	1.33	1.22
2	A	801	HEM	FE-NB	3.37	2.13	1.96
2	A	801	HEM	CHB-C1B	2.82	1.42	1.35
2	A	801	HEM	C1D-ND	-2.70	1.33	1.38
2	B	801	HEM	CHB-C1B	2.49	1.41	1.35
2	A	801	HEM	CAA-C2A	2.47	1.55	1.52
2	B	801	HEM	C1D-C2D	-2.38	1.40	1.44
2	A	801	HEM	CMA-C3A	-2.30	1.46	1.51
2	B	801	HEM	FE-NB	2.27	2.08	1.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	HEM	C1A-NA	2.25	1.40	1.36
2	A	801	HEM	C4D-C3D	-2.13	1.41	1.45
2	B	801	HEM	C4D-C3D	-2.12	1.41	1.45
2	B	801	HEM	O2A-CGA	-2.08	1.23	1.30
6	A	806	MPD	C5-C4	2.08	1.60	1.51
2	B	801	HEM	CMC-C2C	2.07	1.56	1.51
2	B	801	HEM	C4A-NA	-2.05	1.32	1.36

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	HEM	C2C-C3C-C4C	4.86	110.29	106.90
2	A	801	HEM	CMA-C3A-C4A	-4.38	121.72	128.46
2	B	801	HEM	CBD-CAD-C3D	4.26	124.47	112.63
6	A	806	MPD	O2-C2-CM	4.23	121.65	108.08
2	A	801	HEM	C3B-C2B-C1B	-4.15	103.40	106.49
2	B	801	HEM	CMA-C3A-C4A	-4.14	122.09	128.46
2	A	801	HEM	C4A-C3A-C2A	4.09	109.84	107.00
2	B	801	HEM	C4B-CHC-C1C	4.05	127.90	122.56
2	B	801	HEM	CAA-CBA-CGA	-3.89	102.86	113.76
2	A	801	HEM	CMB-C2B-C1B	-3.84	119.19	125.04
2	A	801	HEM	C3C-C4C-NC	-3.84	103.69	110.94
2	A	801	HEM	CHB-C1B-NB	3.76	129.03	124.38
2	B	801	HEM	O1D-CGD-CBD	-3.64	111.39	123.08
2	A	801	HEM	C4C-CHD-C1D	3.40	127.05	122.56
6	A	806	MPD	O2-C2-C1	-3.39	97.21	108.08
2	A	801	HEM	CMB-C2B-C3B	3.37	136.56	128.30
2	A	801	HEM	CAA-CBA-CGA	-3.33	104.44	113.76
2	A	801	HEM	C1B-NB-C4B	3.31	108.49	105.07
2	A	801	HEM	C3D-C4D-ND	3.24	113.77	110.17
2	A	801	HEM	CBD-CAD-C3D	3.21	121.54	112.63
2	A	801	HEM	CAD-C3D-C4D	3.16	130.19	124.66
2	A	801	HEM	C4D-C3D-C2D	-2.97	102.57	106.90
2	B	801	HEM	C3C-C4C-NC	-2.95	105.37	110.94
2	A	801	HEM	O2D-CGD-CBD	2.94	123.49	114.03
6	B	802	MPD	C1-C2-C3	2.93	123.59	109.96
2	A	801	HEM	CHC-C4B-NB	2.80	127.48	124.43
2	B	801	HEM	CMA-C3A-C2A	2.69	130.01	124.94
6	A	806	MPD	C1-C2-C3	2.68	122.45	109.96
2	B	801	HEM	CHC-C4B-NB	2.59	127.25	124.43
6	A	806	MPD	O4-C4-C3	-2.59	100.90	111.36
2	A	801	HEM	CHA-C4D-C3D	-2.54	120.56	125.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
6	A	805	MPD	O2-C2-C3	-2.54	100.26	109.80
2	A	801	HEM	CHB-C1B-C2B	-2.44	119.99	126.72
2	B	801	HEM	CHA-C4D-C3D	-2.36	120.89	125.33
2	B	801	HEM	CBA-CAA-C2A	2.33	116.59	112.62
2	A	801	HEM	CBB-CAB-C3B	-2.30	116.18	127.62
6	A	806	MPD	CM-C2-C1	-2.28	105.81	110.57
6	A	806	MPD	O4-C4-C5	2.28	119.24	109.38
6	B	802	MPD	O4-C4-C3	2.22	120.32	111.36
2	A	801	HEM	O1D-CGD-CBD	-2.16	116.14	123.08
2	B	801	HEM	O1A-CGA-CBA	-2.13	116.25	123.08
2	B	801	HEM	O2D-CGD-O1D	2.08	128.49	123.30
6	A	805	MPD	O4-C4-C3	-2.06	103.04	111.36
6	A	805	MPD	C5-C4-C3	2.05	121.35	111.69
2	A	801	HEM	C4B-CHC-C1C	2.01	125.21	122.56

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	805	MPD	C2-C3-C4-C5
6	B	802	MPD	C2-C3-C4-O4
6	B	806	MPD	O2-C2-C3-C4
6	B	806	MPD	CM-C2-C3-C4
6	B	807	MPD	C1-C2-C3-C4
6	B	807	MPD	O2-C2-C3-C4
6	A	806	MPD	O2-C2-C3-C4
6	B	806	MPD	C1-C2-C3-C4
2	A	801	HEM	CAA-CBA-CGA-O2A
2	B	801	HEM	CAA-CBA-CGA-O1A
2	A	801	HEM	CAA-CBA-CGA-O1A
2	B	801	HEM	CAA-CBA-CGA-O2A
6	B	807	MPD	C2-C3-C4-C5
6	B	806	MPD	C2-C3-C4-O4

There are no ring outliers.

5 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	807	MPD	1	0
6	A	805	MPD	2	0
6	A	806	MPD	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	802	MPD	6	0
6	B	806	MPD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand HEM B 801

Bond lengths

Bond angles

Torsions

Rings

Ligand HEM A 801

Bond lengths

Bond angles

Torsions

Rings

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6   Fit of model and data ⓘ

6.1   Protein, DNA and RNA chains ⓘ

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å²)	Q<0.9
1	A	712/728 (97%)	-0.36	9 (1%) 77	79	16, 25, 44, 77	0
1	B	712/728 (97%)	-0.35	7 (0%) 82	83	17, 24, 44, 87	0
All	All	1424/1456 (97%)	-0.36	16 (1%) 80	82	16, 25, 44, 87	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	748	ALA	4.4
1	B	679	ALA	4.0
1	A	748	ALA	3.3
1	B	680	ALA	3.3
1	B	610	ARG	3.1
1	B	540	ARG	2.6
1	A	608	LYS	2.6
1	A	540	ARG	2.5
1	A	53	HIS	2.5
1	A	55	HIS	2.5
1	A	213	GLY	2.5
1	B	53	HIS	2.3
1	A	679	ALA	2.2
1	B	65	ASP	2.1
1	A	215	PRO	2.1
1	A	680	ALA	2.1

## 6.2   Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
1	TOX	A	111[A]	16/17	0.96	0.14	19,21,26,27	2
1	TOX	A	111[B]	16/17	0.96	0.14	19,21,23,27	2
1	TOX	B	111[A]	16/17	0.97	0.13	15,19,26,26	1
1	TOX	B	111[B]	16/17	0.97	0.13	15,19,23,26	1

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
6	MPD	B	807	8/8	0.78	0.22	54,59,66,66	0
6	MPD	A	805	8/8	0.86	0.19	45,50,57,57	0
6	MPD	B	802	8/8	0.87	0.14	40,46,48,48	0
5	OXY	B	805	2/2	0.89	0.28	40,40,40,42	0
6	MPD	B	806	8/8	0.89	0.16	41,46,48,50	0
6	MPD	A	806	8/8	0.89	0.18	47,53,55,56	0
5	OXY	A	804	2/2	0.94	0.17	37,37,37,40	0
4	CL	B	804	1/1	0.97	0.06	36,36,36,36	0
2	HEM	A	801	43/43	0.98	0.09	16,20,22,23	0
2	HEM	B	801	43/43	0.98	0.13	17,20,22,23	0
3	NA	B	803	1/1	0.98	0.04	22,22,22,22	0
4	CL	A	803	1/1	0.98	0.06	40,40,40,40	0
3	NA	A	802	1/1	0.99	0.04	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HEM A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around HEM B 801:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

6.5 Other polymers ⓘ

There are no such residues in this entry.