



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 14, 2017 – 02:51 PM EDT

PDB ID : 5KW1
Title : Crystal Structure of the Two Tandem RRM Domains of PUF60 Bound to a Modified AdML Pre-mRNA 3' Splice Site Analogue
Authors : Crichlow, G.V.; Hsiao, H.-H.; Albright, R.; Lolis, E.J.; Braddock, D.T.
Deposited on : unknown
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.9-1692
EDS : rb-20029824
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20029824


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4243 (2.10-2.10)
Clashscore	112137	4788 (2.10-2.10)
Ramachandran outliers	110173	4740 (2.10-2.10)
Sidechain outliers	110143	4741 (2.10-2.10)
RSRZ outliers	101464	4275 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	216	
1	B	216	
2	C	30	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3191 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Poly(U)-binding-splicing factor PUF60.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	198	1513	958	260	288	7	0	0	0
1	B	196	1500	950	256	287	7	0	0	1

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	101	GLY	-	expression tag	UNP Q9UHX1
A	102	SER	-	expression tag	UNP Q9UHX1
A	103	HIS	-	expression tag	UNP Q9UHX1
A	104	MET	-	expression tag	UNP Q9UHX1
A	105	ALA	-	expression tag	UNP Q9UHX1
A	106	SER	-	expression tag	UNP Q9UHX1
A	107	MET	-	expression tag	UNP Q9UHX1
A	108	THR	-	expression tag	UNP Q9UHX1
A	109	GLY	-	expression tag	UNP Q9UHX1
A	110	GLY	-	expression tag	UNP Q9UHX1
A	111	GLN	-	expression tag	UNP Q9UHX1
A	112	GLN	-	expression tag	UNP Q9UHX1
A	113	MET	-	expression tag	UNP Q9UHX1
A	114	GLY	-	expression tag	UNP Q9UHX1
A	115	ARG	-	expression tag	UNP Q9UHX1
A	116	GLY	-	expression tag	UNP Q9UHX1
A	117	SER	-	expression tag	UNP Q9UHX1
A	123	GLY	ARG	engineered mutation	UNP Q9UHX1
A	129	SER	CYS	engineered mutation	UNP Q9UHX1
A	255	ALA	CYS	engineered mutation	UNP Q9UHX1
B	101	GLY	-	expression tag	UNP Q9UHX1
B	102	SER	-	expression tag	UNP Q9UHX1
B	103	HIS	-	expression tag	UNP Q9UHX1
B	104	MET	-	expression tag	UNP Q9UHX1
B	105	ALA	-	expression tag	UNP Q9UHX1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	106	SER	-	expression tag	UNP Q9UHX1
B	107	MET	-	expression tag	UNP Q9UHX1
B	108	THR	-	expression tag	UNP Q9UHX1
B	109	GLY	-	expression tag	UNP Q9UHX1
B	110	GLY	-	expression tag	UNP Q9UHX1
B	111	GLN	-	expression tag	UNP Q9UHX1
B	112	GLN	-	expression tag	UNP Q9UHX1
B	113	MET	-	expression tag	UNP Q9UHX1
B	114	GLY	-	expression tag	UNP Q9UHX1
B	115	ARG	-	expression tag	UNP Q9UHX1
B	116	GLY	-	expression tag	UNP Q9UHX1
B	117	SER	-	expression tag	UNP Q9UHX1
B	123	GLY	ARG	engineered mutation	UNP Q9UHX1
B	129	SER	CYS	engineered mutation	UNP Q9UHX1
B	255	ALA	CYS	engineered mutation	UNP Q9UHX1

- Molecule 2 is DNA/RNA hybrid called DNA/RNA (30-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O	P		
2	C	4	79	37	11	27	4	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cl		
3	A	1	1	1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	A	54	54	54	0	0
4	B	44	44	44	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	62.43Å 62.43Å 83.31Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.10 29.23 – 2.10	Depositor EDS
% Data completeness (in resolution range)	94.5 (30.00-2.10) 94.7 (29.23-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.57 (at 2.10Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.220 , 0.237 0.221 , 0.239	Depositor DCC
R_{free} test set	952 reflections (4.74%)	DCC
Wilson B-factor (Å ²)	37.4	Xtriage
Anisotropy	0.164	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 32.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.029 for -h,-k,l 0.348 for h,-h-k,-l 0.032 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3191	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/1543	0.68	0/2083
1	B	0.40	0/1530	0.66	0/2065
2	C	0.79	0/86	0.80	0/127
All	All	0.45	0/3159	0.68	0/4275

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1513	0	1490	38	0
1	B	1500	0	1478	46	0
2	C	79	0	43	4	0
3	A	1	0	0	0	0
4	A	54	0	0	0	0
4	B	44	0	0	3	0
All	All	3191	0	3011	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:307:MET:HB3	1:B:310:LEU:HG	1.46	0.96
1:B:137:TYR:HA	1:B:198:ARG:CZ	2.11	0.81
1:B:209:GLY:O	1:B:210:GLN:HB3	1.80	0.81
1:B:208:ILE:HD13	1:B:209:GLY:H	1.47	0.80
1:A:310:LEU:O	1:A:311:THR:C	2.18	0.77
1:B:146:ARG:HH11	1:B:146:ARG:HB3	1.49	0.77
1:A:208:ILE:HG23	1:A:211:ALA:HB3	1.68	0.76
1:B:251:LYS:HE3	1:B:275:GLU:OE2	1.89	0.73
1:B:137:TYR:CE2	1:B:139:GLU:HB2	2.25	0.71
1:A:234:HIS:HB3	1:A:237:LEU:CD2	2.21	0.70
1:B:307:MET:CB	1:B:310:LEU:HG	2.20	0.70
1:B:194:MET:HG3	1:B:199:ASN:OD1	1.93	0.67
1:A:207:ASN:CG	1:A:208:ILE:N	2.49	0.65
1:A:162:TRP:NE1	1:A:164:SER:HB2	2.12	0.64
1:A:138:TYR:CE1	1:A:139:GLU:HG2	2.32	0.64
1:B:137:TYR:HA	1:B:198:ARG:NE	2.13	0.64
1:B:146:ARG:HB3	1:B:146:ARG:NH1	2.12	0.62
1:B:207:ASN:O	1:B:209:GLY:N	2.31	0.62
1:B:208:ILE:HD13	1:B:209:GLY:N	2.17	0.60
1:B:127:ILE:HD13	1:B:208:ILE:HA	1.84	0.60
1:B:301:LYS:HG3	1:B:302:ALA:N	2.18	0.59
1:A:205:PRO:HB3	2:C:18:DG:O6	2.03	0.58
1:A:237:LEU:HD11	1:A:292:LEU:HD21	1.85	0.58
1:B:209:GLY:O	1:B:210:GLN:CB	2.51	0.57
1:B:207:ASN:O	1:B:208:ILE:HD13	2.03	0.57
1:A:216:ASP:O	1:A:220:GLU:HG3	2.05	0.57
1:A:184:GLN:O	1:A:188:GLU:HG3	2.05	0.57
1:B:137:TYR:CE2	1:B:139:GLU:CB	2.87	0.56
1:A:207:ASN:HB3	2:C:18:DG:O6	2.05	0.56
1:A:152:PHE:CE2	1:A:190:MET:HG2	2.41	0.56
1:B:139:GLU:HA	1:B:139:GLU:OE1	2.07	0.55
1:B:242:ILE:HG22	1:B:272:ILE:HD11	1.89	0.54
1:A:217:GLN:HG3	1:A:221:GLU:OE2	2.08	0.54
1:B:305:PRO:O	1:B:308:PRO:HD3	2.08	0.54
1:A:244:SER:O	1:A:247:GLU:HG2	2.08	0.54
1:B:122:GLN:HG2	4:B:442:HOH:O	2.08	0.53
1:A:207:ASN:CG	1:A:208:ILE:H	2.10	0.53
1:B:155:ILE:HD12	1:B:175:VAL:CG1	2.39	0.52
1:B:246:PHE:HB3	1:B:274:TYR:OH	2.10	0.52
1:B:239:ASP:OD1	1:B:259:ARG:NH2	2.43	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:TRP:HZ2	1:B:167:MET:SD	2.34	0.51
1:A:288:ASN:O	1:A:289:LEU:HB2	2.12	0.50
1:A:207:ASN:O	1:A:209:GLY:N	2.44	0.50
1:A:137:TYR:HB3	1:A:140:LEU:HG	1.94	0.49
1:A:241:ASP:O	1:A:245:VAL:HG23	2.12	0.49
1:B:162:TRP:CZ3	1:B:168:LYS:HA	2.47	0.49
1:A:259:ARG:HD2	1:A:264:GLY:O	2.13	0.49
1:A:161:SER:HB2	1:A:170:LYS:HB2	1.95	0.49
1:B:154:PRO:HG2	1:B:178:GLU:OE2	2.13	0.48
1:B:184:GLN:O	1:B:188:GLU:HG3	2.13	0.48
1:B:194:MET:HE3	4:B:426:HOH:O	2.13	0.48
1:B:253:LYS:HE3	1:B:275:GLU:HA	1.95	0.48
1:B:207:ASN:C	1:B:208:ILE:HG23	2.33	0.48
1:A:162:TRP:HE1	1:A:164:SER:HB2	1.78	0.48
1:A:127:ILE:HD13	1:A:208:ILE:HA	1.96	0.48
1:A:164:SER:C	1:A:167:MET:H	2.18	0.47
1:A:207:ASN:C	1:A:207:ASN:ND2	2.67	0.47
1:A:150:ALA:N	1:A:151:PRO:CD	2.79	0.46
1:B:185:LEU:HD21	1:B:300:GLY:HA3	1.98	0.46
1:B:303:VAL:HG23	1:B:304:THR:HG23	1.98	0.45
1:B:149:PHE:HB3	1:B:177:TYR:OH	2.18	0.44
1:B:208:ILE:CG1	1:B:209:GLY:N	2.79	0.44
1:A:243:LYS:HE3	1:A:247:GLU:OE2	2.17	0.44
1:A:205:PRO:HB3	2:C:18:DG:C6	2.52	0.44
1:A:207:ASN:ND2	1:A:208:ILE:N	2.66	0.44
1:B:150:ALA:N	1:B:151:PRO:CD	2.81	0.44
1:A:292:LEU:HD23	1:A:293:GLY:N	2.34	0.43
1:B:247:GLU:HG3	4:B:435:HOH:O	2.18	0.43
1:B:241:ASP:O	1:B:245:VAL:HG23	2.19	0.43
1:A:220:GLU:HG2	1:A:223:ARG:HH21	1.84	0.42
1:B:208:ILE:CD1	1:B:209:GLY:N	2.81	0.42
1:A:238:SER:H	1:A:241:ASP:HB2	1.85	0.42
1:B:212:GLN:N	1:B:213:PRO:HD2	2.35	0.41
1:A:152:PHE:CE2	1:A:190:MET:CG	3.03	0.41
1:B:152:PHE:CD2	1:B:152:PHE:N	2.89	0.41
1:B:288:ASN:O	1:B:289:LEU:HB2	2.21	0.41
1:A:212:GLN:HB3	1:A:213:PRO:HD3	2.03	0.41
1:B:161:SER:HB2	1:B:170:LYS:HB2	2.03	0.41
1:A:208:ILE:HG22	1:A:209:GLY:N	2.35	0.41
1:B:207:ASN:HB2	2:C:29:DU:O4	2.21	0.41
1:A:115:ARG:HB3	1:A:217:GLN:HG2	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:LYS:CE	1:A:247:GLU:OE2	2.69	0.40
1:A:237:LEU:HD21	1:A:292:LEU:HD22	2.02	0.40
1:B:156:LYS:HD3	1:B:176:GLU:CD	2.41	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	196/216 (91%)	188 (96%)	4 (2%)	4 (2%)	9 4
1	B	194/216 (90%)	186 (96%)	5 (3%)	3 (2%)	12 6
All	All	390/432 (90%)	374 (96%)	9 (2%)	7 (2%)	10 4

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	115	ARG
1	A	207	ASN
1	B	207	ASN
1	A	209	GLY
1	B	208	ILE
1	B	209	GLY
1	A	208	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	156/171 (91%)	146 (94%)	10 (6%)	20	17
1	B	156/171 (91%)	147 (94%)	9 (6%)	23	20
All	All	312/342 (91%)	293 (94%)	19 (6%)	22	18

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	115	ARG
1	A	146	ARG
1	A	179	VAL
1	A	205	PRO
1	A	207	ASN
1	A	239	ASP
1	A	243	LYS
1	A	307	MET
1	A	309	LEU
1	A	311	THR
1	B	139	GLU
1	B	160	MET
1	B	195	LEU
1	B	208	ILE
1	B	210	GLN
1	B	236	ASP
1	B	239	ASP
1	B	301	LYS
1	B	310	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	147	GLN
1	A	207	ASN
1	A	235	GLN
1	B	281	GLN
1	B	295	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	198/216 (91%)	-0.32	1 (0%) 90 92	30, 41, 59, 70	0
1	B	196/216 (90%)	-0.32	2 (1%) 82 85	31, 40, 56, 66	0
2	C	1/30 (3%)	1.15	0 100 100	80, 80, 80, 80	0
All	All	395/462 (85%)	-0.32	3 (0%) 86 88	30, 41, 57, 80	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	209	GLY	2.6
1	B	310	LEU	2.3
1	A	307	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	CL	A	401	1/1	0.74	0.14	-	99,99,99,99	0

6.5 Other polymers [i](#)

There are no such residues in this entry.