



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 23, 2023 – 11:58 PM EDT

PDB ID : 5L0D
Title : Human Metavinculin(residues 959-1130) in complex with PIP2
Authors : Chinthalapudi, K.; Izard, T.
Deposited on : 2016-07-27
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	172	 5% 74% 24%
1	B	172	 7% 69% 30%
1	C	172	 6% 76% 22%
1	D	172	 9% 73% 24%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PIO	B	1201	-	-	-	X
2	PIO	D	1201	-	-	-	X

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 5450 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vinculin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	168	Total 1297	C 795	N 246	O 247	S 9	0	0	0
1	B	170	Total 1316	C 810	N 248	O 249	S 9	0	1	0
1	C	168	Total 1291	C 793	N 244	O 245	S 9	0	0	0
1	D	166	Total 1273	C 781	N 239	O 244	S 9	0	0	0

- Molecule 2 is [(2R)-2-octanoyloxy-3-[oxidanyl-[(1R,2R,3S,4R,5R,6S)-2,3,6-tris(oxidanyl)-4,5-diphosphonoxy-cyclohexyl]oxy-phosphoryl]oxy-propyl] octanoate (three-letter code: PIO) (formula: C₂₅H₄₉O₁₉P₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
2	B	1	Total 24	C 6	O 15	P 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	C	O	P	0	0
			24	6	15	3		
2	D	1	Total	C	O	P	0	0
			26	8	15	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	63	Total	O	0	0
			63	63		
3	B	52	Total	O	0	0
			52	52		
3	C	43	Total	O	0	0
			43	43		
3	D	41	Total	O	0	0
			41	41		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Vinculin



- Molecule 1: Vinculin




- Molecule 1: Vinculin



- Molecule 1: Vinculin





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	120.62Å 58.55Å 112.49Å 90.00° 113.15° 90.00°	Depositor
Resolution (Å)	50.13 – 2.75 50.13 – 2.75	Depositor EDS
% Data completeness (in resolution range)	99.8 (50.13-2.75) 99.7 (50.13-2.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.21 (at 2.73Å)	Xtrriage
Refinement program	BUSTER 2.10.1	Depositor
R, R_{free}	0.207 , 0.259 0.239 , 0.279	Depositor DCC
R_{free} test set	901 reflections (4.73%)	wwPDB-VP
Wilson B-factor (Å ²)	38.8	Xtrriage
Anisotropy	1.090	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 71.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5450	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 47.61 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.6858e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PIO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.55	0/1304	0.60	0/1751
1	B	0.52	0/1327	0.66	0/1782
1	C	0.54	0/1299	0.64	0/1744
1	D	0.53	0/1280	0.63	0/1719
All	All	0.54	0/5210	0.63	0/6996

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1297	0	1370	67	0
1	B	1316	0	1391	63	0
1	C	1291	0	1358	49	0
1	D	1273	0	1335	90	0
2	B	24	0	9	1	0
2	D	50	0	20	1	0
3	A	63	0	0	3	0
3	B	52	0	0	2	0
3	C	43	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	41	0	0	7	0
All	All	5450	0	5483	248	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (248) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:963:ASN:HD21	1:D:1005:VAL:CG1	1.26	1.48
1:D:1054:GLU:O	1:D:1057:PRO:HD2	1.22	1.35
1:D:964:GLN:NE2	3:D:1301:HOH:O	1.65	1.27
1:C:1070:LYS:HA	1:C:1073:MET:HE3	1.23	1.19
1:A:963:ASN:ND2	1:A:966:ILE:HG13	1.55	1.18
1:D:963:ASN:ND2	1:D:1005:VAL:CG1	2.04	1.17
1:A:1073:MET:HG2	1:A:1079:ILE:HD13	1.17	1.16
1:D:963:ASN:ND2	1:D:1005:VAL:HG11	1.58	1.16
1:A:979:LYS:O	1:A:1129:LYS:HG3	1.46	1.14
1:B:967:LEU:HD23	1:D:1125:ARG:NE	1.61	1.13
1:B:992:LYS:O	1:B:996:LEU:HD13	1.47	1.11
1:A:963:ASN:HD22	1:A:966:ILE:CG1	1.63	1.10
1:A:1073:MET:CG	1:A:1079:ILE:HD13	1.81	1.10
1:D:963:ASN:HD21	1:D:1005:VAL:HG11	1.08	1.10
1:B:967:LEU:HD23	1:D:1125:ARG:HE	0.94	1.07
1:B:967:LEU:CD2	1:D:1125:ARG:HE	1.67	1.07
2:B:1201:PIO:O41	3:B:1301:HOH:O	1.73	1.07
1:C:1024:LYS:NZ	3:C:1201:HOH:O	1.88	1.07
1:B:967:LEU:HG	1:D:1125:ARG:HH11	0.96	1.06
1:B:967:LEU:HG	1:D:1125:ARG:NH1	1.68	1.06
1:A:963:ASN:HD22	1:A:966:ILE:HG13	1.06	1.02
1:B:967:LEU:CD2	1:D:1125:ARG:NE	2.24	1.00
1:A:968:ALA:HB1	1:B:1107:ARG:HH22	1.28	0.97
1:D:1089:GLU:O	1:D:1093:HIS:CD2	2.18	0.97
1:C:972:SER:HA	1:C:975:ARG:NH1	1.82	0.95
1:B:1112:ALA:O	1:B:1116:ILE:HG13	1.68	0.94
1:A:1073:MET:CG	1:A:1079:ILE:CD1	2.46	0.94
1:D:963:ASN:HD21	1:D:1005:VAL:HG12	1.32	0.93
1:D:1054:GLU:O	1:D:1057:PRO:CD	2.14	0.92
1:A:963:ASN:ND2	1:A:965:PRO:HG2	1.84	0.92
1:C:1016:ILE:HG22	1:C:1020:LYS:HE2	1.51	0.92
1:C:1016:ILE:CG2	1:C:1020:LYS:HE2	1.99	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1073:MET:SD	1:A:1079:ILE:HD12	2.12	0.90
1:D:963:ASN:ND2	1:D:1005:VAL:CB	2.35	0.90
1:A:980:TRP:CH2	1:A:1128:ARG:HD3	2.07	0.90
1:C:1070:LYS:HA	1:C:1073:MET:CE	2.01	0.90
1:A:963:ASN:HD21	1:A:965:PRO:HG2	1.37	0.89
1:A:1073:MET:SD	1:A:1079:ILE:CD1	2.61	0.88
1:D:965:PRO:HB2	1:D:1092:VAL:HG13	1.57	0.87
1:A:979:LYS:O	1:A:1129:LYS:CG	2.23	0.86
1:A:1073:MET:HB3	1:A:1079:ILE:HD11	1.58	0.86
1:B:1008:GLY:O	1:B:1011:THR:OG1	1.93	0.86
1:D:963:ASN:ND2	1:D:1005:VAL:HB	1.92	0.84
1:D:964:GLN:CG	1:D:965:PRO:HD3	2.06	0.84
1:C:962:VAL:HG13	1:C:1002:SER:HB2	1.60	0.84
1:C:1007:GLY:O	1:C:1074:LEU:HD13	1.77	0.84
1:C:962:VAL:HG13	1:C:1002:SER:CB	2.09	0.83
1:C:1070:LYS:HD2	1:C:1073:MET:HE1	1.59	0.82
1:B:1113:SER:HA	1:B:1116:ILE:HD12	1.61	0.81
1:D:1077:THR:HG23	3:D:1319:HOH:O	1.78	0.81
1:D:964:GLN:HG2	1:D:965:PRO:HD3	1.63	0.81
1:A:980:TRP:CH2	1:A:1128:ARG:CD	2.64	0.81
1:A:1115:LYS:HE2	1:A:1119:ASP:OD2	1.81	0.80
1:D:963:ASN:HD21	1:D:1005:VAL:CB	1.92	0.80
1:C:1000:GLU:O	1:C:1004:LEU:HD13	1.83	0.79
1:D:966:ILE:HD11	1:D:1005:VAL:HG21	1.64	0.79
1:C:1073:MET:CE	1:C:1087:ALA:CB	2.61	0.79
1:B:992:LYS:O	1:B:996:LEU:CD1	2.29	0.77
1:B:1121:GLY:O	1:B:1125:ARG:HD2	1.85	0.77
1:D:1123:THR:HG23	1:D:1124:LEU:N	1.99	0.77
1:D:1001:MET:O	1:D:1005:VAL:HG23	1.85	0.76
1:C:962:VAL:CG1	1:C:1002:SER:HB2	2.14	0.76
1:D:965:PRO:CB	1:D:1092:VAL:CG1	2.64	0.76
1:D:966:ILE:HB	1:D:1002:SER:OG	1.84	0.76
1:D:1049:LEU:O	1:D:1053:CYS:SG	2.44	0.75
1:A:974:HIS:CE1	1:A:978:THR:OG1	2.39	0.75
1:D:965:PRO:HB2	1:D:1092:VAL:CG1	2.18	0.74
1:A:963:ASN:OD1	1:A:965:PRO:HD2	1.88	0.73
1:C:1070:LYS:HD2	1:C:1073:MET:CE	2.17	0.73
1:D:966:ILE:CD1	1:D:1005:VAL:HG21	2.18	0.73
1:A:980:TRP:CZ3	1:A:1128:ARG:HD2	2.23	0.73
1:B:1073:MET:HE1	1:B:1084:SER:HA	1.68	0.73
1:B:1076:ARG:NH2	1:B:1078:ASN:ND2	2.36	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:988:ILE:HD11	1:B:1126:TRP:CZ3	2.24	0.73
1:D:1052:VAL:O	1:D:1055:ARG:HG2	1.89	0.72
1:A:968:ALA:CB	1:B:1107:ARG:HH22	2.02	0.72
1:A:968:ALA:HB1	1:B:1107:ARG:NH2	2.04	0.72
1:C:1073:MET:CE	1:C:1087:ALA:HB1	2.20	0.72
1:C:1073:MET:HE1	1:C:1087:ALA:CB	2.20	0.72
1:A:963:ASN:HD22	1:A:966:ILE:CB	2.04	0.70
1:C:1000:GLU:HG3	1:C:1003:ARG:NH2	2.06	0.70
1:D:974:HIS:O	1:D:978:THR:HG22	1.91	0.70
1:C:976:GLU:O	1:C:979:LYS:HG2	1.92	0.70
1:C:1004:LEU:HD23	1:C:1015:LEU:HA	1.75	0.69
1:C:1016:ILE:O	1:C:1020:LYS:HG3	1.91	0.69
1:C:1110:GLU:O	1:C:1114:ILE:HG12	1.93	0.69
1:D:965:PRO:CB	1:D:1092:VAL:HG13	2.22	0.68
1:B:984:GLY:HA2	1:B:1122:PHE:O	1.94	0.68
1:D:1050:LEU:HA	1:D:1053:CYS:SG	2.33	0.68
1:D:964:GLN:HG3	1:D:965:PRO:HD3	1.75	0.67
1:A:1009:SER:O	3:A:1201:HOH:O	2.11	0.67
1:C:1073:MET:HE2	1:C:1087:ALA:HB1	1.75	0.67
1:D:965:PRO:CB	1:D:1092:VAL:HG11	2.26	0.66
1:B:974:HIS:O	1:B:978:THR:HG22	1.96	0.66
1:C:961:PRO:HG2	3:C:1213:HOH:O	1.95	0.66
2:D:1202:PIO:O43	2:D:1202:PIO:H3	1.95	0.65
1:C:980:TRP:CH2	1:C:1128:ARG:HD3	2.32	0.65
1:D:962:VAL:CG1	1:D:1002:SER:HB3	2.27	0.65
1:A:968:ALA:CB	1:B:1107:ARG:NH2	2.61	0.64
1:A:980:TRP:CZ3	1:A:1128:ARG:CD	2.81	0.64
1:C:973:LEU:HD22	1:C:1099:MET:SD	2.37	0.64
1:C:972:SER:CA	1:C:975:ARG:NH1	2.60	0.64
1:B:988:ILE:HD11	1:B:1126:TRP:HZ3	1.63	0.63
1:B:1068:THR:O	1:B:1072:THR:HG23	1.98	0.63
1:C:973:LEU:CD2	1:C:1099:MET:SD	2.87	0.63
1:B:967:LEU:CG	1:D:1125:ARG:HH11	1.91	0.63
1:B:1012:LYS:HG3	1:B:1071:ALA:HB1	1.80	0.62
1:D:966:ILE:HD12	1:D:1002:SER:HA	1.79	0.62
1:D:1124:LEU:O	3:D:1302:HOH:O	2.16	0.62
1:D:1077:THR:CG2	3:D:1319:HOH:O	2.44	0.62
1:A:1073:MET:HB3	1:A:1079:ILE:CD1	2.29	0.62
1:D:1054:GLU:C	1:D:1057:PRO:HD2	2.14	0.62
1:B:1076:ARG:HH21	1:B:1078:ASN:HD22	1.47	0.61
1:B:1073:MET:SD	1:B:1087:ALA:CB	2.88	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:1077:THR:O	1:D:1078:ASN:HB2	2.00	0.61
1:A:1073:MET:CB	1:A:1079:ILE:CD1	2.79	0.60
1:A:980:TRP:CH2	1:A:1128:ARG:HD2	2.37	0.60
1:B:971:GLN:HA	1:D:1122:PHE:CE1	2.37	0.60
1:C:1073:MET:HE1	1:C:1087:ALA:HB3	1.84	0.60
1:A:1093:HIS:HB2	3:A:1240:HOH:O	2.02	0.60
1:D:962:VAL:HG13	1:D:1002:SER:HB3	1.84	0.59
1:D:1123:THR:O	1:D:1124:LEU:HG	2.02	0.59
1:A:963:ASN:HD21	1:A:1092:VAL:HG22	1.66	0.59
1:D:1098:LEU:O	1:D:1102:VAL:HG23	2.02	0.59
1:A:1032:LEU:O	1:A:1036:VAL:HG23	2.03	0.59
1:B:1076:ARG:HH21	1:B:1078:ASN:ND2	2.00	0.59
1:D:1123:THR:CG2	1:D:1124:LEU:N	2.64	0.59
1:D:965:PRO:HB3	1:D:1092:VAL:CG1	2.33	0.59
1:A:979:LYS:C	1:A:1129:LYS:HG3	2.21	0.58
1:D:1089:GLU:O	1:D:1093:HIS:HD2	1.80	0.58
1:C:962:VAL:CG1	1:C:1002:SER:CB	2.78	0.58
1:A:962:VAL:HG22	1:C:960:GLN:HB2	1.85	0.58
1:A:1073:MET:CE	1:A:1087:ALA:CB	2.82	0.58
1:B:1036:VAL:HG22	1:B:1124:LEU:HD21	1.85	0.58
1:C:1069:VAL:HG12	1:C:1073:MET:HE2	1.86	0.57
1:A:1073:MET:CB	1:A:1079:ILE:HD11	2.34	0.57
1:B:985:ASN:CG	1:B:988:ILE:HG12	2.26	0.56
1:B:971:GLN:HE21	1:D:1125:ARG:HH12	1.53	0.56
1:C:962:VAL:HG13	1:C:1002:SER:OG	2.06	0.56
1:C:992:LYS:O	1:C:996:LEU:HG	2.04	0.56
1:A:1073:MET:HE1	1:A:1087:ALA:CB	2.36	0.56
1:A:963:ASN:HB3	1:A:1002:SER:HB2	1.88	0.56
1:A:962:VAL:HG12	1:A:1003:ARG:HG2	1.88	0.56
1:B:1069:VAL:O	1:B:1073:MET:HG3	2.06	0.55
1:D:1125:ARG:NH2	3:D:1303:HOH:O	2.39	0.55
1:A:963:ASN:ND2	1:A:966:ILE:H	2.05	0.55
1:B:1082:GLU:O	1:B:1086:GLN:HG2	2.07	0.55
1:B:963:ASN:OD1	1:B:965:PRO:HD2	2.05	0.55
1:B:985:ASN:OD1	1:B:988:ILE:HG12	2.06	0.55
1:B:1117:ARG:N	1:B:1117:ARG:HD2	2.22	0.55
1:D:966:ILE:HD13	1:D:1001:MET:HG3	1.88	0.55
1:D:966:ILE:HG22	1:D:998:MET:O	2.06	0.55
1:A:979:LYS:O	1:A:1129:LYS:CB	2.54	0.54
1:A:1010:GLY:HA3	3:A:1215:HOH:O	2.07	0.54
1:D:1023:ALA:O	1:D:1026:SER:OG	2.20	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:976:GLU:O	1:A:979:LYS:HG2	2.07	0.54
1:B:987:ILE:HG13	1:B:1032:LEU:HD13	1.89	0.54
1:C:1004:LEU:HD23	1:C:1015:LEU:CA	2.38	0.54
1:D:963:ASN:HD22	1:D:1005:VAL:HG11	1.67	0.54
1:C:962:VAL:HG22	1:C:1003:ARG:HG2	1.90	0.53
1:A:964:GLN:N	1:A:965:PRO:HD2	2.24	0.53
1:C:1073:MET:HE2	1:C:1087:ALA:CB	2.34	0.53
1:D:962:VAL:HG13	1:D:1002:SER:CB	2.39	0.53
1:D:992:LYS:O	1:D:996:LEU:HG	2.08	0.53
1:B:1118:THR:O	1:B:1119:ASP:HB2	2.08	0.53
1:A:1118:THR:OG1	1:D:996:LEU:HD21	2.09	0.53
1:A:1086:GLN:NE2	1:A:1089:GLU:OE1	2.43	0.52
1:A:963:ASN:HD21	1:A:966:ILE:HG13	1.63	0.52
1:B:1117:ARG:N	1:B:1117:ARG:CD	2.72	0.52
1:B:967:LEU:CG	1:D:1125:ARG:NH1	2.59	0.52
1:B:1124:LEU:HD23	3:B:1325:HOH:O	2.10	0.52
1:D:1055:ARG:O	1:D:1058:THR:OG1	2.24	0.52
1:A:1073:MET:HE3	1:A:1087:ALA:HB3	1.92	0.51
1:C:976:GLU:HA	1:C:979:LYS:HE3	1.92	0.51
1:D:966:ILE:CG2	1:D:998:MET:O	2.59	0.51
1:A:965:PRO:HB2	1:A:1092:VAL:HG13	1.93	0.50
1:D:964:GLN:HG3	1:D:965:PRO:CD	2.38	0.50
1:A:1114:ILE:HG23	1:D:996:LEU:HD11	1.93	0.50
1:B:1073:MET:SD	1:B:1087:ALA:HB2	2.51	0.50
1:B:1123:THR:O	1:B:1124:LEU:HB2	2.10	0.50
1:A:963:ASN:CG	1:A:965:PRO:HG2	2.31	0.50
1:B:967:LEU:HD23	1:D:1125:ARG:CD	2.37	0.50
1:B:984:GLY:O	1:B:1125:ARG:HB2	2.12	0.50
1:C:973:LEU:HD23	1:C:1099:MET:SD	2.51	0.50
1:B:1079:ILE:HG23	1:B:1083:GLU:HB2	1.93	0.50
1:D:984:GLY:HA3	1:D:1125:ARG:HH21	1.76	0.50
1:A:992:LYS:O	1:A:996:LEU:HG	2.11	0.50
1:B:1036:VAL:CG2	1:B:1124:LEU:HD21	2.41	0.49
1:A:961:PRO:HB2	1:A:1006:ARG:CZ	2.42	0.49
1:A:980:TRP:CE3	1:A:1128:ARG:HD2	2.46	0.49
1:D:962:VAL:HG12	1:D:1002:SER:HB3	1.94	0.49
1:D:1050:LEU:HA	1:D:1053:CYS:HG	1.78	0.49
1:D:966:ILE:CB	1:D:1002:SER:OG	2.59	0.48
1:A:1002:SER:O	1:A:1005:VAL:HG22	2.13	0.48
1:D:1125:ARG:CZ	3:D:1303:HOH:O	2.60	0.48
1:D:976:GLU:HA	1:D:979:LYS:HE3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:965:PRO:HB2	1:B:1092:VAL:HG13	1.95	0.48
1:B:971:GLN:NE2	1:D:1122:PHE:HD1	2.12	0.48
1:D:1055:ARG:NH1	3:D:1304:HOH:O	2.47	0.47
1:A:1007:GLY:HA3	1:A:1011:THR:HG21	1.96	0.47
1:A:1073:MET:HE3	1:A:1087:ALA:CB	2.44	0.47
1:D:1123:THR:O	1:D:1124:LEU:CG	2.62	0.47
1:B:1073:MET:CE	1:B:1084:SER:HA	2.39	0.47
1:D:964:GLN:CG	1:D:965:PRO:CD	2.87	0.46
1:B:962:VAL:HG12	1:B:1003:ARG:HG2	1.97	0.46
1:A:963:ASN:ND2	1:A:966:ILE:CG1	2.36	0.46
1:D:963:ASN:HB2	1:D:966:ILE:HD12	1.98	0.46
1:B:1036:VAL:HG22	1:B:1124:LEU:CD2	2.44	0.45
1:B:1073:MET:HE2	1:B:1079:ILE:HG21	1.98	0.45
1:D:1123:THR:HG23	1:D:1124:LEU:H	1.80	0.45
1:B:967:LEU:CG	1:D:1125:ARG:HE	2.26	0.45
1:D:1123:THR:CG2	1:D:1124:LEU:H	2.30	0.44
1:A:963:ASN:OD1	1:A:965:PRO:CD	2.63	0.44
1:C:1026:SER:HB2	1:C:1056:ILE:CG2	2.48	0.44
1:D:963:ASN:HD22	1:D:966:ILE:HD11	1.83	0.44
1:A:962:VAL:CG2	1:C:960:GLN:HB2	2.46	0.44
1:C:962:VAL:CG1	1:C:1002:SER:OG	2.65	0.44
1:C:1007:GLY:O	1:C:1074:LEU:HD22	2.17	0.44
1:A:963:ASN:HB3	1:A:966:ILE:HB	1.99	0.44
1:C:974:HIS:CE1	1:C:978:THR:HG21	2.52	0.43
1:D:963:ASN:HD22	1:D:966:ILE:CD1	2.31	0.43
1:C:1016:ILE:HG22	1:C:1020:LYS:CE	2.36	0.43
1:C:1080:SER:OG	1:C:1083:GLU:HB2	2.19	0.43
1:A:1005:VAL:HG23	1:A:1006:ARG:N	2.33	0.43
1:D:1088:THR:O	1:D:1092:VAL:HG23	2.18	0.43
1:C:980:TRP:CH2	1:C:1128:ARG:CD	3.01	0.43
1:D:965:PRO:HB3	1:D:1092:VAL:HG11	1.98	0.43
1:A:964:GLN:N	1:A:965:PRO:CD	2.81	0.43
1:B:984:GLY:CA	1:B:1122:PHE:O	2.64	0.43
1:D:1050:LEU:CA	1:D:1053:CYS:HG	2.33	0.42
1:B:971:GLN:N	1:D:1122:PHE:HE1	2.18	0.42
1:B:1079:ILE:HG23	1:B:1083:GLU:CB	2.49	0.42
1:C:983:LYS:HB2	1:C:1125:ARG:NH2	2.35	0.42
1:C:1016:ILE:HG23	1:C:1020:LYS:HE2	1.94	0.42
1:A:963:ASN:CG	1:A:965:PRO:HD2	2.40	0.42
1:C:1073:MET:HE1	1:C:1087:ALA:HB1	1.90	0.41
1:D:976:GLU:O	1:D:979:LYS:HG2	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1040:CYS:HB3	1:B:1046:ARG:HB3	2.02	0.41
1:B:1080:SER:OG	1:B:1083:GLU:HG3	2.20	0.41
1:B:1073:MET:CE	1:B:1079:ILE:HG21	2.51	0.41
1:A:979:LYS:O	1:A:1129:LYS:N	2.53	0.41
1:B:967:LEU:HG	1:D:1125:ARG:CZ	2.44	0.41
1:B:1085:GLU:O	1:B:1089:GLU:HG2	2.20	0.41
1:A:1037:ALA:O	1:A:1046:ARG:HG3	2.20	0.41
1:D:1059:ILE:HD13	1:D:1097:ASN:HB3	2.01	0.41
1:D:966:ILE:CD1	1:D:1005:VAL:CG2	2.96	0.40
1:A:985:ASN:OD1	1:A:1124:LEU:HD22	2.21	0.40
1:D:1123:THR:O	1:D:1124:LEU:HD23	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	164/172 (95%)	161 (98%)	3 (2%)	0	100	100
1	B	167/172 (97%)	164 (98%)	3 (2%)	0	100	100
1	C	164/172 (95%)	160 (98%)	4 (2%)	0	100	100
1	D	162/172 (94%)	157 (97%)	5 (3%)	0	100	100
All	All	657/688 (96%)	642 (98%)	15 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	142/144 (99%)	142 (100%)	0	100	100
1	B	144/144 (100%)	144 (100%)	0	100	100
1	C	140/144 (97%)	140 (100%)	0	100	100
1	D	138/144 (96%)	137 (99%)	1 (1%)	84	89
All	All	564/576 (98%)	563 (100%)	1 (0%)	93	96

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	975	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	963	ASN
1	A	974	HIS
1	B	971	GLN
1	B	1062	GLN
1	B	1078	ASN
1	B	1094	ASN
1	B	1097	ASN
1	C	974	HIS
1	C	1017	GLN
1	C	1062	GLN
1	C	1094	ASN
1	D	963	ASN
1	D	1093	HIS
1	D	1094	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PIO	D	1201	-	24,24,47	0.83	0	36,39,65	1.26	4 (11%)
2	PIO	D	1202	-	26,26,47	0.68	0	38,41,65	1.24	5 (13%)
2	PIO	B	1201	-	24,24,47	0.78	0	36,39,65	1.25	5 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PIO	D	1201	-	-	9/15/39/68	0/1/1/1
2	PIO	D	1202	-	-	7/19/43/68	0/1/1/1
2	PIO	B	1201	-	-	7/15/39/68	0/1/1/1

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1201	PIO	O5-P5-O53	-3.11	97.39	109.39
2	D	1202	PIO	O5-P5-O53	-3.10	97.42	109.39
2	D	1202	PIO	O1-P1-O12	-2.95	98.39	109.47
2	B	1201	PIO	O1-P1-O12	-2.85	98.39	109.39
2	D	1201	PIO	O1-P1-O12	-2.84	98.41	109.39
2	B	1201	PIO	O13-P1-O12	-2.68	100.17	110.68
2	D	1201	PIO	O13-P1-O12	-2.67	100.23	110.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1202	PIO	O41-P4-O4	2.65	117.85	105.99
2	D	1201	PIO	O41-P4-O4	2.65	117.84	105.99
2	D	1202	PIO	O52-P5-O5	2.37	116.61	105.99
2	D	1201	PIO	O51-P5-O5	2.37	116.61	105.99
2	B	1201	PIO	O52-P5-O5	2.37	116.60	105.99
2	D	1202	PIO	O13-P1-O12	-2.27	100.21	109.07
2	B	1201	PIO	O4-P4-O42	2.19	117.84	109.39

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1201	PIO	C1-O1-P1-O11
2	B	1201	PIO	C1-O1-P1-O12
2	B	1201	PIO	C5-C4-O4-P4
2	B	1201	PIO	C4-C5-O5-P5
2	B	1201	PIO	C6-C5-O5-P5
2	D	1201	PIO	C1-O1-P1-O11
2	D	1201	PIO	C1-O1-P1-O12
2	D	1201	PIO	C3-C4-O4-P4
2	D	1201	PIO	C5-C4-O4-P4
2	D	1202	PIO	C1-O1-P1-O11
2	D	1202	PIO	C1C-O13-P1-O1
2	D	1202	PIO	C3-C4-O4-P4
2	D	1202	PIO	C5-C4-O4-P4
2	B	1201	PIO	C3-C4-O4-P4
2	D	1201	PIO	C4-C5-O5-P5
2	D	1201	PIO	C6-C5-O5-P5
2	D	1202	PIO	C1-O1-P1-O12
2	B	1201	PIO	C5-O5-P5-O51
2	D	1202	PIO	C1-O1-P1-O13
2	D	1201	PIO	C4-O4-P4-O43
2	D	1201	PIO	C5-O5-P5-O51
2	D	1201	PIO	C5-O5-P5-O52
2	D	1202	PIO	C4-O4-P4-O41

There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1202	PIO	1	0


Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1201	PIO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	168/172 (97%)	0.32	8 (4%) 30 36	23, 41, 72, 97	0
1	B	170/172 (98%)	0.44	12 (7%) 16 19	27, 49, 80, 103	0
1	C	168/172 (97%)	0.56	11 (6%) 18 22	26, 54, 88, 102	0
1	D	166/172 (96%)	0.69	15 (9%) 9 11	26, 53, 88, 125	0
All	All	672/688 (97%)	0.50	46 (6%) 17 20	23, 49, 86, 125	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	959	ASN	9.9
1	D	963	ASN	8.1
1	D	962	VAL	6.0
1	B	1075	GLY	4.8
1	C	1122	PHE	4.1
1	D	1118	THR	4.0
1	D	966	ILE	3.9
1	B	1074	LEU	3.6
1	D	1130	THR	3.5
1	C	1075	GLY	3.4
1	A	1009	SER	3.4
1	D	1038	LYS	3.4
1	B	1078	ASN	3.1
1	A	978	THR	3.1
1	B	1005[A]	VAL	3.1
1	B	961	PRO	2.9
1	B	1077	THR	2.9
1	B	1122	PHE	2.8
1	A	1128	ARG	2.8
1	A	1008	GLY	2.7
1	C	1008	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	1053	CYS	2.7
1	D	1006	ARG	2.6
1	B	960	GLN	2.6
1	B	1006	ARG	2.6
1	A	962	VAL	2.6
1	B	1107	ARG	2.6
1	D	1051	GLN	2.6
1	D	1098	LEU	2.6
1	D	1009	SER	2.6
1	D	1109	ALA	2.5
1	D	1071	ALA	2.5
1	D	1113	SER	2.4
1	B	1073	MET	2.4
1	A	1011	THR	2.4
1	C	1130	THR	2.4
1	B	1011	THR	2.2
1	A	1116	ILE	2.2
1	C	1041	THR	2.1
1	C	962	VAL	2.1
1	C	1007	GLY	2.1
1	C	1076	ARG	2.1
1	A	963	ASN	2.1
1	D	1128	ARG	2.1
1	C	1037	ALA	2.1
1	C	1038	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	PIO	D	1201	24/47	0.54	0.49	110,112,113,113	24
2	PIO	B	1201	24/47	0.58	0.51	71,76,78,80	24
2	PIO	D	1202	26/47	0.58	0.37	121,129,131,131	26


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around PIO B 1201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.