



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 11, 2023 – 11:04 AM EDT

PDB ID : 4L3C  
Title : Structure of HLA-A2 in complex with D76N b2m mutant and NY-ESO1 double mutant  
Authors : Halabelian, L.; Giorgetti, S.; Bellotti, V.; Bolognesi, M.; Ricagno, S.  
Deposited on : 2013-06-05  
Resolution : 2.64 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1426 (2.66-2.62)
Ramachandran outliers	138981	1446 (2.66-2.62)
Sidechain outliers	138945	1446 (2.66-2.62)
RSRZ outliers	127900	1408 (2.66-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	97% .
1	C	276	97% .
1	E	276	95% 5%
1	G	276	96% .
1	I	276	95% 5%
1	K	276	96% .

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	M	276	 95% 5%
1	O	276	 98%
1	Q	276	 97%
1	S	276	 96%
1	U	276	 95%
1	W	276	 98%
1	Y	276	 97%
1	a	276	 96%
2	B	100	 97%
2	D	100	 96%
2	F	100	 95% 5%
2	H	100	 94% 6%
2	J	100	 96%
2	L	100	 96%
2	N	100	 95% 5%
2	P	100	 97%
2	R	100	 97%
2	T	100	 98%
2	V	100	 95% 5%
2	X	100	 94% 6%
2	Z	100	 95% 5%
2	b	100	 97%
3	c	9	 89% 11%
3	e	9	 89% 11%
3	f	9	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	g	9	 100%
3	h	9	 100%
3	i	9	 89% 11%
3	j	9	 78% 22%
3	k	9	 89% 11%
3	l	9	 89% 11%
3	m	9	 89% 11%
3	n	9	 89% 11%
3	o	9	 11% 100%
3	p	9	 89% 11%
3	q	9	 11% 89% 11%

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 44714 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA class I histocompatibility antigen, A-2 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	276	2254	1408	410	427	9	0	0	0
1	C	276	2254	1408	410	427	9	0	0	0
1	E	276	2254	1408	410	427	9	0	0	0
1	G	276	2254	1408	410	427	9	0	0	0
1	I	276	2254	1408	410	427	9	0	0	0
1	K	276	2254	1408	410	427	9	0	0	0
1	M	276	2254	1408	410	427	9	0	0	0
1	O	276	2254	1408	410	427	9	0	0	0
1	Q	276	2254	1408	410	427	9	0	0	0
1	S	276	2254	1408	410	427	9	0	0	0
1	U	276	2254	1408	410	427	9	0	0	0
1	W	276	2254	1408	410	427	9	0	0	0
1	Y	276	2254	1408	410	427	9	0	0	0
1	a	276	2254	1408	410	427	9	0	0	0

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	100	837	533	142	158	4	0	0	0
2	D	100	837	533	142	158	4	0	0	0
2	F	100	837	533	142	158	4	0	0	0
2	H	100	837	533	142	158	4	0	0	0
2	J	100	837	533	142	158	4	0	0	0
2	L	100	837	533	142	158	4	0	0	0
2	N	100	837	533	142	158	4	0	0	0
2	P	100	837	533	142	158	4	0	0	0
2	R	100	837	533	142	158	4	0	0	0
2	T	100	837	533	142	158	4	0	0	0
2	V	100	837	533	142	158	4	0	0	0
2	X	100	837	533	142	158	4	0	0	0
2	Z	100	837	533	142	158	4	0	0	0
2	b	100	837	533	142	158	4	0	0	0

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP P61769
B	76	ASN	ASP	engineered mutation	UNP P61769
D	0	MET	-	initiating methionine	UNP P61769
D	76	ASN	ASP	engineered mutation	UNP P61769
F	0	MET	-	initiating methionine	UNP P61769
F	76	ASN	ASP	engineered mutation	UNP P61769
H	0	MET	-	initiating methionine	UNP P61769
H	76	ASN	ASP	engineered mutation	UNP P61769
J	0	MET	-	initiating methionine	UNP P61769
J	76	ASN	ASP	engineered mutation	UNP P61769
L	0	MET	-	initiating methionine	UNP P61769
L	76	ASN	ASP	engineered mutation	UNP P61769

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
N	0	MET	-	initiating methionine	UNP P61769
N	76	ASN	ASP	engineered mutation	UNP P61769
P	0	MET	-	initiating methionine	UNP P61769
P	76	ASN	ASP	engineered mutation	UNP P61769
R	0	MET	-	initiating methionine	UNP P61769
R	76	ASN	ASP	engineered mutation	UNP P61769
T	0	MET	-	initiating methionine	UNP P61769
T	76	ASN	ASP	engineered mutation	UNP P61769
V	0	MET	-	initiating methionine	UNP P61769
V	76	ASN	ASP	engineered mutation	UNP P61769
X	0	MET	-	initiating methionine	UNP P61769
X	76	ASN	ASP	engineered mutation	UNP P61769
Z	0	MET	-	initiating methionine	UNP P61769
Z	76	ASN	ASP	engineered mutation	UNP P61769
b	0	MET	-	initiating methionine	UNP P61769
b	76	ASN	ASP	engineered mutation	UNP P61769

- Molecule 3 is a protein called NY-ESO1 double mutant (1Y, 9V).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	m	9	82	57	11	13	1	0	0	0
3	i	9	82	57	11	13	1	0	0	0
3	k	9	82	57	11	13	1	0	0	0
3	f	9	82	57	11	13	1	0	0	0
3	l	9	82	57	11	13	1	0	0	0
3	h	9	82	57	11	13	1	0	0	0
3	e	9	82	57	11	13	1	0	0	0
3	n	9	82	57	11	13	1	0	0	0
3	p	9	82	57	11	13	1	0	0	0
3	o	9	82	57	11	13	1	0	0	0
3	c	9	82	57	11	13	1	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	g	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	q	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	j	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Cl	0	0
			2	2		
4	B	1	Total	Cl	0	0
			1	1		
4	C	2	Total	Cl	0	0
			2	2		
4	D	1	Total	Cl	0	0
			1	1		
4	E	1	Total	Cl	0	0
			1	1		
4	F	1	Total	Cl	0	0
			1	1		
4	G	1	Total	Cl	0	0
			1	1		
4	H	1	Total	Cl	0	0
			1	1		
4	I	4	Total	Cl	0	0
			4	4		
4	J	1	Total	Cl	0	0
			1	1		
4	K	1	Total	Cl	0	0
			1	1		
4	L	1	Total	Cl	0	0
			1	1		
4	M	2	Total	Cl	0	0
			2	2		
4	N	1	Total	Cl	0	0
			1	1		
4	O	1	Total	Cl	0	0
			1	1		
4	P	1	Total	Cl	0	0
			1	1		


*Continued on next page...*



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	Q	3	Total 3	Cl 3	0	0
4	R	2	Total 2	Cl 2	0	0
4	S	1	Total 1	Cl 1	0	0
4	T	1	Total 1	Cl 1	0	0
4	U	2	Total 2	Cl 2	0	0
4	W	2	Total 2	Cl 2	0	0
4	X	1	Total 1	Cl 1	0	0
4	Y	1	Total 1	Cl 1	0	0
4	Z	1	Total 1	Cl 1	0	0
4	a	1	Total 1	Cl 1	0	0
4	b	1	Total 1	Cl 1	0	0

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 6	C 3	O 3	0	0
5	C	1	Total 6	C 3	O 3	0	0
5	C	1	Total 6	C 3	O 3	0	0
5	i	1	Total 6	C 3	O 3	0	0
5	k	1	Total 6	C 3	O 3	0	0
5	f	1	Total 6	C 3	O 3	0	0
5	l	1	Total 6	C 3	O 3	0	0
5	K	1	Total 6	C 3	O 3	0	0
5	h	1	Total 6	C 3	O 3	0	0
5	e	1	Total 6	C 3	O 3	0	0
5	O	1	Total 6	C 3	O 3	0	0
5	O	1	Total 6	C 3	O 3	0	0
5	p	1	Total 6	C 3	O 3	0	0
5	S	1	Total 6	C 3	O 3	0	0
5	S	1	Total 6	C 3	O 3	0	0
5	U	1	Total 6	C 3	O 3	0	0
5	g	1	Total 6	C 3	O 3	0	0
5	Y	1	Total 6	C 3	O 3	0	0
5	Y	1	Total 6	C 3	O 3	0	0
5	a	1	Total 6	C 3	O 3	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	5	Total 5 5	0	0
6	B	6	Total 6 6	0	0
6	C	7	Total 7 7	0	0
6	D	7	Total 7 7	0	0
6	E	10	Total 10 10	0	0
6	F	6	Total 6 6	0	0
6	G	7	Total 7 7	0	0
6	H	2	Total 2 2	0	0
6	I	7	Total 7 7	0	0
6	J	2	Total 2 2	0	0
6	K	8	Total 8 8	0	0
6	L	8	Total 8 8	0	0
6	M	5	Total 5 5	0	0
6	N	2	Total 2 2	0	0
6	O	6	Total 6 6	0	0
6	P	4	Total 4 4	0	0
6	Q	10	Total 10 10	0	0
6	R	7	Total 7 7	0	0
6	S	2	Total 2 2	0	0
6	T	1	Total 1 1	0	0
6	U	4	Total 4 4	0	0
6	V	4	Total 4 4	0	0

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	W	2	Total O 2 2	0	0
6	X	3	Total O 3 3	0	0
6	Y	3	Total O 3 3	0	0
6	Z	3	Total O 3 3	0	0
6	a	3	Total O 3 3	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain

Chain A:  97%




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain

Chain C:  97%




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain

Chain E:  95% 5%




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain

Chain G:  96%



- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain

Chain I:  95% 5%



- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain



- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain



- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain



- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin





- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin









- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)



There are no outlier residues recorded for this chain.

- Molecule 3: NY-ESO1 double mutant (1Y, 9V)






- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain h:  100%


There are no outlier residues recorded for this chain.

- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain e:  89% 11%




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain n:  89% 11%



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain p:  89% 11%




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain o:  11% 100%



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain c:  89% 11%




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)



Chain g:  100%

There are no outlier residues recorded for this chain.

- Molecule 3: NY-ESO1 double mutant (1Y, 9V)



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	102.11Å 314.50Å 316.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	66.48 – 2.64 66.47 – 2.64	Depositor EDS
% Data completeness (in resolution range)	97.7 (66.48-2.64) 98.2 (66.47-2.64)	Depositor EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.41 (at 2.65Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.199 , 0.218 0.208 , 0.226	Depositor DCC
$R_{free}$ test set	14730 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	53.4	Xtriage
Anisotropy	0.016	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 33.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.001 for -h,l,k	Xtriage
Reported twinning fraction	0.801 for H, K, L 0.199 for -H, L, K	Depositor
Outliers	1 of 295255 reflections (0.000%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	44714	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.70% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.56	0/2320	0.67	0/3149
1	C	0.56	0/2320	0.68	0/3149
1	E	0.55	0/2320	0.68	0/3149
1	G	0.56	0/2320	0.67	0/3149
1	I	0.53	0/2320	0.66	0/3149
1	K	0.52	0/2320	0.67	0/3149
1	M	0.52	0/2320	0.65	0/3149
1	O	0.50	0/2320	0.64	0/3149
1	Q	0.55	0/2320	0.70	0/3149
1	S	0.49	0/2320	0.65	0/3149
1	U	0.51	0/2320	0.64	1/3149 (0.0%)
1	W	0.48	0/2320	0.63	0/3149
1	Y	0.48	0/2320	0.59	0/3149
1	a	0.52	0/2320	0.62	0/3149
2	B	0.51	0/860	0.64	0/1162
2	D	0.54	0/860	0.63	0/1162
2	F	0.51	0/860	0.61	0/1162
2	H	0.50	0/860	0.61	0/1162
2	J	0.50	0/860	0.58	0/1162
2	L	0.48	0/860	0.61	0/1162
2	N	0.51	0/860	0.60	0/1162
2	P	0.48	0/860	0.58	0/1162
2	R	0.49	0/860	0.58	0/1162
2	T	0.50	0/860	0.64	0/1162
2	V	0.51	0/860	0.61	0/1162
2	X	0.49	0/860	0.60	0/1162
2	Z	0.48	0/860	0.61	0/1162
2	b	0.48	0/860	0.58	0/1162
3	c	0.48	0/84	0.53	0/113
3	e	0.53	0/84	0.63	0/113
3	f	0.54	0/84	0.53	0/113
3	g	0.45	0/84	0.63	0/113

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
3	h	0.53	0/84	0.64	0/113
3	i	0.60	0/84	0.69	0/113
3	j	0.48	0/84	0.60	0/113
3	k	0.61	0/84	0.69	0/113
3	l	0.66	0/84	0.57	0/113
3	m	0.46	0/84	0.70	0/113
3	n	0.42	0/84	0.58	0/113
3	o	0.44	0/84	0.45	0/113
3	p	0.58	0/84	0.69	0/113
3	q	0.36	0/84	0.49	0/113
All	All	0.52	0/45696	0.64	1/61936 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	U	108	ARG	NE-CZ-NH1	6.37	123.48	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/276 (99%)	264 (96%)	10 (4%)	0	100	100
1	C	274/276 (99%)	265 (97%)	9 (3%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	274/276 (99%)	265 (97%)	8 (3%)	1 (0%)	34	48
1	G	274/276 (99%)	266 (97%)	8 (3%)	0	100	100
1	I	274/276 (99%)	267 (97%)	7 (3%)	0	100	100
1	K	274/276 (99%)	268 (98%)	6 (2%)	0	100	100
1	M	274/276 (99%)	264 (96%)	10 (4%)	0	100	100
1	O	274/276 (99%)	261 (95%)	13 (5%)	0	100	100
1	Q	274/276 (99%)	262 (96%)	12 (4%)	0	100	100
1	S	274/276 (99%)	261 (95%)	13 (5%)	0	100	100
1	U	274/276 (99%)	263 (96%)	11 (4%)	0	100	100
1	W	274/276 (99%)	268 (98%)	6 (2%)	0	100	100
1	Y	274/276 (99%)	262 (96%)	12 (4%)	0	100	100
1	a	274/276 (99%)	265 (97%)	9 (3%)	0	100	100
2	B	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
2	D	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
2	F	98/100 (98%)	94 (96%)	4 (4%)	0	100	100
2	H	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
2	J	98/100 (98%)	94 (96%)	4 (4%)	0	100	100
2	L	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
2	N	98/100 (98%)	97 (99%)	1 (1%)	0	100	100
2	P	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
2	R	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
2	T	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
2	V	98/100 (98%)	97 (99%)	1 (1%)	0	100	100
2	X	98/100 (98%)	97 (99%)	1 (1%)	0	100	100
2	Z	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
2	b	98/100 (98%)	94 (96%)	4 (4%)	0	100	100
3	c	7/9 (78%)	7 (100%)	0	0	100	100
3	e	7/9 (78%)	7 (100%)	0	0	100	100
3	f	7/9 (78%)	7 (100%)	0	0	100	100
3	g	7/9 (78%)	7 (100%)	0	0	100	100
3	h	7/9 (78%)	7 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	i	7/9 (78%)	7 (100%)	0	0	100	100
3	j	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
3	k	7/9 (78%)	7 (100%)	0	0	100	100
3	l	7/9 (78%)	7 (100%)	0	0	100	100
3	m	7/9 (78%)	7 (100%)	0	0	100	100
3	n	7/9 (78%)	7 (100%)	0	0	100	100
3	o	7/9 (78%)	7 (100%)	0	0	100	100
3	p	7/9 (78%)	7 (100%)	0	0	100	100
3	q	7/9 (78%)	7 (100%)	0	0	100	100
All	All	5306/5390 (98%)	5134 (97%)	171 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	225	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/232 (100%)	225 (97%)	7 (3%)	41	59
1	C	232/232 (100%)	223 (96%)	9 (4%)	32	48
1	E	232/232 (100%)	220 (95%)	12 (5%)	23	36
1	G	232/232 (100%)	222 (96%)	10 (4%)	29	45
1	I	232/232 (100%)	219 (94%)	13 (6%)	21	32
1	K	232/232 (100%)	222 (96%)	10 (4%)	29	45
1	M	232/232 (100%)	219 (94%)	13 (6%)	21	32
1	O	232/232 (100%)	226 (97%)	6 (3%)	46	65
1	Q	232/232 (100%)	223 (96%)	9 (4%)	32	48

Continued on next page...



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	S	232/232 (100%)	221 (95%)	11 (5%)	26	40
1	U	232/232 (100%)	219 (94%)	13 (6%)	21	32
1	W	232/232 (100%)	226 (97%)	6 (3%)	46	65
1	Y	232/232 (100%)	225 (97%)	7 (3%)	41	59
1	a	232/232 (100%)	222 (96%)	10 (4%)	29	45
2	B	95/95 (100%)	92 (97%)	3 (3%)	39	56
2	D	95/95 (100%)	91 (96%)	4 (4%)	30	45
2	F	95/95 (100%)	90 (95%)	5 (5%)	22	36
2	H	95/95 (100%)	89 (94%)	6 (6%)	18	27
2	J	95/95 (100%)	91 (96%)	4 (4%)	30	45
2	L	95/95 (100%)	91 (96%)	4 (4%)	30	45
2	N	95/95 (100%)	90 (95%)	5 (5%)	22	36
2	P	95/95 (100%)	92 (97%)	3 (3%)	39	56
2	R	95/95 (100%)	92 (97%)	3 (3%)	39	56
2	T	95/95 (100%)	93 (98%)	2 (2%)	53	71
2	V	95/95 (100%)	90 (95%)	5 (5%)	22	36
2	X	95/95 (100%)	89 (94%)	6 (6%)	18	27
2	Z	95/95 (100%)	90 (95%)	5 (5%)	22	36
2	b	95/95 (100%)	92 (97%)	3 (3%)	39	56
3	c	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	e	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	f	9/9 (100%)	9 (100%)	0	100	100
3	g	9/9 (100%)	9 (100%)	0	100	100
3	h	9/9 (100%)	9 (100%)	0	100	100
3	i	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	j	9/9 (100%)	7 (78%)	2 (22%)	1	0
3	k	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	l	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	m	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	n	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	o	9/9 (100%)	9 (100%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	p	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	q	9/9 (100%)	8 (89%)	1 (11%)	6	8
All	All	4704/4704 (100%)	4499 (96%)	205 (4%)	28	44

All (205) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	ARG
1	A	88	SER
1	A	89	GLU
1	A	156	LEU
1	A	176	LYS
1	A	255	GLN
1	A	268	LYS
2	B	70	PHE
2	B	75	LYS
2	B	99	MET
3	m	9	VAL
1	C	35	ARG
1	C	67	VAL
1	C	156	LEU
1	C	182	THR
1	C	194	VAL
1	C	207	SER
1	C	225	THR
1	C	227	ASP
1	C	268	LYS
2	D	34	ASP
2	D	39	LEU
2	D	70	PHE
2	D	85	VAL
3	i	9	VAL
1	E	35	ARG
1	E	65	ARG
1	E	110	LEU
1	E	128	GLU
1	E	156	LEU
1	E	165	VAL
1	E	214	THR
1	E	219	ARG
1	E	227	ASP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	E	228	THR
1	E	255	GLN
1	E	268	LYS
2	F	0	MET
2	F	36	GLU
2	F	39	LEU
2	F	70	PHE
2	F	98	ASP
3	k	9	VAL
1	G	11	SER
1	G	35	ARG
1	G	82	ARG
1	G	110	LEU
1	G	156	LEU
1	G	216	THR
1	G	219	ARG
1	G	225	THR
1	G	227	ASP
1	G	228	THR
2	H	4	THR
2	H	20	SER
2	H	39	LEU
2	H	70	PHE
2	H	85	VAL
2	H	98	ASP
1	I	35	ARG
1	I	86	ASN
1	I	88	SER
1	I	89	GLU
1	I	110	LEU
1	I	154	GLU
1	I	156	LEU
1	I	165	VAL
1	I	216	THR
1	I	219	ARG
1	I	228	THR
1	I	268	LYS
1	I	273	ARG
2	J	39	LEU
2	J	47	GLU
2	J	70	PHE
2	J	98	ASP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
3	l	9	VAL
1	K	35	ARG
1	K	58	GLU
1	K	110	LEU
1	K	156	LEU
1	K	178	THR
1	K	207	SER
1	K	216	THR
1	K	225	THR
1	K	228	THR
1	K	275	GLU
2	L	39	LEU
2	L	44	GLU
2	L	70	PHE
2	L	85	VAL
1	M	2	SER
1	M	11	SER
1	M	35	ARG
1	M	108	ARG
1	M	110	LEU
1	M	111	ARG
1	M	131	ARG
1	M	156	LEU
1	M	214	THR
1	M	216	THR
1	M	225	THR
1	M	228	THR
1	M	273	ARG
2	N	4	THR
2	N	39	LEU
2	N	44	GLU
2	N	70	PHE
2	N	98	ASP
3	e	9	VAL
1	O	35	ARG
1	O	113	TYR
1	O	129	ASP
1	O	207	SER
1	O	216	THR
1	O	225	THR
2	P	39	LEU
2	P	70	PHE

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	P	77	GLU
3	n	9	VAL
1	Q	11	SER
1	Q	35	ARG
1	Q	110	LEU
1	Q	156	LEU
1	Q	207	SER
1	Q	216	THR
1	Q	224	GLN
1	Q	228	THR
1	Q	267	PRO
2	R	20	SER
2	R	39	LEU
2	R	70	PHE
3	p	9	VAL
1	S	6	ARG
1	S	35	ARG
1	S	67	VAL
1	S	105	SER
1	S	110	LEU
1	S	113	TYR
1	S	216	THR
1	S	219	ARG
1	S	225	THR
1	S	228	THR
1	S	268	LYS
2	T	39	LEU
2	T	47	GLU
1	U	11	SER
1	U	35	ARG
1	U	89	GLU
1	U	95	VAL
1	U	108	ARG
1	U	110	LEU
1	U	111	ARG
1	U	156	LEU
1	U	207	SER
1	U	225	THR
1	U	227	ASP
1	U	228	THR
1	U	273	ARG
2	V	39	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	V	68	THR
2	V	70	PHE
2	V	85	VAL
2	V	98	ASP
3	c	9	VAL
1	W	35	ARG
1	W	110	LEU
1	W	121	LYS
1	W	163	THR
1	W	225	THR
1	W	227	ASP
2	X	4	THR
2	X	34	ASP
2	X	39	LEU
2	X	70	PHE
2	X	75	LYS
2	X	85	VAL
1	Y	35	ARG
1	Y	110	LEU
1	Y	129	ASP
1	Y	154	GLU
1	Y	181	ARG
1	Y	194	VAL
1	Y	225	THR
2	Z	45	ARG
2	Z	70	PHE
2	Z	85	VAL
2	Z	98	ASP
2	Z	99	MET
3	q	9	VAL
1	a	35	ARG
1	a	65	ARG
1	a	86	ASN
1	a	108	ARG
1	a	124	ILE
1	a	137	ASP
1	a	141	GLN
1	a	176	LYS
1	a	178	THR
1	a	216	THR
2	b	19	LYS
2	b	39	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	b	70	PHE
3	j	3	LEU
3	j	9	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	224	GLN
1	A	255	GLN
1	C	141	GLN
1	E	141	GLN
1	E	155	GLN
1	E	255	GLN
1	G	197	HIS
1	O	141	GLN
1	Q	218	GLN
1	S	155	GLN
1	Y	155	GLN
1	Y	180	GLN
1	Y	262	GLN
1	a	141	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 58 ligands modelled in this entry, 38 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	GOL	p	101	-	5,5,5	0.44	0	5,5,5	0.31	0
5	GOL	l	101	-	5,5,5	0.29	0	5,5,5	0.51	0
5	GOL	e	101	-	5,5,5	0.49	0	5,5,5	0.37	0
5	GOL	S	302	-	5,5,5	0.39	0	5,5,5	0.43	0
5	GOL	O	302	-	5,5,5	0.42	0	5,5,5	0.28	0
5	GOL	U	303	-	5,5,5	0.45	0	5,5,5	0.48	0
5	GOL	k	101	-	5,5,5	0.44	0	5,5,5	0.40	0
5	GOL	g	101	-	5,5,5	0.42	0	5,5,5	0.42	0
5	GOL	K	302	-	5,5,5	0.42	0	5,5,5	0.50	0
5	GOL	O	303	-	5,5,5	0.44	0	5,5,5	0.31	0
5	GOL	Y	303	-	5,5,5	0.45	0	5,5,5	0.19	0
5	GOL	i	101	-	5,5,5	0.50	0	5,5,5	0.56	0
5	GOL	Y	302	-	5,5,5	0.39	0	5,5,5	0.34	0
5	GOL	C	303	-	5,5,5	0.36	0	5,5,5	0.54	0
5	GOL	S	303	-	5,5,5	0.38	0	5,5,5	0.45	0
5	GOL	h	101	-	5,5,5	0.42	0	5,5,5	0.60	0
5	GOL	C	304	-	5,5,5	0.43	0	5,5,5	0.71	0
5	GOL	a	302	-	5,5,5	0.49	0	5,5,5	0.45	0
5	GOL	A	303	-	5,5,5	0.50	0	5,5,5	0.76	0
5	GOL	f	101	-	5,5,5	0.53	0	5,5,5	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	p	101	-	-	2/4/4/4	-
5	GOL	l	101	-	-	4/4/4/4	-
5	GOL	e	101	-	-	4/4/4/4	-
5	GOL	S	302	-	-	2/4/4/4	-
5	GOL	O	302	-	-	2/4/4/4	-
5	GOL	U	303	-	-	2/4/4/4	-

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	k	101	-	-	2/4/4/4	-
5	GOL	g	101	-	-	3/4/4/4	-
5	GOL	K	302	-	-	4/4/4/4	-
5	GOL	O	303	-	-	0/4/4/4	-
5	GOL	Y	303	-	-	3/4/4/4	-
5	GOL	i	101	-	-	1/4/4/4	-
5	GOL	Y	302	-	-	0/4/4/4	-
5	GOL	C	303	-	-	2/4/4/4	-
5	GOL	S	303	-	-	2/4/4/4	-
5	GOL	h	101	-	-	3/4/4/4	-
5	GOL	C	304	-	-	2/4/4/4	-
5	GOL	a	302	-	-	2/4/4/4	-
5	GOL	A	303	-	-	4/4/4/4	-
5	GOL	f	101	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (46) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	303	GOL	C1-C2-C3-O3
5	C	303	GOL	C1-C2-C3-O3
5	C	304	GOL	C1-C2-C3-O3
5	k	101	GOL	C1-C2-C3-O3
5	k	101	GOL	O2-C2-C3-O3
5	l	101	GOL	C1-C2-C3-O3
5	K	302	GOL	O1-C1-C2-C3
5	h	101	GOL	O1-C1-C2-O2
5	h	101	GOL	O1-C1-C2-C3
5	e	101	GOL	C1-C2-C3-O3
5	O	302	GOL	C1-C2-C3-O3
5	p	101	GOL	C1-C2-C3-O3
5	S	302	GOL	C1-C2-C3-O3
5	S	302	GOL	O2-C2-C3-O3
5	U	303	GOL	O1-C1-C2-C3
5	g	101	GOL	C1-C2-C3-O3
5	g	101	GOL	O2-C2-C3-O3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	Y	303	GOL	O1-C1-C2-C3
5	S	303	GOL	O2-C2-C3-O3
5	A	303	GOL	O1-C1-C2-C3
5	f	101	GOL	O1-C1-C2-C3
5	S	303	GOL	C1-C2-C3-O3
5	a	302	GOL	C1-C2-C3-O3
5	A	303	GOL	O1-C1-C2-O2
5	C	303	GOL	O2-C2-C3-O3
5	l	101	GOL	O2-C2-C3-O3
5	e	101	GOL	O2-C2-C3-O3
5	U	303	GOL	O1-C1-C2-O2
5	a	302	GOL	O2-C2-C3-O3
5	A	303	GOL	O2-C2-C3-O3
5	C	304	GOL	O2-C2-C3-O3
5	K	302	GOL	O1-C1-C2-O2
5	O	302	GOL	O2-C2-C3-O3
5	p	101	GOL	O2-C2-C3-O3
5	K	302	GOL	O2-C2-C3-O3
5	e	101	GOL	O1-C1-C2-O2
5	Y	303	GOL	O1-C1-C2-O2
5	e	101	GOL	O1-C1-C2-C3
5	f	101	GOL	O1-C1-C2-O2
5	i	101	GOL	O2-C2-C3-O3
5	h	101	GOL	O2-C2-C3-O3
5	l	101	GOL	O1-C1-C2-C3
5	l	101	GOL	O1-C1-C2-O2
5	g	101	GOL	O1-C1-C2-O2
5	Y	303	GOL	O2-C2-C3-O3
5	K	302	GOL	C1-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	276/276 (100%)	-0.03	1 (0%) 92 93	29, 38, 57, 73	2 (0%)
1	C	276/276 (100%)	-0.00	2 (0%) 87 86	30, 37, 54, 68	2 (0%)
1	E	276/276 (100%)	-0.05	1 (0%) 92 93	29, 38, 55, 69	1 (0%)
1	G	276/276 (100%)	-0.10	1 (0%) 92 93	30, 39, 58, 71	1 (0%)
1	I	276/276 (100%)	-0.04	0 100 100	29, 39, 58, 73	1 (0%)
1	K	276/276 (100%)	-0.10	2 (0%) 87 86	29, 40, 55, 60	2 (0%)
1	M	276/276 (100%)	-0.11	1 (0%) 92 93	29, 42, 59, 72	1 (0%)
1	O	276/276 (100%)	-0.09	2 (0%) 87 86	29, 42, 58, 67	2 (0%)
1	Q	276/276 (100%)	-0.05	1 (0%) 92 93	29, 39, 55, 72	1 (0%)
1	S	276/276 (100%)	-0.00	3 (1%) 80 78	32, 47, 61, 66	2 (0%)
1	U	276/276 (100%)	-0.12	2 (0%) 87 86	31, 44, 59, 72	2 (0%)
1	W	276/276 (100%)	0.01	1 (0%) 92 93	34, 48, 62, 76	2 (0%)
1	Y	276/276 (100%)	0.06	2 (0%) 87 86	30, 49, 64, 70	2 (0%)
1	a	276/276 (100%)	0.11	5 (1%) 68 66	35, 52, 67, 78	2 (0%)
2	B	100/100 (100%)	-0.07	1 (1%) 82 81	29, 41, 66, 95	0
2	D	100/100 (100%)	0.13	1 (1%) 82 81	29, 41, 66, 88	0
2	F	100/100 (100%)	-0.01	1 (1%) 82 81	29, 41, 66, 89	0
2	H	100/100 (100%)	-0.05	0 100 100	30, 42, 69, 93	0
2	J	100/100 (100%)	-0.00	1 (1%) 82 81	29, 42, 65, 88	0
2	L	100/100 (100%)	-0.08	0 100 100	30, 41, 67, 88	0
2	N	100/100 (100%)	-0.04	1 (1%) 82 81	30, 41, 68, 97	0
2	P	100/100 (100%)	-0.06	0 100 100	30, 42, 70, 88	0
2	R	100/100 (100%)	-0.03	1 (1%) 82 81	30, 41, 66, 90	0
2	T	100/100 (100%)	0.01	2 (2%) 65 61	31, 43, 70, 92	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
2	V	100/100 (100%)	-0.05	0 100 100	30, 42, 66, 90	0
2	X	100/100 (100%)	-0.14	1 (1%) 82 81	32, 43, 67, 92	0
2	Z	100/100 (100%)	-0.10	0 100 100	31, 42, 67, 93	0
2	b	100/100 (100%)	-0.05	1 (1%) 82 81	33, 44, 76, 161	0
3	c	9/9 (100%)	-0.05	0 100 100	38, 40, 44, 45	0
3	e	9/9 (100%)	-0.19	0 100 100	35, 37, 39, 40	0
3	f	9/9 (100%)	-0.10	0 100 100	32, 37, 40, 41	0
3	g	9/9 (100%)	-0.01	0 100 100	40, 42, 46, 47	0
3	h	9/9 (100%)	-0.04	0 100 100	35, 39, 44, 45	0
3	i	9/9 (100%)	-0.14	0 100 100	25, 28, 32, 32	0
3	j	9/9 (100%)	0.30	0 100 100	48, 52, 54, 55	0
3	k	9/9 (100%)	-0.13	0 100 100	27, 28, 33, 33	0
3	l	9/9 (100%)	-0.22	0 100 100	31, 32, 34, 39	0
3	m	9/9 (100%)	0.11	0 100 100	30, 34, 36, 36	0
3	n	9/9 (100%)	-0.03	0 100 100	38, 43, 48, 48	0
3	o	9/9 (100%)	0.33	1 (11%) 5 3	52, 54, 56, 56	0
3	p	9/9 (100%)	-0.02	0 100 100	26, 31, 33, 34	0
3	q	9/9 (100%)	0.29	1 (11%) 5 3	56, 57, 59, 59	0
All	All	5390/5390 (100%)	-0.04	36 (0%) 87 86	25, 42, 63, 161	23 (0%)

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	88	SER	5.8
1	Y	89	GLU	5.7
2	T	99	MET	4.6
1	A	88	SER	4.2
1	U	88	SER	3.7
1	Y	90	ALA	3.5
2	N	99	MET	3.3
1	C	89	GLU	3.3
2	b	99	MET	3.3
2	X	99	MET	3.1
1	a	88	SER	3.1
2	D	99	MET	3.0
1	K	88	SER	3.0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	T	1	ILE	3.0
2	B	99	MET	3.0
1	M	276	PRO	2.9
1	W	89	GLU	2.9
2	F	99	MET	2.9
1	a	226	GLN	2.8
1	O	88	SER	2.8
1	U	89	GLU	2.7
3	q	9	VAL	2.5
1	a	276	PRO	2.5
1	S	136	ALA	2.5
1	a	136	ALA	2.4
1	E	89	GLU	2.4
1	a	90	ALA	2.3
1	G	276	PRO	2.3
3	o	9	VAL	2.3
1	Q	90	ALA	2.3
1	S	89	GLU	2.2
1	S	276	PRO	2.1
2	J	99	MET	2.1
2	R	99	MET	2.1
1	K	89	GLU	2.0
1	O	90	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	GOL	S	303	6/6	0.59	0.29	61,61,62,62	0
5	GOL	Y	302	6/6	0.72	0.28	77,77,78,78	0
5	GOL	S	302	6/6	0.74	0.30	65,66,67,68	0
5	GOL	K	302	6/6	0.83	0.13	54,55,55,55	0
5	GOL	C	304	6/6	0.83	0.23	54,54,54,54	0
5	GOL	a	302	6/6	0.83	0.20	63,64,65,66	0
4	CL	Z	101	1/1	0.84	0.25	65,65,65,65	0
4	CL	B	101	1/1	0.86	0.16	61,61,61,61	0
4	CL	Q	301	1/1	0.87	0.24	65,65,65,65	0
5	GOL	g	101	6/6	0.87	0.24	61,62,63,65	0
5	GOL	O	303	6/6	0.88	0.24	64,66,67,67	0
4	CL	M	302	1/1	0.88	0.29	30,30,30,30	0
4	CL	Q	303	1/1	0.89	0.25	30,30,30,30	0
4	CL	W	302	1/1	0.89	0.12	30,30,30,30	0
4	CL	K	301	1/1	0.89	0.17	55,55,55,55	0
4	CL	I	304	1/1	0.89	0.22	30,30,30,30	0
5	GOL	i	101	6/6	0.89	0.22	45,46,46,47	0
4	CL	J	101	1/1	0.89	0.13	67,67,67,67	0
5	GOL	k	101	6/6	0.90	0.26	55,56,56,57	0
5	GOL	f	101	6/6	0.90	0.25	44,44,45,46	0
4	CL	H	101	1/1	0.90	0.14	64,64,64,64	0
5	GOL	h	101	6/6	0.90	0.21	48,49,50,51	0
4	CL	T	101	1/1	0.90	0.18	61,61,61,61	0
4	CL	R	101	1/1	0.91	0.17	61,61,61,61	0
4	CL	X	101	1/1	0.91	0.20	67,67,67,67	0
4	CL	N	101	1/1	0.91	0.17	68,68,68,68	0
5	GOL	Y	303	6/6	0.91	0.13	54,56,56,57	0
5	GOL	C	303	6/6	0.91	0.14	48,50,52,52	0
4	CL	D	101	1/1	0.92	0.13	59,59,59,59	0
4	CL	F	101	1/1	0.92	0.15	65,65,65,65	0
4	CL	U	302	1/1	0.92	0.20	30,30,30,30	0
5	GOL	e	101	6/6	0.92	0.16	47,49,49,49	0
4	CL	b	101	1/1	0.92	0.20	77,77,77,77	0
5	GOL	p	101	6/6	0.92	0.25	46,47,48,50	0
4	CL	C	302	1/1	0.93	0.10	30,30,30,30	0
5	GOL	l	101	6/6	0.93	0.15	37,38,40,41	0
4	CL	O	301	1/1	0.93	0.17	65,65,65,65	0
5	GOL	U	303	6/6	0.93	0.24	49,51,52,55	0
4	CL	A	302	1/1	0.93	0.17	30,30,30,30	0
4	CL	L	101	1/1	0.93	0.18	52,52,52,52	0
5	GOL	O	302	6/6	0.93	0.24	63,64,64,65	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	CL	E	301	1/1	0.93	0.12	60,60,60,60	0
4	CL	I	303	1/1	0.94	0.20	53,53,53,53	0
4	CL	Y	301	1/1	0.94	0.20	80,80,80,80	0
4	CL	R	102	1/1	0.94	0.09	71,71,71,71	0
4	CL	W	301	1/1	0.94	0.20	64,64,64,64	0
5	GOL	A	303	6/6	0.94	0.22	38,40,41,43	0
4	CL	S	301	1/1	0.94	0.11	60,60,60,60	0
4	CL	a	301	1/1	0.95	0.07	63,63,63,63	0
4	CL	A	301	1/1	0.95	0.24	60,60,60,60	0
4	CL	P	101	1/1	0.96	0.15	57,57,57,57	0
4	CL	M	301	1/1	0.96	0.21	58,58,58,58	0
4	CL	Q	302	1/1	0.96	0.11	59,59,59,59	0
4	CL	C	301	1/1	0.97	0.17	48,48,48,48	0
4	CL	U	301	1/1	0.97	0.20	57,57,57,57	0
4	CL	I	301	1/1	0.98	0.25	56,56,56,56	0
4	CL	I	302	1/1	0.98	0.26	58,58,58,58	0
4	CL	G	301	1/1	0.98	0.21	59,59,59,59	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.