



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 3, 2024 – 08:43 pm GMT

PDB ID : 5L5T
Title : Yeast 20S proteasome with human beta5i (1-138; V31M) and human beta6 (97-111; 118-133) in complex with epoxyketone inhibitor 16
Authors : Groll, M.; Huber, E.M.
Deposited on : 2016-05-28
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.


























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 2% 98%
1	O	250	 2% 97%
2	B	258	 3% 88% 6% 5%
2	P	258	 3% 88% 6% 5%
3	C	254	 5% 87% 7% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	 7% 87% 7% 6%
4	D	260	 87% 10%
4	R	260	 2% 87% 10%
5	E	234	 % 95% ..
5	S	234	 % 95% ..
6	F	288	 2% 82% 16%
6	T	288	 2% 82% 16%
7	G	252	 % 90% 6% .
7	U	252	 % 90% 6% .
8	H	232	 3% 93% . . .
8	V	232	 3% 93% . . .
9	I	205	 % 93% 6%
9	W	205	 % 92% 7%
10	J	198	 2% 91% 6% ..
10	X	198	 2% 91% 6% ...
11	K	211	 % 88% 12%
11	Y	211	 2% 88% 12%
12	L	222	 % 94% 5%
12	Z	222	 3% 95% 5%
13	M	246	 % 89% 5% 5%
13	a	246	 % 92% . 5%
14	N	196	 % 95% ..
14	b	196	 % 97% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
17	MES	H	301	-	-	-	X

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 49653 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0
1	O	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0
2	P	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0
3	Q	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0
4	R	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	Total 1773	C 1114	N 307	O 348	S 4	0	0	0
5	S	231	Total 1773	C 1114	N 307	O 348	S 4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	Total 1892	C 1203	N 329	O 356	S 4	0	0	0
6	T	243	Total 1892	C 1203	N 329	O 356	S 4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	Total 1907	C 1214	N 320	O 365	S 8	0	0	0
7	U	241	Total 1907	C 1214	N 320	O 365	S 8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	226	Total 1719	C 1082	N 298	O 332	S 7	0	0	0
8	V	226	Total 1719	C 1082	N 298	O 332	S 7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	Total 1581	C 1010	N 258	O 305	S 8	0	0	0
9	W	204	Total 1581	C 1010	N 258	O 305	S 8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	Total 1561	C 992	N 264	O 299	S 6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	X	195	1561	992	264	299	6	0	0	0

- Molecule 11 is a protein called Proteasome subunit beta type-8, Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	211	1641	1035	282	311	13	0	0	0
11	Y	211	1641	1035	282	311	13	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	31	MET	VAL	conflict	UNP P28062
Y	31	MET	VAL	conflict	UNP P28062

- Molecule 12 is a protein called Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	222	1764	1119	305	336	4	0	0	0
12	Z	222	1764	1119	305	336	4	0	0	0

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	233	1832	1159	315	351	7	0	1	0
13	a	233	1824	1154	312	351	7	0	0	0

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	196	1512	955	250	300	7	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	G	1	Total	Mg	0	0
			1	1		
15	I	2	Total	Mg	0	0
			2	2		
15	J	1	Total	Mg	0	0
			1	1		
15	K	1	Total	Mg	0	0
			1	1		
15	L	1	Total	Mg	0	0
			1	1		
15	N	1	Total	Mg	0	0
			1	1		
15	Z	1	Total	Mg	0	0
			1	1		

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total	Cl	0	0
			1	1		
16	U	1	Total	Cl	0	0
			1	1		

- Molecule 17 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
17	H	1	12	6	1	4	1	0	0

- Molecule 18 is (2 {S})-3-(1 {H}-indol-3-yl)- {N}-[(2 {S},3 {S},4 {R})-4-methyl-3,5-bis(oxidanyl)-1-phenyl-pentan-2-yl]-2-[[{(2 {R})-2-(2-morpholin-4-ylethanoylamino)propanoyl]amino]propanamide (three-letter code: 79P) (formula: C₃₂H₄₃N₅O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
18	K	1	43	32	5	6	0	0
18	Y	1	43	32	5	6	0	0

- Molecule 19 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	A	3	Total O 3 3	0	0
19	B	6	Total O 6 6	0	0
19	C	7	Total O 7 7	0	0
19	D	4	Total O 4 4	0	0
19	E	4	Total O 4 4	0	0
19	F	11	Total O 11 11	0	0
19	G	5	Total O 5 5	0	0
19	H	5	Total O 5 5	0	0
19	I	5	Total O 5 5	0	0
19	J	6	Total O 6 6	0	0
19	K	7	Total O 7 7	0	0
19	L	5	Total O 5 5	0	0
19	M	13	Total O 13 13	0	0
19	N	8	Total O 8 8	0	0
19	O	4	Total O 4 4	0	0
19	P	5	Total O 5 5	0	0
19	Q	6	Total O 6 6	0	0
19	R	6	Total O 6 6	0	0
19	S	4	Total O 4 4	0	0
19	T	5	Total O 5 5	0	0
19	U	6	Total O 6 6	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	V	7	Total O 7 7	0	0
19	W	4	Total O 4 4	0	0
19	X	6	Total O 6 6	0	0
19	Y	4	Total O 4 4	0	0
19	Z	5	Total O 5 5	0	0
19	a	6	Total O 6 6	0	0
19	b	6	Total O 6 6	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3





- Molecule 2: Proteasome subunit alpha type-3





- Molecule 3: Proteasome subunit alpha type-4




Molecule 3: Proteasome subunit alpha type-4



Molecule 4: Proteasome subunit alpha type-5



Molecule 4: Proteasome subunit alpha type-5





Molecule 5: Proteasome subunit alpha type-6





Molecule 5: Proteasome subunit alpha type-6




Molecule 6: Probable proteasome subunit alpha type-7




Molecule 6: Probable proteasome subunit alpha type-7




● Molecule 7: Proteasome subunit alpha type-1




● Molecule 7: Proteasome subunit alpha type-1




● Molecule 8: Proteasome subunit beta type-2



● Molecule 8: Proteasome subunit beta type-2




● Molecule 9: Proteasome subunit beta type-3




● Molecule 9: Proteasome subunit beta type-3







- Molecule 10: Proteasome subunit beta type-4





- Molecule 10: Proteasome subunit beta type-4



- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.75Å 300.02Å 145.64Å 90.00° 113.05° 90.00°	Depositor
Resolution (Å)	15.00 – 2.90 15.00 – 2.90	Depositor EDS
% Data completeness (in resolution range)	98.7 (15.00-2.90) 98.7 (15.00-2.90)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.51 (at 2.91Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.171 , 0.195 0.177 , 0.200	Depositor DCC
R_{free} test set	11563 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	61.1	Xtrriage
Anisotropy	0.040	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 41.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	49653	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, 79P, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.27	0/1952	0.46	0/2642
1	O	0.27	0/1952	0.46	0/2642
2	B	0.27	0/1934	0.49	0/2618
2	P	0.27	0/1934	0.49	0/2618
3	C	0.27	0/1910	0.50	0/2586
3	Q	0.27	0/1910	0.50	0/2586
4	D	0.27	0/1837	0.46	0/2475
4	R	0.27	0/1837	0.47	0/2475
5	E	0.27	0/1800	0.46	0/2433
5	S	0.27	0/1800	0.46	0/2433
6	F	0.27	0/1932	0.44	0/2609
6	T	0.27	0/1932	0.44	0/2609
7	G	0.27	0/1945	0.46	0/2634
7	U	0.27	0/1945	0.46	0/2634
8	H	0.25	0/1750	0.49	0/2373
8	V	0.25	0/1750	0.49	0/2373
9	I	0.27	0/1611	0.51	0/2174
9	W	0.27	0/1611	0.51	0/2174
10	J	0.27	0/1589	0.97	6/2142 (0.3%)
10	X	0.27	0/1589	0.94	6/2142 (0.3%)
11	K	0.33	1/1678 (0.1%)	0.52	0/2263
11	Y	0.32	1/1678 (0.1%)	0.53	0/2263
12	L	0.30	0/1802	0.50	0/2430
12	Z	0.29	0/1802	0.50	0/2430
13	M	0.26	0/1866	0.51	0/2528
13	a	0.26	0/1855	0.52	0/2514
14	N	0.25	0/1541	0.49	0/2087
14	b	0.26	0/1541	0.49	0/2087
All	All	0.27	2/50283 (0.0%)	0.53	12/67974 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	J	0	2
10	X	0	1
All	All	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	K	85	ASN	CG-ND2	-5.42	1.19	1.32
11	Y	85	ASN	CG-ND2	-5.02	1.20	1.32

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	95	ARG	NE-CZ-NH2	-20.82	109.89	120.30
10	X	149	ARG	NE-CZ-NH2	-20.54	110.03	120.30
10	J	149	ARG	NE-CZ-NH1	-20.07	110.26	120.30
10	X	95	ARG	NE-CZ-NH1	-18.76	110.92	120.30
10	J	149	ARG	NE-CZ-NH2	16.41	128.50	120.30
10	X	95	ARG	NE-CZ-NH2	15.88	128.24	120.30
10	X	149	ARG	NE-CZ-NH1	15.15	127.88	120.30
10	J	95	ARG	NE-CZ-NH1	14.02	127.31	120.30
10	J	95	ARG	CD-NE-CZ	10.48	138.28	123.60
10	J	149	ARG	CD-NE-CZ	9.73	137.22	123.60
10	X	149	ARG	CD-NE-CZ	9.64	137.09	123.60
10	X	95	ARG	CD-NE-CZ	8.88	136.03	123.60

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	J	149	ARG	Sidechain
10	J	95	ARG	Sidechain
10	X	149	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	4	0
2	B	1904	0	1904	8	0
2	P	1904	0	1904	8	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	6	0
4	D	1813	0	1797	1	0
4	R	1813	0	1797	1	0
5	E	1773	0	1775	2	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	1	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	4	0
8	H	1719	0	1719	6	0
8	V	1719	0	1719	6	0
9	I	1581	0	1574	8	0
9	W	1581	0	1574	10	0
10	J	1561	0	1569	8	0
10	X	1561	0	1569	8	0
11	K	1641	0	1578	18	0
11	Y	1641	0	1578	18	0
12	L	1764	0	1716	5	0
12	Z	1764	0	1716	3	0
13	M	1832	0	1845	4	0
13	a	1824	0	1832	0	0
14	N	1512	0	1481	4	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	I	2	0	0	0	0
15	J	1	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	H	12	0	13	0	0
18	K	43	0	0	1	0
18	Y	43	0	0	2	0
19	A	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	B	6	0	0	2	0
19	C	7	0	0	0	0
19	D	4	0	0	0	0
19	E	4	0	0	0	0
19	F	11	0	0	0	0
19	G	5	0	0	0	0
19	H	5	0	0	0	0
19	I	5	0	0	0	0
19	J	6	0	0	0	0
19	K	7	0	0	0	0
19	L	5	0	0	0	0
19	M	13	0	0	0	0
19	N	8	0	0	0	0
19	O	4	0	0	0	0
19	P	5	0	0	0	0
19	Q	6	0	0	0	0
19	R	6	0	0	0	0
19	S	4	0	0	0	0
19	T	5	0	0	0	0
19	U	6	0	0	0	0
19	V	7	0	0	0	0
19	W	4	0	0	0	0
19	X	6	0	0	0	0
19	Y	4	0	0	0	0
19	Z	5	0	0	0	0
19	a	6	0	0	0	0
19	b	6	0	0	0	0
All	All	49653	0	49132	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:18:SER:OG	11:K:30:ARG:HA	1.80	0.82
11:Y:18:SER:OG	11:Y:30:ARG:HA	1.80	0.81
10:J:23:ARG:NH2	11:K:119:THR:OG1	2.23	0.71
11:Y:9:GLN:HB3	11:Y:10:HIS:HD2	1.55	0.71
11:K:9:GLN:HB3	11:K:10:HIS:HD2	1.55	0.70
2:B:93:HIS:HB3	19:B:301:HOH:O	1.94	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:X:23:ARG:NH2	11:Y:119:THR:OG1	2.28	0.66
11:K:18:SER:HG	11:K:30:ARG:HA	1.66	0.61
11:K:20:ALA:HB3	11:K:28:ALA:HB3	1.86	0.58
11:Y:20:ALA:HB3	11:Y:28:ALA:HB3	1.86	0.58
11:Y:1:THR:HG22	11:Y:2:THR:N	2.21	0.56
11:K:208:ASN:O	9:W:38:LYS:NZ	2.39	0.55
11:K:30:ARG:O	12:L:132:GLN:NE2	2.38	0.55
14:N:152:VAL:HA	14:N:175:MET:HE1	1.89	0.55
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.73	0.54
9:I:38:LYS:NZ	11:Y:208:ASN:O	2.41	0.53
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.72	0.53
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.40	0.51
3:C:201:VAL:O	3:C:202:GLN:CB	2.59	0.51
7:U:23:PHE:O	7:U:26:THR:HB	2.11	0.50
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.59	0.50
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.93	0.50
11:K:1:THR:HG22	11:K:2:THR:N	2.25	0.50
14:N:176:VAL:HG12	14:N:178:LEU:HD13	1.93	0.50
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.93	0.50
7:G:23:PHE:O	7:G:26:THR:HB	2.11	0.49
8:H:196:ARG:NH2	9:I:150:GLU:O	2.45	0.49
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.47	0.49
9:W:20:VAL:HG23	9:W:189:ILE:HB	1.93	0.49
10:J:177:LYS:NZ	10:X:169:GLU:O	2.46	0.49
4:D:89:VAL:HG12	11:K:61:LYS:HG3	1.95	0.49
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.95	0.49
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.95	0.49
8:H:120:ASP:OD1	14:N:28:ASN:ND2	2.46	0.48
9:I:20:VAL:HG23	9:I:189:ILE:HB	1.94	0.48
8:H:35:HIS:HB3	8:H:56:THR:HG21	1.96	0.48
11:K:104:TRP:CE2	11:K:181:GLU:HB3	2.48	0.48
10:J:169:GLU:O	10:X:177:LYS:NZ	2.47	0.48
11:Y:104:TRP:CE2	11:Y:181:GLU:HB3	2.48	0.48
11:K:9:GLN:HB2	11:K:145:TRP:O	2.14	0.47
8:V:35:HIS:HB3	8:V:56:THR:HG21	1.96	0.47
11:Y:33:LYS:HE2	18:Y:301:79P:C46	2.44	0.47
11:Y:9:GLN:HB2	11:Y:145:TRP:O	2.15	0.47
3:C:51:LYS:O	3:C:52:LEU:HB2	2.15	0.46
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.97	0.46
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.98	0.46
11:Y:33:LYS:HE2	18:Y:301:79P:C41	2.45	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:201:VAL:O	3:C:202:GLN:HB3	2.16	0.46
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.15	0.46
11:Y:144:LYS:HB2	11:Y:147:LEU:HD13	1.98	0.46
8:V:50:ALA:CB	9:W:126:ILE:HG23	2.47	0.45
8:H:50:ALA:CB	9:I:126:ILE:HG23	2.46	0.45
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.98	0.45
10:X:148:TYR:O	10:X:149:ARG:HD3	2.15	0.45
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.17	0.45
4:R:89:VAL:HG12	11:Y:61:LYS:HG3	1.98	0.45
11:K:144:LYS:HB2	11:K:147:LEU:HD13	1.98	0.45
8:V:112:SER:HB3	8:V:125:LEU:HD13	1.98	0.45
12:L:8:ASN:HA	12:L:30:ILE:O	2.17	0.45
5:S:12:PHE:H	6:T:19:GLN:HE22	1.64	0.45
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.99	0.45
5:E:12:PHE:H	6:F:19:GLN:HE22	1.65	0.44
8:H:112:SER:HB3	8:H:125:LEU:HD13	1.99	0.44
10:J:55:GLN:NE2	11:K:88:CYS:SG	2.90	0.44
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.81	0.44
11:Y:1:THR:CG2	11:Y:2:THR:N	2.80	0.44
2:P:50:LYS:O	2:P:51:VAL:C	2.56	0.44
13:M:96:LEU:O	13:M:100:MET:HG2	2.18	0.44
11:K:1:THR:CG2	11:K:2:THR:N	2.81	0.44
9:W:148:MET:HE3	9:W:152:LEU:HD11	2.00	0.43
2:B:113:ARG:NE	19:B:301:HOH:O	2.36	0.43
2:B:50:LYS:O	2:B:51:VAL:C	2.56	0.43
10:J:3:ILE:HG23	10:J:18:SER:HB3	2.00	0.43
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.00	0.43
10:X:3:ILE:HG23	10:X:18:SER:HB3	2.01	0.43
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.17	0.43
9:I:36:SER:HB2	10:J:126:VAL:HG11	2.00	0.43
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.84	0.43
1:A:122:THR:HG22	2:B:128:ARG:HH21	1.84	0.43
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.49	0.43
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.83	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.82	0.42
2:P:50:LYS:HD3	2:P:50:LYS:HA	1.88	0.42
9:I:148:MET:HE3	9:I:152:LEU:HD11	2.02	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.82	0.42
10:X:55:GLN:NE2	11:Y:88:CYS:SG	2.93	0.42
11:Y:18:SER:HG	11:Y:30:ARG:HA	1.83	0.42
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:Y:9:GLN:HB3	11:Y:10:HIS:CD2	2.45	0.42
12:Z:125:PHE:CD2	12:Z:131:TYR:HB3	2.54	0.42
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.50	0.42
13:M:159:VAL:HG23	13:M:159:VAL:O	2.20	0.42
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.00	0.42
3:C:35:LYS:HG2	3:C:158:SER:O	2.19	0.42
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.20	0.42
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.50	0.42
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.42
8:V:213:LEU:HD21	9:W:200:LYS:HD2	2.01	0.42
1:O:14:PRO:HA	2:P:23:TYR:CD1	2.55	0.41
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.02	0.41
12:L:125:PHE:CD2	12:L:131:TYR:HB3	2.55	0.41
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.02	0.41
2:B:47:ALA:HB1	2:B:64:LYS:HD2	2.03	0.41
2:B:221:ASP:O	2:B:223:GLU:N	2.54	0.41
11:K:9:GLN:HB3	11:K:10:HIS:CD2	2.46	0.41
13:M:165:ILE:HB	13:M:166:PRO:HD3	2.03	0.41
2:P:221:ASP:O	2:P:223:GLU:N	2.54	0.41
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
11:K:38:ASN:OD1	11:K:38:ASN:C	2.60	0.41
11:K:197:TRP:CE2	9:W:200:LYS:HE3	2.56	0.41
18:K:301:79P:O3	18:K:301:79P:C50	2.69	0.41
12:L:13:LEU:HD11	12:L:150:LEU:HD21	2.03	0.41
1:O:75:TYR:HB3	1:O:82:TYR:CD1	2.56	0.41
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.03	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.40
11:K:179:VAL:HA	11:K:184:TRP:HA	2.04	0.40
11:Y:125:MET:SD	11:Y:139:LEU:HB3	2.62	0.40
11:Y:38:ASN:OD1	11:Y:38:ASN:C	2.60	0.40
2:B:151:ASN:HB2	2:B:152:PRO:HD2	2.03	0.40
2:P:47:ALA:HB1	2:P:64:LYS:HD2	2.04	0.40
8:V:196:ARG:NH2	9:W:150:GLU:O	2.55	0.40
9:W:26:LEU:HD21	9:W:185:VAL:HG23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34	66
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34	66
2	B	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	9	31
2	P	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	9	31
3	C	238/254 (94%)	233 (98%)	2 (1%)	3 (1%)	12	37
3	Q	238/254 (94%)	233 (98%)	2 (1%)	3 (1%)	12	37
4	D	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
4	R	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
5	E	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
5	S	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
6	F	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
6	T	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
8	H	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
8	V	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	209/211 (99%)	202 (97%)	7 (3%)	0	100	100
11	Y	209/211 (99%)	202 (97%)	7 (3%)	0	100	100
12	L	220/222 (99%)	212 (96%)	8 (4%)	0	100	100
12	Z	220/222 (99%)	213 (97%)	7 (3%)	0	100	100
13	M	232/246 (94%)	222 (96%)	10 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	a	231/246 (94%)	221 (96%)	10 (4%)	0	100	100
14	N	194/196 (99%)	186 (96%)	8 (4%)	0	100	100
14	b	194/196 (99%)	186 (96%)	8 (4%)	0	100	100
All	All	6283/6612 (95%)	6111 (97%)	156 (2%)	16 (0%)	41	71

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
2	B	222	GLY
1	O	2	THR
2	P	218	GLY
2	P	222	GLY
3	C	205	ALA
3	Q	205	ALA
2	B	220	ASN
2	P	220	ASN
3	Q	183	PRO
3	C	183	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	89
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	89
2	B	203/216 (94%)	199 (98%)	4 (2%)	55	82
2	P	203/216 (94%)	199 (98%)	4 (2%)	55	82

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	212/226 (94%)	201 (95%)	11 (5%)	23	55
3	Q	212/226 (94%)	201 (95%)	11 (5%)	23	55
4	D	194/215 (90%)	185 (95%)	9 (5%)	27	60
4	R	194/215 (90%)	185 (95%)	9 (5%)	27	60
5	E	190/193 (98%)	185 (97%)	5 (3%)	46	77
5	S	190/193 (98%)	185 (97%)	5 (3%)	46	77
6	F	201/239 (84%)	195 (97%)	6 (3%)	41	75
6	T	201/239 (84%)	195 (97%)	6 (3%)	41	75
7	G	206/210 (98%)	198 (96%)	8 (4%)	32	66
7	U	206/210 (98%)	198 (96%)	8 (4%)	32	66
8	H	185/190 (97%)	181 (98%)	4 (2%)	52	81
8	V	185/190 (97%)	181 (98%)	4 (2%)	52	81
9	I	172/173 (99%)	170 (99%)	2 (1%)	71	91
9	W	172/173 (99%)	170 (99%)	2 (1%)	71	91
10	J	173/175 (99%)	171 (99%)	2 (1%)	71	91
10	X	173/175 (99%)	171 (99%)	2 (1%)	71	91
11	K	170/170 (100%)	166 (98%)	4 (2%)	49	79
11	Y	170/170 (100%)	166 (98%)	4 (2%)	49	79
12	L	186/186 (100%)	181 (97%)	5 (3%)	44	77
12	Z	186/186 (100%)	180 (97%)	6 (3%)	39	73
13	M	200/208 (96%)	194 (97%)	6 (3%)	41	75
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	75
14	N	162/162 (100%)	158 (98%)	4 (2%)	47	78
14	b	162/162 (100%)	157 (97%)	5 (3%)	40	74
All	All	5325/5544 (96%)	5177 (97%)	148 (3%)	43	76

All (148) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	113	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	98	LEU
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	181	GLU
6	F	214	TRP
6	F	240	GLN
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	H	56	THR
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
10	J	3	ILE
10	J	99	GLN
11	K	4	LEU
11	K	12	VAL
11	K	31	MET
11	K	173	SER
12	L	23	LEU
12	L	49	ASN
12	L	128	VAL
12	L	135	GLN
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	39	ASP
14	N	83	LYS
14	N	178	LEU
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	77	ASN
3	Q	98	LEU
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	181	GLU
6	T	214	TRP
6	T	240	GLN
7	U	83	ASN
7	U	115	LEU
7	U	117	GLN
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	56	THR
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
10	X	3	ILE
10	X	99	GLN
11	Y	4	LEU
11	Y	12	VAL
11	Y	31	MET
11	Y	173	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	23	LEU
12	Z	49	ASN
12	Z	128	VAL
12	Z	132	GLN
12	Z	135	GLN
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	39	ASP
14	b	83	LYS
14	b	104	ASP
14	b	178	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (85) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
8	H	66	HIS
10	J	55	GLN
11	K	32	ASN
11	K	175	ASN
11	K	189	ASN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	91	HIS
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
10	X	55	GLN
11	Y	32	ASN
11	Y	175	ASN
11	Y	189	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	79	HIS
12	Z	132	GLN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 10 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	79P	K	301	11	45,46,46	1.83	8 (17%)	56,62,62	1.60	12 (21%)
18	79P	Y	301	11	45,46,46	1.82	8 (17%)	56,62,62	1.49	10 (17%)
17	MES	H	301	-	12,12,12	2.21	1 (8%)	14,16,16	1.28	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	79P	K	301	11	-	12/41/50/50	0/4/4/4
18	79P	Y	301	11	-	11/41/50/50	0/4/4/4
17	MES	H	301	-	-	0/6/14/14	0/1/1/1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	H	301	MES	C8-S	-7.40	1.67	1.77
18	K	301	79P	C60-C68	-5.90	1.31	1.41
18	Y	301	79P	C60-C68	-5.85	1.31	1.41
18	Y	301	79P	C63-C67	-5.41	1.31	1.42
18	K	301	79P	C63-C67	-5.28	1.31	1.42
18	K	301	79P	C30-C41	-5.25	1.38	1.51
18	Y	301	79P	C30-C41	-5.20	1.38	1.51
18	Y	301	79P	C67-C68	-4.45	1.30	1.42
18	K	301	79P	C67-C68	-4.14	1.31	1.42
18	K	301	79P	O32-C31	-2.61	1.36	1.43
18	Y	301	79P	C65-N69	-2.40	1.31	1.36
18	K	301	79P	C65-C66	-2.37	1.30	1.37
18	Y	301	79P	C65-C66	-2.22	1.31	1.37
18	K	301	79P	C68-N69	-2.20	1.31	1.38
18	K	301	79P	C65-N69	-2.19	1.32	1.36
18	Y	301	79P	C68-N69	-2.13	1.32	1.38
18	Y	301	79P	C37-C31	2.07	1.57	1.53

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	K	301	79P	C30-C29-N28	-5.86	101.53	110.07
18	Y	301	79P	C30-C29-N28	-4.49	103.53	110.07
18	Y	301	79P	C56-N55-C54	-3.78	105.23	111.09
18	K	301	79P	C56-N55-C54	-3.52	105.64	111.09
18	K	301	79P	C66-C17-C16	-3.35	106.89	113.45
18	Y	301	79P	C66-C17-C16	-2.87	107.83	113.45
18	Y	301	79P	C62-C61-C60	-2.79	116.52	120.44
18	Y	301	79P	C17-C66-C65	-2.61	124.74	127.97
17	H	301	MES	O3S-S-C8	2.60	109.97	105.77
18	K	301	79P	C13-C11-N1	-2.54	105.31	111.60
18	K	301	79P	C56-N55-C50	2.48	114.95	111.09
18	K	301	79P	C41-C30-C29	2.45	117.59	113.33
18	K	301	79P	C17-C66-C65	-2.42	124.97	127.97
18	K	301	79P	C63-C67-C68	2.39	121.34	118.17
18	K	301	79P	O52-C51-C50	-2.37	106.56	111.80
18	Y	301	79P	C41-C30-C29	2.29	117.31	113.33
18	K	301	79P	O52-C53-C54	-2.27	106.80	111.80
17	H	301	MES	O2S-S-C8	2.25	109.62	106.92
18	Y	301	79P	C30-C29-C31	-2.19	106.60	111.11
18	Y	301	79P	O52-C51-C50	-2.16	107.04	111.80
17	H	301	MES	O1S-S-C8	2.10	109.45	106.92
18	K	301	79P	C62-C61-C60	-2.08	117.52	120.44
18	K	301	79P	C30-C29-C31	-2.08	106.83	111.11
18	Y	301	79P	O52-C53-C54	-2.04	107.31	111.80
18	Y	301	79P	C39-C37-C31	-2.00	107.20	110.99

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	K	301	79P	C2-C56-N55-C50
18	K	301	79P	C29-C31-C37-C38
18	K	301	79P	C29-C31-C37-C39
18	K	301	79P	C31-C37-C39-O40
18	K	301	79P	C38-C37-C39-O40
18	Y	301	79P	C29-C31-C37-C38
18	Y	301	79P	C29-C31-C37-C39
18	Y	301	79P	C31-C37-C39-O40
18	Y	301	79P	C38-C37-C39-O40
18	K	301	79P	C29-C30-C41-C46
18	K	301	79P	C29-C30-C41-C42

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
18	Y	301	79P	C29-C30-C41-C46
18	Y	301	79P	C29-C30-C41-C42
18	K	301	79P	O32-C31-C37-C38
18	K	301	79P	O32-C31-C37-C39
18	Y	301	79P	O32-C31-C37-C38
18	K	301	79P	N15-C16-C26-O27
18	K	301	79P	N15-C16-C26-N28
18	K	301	79P	N28-C29-C30-C41
18	Y	301	79P	N28-C29-C30-C41
18	Y	301	79P	O32-C31-C37-C39
18	Y	301	79P	N15-C16-C26-O27
18	Y	301	79P	N15-C16-C26-N28


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
18	K	301	79P	1	0
18	Y	301	79P	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.40	5 (2%) 65 63	36, 55, 92, 127	0
1	O	250/250 (100%)	-0.40	6 (2%) 59 56	40, 59, 102, 140	0
2	B	244/258 (94%)	-0.30	9 (3%) 41 37	40, 59, 104, 159	0
2	P	244/258 (94%)	-0.33	8 (3%) 46 41	43, 61, 104, 157	0
3	C	240/254 (94%)	-0.09	13 (5%) 25 22	38, 67, 136, 171	0
3	Q	240/254 (94%)	-0.03	17 (7%) 16 12	27, 73, 150, 184	0
4	D	235/260 (90%)	-0.37	0 100 100	45, 64, 96, 127	0
4	R	235/260 (90%)	-0.24	5 (2%) 63 61	55, 74, 113, 141	0
5	E	231/234 (98%)	-0.32	3 (1%) 77 77	45, 64, 103, 142	0
5	S	231/234 (98%)	-0.30	3 (1%) 77 77	46, 67, 107, 139	0
6	F	243/288 (84%)	-0.42	6 (2%) 57 55	37, 58, 106, 138	0
6	T	243/288 (84%)	-0.43	6 (2%) 57 55	38, 62, 119, 145	0
7	G	241/252 (95%)	-0.45	3 (1%) 79 79	37, 55, 96, 148	0
7	U	241/252 (95%)	-0.45	3 (1%) 79 79	40, 55, 90, 132	0
8	H	226/232 (97%)	-0.35	6 (2%) 54 50	42, 54, 92, 154	0
8	V	226/232 (97%)	-0.32	7 (3%) 49 44	44, 56, 94, 163	0
9	I	204/205 (99%)	-0.59	2 (0%) 82 82	40, 54, 86, 106	0
9	W	204/205 (99%)	-0.54	3 (1%) 73 73	41, 56, 88, 107	0
10	J	195/198 (98%)	-0.46	4 (2%) 63 61	37, 56, 83, 122	0
10	X	195/198 (98%)	-0.46	4 (2%) 63 61	38, 57, 84, 136	0
11	K	211/211 (100%)	-0.37	2 (0%) 84 84	41, 63, 93, 122	0
11	Y	211/211 (100%)	-0.30	4 (1%) 66 65	39, 65, 93, 123	0
12	L	222/222 (100%)	-0.39	3 (1%) 75 75	46, 60, 102, 132	0
12	Z	222/222 (100%)	-0.37	6 (2%) 54 50	49, 62, 105, 132	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.57	3 (1%) 77 77	35, 55, 85, 102	0
13	a	233/246 (94%)	-0.53	2 (0%) 84 84	38, 56, 82, 110	0
14	N	196/196 (100%)	-0.57	1 (0%) 91 91	33, 49, 80, 106	0
14	b	196/196 (100%)	-0.59	2 (1%) 82 82	31, 49, 81, 107	0
All	All	6342/6612 (95%)	-0.39	136 (2%) 63 61	27, 60, 103, 184	0

All (136) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	221	ASP	6.4
10	X	1	MET	5.7
12	L	174	TYR	5.6
8	V	222	ASP	5.3
2	B	218	GLY	4.9
3	C	238	LYS	4.9
9	W	1	SER	4.8
8	H	226	GLU	4.7
2	P	221	ASP	4.7
10	J	1	MET	4.7
8	V	221	CYS	4.7
2	P	51	VAL	4.7
3	Q	240	GLU	4.7
3	C	206	LYS	4.5
5	E	202	ASP	4.5
2	B	51	VAL	4.4
12	Z	174	TYR	4.4
8	V	226	GLU	4.3
3	Q	206	LYS	4.2
3	Q	238	LYS	4.2
3	C	202	GLN	4.1
2	P	219	ALA	4.1
8	H	221	CYS	3.9
10	J	194	ASP	3.8
3	Q	225	GLU	3.8
1	A	1	MET	3.8
2	P	220	ASN	3.8
3	Q	239	GLN	3.8
2	B	220	ASN	3.8
3	C	239	GLN	3.7
3	Q	50	LEU	3.7
9	I	1	SER	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	49	THR	3.7
4	R	1	ASP	3.6
2	B	219	ALA	3.5
10	X	194	ASP	3.5
1	O	1	MET	3.5
8	H	224	GLN	3.4
3	C	236	GLN	3.4
3	Q	202	GLN	3.4
3	C	205	ALA	3.4
3	C	235	GLU	3.3
5	E	233	ILE	3.3
1	O	249	ALA	3.3
13	M	1	THR	3.3
8	V	224	GLN	3.3
6	T	181	GLU	3.2
3	C	50	LEU	3.2
11	K	146	ASP	3.2
13	a	1	THR	3.1
2	B	201	ASP	3.0
3	Q	235	GLU	2.9
3	Q	237	GLU	2.9
11	Y	211	GLY	2.9
1	O	2	THR	2.9
6	F	202	ASP	2.9
3	C	225	GLU	2.9
6	F	181	GLU	2.9
3	Q	141	ASP	2.8
2	P	222	GLY	2.8
4	R	241	ALA	2.8
1	A	250	LEU	2.8
8	H	222	ASP	2.7
6	T	2	THR	2.7
9	W	131	GLU	2.7
7	U	242	GLN	2.6
1	A	249	ALA	2.6
11	Y	146	ASP	2.6
2	B	59	ASP	2.6
4	R	230	GLU	2.6
2	B	217	LYS	2.6
3	C	49	THR	2.6
6	F	205	GLU	2.5
3	Q	236	GLN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
8	H	219	ASN	2.5
12	L	1	GLN	2.5
6	T	244	ASN	2.5
10	J	95	ARG	2.5
14	b	195	GLN	2.5
5	S	3	ASN	2.4
6	F	244	ASN	2.4
10	X	195	PHE	2.4
13	M	47	ASP	2.4
9	W	133	LYS	2.4
3	Q	181	GLU	2.4
5	S	202	ASP	2.4
1	O	201	GLU	2.4
10	X	193	ASP	2.4
8	H	198	GLU	2.4
10	J	193	ASP	2.3
12	L	173	LYS	2.3
6	F	230	ASP	2.3
3	C	188	GLU	2.3
2	P	218	GLY	2.3
3	Q	139	ARG	2.3
12	Z	1	GLN	2.3
12	Z	173	LYS	2.3
3	Q	216	ASP	2.3
8	V	225	GLU	2.3
9	I	131	GLU	2.3
14	N	105	LYS	2.3
5	S	225	ASP	2.3
11	Y	208	ASN	2.2
1	A	201	GLU	2.2
6	F	215	CYS	2.2
1	O	248	GLU	2.2
7	G	241	GLU	2.2
12	Z	165	ASN	2.2
5	E	123	GLY	2.2
8	V	145	ASP	2.2
7	U	181	LYS	2.2
11	K	211	GLY	2.2
3	Q	3	ASP	2.2
4	R	217	GLN	2.2
3	Q	188	GLU	2.1
7	G	242	GLN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
11	Y	150	GLU	2.1
1	A	2	THR	2.1
7	U	222	ASP	2.1
6	T	205	GLU	2.1
14	b	104	ASP	2.1
13	a	204	THR	2.1
2	P	59	ASP	2.1
7	G	222	ASP	2.1
13	M	216	ASN	2.1
3	C	181	GLU	2.1
4	R	242	GLU	2.1
12	Z	116	GLU	2.1
3	C	229	GLN	2.1
2	P	141	ASP	2.1
6	T	243	ILE	2.1
8	V	223	ILE	2.0
6	T	180	PRO	2.0
2	B	60	THR	2.0
1	O	52	SER	2.0
12	Z	163	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
17	MES	H	301	12/12	0.76	0.41	63,67,88,89	12
18	79P	Y	301	43/43	0.90	0.26	50,60,84,86	0
18	79P	K	301	43/43	0.92	0.22	50,61,85,89	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
15	MG	N	201	1/1	0.92	0.14	50,50,50,50	0
15	MG	L	301	1/1	0.94	0.12	68,68,68,68	0
15	MG	Z	301	1/1	0.95	0.26	63,63,63,63	0
15	MG	G	301	1/1	0.97	0.05	56,56,56,56	0
15	MG	J	201	1/1	0.97	0.11	61,61,61,61	0
15	MG	I	302	1/1	0.98	0.13	59,59,59,59	0
15	MG	I	301	1/1	0.98	0.12	64,64,64,64	0
15	MG	K	302	1/1	0.98	0.14	61,61,61,61	0
16	CL	U	301	1/1	0.99	0.17	40,40,40,40	0
16	CL	G	302	1/1	0.99	0.15	44,44,44,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.