

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 25, 2024 – 09:31 PM EDT

PDB ID	:	7L6G
Title	:	MbnP from Methylosinus trichosporium
Authors	:	Manesis, A.C.; Rosenzweig, A.C.
Deposited on	:	2020-12-23
Resolution	:	2.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution		
	$(\# { m Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$		
$R_{free}$	130704	1692(2.04-2.04)		
Clashscore	141614	1773 (2.04-2.04)		
Ramachandran outliers	138981	1752 (2.04-2.04)		
Sidechain outliers	138945	1752 (2.04-2.04)		
RSRZ outliers	127900	1672(2.04-2.04)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	299	3% 92%	5% •
1	В	299	84%	12% ••
1	С	299	7%82%	13% • •
1	D	299	8%	9% • •
1	Е	299	8%	8% ••



Mol	Chain	Length	Quality of chain					
			8%					
1	F	299	83%	14%	•			

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SO4	А	409	-	-	-	Х



# 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 13544 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Λ	203	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
1	Л	295	2133	1344	376	404	9	0	0	0
1	В	280	Total	С	Ν	Ο	S	0	0	0
1	D	289	2109	1330	371	399	9	0		
1	С	288	Total	С	Ν	Ο	S	0	0	0
1			2102	1325	370	398	9	0	0	0
1	Л	287	Total	С	Ν	Ο	S	0	0	0
1	D	201	2097	1322	369	397	9	0	0	
1	F	295	Total	С	Ν	Ο	S	0	0	0
1			2146	1352	379	406	9	0	0	0
1	1 F	291	Total	С	Ν	Ο	S	0	0	0
			2124	1339	374	402	9		U	

• Molecule 1 is a protein called Metallo-mystery pair system four-Cys motif protein.

• Molecule 2 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total Cu 1 1	0	0
2	В	1	Total Cu 1 1	0	0
2	С	1	Total Cu 1 1	0	0
2	D	1	Total Cu 1 1	0	0
2	Ε	1	Total Cu 1 1	0	0
2	F	1	Total Cu 1 1	0	0

• Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).



7L6G
------

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Ca 1 1	0	0
3	В	1	Total Ca 1 1	0	0
3	С	1	Total Ca 1 1	0	0
3	D	1	Total Ca 1 1	0	0
3	Ε	1	Total Ca 1 1	0	0
3	F	1	Total Ca 1 1	0	0

• Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
4	С	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
4	С	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
4	С	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
4	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	Ε	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	Ε	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	Е	1	$\begin{array}{c ccc} Total & C & O \\ 4 & 2 & 2 \end{array}$	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
4	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

Continued from previous page...

• Molecule 5 is SULFATE ION (three-letter code: SO4) (formula:  $O_4S$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	F	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	F	1	$\begin{array}{c cc} Total & O & S \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	125	Total O 125 125	0	0
6	В	107	Total         O           107         107	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	С	104	Total O	0	0
			104 104		
6	Л	83	Total O	0	0
0	D	00	83 83	0	0
6	Б	00	Total O	0	0
0	Ľ	00	88 88	0	0
6	F	75	Total O	0	0
0	Ľ	10	75 75	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Metallo-mystery pair system four-Cys motif protein







• Molecule 1: Metallo-mystery pair system four-Cys motif protein



• Molecule 1: Metallo-mystery pair system four-Cys motif protein





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 61	Depositor
Cell constants	91.28Å 91.28Å 383.57Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	21.89 - 2.04	Depositor
Resolution (A)	79.05 - 1.94	EDS
% Data completeness	97.0 (21.89-2.04)	Depositor
(in resolution range)	85.9(79.05-1.94)	EDS
$R_{merge}$	0.35	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$0.98 (at 1.94 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
D D.	0.204 , $0.251$	Depositor
$\Pi, \Pi_{free}$	0.206 , $0.253$	DCC
$R_{free}$ test set	5541 reflections $(4.86%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	40.4	Xtriage
Anisotropy	0.230	Xtriage
Bulk solvent $k_{sol}(e/A^3)$ , $B_{sol}(A^2)$	0.34 , $41.3$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	0.058 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	13544	wwPDB-VP
Average B, all atoms $(Å^2)$	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 20.41 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.7483e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CU, SO4, EDO, CA, KYN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.27	0/2167	0.49	0/2953
1	В	0.27	0/2143	0.49	0/2922
1	С	0.29	0/2136	0.49	0/2912
1	D	0.28	0/2131	0.49	0/2905
1	Е	0.27	0/2180	0.48	0/2969
1	F	0.27	0/2158	0.48	0/2941
All	All	0.28	0/12915	0.49	0/17602

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2133	0	2100	15	0
1	В	2109	0	2074	22	0
1	С	2102	0	2065	28	0
1	D	2097	0	2060	18	0
1	Е	2146	0	2116	20	0
1	F	2124	0	2092	30	0
2	А	1	0	0	0	0



7L6G	
------	--

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	В	1	0	0	0	0
2	С	1	0	0	0	0
2	D	1	0	0	0	0
2	Е	1	0	0	0	0
2	F	1	0	0	0	0
3	А	1	0	0	0	0
3	В	1	0	0	0	0
3	С	1	0	0	0	0
3	D	1	0	0	0	0
3	Е	1	0	0	0	0
3	F	1	0	0	0	0
4	А	20	0	30	3	0
4	В	12	0	18	2	0
4	С	12	0	18	2	0
4	D	24	0	36	4	0
4	Е	48	0	72	2	0
4	F	28	0	42	2	0
5	А	30	0	0	1	0
5	В	10	0	0	0	0
5	С	15	0	0	0	0
5	D	15	0	0	0	0
5	Ε	15	0	0	0	0
5	F	10	0	0	0	0
6	А	125	0	0	2	0
6	В	107	0	0	0	0
6	C	104	0	0	0	0
6	D	83	0	0	1	0
6	Е	88	0	0	1	0
6	F	75	0	0	2	0
All	All	13544	0	12723	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:215:GLY:CA	1:C:221:GLU:OE2	2.29	0.80
1:D:225:CYS:H	4:D:407:EDO:H22	1.46	0.79
1:C:228:GLU:H	1:C:300:LYS:HZ1	1.33	0.77
1:C:215:GLY:HA2	1:C:221:GLU:OE2	1.87	0.74



	to as pagem	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:214:LYS:HD3	1:D:215:GLY:H	1.58	0.68
1:B:183:VAL:HB	1:B:208:VAL:HB	1.76	0.67
1:D:194:ILE:HD12	1:D:199:SER:O	1.93	0.67
1:C:155:VAL:HG13	1:C:167:LEU:HD21	1.76	0.66
1:D:248:ASP:HB2	4:D:406:EDO:H11	1.77	0.65
1:B:297:ASP:HA	1:B:300:LYS:HE2	1.79	0.65
1:A:176:TRP:H	1:A:176:TRP:HD1	1.45	0.64
1:D:214:LYS:HD3	1:D:215:GLY:N	2.13	0.63
1:A:117:ASN:ND2	1:E:92:ASP:OD2	2.26	0.62
1:D:183:VAL:HB	1:D:208:VAL:HB	1.80	0.62
1:F:303:ARG:HD3	1:F:306:VAL:HG11	1.80	0.62
1:F:183:VAL:HB	1:F:208:VAL:HB	1.82	0.60
1:B:168:ASP:OD1	1:F:107:ARG:NH2	2.35	0.60
1:E:186:GLU:HG2	1:E:205:MET:HG2	1.82	0.60
1:D:82:LYS:NZ	6:D:502:HOH:O	2.34	0.59
1:F:116:GLY:H	4:F:406:EDO:H12	1.67	0.59
1:B:107:ARG:HD3	1:F:92:ASP:HB3	1.83	0.59
1:C:183:VAL:HB	1:C:208:VAL:HB	1.84	0.58
1:F:216:ASN:ND2	1:F:218:ALA:H	2.01	0.57
1:C:228:GLU:H	1:C:300:LYS:NZ	2.00	0.57
1:C:228:GLU:HG3	1:C:300:LYS:HZ1	1.69	0.57
1:B:63:LYS:NZ	1:F:170:SER:OG	2.37	0.57
1:A:66:GLU:OE1	1:A:68:ARG:NH2	2.39	0.56
1:E:183:VAL:HB	1:E:208:VAL:HB	1.87	0.56
1:F:303:ARG:O	1:F:306:VAL:HG12	2.05	0.56
1:A:183:VAL:HB	1:A:208:VAL:HB	1.88	0.55
1:C:242:THR:HG23	1:C:243:GLN:HG3	1.88	0.55
1:E:207:HIS:HB2	1:E:269:MET:HG2	1.89	0.55
1:F:241:LYS:HG2	1:F:318:LYS:HB2	1.87	0.55
1:E:36:ARG:HD3	4:E:409:EDO:H11	1.89	0.55
1:F:192:ALA:HB3	1:F:200:LYS:HD3	1.89	0.55
1:A:176:TRP:N	1:A:176:TRP:CD1	2.75	0.54
1:B:56:GLY:HA2	1:B:253:PHE:O	2.07	0.54
1:A:68:ARG:HH12	4:A:407:EDO:H12	1.71	0.53
1:F:74:PHE:HB3	1:F:86:ILE:HD12	1.90	0.53
1:D:314:ALA:HB1	1:F:214:LYS:HG2	1.90	0.53
1:C:36:ARG:HD2	4:C:404:EDO:H22	1.91	0.53
1:C:215:GLY:HA3	1:C:221:GLU:OE2	2.08	0.53
1:E:160:VAL:HG21	1:E:170:SER:HA	1.91	0.52
1:C:171:GLY:O	1:C:181:ARG:NH1	2.43	0.52
1:A:176:TRP:HB2	1:A:217:PRO:HG2	1.91	0.51



		Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:36:ARG:HE	1:A:315:ALA:HB1	1.76	0.50		
1:A:212:GLY:N	5:A:411:SO4:O4	2.30	0.50		
1:B:36:ARG:HH12	4:B:403:EDO:H22	1.75	0.50		
1:E:318:LYS:HZ1	4:E:409:EDO:H21	1.77	0.50		
1:D:39:LEU:HD12	1:D:247:LEU:HB3	1.94	0.50		
1:C:66:GLU:OE2	1:C:68:ARG:NE	2.45	0.50		
1:C:251:THR:O	1:C:254:GLU:HG2	2.11	0.50		
1:B:197:ASP:HB2	1:B:199:SER:H	1.77	0.50		
1:F:303:ARG:HB3	1:F:306:VAL:CG1	2.42	0.49		
1:C:316:ALA:N	4:C:404:EDO:O1	2.40	0.49		
1:E:204:TRP:CE2	1:E:267:GLY:HA2	2.47	0.49		
1:C:157:HIS:CE1	1:C:223:VAL:HG11	2.47	0.49		
1:B:193:VAL:O	1:B:200:LYS:HA	2.13	0.48		
1:C:30:THR:HB	1:C:127:ALA:HB1	1.96	0.48		
1:C:195:LYS:HD2	1:C:199:SER:HB2	1.94	0.48		
1:E:56:GLY:HA2	1:E:253:PHE:O	2.14	0.48		
1:F:68:ARG:NH1	6:F:504:HOH:O	2.38	0.47		
1:B:96:ALA:HB2	1:B:148:VAL:HG13	1.96	0.47		
1:E:195:LYS:HB3	1:E:196:PRO:HD2	1.96	0.47		
1:F:186:GLU:HG2	1:F:205:MET:HG2	1.95	0.47		
1:B:66:GLU:OE2	1:B:68:ARG:NH2	2.46	0.47		
1:D:189:PRO:HG3	1:D:193:VAL:HG22	1.97	0.47		
1:C:217:PRO:HG3	1:C:223:VAL:CG2	2.45	0.47		
1:A:72:TYR:OH	4:A:405:EDO:H22	2.15	0.47		
1:D:192:ALA:HB3	1:D:200:LYS:HE2	1.97	0.47		
1:B:76:LEU:HG	1:B:86:ILE:HD11	1.97	0.46		
1:F:74:PHE:CZ	1:F:124:VAL:HG21	2.50	0.46		
1:C:194:ILE:HD13	1:C:200:LYS:HG2	1.97	0.46		
1:D:176:TRP:HB3	1:D:217:PRO:HG2	1.96	0.46		
1:B:97:ASP:OD1	1:B:146:SER:OG	2.30	0.46		
1:F:64:LEU:HD11	1:F:67:ALA:HB2	1.97	0.46		
1:E:176:TRP:CB	1:E:217:PRO:HG2	2.45	0.46		
1:B:92:ASP:HB3	1:F:107:ARG:HD2	1.97	0.46		
1:C:186:GLU:HB3	1:C:203:THR:HG21	1.97	0.46		
1:C:194:ILE:HD11	1:C:200:LYS:HE3	1.98	0.46		
1:F:216:ASN:HD22	1:F:217:PRO:HD2	1.80	0.45		
1:D:44:LYS:HA	4:D:404:EDO:H11	1.97	0.45		
1:F:303:ARG:HB3	1:F:306:VAL:HG12	1.99	0.45		
1:C:189:PRO:HG2	1:C:191:ALA:O	2.17	0.44		
1:C:213:CYS:HA	1:C:225:CYS:HA	1.99	0.44		
1:C:217:PRO:HG3	1:C:223:VAL:HG21	1.98	0.44		



		Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:D:204:TRP:CE2	1:D:267:GLY:HA2	2.52	0.44		
1:E:273:ASP:OD1	1:E:273:ASP:N	2.45	0.44		
1:B:39:LEU:HD12	1:B:247:LEU:HB3	1.99	0.44		
1:F:174:KYN:HBA	4:F:408:EDO:H12	2.00	0.44		
1:B:74:PHE:CZ	1:B:124:VAL:HG21	2.53	0.44		
1:A:189:PRO:HG2	1:A:191:ALA:O	2.18	0.43		
1:B:159:ASN:HB2	1:B:176:TRP:CH2	2.53	0.43		
1:E:74:PHE:CZ	1:E:124:VAL:HG21	2.54	0.43		
1:B:63:LYS:HB2	1:B:188:ILE:HB	1.99	0.43		
1:F:29:LYS:HE3	1:F:29:LYS:HB3	1.72	0.43		
6:A:518:HOH:O	1:E:107:ARG:HD2	2.18	0.43		
1:F:146:SER:OG	1:F:147:LEU:N	2.52	0.43		
1:D:244:ARG:HB3	1:D:315:ALA:HB2	2.01	0.43		
1:C:239:ASP:HB3	1:C:242:THR:HG22	2.00	0.43		
1:B:204:TRP:CE2	1:B:267:GLY:HA2	2.54	0.43		
1:B:116:GLY:H	4:B:405:EDO:H12	1.83	0.42		
1:C:204:TRP:CE2	1:C:267:GLY:HA2	2.54	0.42		
1:E:176:TRP:H	1:E:176:TRP:HD1	1.68	0.42		
1:E:176:TRP:HB3	1:E:217:PRO:HG2	2.00	0.42		
1:F:139:SER:HA	1:F:232:PRO:HA	2.02	0.42		
1:B:197:ASP:HB2	1:B:199:SER:OG	2.19	0.42		
1:E:74:PHE:HB3	1:E:86:ILE:HD12	2.02	0.42		
1:E:216:ASN:O	1:E:221:GLU:HG2	2.19	0.42		
1:E:115:PRO:HG2	1:F:196:PRO:HB3	2.01	0.42		
1:A:107:ARG:HD3	1:E:92:ASP:HB3	2.00	0.42		
1:F:213:CYS:HA	1:F:225:CYS:HA	2.00	0.41		
1:F:52:LEU:HD11	1:F:64:LEU:HB2	2.01	0.41		
1:A:36:ARG:NH1	6:A:516:HOH:O	2.53	0.41		
1:B:177:GLN:NE2	1:B:213:CYS:O	2.51	0.41		
1:D:144:VAL:HG21	4:D:407:EDO:H11	2.03	0.41		
1:F:276:ASP:O	6:F:501:HOH:O	2.22	0.41		
1:D:136:LEU:HG	1:D:137:ALA:N	2.36	0.41		
1:D:239:ASP:HB3	1:D:242:THR:HB	2.03	0.41		
1:C:65:HIS:HB2	1:C:188:ILE:HD11	2.03	0.41		
1:F:54:ASN:HB3	1:F:59:ARG:HB3	2.03	0.41		
1:F:171:GLY:O	1:F:181:ARG:NH1	2.54	0.40		
1:A:92:ASP:OD1	4:A:404:EDO:O1	2.33	0.40		
1:A:107:ARG:HD2	6:E:528:HOH:O	2.22	0.40		
1:C:55:LEU:HD21	1:C:187:VAL:HG11	2.03	0.40		

There are no symmetry-related clashes.



### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	290/299~(97%)	280 (97%)	10 (3%)	0	100	100
1	В	286/299~(96%)	275~(96%)	11 (4%)	0	100	100
1	С	285/299~(95%)	276 (97%)	9~(3%)	0	100	100
1	D	284/299~(95%)	271 (95%)	13~(5%)	0	100	100
1	Е	292/299~(98%)	282 (97%)	10 (3%)	0	100	100
1	F	288/299~(96%)	274 (95%)	14 (5%)	0	100	100
All	All	1725/1794 (96%)	1658 (96%)	67 (4%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	А	219/222~(99%)	216~(99%)	3~(1%)	67	65
1	В	217/222~(98%)	213~(98%)	4 (2%)	59	55
1	С	216/222~(97%)	212 (98%)	4 (2%)	57	53
1	D	216/222 (97%)	212 (98%)	4 (2%)	57	53
1	Е	220/222 (99%)	218 (99%)	2(1%)	78	79
1	F	219/222 (99%)	214 (98%)	5 (2%)	50	44
All	All	1307/1332~(98%)	1285 (98%)	22 (2%)	60	57



Mol	Chain	$\mathbf{Res}$	Type
1	А	176	TRP
1	А	204	TRP
1	А	307	SER
1	В	176	TRP
1	В	182	PHE
1	В	204	TRP
1	В	291	SER
1	С	176	TRP
1	С	202	ARG
1	С	204	TRP
1	С	221	GLU
1	D	29	LYS
1	D	176	TRP
1	D	182	PHE
1	D	204	TRP
1	Е	176	TRP
1	Е	204	TRP
1	F	69	LEU
1	F	176	TRP
1	F	204	TRP
1	F	216	ASN
1	F	307	SER

All (22) residues with a non-rotameric sidechain are listed below:

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	F	216	ASN
1	F	296	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The



Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type	Turne	Chain	Dec	Link	Bo	ond leng	ths	Bond angles		
	vior Type Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
1	KYN	С	174	1	13,14,15	0.75	0	13,18,20	0.57	0
1	KYN	В	174	1	13,14,15	0.77	0	13,18,20	0.52	0
1	KYN	D	174	1	13,14,15	0.79	0	13,18,20	0.50	0
1	KYN	F	174	1	13,14,15	0.79	0	13,18,20	0.67	0
1	KYN	Е	174	1	13,14,15	0.77	0	13,18,20	0.60	0
1	KYN	А	174	1	13,14,15	0.79	0	13,18,20	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KYN	С	174	1	-	1/9/10/12	0/1/1/1
1	KYN	В	174	1	-	2/9/10/12	0/1/1/1
1	KYN	D	174	1	-	1/9/10/12	0/1/1/1
1	KYN	F	174	1	-	1/9/10/12	0/1/1/1
1	KYN	Е	174	1	-	1/9/10/12	0/1/1/1
1	KYN	А	174	1	-	1/9/10/12	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	В	174	KYN	O2-C1-CD2-CE2
1	А	174	KYN	CB-C1-CD2-CE2
1	В	174	KYN	CB-C1-CD2-CE2
1	С	174	KYN	CB-C1-CD2-CE2
1	D	174	KYN	CB-C1-CD2-CE2
1	Е	174	KYN	CB-C1-CD2-CE2
1	F	174	KYN	CB-C1-CD2-CE2

There are no ring outliers.

1 monomer is involved in 1 short contact:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	F	174	KYN	1	0

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 67 ligands modelled in this entry, 12 are monoatomic - leaving 55 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Vol Type Chain Res Lir		Link	B	ond leng	$\operatorname{gths}$	Bond angles			
	Type	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
4	EDO	В	405	-	$3,\!3,\!3$	0.46	0	$2,\!2,\!2$	0.33	0
5	SO4	С	408	-	4,4,4	0.14	0	6,6,6	0.06	0
4	EDO	С	403	-	$3,\!3,\!3$	0.45	0	$2,\!2,\!2$	0.31	0
5	SO4	Е	416	-	4,4,4	0.14	0	$6,\!6,\!6$	0.05	0
4	EDO	Е	405	-	$3,\!3,\!3$	0.47	0	$2,\!2,\!2$	0.28	0
4	EDO	Е	413	-	$3,\!3,\!3$	0.47	0	$2,\!2,\!2$	0.31	0
4	EDO	А	404	-	$3,\!3,\!3$	0.46	0	$2,\!2,\!2$	0.34	0
5	SO4	F	411	-	$4,\!4,\!4$	0.14	0	$6,\!6,\!6$	0.05	0
4	EDO	В	403	-	$3,\!3,\!3$	0.45	0	$2,\!2,\!2$	0.33	0
5	SO4	А	411	-	$4,\!4,\!4$	0.15	0	$6,\!6,\!6$	0.07	0
5	SO4	В	407	-	$4,\!4,\!4$	0.14	0	$6,\!6,\!6$	0.05	0
5	SO4	А	408	-	$4,\!4,\!4$	0.14	0	$6,\!6,\!6$	0.06	0
4	EDO	Е	406	-	$3,\!3,\!3$	0.46	0	$2,\!2,\!2$	0.35	0
4	EDO	D	404	-	3, 3, 3	0.46	0	$2,\!2,\!2$	0.34	0
5	SO4	Е	417	-	$4,\!4,\!4$	0.14	0	$6,\!6,\!6$	0.06	0
4	EDO	Е	407	-	$3,\!3,\!3$	0.45	0	$2,\!2,\!2$	0.35	0
4	EDO	F	404	-	3, 3, 3	0.47	0	$2,\!2,\!2$	0.28	0
4	EDO	F	406	-	$3,\!3,\!3$	0.46	0	$2,\!2,\!2$	0.30	0
4	EDO	F	408	-	$3,\!3,\!3$	0.46	0	$2,\!2,\!2$	0.34	0
4	EDO	F	405	-	$\overline{3,3,3}$	0.46	0	2,2,2	0.35	0
5	SO4	D	410	-	4,4,4	0.14	0	$6,\!6,\!6$	0.04	0
4	EDO	D	407	-	$\overline{3,3,3}$	0.46	0	2,2,2	0.32	0
4	EDO	A	407	-	3,3,3	0.46	0	2,2,2	0.30	0



Mal	Trune	Chain	Dec	Tinle	B	ond leng	$\operatorname{gths}$	Bond angles			
	туре	Unam	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z >2	
4	EDO	Е	414	-	3,3,3	0.47	0	2,2,2	0.31	0	
4	EDO	Е	411	-	3,3,3	0.46	0	2,2,2	0.32	0	
4	EDO	F	407	-	3,3,3	0.46	0	2,2,2	0.33	0	
4	EDO	D	408	-	3,3,3	0.42	0	2,2,2	0.38	0	
4	EDO	Е	408	-	3,3,3	0.46	0	2,2,2	0.33	0	
4	EDO	С	405	-	3,3,3	0.44	0	2,2,2	0.25	0	
4	EDO	Е	404	-	3,3,3	0.45	0	2,2,2	0.32	0	
4	EDO	D	405	-	3,3,3	0.46	0	2,2,2	0.34	0	
4	EDO	В	404	-	3,3,3	0.45	0	2,2,2	0.37	0	
4	EDO	Е	409	-	3,3,3	0.46	0	2,2,2	0.29	0	
5	SO4	А	412	-	4,4,4	0.14	0	$6,\!6,\!6$	0.05	0	
4	EDO	А	403	-	3,3,3	0.45	0	2,2,2	0.32	0	
4	EDO	Е	401	-	3,3,3	0.45	0	2,2,2	0.38	0	
5	SO4	С	407	-	4,4,4	0.14	0	$6,\!6,\!6$	0.05	0	
5	SO4	В	406	-	4,4,4	0.16	0	$6,\!6,\!6$	0.16	0	
4	EDO	F	403	-	3,3,3	0.47	0	2,2,2	0.32	0	
5	SO4	А	409	-	4,4,4	0.15	0	$6,\!6,\!6$	0.04	0	
4	EDO	Е	410	-	3,3,3	0.46	0	2,2,2	0.34	0	
5	SO4	D	411	-	4,4,4	0.15	0	$6,\!6,\!6$	0.05	0	
4	EDO	F	409	-	3,3,3	0.46	0	2,2,2	0.35	0	
4	EDO	Е	412	-	3,3,3	0.47	0	2,2,2	0.32	0	
5	SO4	А	413	-	4,4,4	0.14	0	$6,\!6,\!6$	0.05	0	
5	SO4	D	409	-	4,4,4	0.14	0	$6,\!6,\!6$	0.05	0	
4	EDO	А	406	-	3,3,3	0.44	0	2,2,2	0.35	0	
4	EDO	D	406	-	3,3,3	0.47	0	2,2,2	0.24	0	
4	EDO	А	405	-	3,3,3	0.44	0	2,2,2	0.34	0	
4	EDO	С	404	-	3,3,3	0.44	0	2,2,2	0.42	0	
5	SO4	А	410	-	4,4,4	0.14	0	$6,\!6,\!6$	0.04	0	
5	SO4	С	406	-	4,4,4	0.14	0	$6,\!6,\!6$	0.04	0	
5	SO4	F	410	-	4,4,4	0.14	0	$6,\!6,\!6$	0.05	0	
4	EDO	D	403	-	3,3,3	0.45	0	2,2,2	0.33	0	
5	SO4	Е	415	-	4,4,4	0.14	0	$6,\!6,\!6$	0.05	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	В	405	-	-	0/1/1/1	-
4	EDO	С	403	-	-	0/1/1/1	-
4	EDO	Е	405	-	-	1/1/1/1	-
4	EDO	Е	413	-	-	0/1/1/1	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	А	404	-	-	0/1/1/1	-
4	EDO	В	403	-	-	0/1/1/1	-
4	EDO	Е	406	-	_	0/1/1/1	-
4	EDO	D	404	-	-	0/1/1/1	-
4	EDO	Е	407	-	-	0/1/1/1	-
4	EDO	F	404	-	-	1/1/1/1	-
4	EDO	F	406	-	-	0/1/1/1	-
4	EDO	F	408	-	-	0/1/1/1	-
4	EDO	F	405	-	-	0/1/1/1	-
4	EDO	D	407	-	-	0/1/1/1	-
4	EDO	А	407	-	-	0/1/1/1	-
4	EDO	Е	414	-	-	0/1/1/1	-
4	EDO	Е	411	-	-	0/1/1/1	-
4	EDO	F	407	-	-	0/1/1/1	-
4	EDO	D	408	-	-	1/1/1/1	-
4	EDO	Е	408	-	-	0/1/1/1	-
4	EDO	С	405	-	-	1/1/1/1	-
4	EDO	Е	404	-	-	1/1/1/1	-
4	EDO	D	405	-	-	0/1/1/1	-
4	EDO	В	404	-	-	0/1/1/1	-
4	EDO	Е	409	-	-	0/1/1/1	-
4	EDO	А	403	-	-	0/1/1/1	-
4	EDO	Е	401	_	_	1/1/1/1	-
4	EDO	F	403	-	-	1/1/1/1	-
4	EDO	Е	410	-	-	0/1/1/1	-
4	EDO	F	409	-	-	1/1/1/1	-
4	EDO	Е	412	-	-	1/1/1/1	-
4	EDO	А	406	-	-	1/1/1/1	-
4	EDO	D	406	-	-	1/1/1/1	-
4	EDO	А	405	-	-	1/1/1/1	-
4	EDO	С	404	-	-	0/1/1/1	-
4	EDO	D	403	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	С	405	EDO	O1-C1-C2-O2
4	D	406	EDO	O1-C1-C2-O2



Mol	Chain	Res	Type	Atoms
4	Е	404	EDO	O1-C1-C2-O2
4	F	409	EDO	O1-C1-C2-O2
4	Е	405	EDO	O1-C1-C2-O2
4	Е	412	EDO	O1-C1-C2-O2
4	F	403	EDO	O1-C1-C2-O2
4	А	405	EDO	O1-C1-C2-O2
4	А	406	EDO	O1-C1-C2-O2
4	Е	401	EDO	O1-C1-C2-O2
4	F	404	EDO	O1-C1-C2-O2
4	D	408	EDO	O1-C1-C2-O2

Continued from previous page...

There are no ring outliers.

13 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	В	405	EDO	1	0
4	А	404	EDO	1	0
4	В	403	EDO	1	0
5	А	411	SO4	1	0
4	D	404	EDO	1	0
4	F	406	EDO	1	0
4	F	408	EDO	1	0
4	D	407	EDO	2	0
4	А	407	EDO	1	0
4	Е	409	EDO	2	0
4	D	406	EDO	1	0
4	А	405	EDO	1	0
4	С	404	EDO	2	0

### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	292/299~(97%)	0.44	10 (3%) 45 49	26, 39, 64, 94	0
1	В	288/299~(96%)	0.49	16 (5%) 24 26	31, 44, 73, 98	0
1	С	287/299~(95%)	0.57	20 (6%) 16 18	30, 42, 70, 96	0
1	D	286/299~(95%)	0.59	25 (8%) 10 10	28, 48, 82, 126	0
1	Ε	294/299~(98%)	0.66	25 (8%) 10 11	33, 47, 74, 85	0
1	F	290/299~(96%)	0.72	25 (8%) 10 11	32, 52, 79, 90	0
All	All	1737/1794 (96%)	0.58	121 (6%) 16 18	26, 45, 74, 126	0

All (121) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	196	PRO	8.5
1	D	196	PRO	7.8
1	D	197	ASP	6.4
1	С	197	ASP	5.7
1	В	218	ALA	5.5
1	Е	119	ALA	5.5
1	F	222	ILE	5.3
1	D	296	ASN	5.3
1	D	198	GLY	5.2
1	Е	296	ASN	5.0
1	С	220	GLY	4.9
1	Е	218	ALA	4.9
1	В	292	ALA	4.9
1	F	268	CYS	4.5
1	В	261	ASP	4.5
1	В	316	ALA	4.4
1	D	315	ALA	4.1
1	F	261	ASP	4.1
1	Е	257	ASP	4.1



Mol	Chain	Res	Type	RSRZ
1	D	216	ASN	4.0
1	F	270	SER	3.9
1	Е	267	GLY	3.8
1	С	316	ALA	3.8
1	F	319	VAL	3.7
1	С	292	ALA	3.6
1	F	279	ALA	3.6
1	F	254	GLU	3.6
1	Е	271	ALA	3.6
1	Е	302	SER	3.5
1	Е	191	ALA	3.5
1	В	29	LYS	3.5
1	С	198	GLY	3.5
1	В	295	ALA	3.4
1	Е	261	ASP	3.4
1	F	218	ALA	3.3
1	D	113	CYS	3.3
1	Е	198	GLY	3.3
1	В	216	ASN	3.3
1	В	118	PRO	3.2
1	В	289	ALA	3.2
1	Е	195	LYS	3.2
1	F	239	ASP	3.1
1	В	296	ASN	3.1
1	В	290	ASP	3.1
1	С	221	GLU	3.1
1	В	194	ILE	3.1
1	С	195	LYS	3.0
1	В	119	ALA	3.0
1	С	254	GLU	3.0
1	F	175	ASN	3.0
1	D	218	ALA	2.9
1	F	316	ALA	2.9
1	В	197	ASP	2.9
1	Е	153	VAL	2.9
1	F	59	ARG	2.9
1	С	194	ILE	2.9
1	С	265	ALA	2.9
1	В	288	LEU	2.9
1	Е	160	VAL	2.8
1	А	236	ASP	2.8
1	Е	225	CYS	2.8



Mol	Chain	Res	Type	RSRZ
1	Е	263	GLY	2.8
1	А	57	SER	2.8
1	D	117	ASN	2.8
1	А	290	ASP	2.8
1	F	134	VAL	2.8
1	D	221	GLU	2.8
1	D	118	PRO	2.7
1	Е	199	SER	2.7
1	С	106	ALA	2.7
1	D	80	LYS	2.7
1	А	296	ASN	2.7
1	А	192	ALA	2.7
1	F	113	CYS	2.6
1	F	260	VAL	2.6
1	Ε	219	THR	2.5
1	A	291	SER	2.5
1	В	191	ALA	2.5
1	Ε	239	ASP	2.5
1	С	267	GLY	2.5
1	D	271	ALA	2.5
1	С	261	ASP	2.4
1	F	256	SER	2.4
1	F	240	PRO	2.4
1	А	208	VAL	2.4
1	F	295	ALA	2.4
1	D	274	ASP	2.4
1	D	199	SER	2.4
1	С	161	GLU	2.4
1	E	220	GLY	2.4
1	Е	266	VAL	2.3
1	A	295	ALA	2.3
1	D	108	GLY	2.3
1	D	288	LEU	2.3
1	С	113	CYS	2.3
1	E	316	ALA	2.3
1	A	253	PHE	2.2
1	F	250	THR	2.2
1	F	281	PHE	2.2
1	D	259	SER	2.2
1	E	196	PRO	2.2
1	F	220	GLY	2.2
1	D	258	ILE	2.2



Mol	Chain	Res	Type	RSRZ
1	F	242	THR	2.2
1	D	55	LEU	2.1
1	Е	197	ASP	2.1
1	F	42	ASP	2.1
1	С	219	THR	2.1
1	А	292	ALA	2.1
1	Е	108	GLY	2.1
1	С	303	ARG	2.1
1	D	277	CYS	2.1
1	С	288	LEU	2.1
1	D	289	ALA	2.1
1	D	105	ASP	2.0
1	Е	269	MET	2.0
1	С	183	VAL	2.0
1	F	296	ASN	2.0
1	D	276	ASP	2.0
1	D	119	ALA	2.0
1	F	212	GLY	2.0

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	KYN	F	174	14/15	0.84	0.19	$27,\!40,\!48,\!48$	0
1	KYN	С	174	14/15	0.87	0.20	30,40,51,58	0
1	KYN	А	174	14/15	0.87	0.19	28,30,44,47	0
1	KYN	В	174	14/15	0.89	0.18	32,41,52,63	0
1	KYN	Е	174	14/15	0.90	0.21	32,45,50,51	0
1	KYN	D	174	14/15	0.90	0.16	$39,\!44,\!59,\!59$	0

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
4	EDO	E	413	4/4	0.38	0.21	62,65,68,70	0
4	EDO	Е	411	4/4	0.45	0.35	115,116,118,118	0
4	EDO	В	403	4/4	0.54	0.22	87,87,90,91	0
4	EDO	Е	410	4/4	0.54	0.19	66,69,69,70	0
4	EDO	F	404	4/4	0.55	0.18	68,68,71,74	0
4	EDO	D	405	4/4	0.61	0.16	74,77,78,79	0
4	EDO	Е	414	4/4	0.62	0.21	51,51,52,53	0
4	EDO	А	404	4/4	0.63	0.22	80,80,81,82	0
5	SO4	A	409	5/5	0.64	0.47	131,135,137,138	0
5	SO4	С	406	5/5	0.64	0.20	123,125,129,130	0
4	EDO	F	406	4/4	0.65	0.18	68,70,74,80	0
4	EDO	Е	407	4/4	0.65	0.23	71,72,77,79	0
4	EDO	E	406	4/4	0.65	0.20	$56,\!58,\!62,\!71$	0
4	EDO	А	406	4/4	0.66	0.23	85,86,86,87	0
4	EDO	С	405	4/4	0.67	0.20	58, 59, 59, 59	0
4	EDO	Е	409	4/4	0.67	0.26	81,84,86,87	0
5	SO4	А	412	5/5	0.68	0.36	125,128,129,133	0
4	EDO	F	409	4/4	0.69	0.25	61,64,65,69	0
4	EDO	E	405	4/4	0.71	0.20	$53,\!54,\!54,\!55$	0
4	EDO	E	412	4/4	0.73	0.26	$62,\!65,\!69,\!77$	0
4	EDO	E	404	4/4	0.74	0.20	69,69,70,73	0
4	EDO	А	403	4/4	0.74	0.24	79,86,89,90	0
5	SO4	E	417	5/5	0.74	0.32	111,112,114,119	0
5	SO4	E	416	5/5	0.76	0.24	124,130,131,135	0
4	EDO	F	403	4/4	0.77	0.20	49,53,54,56	0
4	EDO	А	407	4/4	0.80	0.13	58,60,60,62	0
4	EDO	F	407	4/4	0.80	0.14	62,65,69,70	0
5	SO4	D	410	5/5	0.80	0.25	118,122,126,131	0
4	EDO	D	404	4/4	0.80	0.19	76,77,79,79	0
4	EDO	А	405	4/4	0.80	0.19	62,63,67,73	0
5	SO4	С	408	5/5	0.81	0.62	133,133,137,140	0
4	EDO	Е	401	4/4	0.82	0.14	53,63,64,64	0
5	SO4	С	407	5/5	0.82	0.20	130,131,132,134	0
4	EDO	D	403	4/4	0.82	0.34	85,86,87,87	0
5	SO4	А	411	5/5	0.83	0.28	$101,\!105,\!110,\!112$	0
4	EDO	F	408	4/4	0.83	0.18	64,65,68,72	0
5	SO4	A	413	5/5	0.83	0.31	143,146,148,149	0



7L6G	
------	--

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
4	EDO	D	406	4/4	0.84	0.28	57,65,68,77	0
4	EDO	В	405	4/4	0.84	0.19	61,66,70,71	0
5	SO4	D	411	5/5	0.85	0.56	132,136,137,141	0
5	SO4	D	409	5/5	0.85	0.44	135,136,137,139	0
5	SO4	А	410	5/5	0.85	0.34	129,131,134,135	0
5	SO4	F	410	5/5	0.85	0.23	112,113,118,120	0
4	EDO	D	407	4/4	0.86	0.23	59,63,66,69	0
4	EDO	D	408	4/4	0.86	0.25	49,50,64,81	0
4	EDO	С	403	4/4	0.86	0.21	74,75,75,75	0
5	SO4	В	406	5/5	0.88	0.27	74,75,77,82	0
5	SO4	F	411	5/5	0.89	0.16	111,113,117,117	0
4	EDO	Е	408	4/4	0.90	0.16	60,66,69,73	0
4	EDO	С	404	4/4	0.91	0.17	63,70,71,72	0
5	SO4	Е	415	5/5	0.91	0.16	103,108,112,114	0
4	EDO	В	404	4/4	0.92	0.17	$55,\!56,\!57,\!57$	0
3	CA	В	402	1/1	0.92	0.08	$54,\!54,\!54,\!54$	0
2	CU	А	401	1/1	0.93	0.09	44,44,44,44	0
5	SO4	В	407	5/5	0.94	0.24	$97,\!98,\!102,\!103$	0
3	CA	D	402	1/1	0.94	0.06	$52,\!52,\!52,\!52$	0
2	CU	В	401	1/1	0.95	0.07	$49,\!49,\!49,\!49$	0
4	EDO	F	405	4/4	0.95	0.11	54,64,73,80	0
2	CU	Ε	402	1/1	0.95	0.07	$54,\!54,\!54,\!54$	0
3	CA	F	402	1/1	0.95	0.11	$51,\!51,\!51,\!51$	0
2	CU	D	401	1/1	0.96	0.04	$52,\!52,\!52,\!52$	0
5	SO4	А	408	5/5	0.96	0.16	80,83,84,86	0
2	CU	F	401	1/1	0.96	0.07	$5\overline{4},\!54,\!54,\!54$	0
3	CA	Ε	403	1/1	0.96	0.14	$5\overline{8,58,58,58}$	0
2	CU	С	401	1/1	0.97	0.06	$49,\!49,\!49,\!49$	0
3	CA	С	402	1/1	0.97	0.07	43,43,43,43	0
3	CA	A	402	1/1	0.99	0.07	$3\overline{7},\!3\overline{7},\!3\overline{7},\!3\overline{7}$	0

## 6.5 Other polymers (i)

There are no such residues in this entry.

