

Feb 25, 2024 – 12:47 AM EST

PDB ID	:	7L6I
EMDB ID	:	EMD-23205
Title	:	The empty AAV13 capsid
Authors	:	Mietzsch, M.; Agbandje-McKenna, M.
Deposited on		
Resolution	:	2.76 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev70
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: ELECTRON MICROSCOPY

The reported resolution of this entry is 2.76 Å.

Sidechain outliers

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric		Percentile Ranks	Value
Ramachandran outliers			0
Sidechain outliers			0
Wors	е		Better
Per	centile relati	ve to all structures	
Per	centile relati	ve to all EM structures	
Matria		Whole archive	EM structures
Metric		$(\# {\rm Entries})$	(# Entries)
Ramachandran ou	tliers	154571	4023

154315

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

3826

Mol	Chain	Length	Quality of chain
1	1	517	100%
1	2	517	100%
1	3	517	100%
1	4	517	100%
1	5	517	100%
1	6	517	100%
1	7	517	100%
1	8	517	100%
1	А	517	100%



Mol	Chain	Length	Quality of chain
1	В	517	100%
1	С	517	100%
1	D	517	100%
1	Е	517	100%
1	F	517	100%
1	G	517	100%
1	Н	517	100%
1	Ι	517	100%
1	J	517	100%
1	K	517	100%
1	L	517	100%
1	М	517	100%
1	N	517	100%
1	О	517	100%
1	Р	517	100%
1	Q	517	100%
1	R	517	100%
1	S	517	100%
1	T	517	100%
1	U	517	100%
1	V	517	
1	W	517	100%
			100%
1	X	517	100%
1	Y	517	100%
1	Ζ	517	100%



Mol	Chain	Length	Quality of chain
1	a	517	100%
1	b	517	100%
1	с	517	100%
1	d	517	100%
1	е	517	100%
1	f	517	100%
1	g	517	100%
1	h	517	100%
1	i	517	100%
1	j	517	100%
1	k	517	100%
1	1	517	100%
1	m	517	100%
1	n	517	100%
1		517	
	0		100%
1	р	517	100%
1	q	517	100%
1	r	517	100%
1	S	517	100%
1	t	517	100%
1	u	517	100%
1	V	517	100%
1	W	517	100%
1	x	517	100%
1	У	517	100%



Mol	Chain	Length	Quality of chain
1	Z	517	100%



2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 248820 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			AltConf	Trace	
1	٨	517	Total	С	Ν	0	S	1	0	
1	А	517	4147	2615	727	790	15	1	0	
1	D	E 1 7	Total	С	Ν	0	S	1	0	
1	В	517	4147	2615	727	790	15	1	0	
1	С	E 1 7	Total	С	Ν	0	S	1	0	
1	C	517	4147	2615	727	790	15	1	0	
1	D	517	Total	С	Ν	0	S	1	0	
1	D	517	4147	2615	727	790	15	1	0	
1	F	E 1 7	Total	С	Ν	0	S	1	0	
1	Ε	517	4147	2615	727	790	15	1	0	
1	F	E 1 7	Total	С	Ν	0	S	1	0	
1	\mathbf{F}	517	4147	2615	727	790	15	1	0	
1	C	E 1 7	Total	С	Ν	0	S	1	0	
1	G	517	4147	2615	727	790	15	1	0	
1	Н	517	Total	С	Ν	Ο	S	1	0	
1	П	517	4147	2615	727	790	15		0	
1	Ι	517	Total	С	Ν	0	S	1	0	
1	1	517	4147	2615	727	790	15			
1	J	517	Total	С	Ν	0	S	1	0	
1	J	517	4147	2615	727	790	15	L	0	
1	Κ	517	Total	С	Ν	0	S	1	0	
1	n	517	4147	2615	727	790	15	L	0	
1	т	т	517	Total	С	Ν	0	S	1	0
1	L	517	4147	2615	727	790	15	1	0	
1	М	517	Total	С	Ν	0	S	1	0	
1	IVI	517	4147	2615	727	790	15	L	0	
1	Ν	517	Total	С	Ν	0	S	1	0	
1	IN	517	4147	2615	727	790	15	L	0	
1	0	517	Total	С	Ν	Ο	S	1	0	
T	U	O 517	4147	2615	727	790	15	1	0	
1	P 517	Total	С	Ν	Ο	S	1	0		
T	T	517	4147	2615	727	790	15		U	
1	0	517	Total	С	Ν	Ο	S	1	0	
1	\mathbf{Q}	517	4147	2615	727	790	15	1	0	

• Molecule 1 is a protein called Capsid protein.



Continued from previous page...

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Mol	Chain	Residues	5	At	oms			AltConf	Trace	
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	р	F17	Total	С	Ν	0	S	1	0	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	1	I N	116	4147	2615	727	790	15	1	0	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	C	F17	Total	С	Ν	0	S	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	S	517	4147	2615	727	790	15	1	0	
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	т	517	Total	С	Ν	0	S	1	0	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	1	1	517	4147	2615	727	790	15	1	0	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	T	517	Total	С	Ν	Ο	S	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	U	517	4147	2615	727	790	15	1	0	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	V	517	Total	С	Ν	0	S	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	v	517	4147	2615	727	790	15	1	0	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	W/	517	Total	С	Ν	0	S	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	T	vv	517	4147	2615	727	790	15	1	0	
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	X	x	517	Total	С	Ν	0	S	1	0
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	T		517	4147	2615	727	790		1	0	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	v	517	Total	С	Ν	0	S	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	T	1	517	4147	2615	727	790	15	1	0	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	7	517	Total	С	Ν	0	S	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	T		517	4147	2615	727	790	15		0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	0	517	Total	С	Ν	0	S	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	a	917	4147	2615	727	790	15	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	h	517	Total	С	Ν	0	\mathbf{S}	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	D	517	4147	2615	727	790	15			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	0	517	Total	С	Ν	0	S	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	C	517	4147	2615	727	790		1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	d	517	Total	С	Ν	0	\mathbf{S}	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	u	517	4147	2615	727	790	15	1		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	0	517	Total	С	Ν	0	\mathbf{S}	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	T	e 517	517	4147	2615	727	790		1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	f	517	Total	С	Ν	Ο	\mathbf{S}	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	T	L	011	4147		727	790		I	0	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	1	σ	517		-		-	\mathbf{S}	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	T	5	011	4147	2615		790		I	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	h	517				Ο	\mathbf{S}	1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	11	011	4147					Ĩ	0	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	i	517						1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	T	1	011						1	0	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	j	517						1	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	T		011							0	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	k	517						1	0	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	T	ň	011						1	0	
4147 2615 727 790 15	1	1	517		-				1	0	
	T	1	011	4147	2615	727	790			0	



Continued from previous page...

Mol	Chain	Residues	0	At	oms			AltConf	Trace		
1		F 1 7	Total	С	Ν	0	S	1	0		
1	m	517	4147	2615	727	790	15	1	0		
1		517	Total	С	Ν	0	S	1	0		
1	n	517	4147	2615	727	790	15	L	0		
1		517	Total	С	Ν	0	S	1	0		
1	0	517	4147	2615	727	790	15	L	0		
1	n	517	Total	С	Ν	0	S	1	0		
	р	517	4147	2615	727	790	15	L	0		
1		517	Total	С	Ν	0	S	1	0		
	q	517	4147	2615	727	790	15	L	0		
1	r	517	Total	С	Ν	0	S	1	0		
	r	517	4147	2615	727	790	15	L	0		
1	G	517	Total	С	Ν	0	S	1	0		
	S	517	4147	2615	727	790	15	L	0		
1	+	t	+	517	Total	С	Ν	0	S	1	0
	U	517	4147	2615	727	790	15	L	0		
1	11	11	11	517	Total	С	Ν	0	S	1	0
	u	517	4147	2615	727	790	15	1	0		
1		517	Total	С	Ν	0	S	1	0		
1	V	517	4147	2615	727	790	15		0		
1		517	Total	С	Ν	0	S	1	0		
	W	517	4147	2615	727	790	15				
1	v	517	Total	С	Ν	0	S	1	0		
1	X	517	4147	2615	727	790	15	L	0		
1		517	Total	С	Ν	0	S	1	0		
	У	517	4147	2615	727	790	15	L	0		
1	7	517	Total	С	Ν	0	S	1	0		
	Z	517	4147	2615	727	790	15	L	0		
1	1	517	Total	С	Ν	0	S	1	0		
1	1	517	4147	2615	727	790	15	I	0		
1	2	517	Total	С	Ν	0	S	1	0		
1	2	517	4147	2615	727	790	15	T	0		
1	3	517	Total	С	Ν	0	S	1	0		
1	5	517	4147	2615	727	790	15	I	0		
1	4	517	Total	С	Ν	0	S	1	0		
	<u>'</u> ±	517	4147	2615	727	790	15		U		
1	5 517	517	Total	С	Ν	Ο	\mathbf{S}	1	0		
		4147	2615	727	790	15		0			
1	6	517	Total	С	Ν	Ο	\mathbf{S}	1	0		
	U	517	4147	2615	727	790	15		0		
1	7	517	Total	С	Ν	0	S	1	0		
	(517	4147	2615	727	790	15		U		
							<u>a</u> .:	7	t naae		



Continued from previous page...


Mol	Chain	Residues		At	oms			AltConf	Trace
1	8	517	Total 4147	C 2615	N 727	O 790	S 15	1	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Capsid protein





• Molecule 1: Capsid protein		
Chain F:	100%	
1217 1326 1733		
• Molecule 1: Capsid protein		
Chain G:	100%	
n217 1326 1733		
• Molecule 1: Capsid protein		
Chain H:	100%	
A217 B326 L733		
• Molecule 1: Capsid protein		
Chain I:	100%	_
A217		
• Molecule 1: Capsid protein		
Chain J:	100%	
A217		
• Molecule 1: Capsid protein		
Chain K:	100%	
A217 +		
• Molecule 1: Capsid protein		
Chain L:	100%	



٠	٠	_
A217	D326	L733

Chain M:	100%
A217 D326 L733	
• Molecule 1: Capsid protein	
Chain N:	100%
A217	
• Molecule 1: Capsid protein	
Chain O:	100%
A217	
• Molecule 1: Capsid protein	
Chain P:	100%
A217	
• Molecule 1: Capsid protein	
Chain Q:	100%
171CA D3265 L733	
• Molecule 1: Capsid protein	
Chain R:	100%
A217 D326 L733	
• Molecule 1: Capsid protein	



Chain S:	100%
A217 4 D326 4 L733 4	
• Molecule 1: Capsid protein	
Chain T:	100%
A217	
• Molecule 1: Capsid protein	
Chain U:	100%
A217	
• Molecule 1: Capsid protein	
Chain V:	100%
A217 D326	
• Molecule 1: Capsid protein	
Chain W:	100%
A217	
• Molecule 1: Capsid protein	
Chain X:	100%
A217 D326 L733	
• Molecule 1: Capsid protein	
Chain Y:	100%
A217	



• Molecule 1: (Capsid protein
Chain Z:	



Chain a:



100%



• Molecule 1: Capsid protein

Chain b:

100%

A217

• Molecule 1: Capsid protein

Chain c:

100%

• Molecule 1: Capsid protein

Chain d:

100%

A217

• Molecule 1: Capsid protein

Chain e:

100%



• Molecule 1: Capsid protein

Chain f:

100%



L733

Chain g:	100%
A217	
• Molecule 1: Capsid protein	
Chain h:	100%
A217 D326	
• Molecule 1: Capsid protein	
Chain i:	100%
◆ → → → → → → → → → → → → → → → → → → →	
• Molecule 1: Capsid protein	
Chain j:	100%
A217	
• Molecule 1: Capsid protein	
Chain k:	100%
A217	
• Molecule 1: Capsid protein	
Chain l:	100%
A217	
• Molecule 1: Capsid protein	



Chain m:	100%
A217 ♦ D326 ♦ L733	
• Molecule 1: Capsid protein	
Chain n:	100%
A217	
• Molecule 1: Capsid protein	
Chain o:	100%
A217 D326 L733	
• Molecule 1: Capsid protein	
Chain p:	100%
A217	
• Molecule 1: Capsid protein	
Chain q:	100%
A217 D326	
• Molecule 1: Capsid protein	
Chain r:	100%
AD17 D326 L733	
• Molecule 1: Capsid protein	
Chain s:	100%



•	٠	_
A217	D326	L733

Chain t:	100%
A217 b326	
• Molecule 1: Capsid protein	
Chain u:	100%
A217 4	
• Molecule 1: Capsid protein	
Chain v:	100%
◆ → ^{D326}	
• Molecule 1: Capsid protein	
Chain w:	100%
A217 b326	
• Molecule 1: Capsid protein	
Chain x:	100%
A217 4	
• Molecule 1: Capsid protein	
Chain y:	100%
h217 ← D326 ← L733	

• Molecule 1: Capsid protein



Chain z:	100%	_
A217 B326 L733		
• Molecule 1: Capsid protein		
Chain 1:	100%	
A217		
• Molecule 1: Capsid protein		
Chain 2:	100%	_
A217 1326 L733		
• Molecule 1: Capsid protein		
Chain 3:	100%	_
A217 D826		
• Molecule 1: Capsid protein		
Chain 4:	100%	_
A217 +		
• Molecule 1: Capsid protein		
Chain 5:	100%	
A217 D326		
• Molecule 1: Capsid protein		
Chain 6:	100%	_
A217		



Chain 7:

100%



• Molecule 1: Capsid protein

Chain 8:

100%





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	56962	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 $(6k \ge 4k)$	Depositor
Maximum map value	17.134	Depositor
Minimum map value	-9.775	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	2.0	Depositor
Map size (Å)	452.34, 452.34, 452.34	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles $(^{\circ})$	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.077, 1.077, 1.077	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond	l angles
	Ullaili	RMSZ	# Z > 5	RMSZ	# Z > 5
1	1	0.52	0/4276	0.59	0/5833
1	2	0.52	0/4276	0.59	0/5833
1	3	0.52	0/4276	0.59	0/5833
1	4	0.52	0/4276	0.59	0/5833
1	5	0.52	0/4276	0.59	0/5833
1	6	0.52	0/4276	0.59	0/5833
1	7	0.52	0/4276	0.59	0/5833
1	8	0.52	0/4276	0.59	0/5833
1	А	0.52	0/4276	0.59	0/5833
1	В	0.52	0/4276	0.59	0/5833
1	С	0.52	0/4276	0.59	0/5833
1	D	0.52	0/4276	0.59	0/5833
1	Е	0.52	0/4276	0.59	0/5833
1	F	0.52	0/4276	0.59	0/5833
1	G	0.52	0/4276	0.59	0/5833
1	Н	0.52	0/4276	0.59	0/5833
1	Ι	0.52	0/4276	0.59	0/5833
1	J	0.52	0/4276	0.59	0/5833
1	K	0.52	0/4276	0.59	0/5833
1	L	0.52	0/4276	0.59	0/5833
1	М	0.52	0/4276	0.59	0/5833
1	Ν	0.52	0/4276	0.59	0/5833
1	0	0.52	0/4276	0.59	0/5833
1	Р	0.52	0/4276	0.59	0/5833
1	Q	0.52	0/4276	0.59	0/5833
1	R	0.52	0/4276	0.59	0/5833
1	S	0.52	0/4276	0.59	0/5833
1	Т	0.52	0/4276	0.59	0/5833
1	U	0.52	0/4276	0.59	0/5833
1	V	0.52	0/4276	0.59	0/5833
1	W	0.52	0/4276	0.59	0/5833
1	Х	0.52	0/4276	0.59	0/5833
1	Y	0.52	0/4276	0.59	0/5833
1	Ζ	0.52	0/4276	0.59	0/5833



Mol	Chain	Bond	lengths	Bond	l angles
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	a	0.52	0/4276	0.59	0/5833
1	b	0.52	0/4276	0.59	0/5833
1	с	0.52	0/4276	0.59	0/5833
1	d	0.52	0/4276	0.59	0/5833
1	е	0.52	0/4276	0.59	0/5833
1	f	0.52	0/4276	0.59	0/5833
1	g	0.52	0/4276	0.59	0/5833
1	h	0.52	0/4276	0.59	0/5833
1	i	0.52	0/4276	0.59	0/5833
1	j	0.52	0/4276	0.59	0/5833
1	k	0.52	0/4276	0.59	0/5833
1	1	0.52	0/4276	0.59	0/5833
1	m	0.52	0/4276	0.59	0/5833
1	n	0.52	0/4276	0.59	0/5833
1	0	0.52	0/4276	0.59	0/5833
1	р	0.52	0/4276	0.59	0/5833
1	q	0.52	0/4276	0.59	0/5833
1	r	0.52	0/4276	0.59	0/5833
1	s	0.52	0/4276	0.59	0/5833
1	t	0.52	0/4276	0.59	0/5833
1	u	0.52	0/4276	0.59	0/5833
1	V	0.52	0/4276	0.59	0/5833
1	W	0.52	0/4276	0.59	0/5833
1	Х	0.52	0/4276	0.59	0/5833
1	у	0.52	0/4276	0.59	0/5833
1	Z	0.52	0/4276	0.59	0/5833
All	All	0.52	0/256560	0.59	0/349980

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

Due to software issues we are unable to calculate clashes - this section is therefore empty.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	1	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	2	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	3	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	4	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	5	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	6	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	7	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	8	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	А	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	В	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	С	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	D	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	Ε	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	F	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	G	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	Η	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	Ι	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	J	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	К	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	L	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	М	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	Ν	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	О	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	Р	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	Q	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
					Continued a	on next	page



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	R	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	S	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	Т	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	U	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	V	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	W	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	Х	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	Y	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	Ζ	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	a	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	b	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	с	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	d	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	е	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	f	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	g	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	h	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	i	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	j	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	k	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	1	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	m	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	n	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	0	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	р	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	q	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	r	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	s	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	t	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	u	516/517~(100%)	505 (98%)	11 (2%)	0	100	100
1	v	516/517~(100%)	505 (98%)	11 (2%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	W	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	х	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	У	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
1	Z	516/517~(100%)	505~(98%)	11 (2%)	0	100	100
All	All	30960/31020~(100%)	30300 (98%)	660~(2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	1	456/455~(100%)	456 (100%)	0	100 100
1	2	456/455~(100%)	456 (100%)	0	100 100
1	3	456/455~(100%)	456 (100%)	0	100 100
1	4	456/455~(100%)	456 (100%)	0	100 100
1	5	456/455~(100%)	456 (100%)	0	100 100
1	6	456/455~(100%)	456 (100%)	0	100 100
1	7	456/455~(100%)	456 (100%)	0	100 100
1	8	456/455~(100%)	456 (100%)	0	100 100
1	А	456/455~(100%)	456 (100%)	0	100 100
1	В	456/455~(100%)	456 (100%)	0	100 100
1	С	456/455~(100%)	456 (100%)	0	100 100
1	D	456/455~(100%)	456 (100%)	0	100 100
1	Е	456/455~(100%)	456 (100%)	0	100 100
1	F	456/455~(100%)	456 (100%)	0	100 100
1	G	456/455~(100%)	456 (100%)	0	100 100
1	Н	456/455~(100%)	456 (100%)	0	100 100
1	Ι	456/455~(100%)	456 (100%)	0	100 100



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	J	456/455~(100%)	456 (100%)	0	100	100
1	Κ	456/455~(100%)	456 (100%)	0	100	100
1	L	456/455~(100%)	456 (100%)	0	100	100
1	М	456/455~(100%)	456 (100%)	0	100	100
1	Ν	456/455~(100%)	456 (100%)	0	100	100
1	Ο	456/455~(100%)	456 (100%)	0	100	100
1	Р	456/455~(100%)	456 (100%)	0	100	100
1	Q	456/455~(100%)	456 (100%)	0	100	100
1	R	456/455~(100%)	456 (100%)	0	100	100
1	S	456/455~(100%)	456 (100%)	0	100	100
1	Т	456/455~(100%)	456 (100%)	0	100	100
1	U	456/455~(100%)	456 (100%)	0	100	100
1	V	456/455~(100%)	456 (100%)	0	100	100
1	W	456/455~(100%)	456 (100%)	0	100	100
1	Х	456/455~(100%)	456 (100%)	0	100	100
1	Y	456/455~(100%)	456 (100%)	0	100	100
1	Ζ	456/455~(100%)	456 (100%)	0	100	100
1	a	456/455~(100%)	456 (100%)	0	100	100
1	b	456/455~(100%)	456 (100%)	0	100	100
1	с	456/455~(100%)	456 (100%)	0	100	100
1	d	456/455~(100%)	456 (100%)	0	100	100
1	е	456/455~(100%)	456 (100%)	0	100	100
1	f	456/455~(100%)	456 (100%)	0	100	100
1	g	456/455~(100%)	456 (100%)	0	100	100
1	h	456/455~(100%)	456 (100%)	0	100	100
1	i	456/455~(100%)	456 (100%)	0	100	100
1	j	456/455~(100%)	456 (100%)	0	100	100
1	k	456/455~(100%)	456 (100%)	0	100	100
1	l	456/455~(100%)	456 (100%)	0	100	100
1	m	456/455~(100%)	456 (100%)	0	100	100
1	n	456/455~(100%)	456 (100%)	0	100	100



Mol	Chain	Analysed	Rotameric	Outliers	Percer	ntiles
1	О	456/455~(100%)	456 (100%)	0	100	100
1	р	456/455~(100%)	456 (100%)	0	100	100
1	q	456/455~(100%)	456 (100%)	0	100	100
1	r	456/455~(100%)	456 (100%)	0	100	100
1	\mathbf{S}	456/455~(100%)	456 (100%)	0	100	100
1	t	456/455~(100%)	456 (100%)	0	100	100
1	u	456/455~(100%)	456 (100%)	0	100	100
1	v	456/455~(100%)	456 (100%)	0	100	100
1	W	456/455~(100%)	456 (100%)	0	100	100
1	х	456/455~(100%)	456 (100%)	0	100	100
1	У	456/455~(100%)	456 (100%)	0	100	100
1	Z	456/455~(100%)	456 (100%)	0	100	100
All	All	27360/27300~(100%)	27360 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (937) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	226	ASN
1	А	254	HIS
1	А	269	ASN
1	А	316	ASN
1	А	325	ASN
1	А	406	ASN
1	А	420	HIS
1	А	427	GLN
1	А	507	HIS
1	А	549	ASN
1	А	582	GLN
1	А	605	GLN
1	А	625	HIS
1	А	643	GLN
1	А	688	ASN
1	В	226	ASN
1	В	254	HIS
1	В	269	ASN
1	В	316	ASN



Mol	Chain	Res	Type
1	В	325	ASN
1	В	406	ASN
1	В	420	HIS
1	В	427	GLN
1	В	448	GLN
1	В	507	HIS
1	В	549	ASN
1	В	582	GLN
1	В	605	GLN
1	В	625	HIS
1	В	643	GLN
1	В	688	ASN
1	С	226	ASN
1	С	254	HIS
1	С	269	ASN
1	B C C C C C C C C C C C C C C C C C C C	316	ASN
1	С	325	ASN
1	С	406	ASN
1	С	420	HIS
1	С	427	GLN
1	С	507	HIS
1	C	549	ASN
1	С	582	GLN
1	C	605	GLN
1	C	625	HIS
1	C	643	GLN
1	C	688	ASN
1	D	226	ASN
1	D	254	HIS
1	D	269	ASN
1	D	316	ASN
1	D	325	ASN
1	D	406	ASN
1	D	420	HIS
1	D	427	GLN
1	D	507	HIS
1	D	549	ASN
1	D	582	GLN
1	D	605	GLN
1	D	625	HIS
1	D	643	GLN
1	D	688	ASN
T	Continue		



Mol	Chain	Res	Type
1	Е	226	ASN
1	Е	254	HIS
1	Е	269	ASN
1	Е	316	ASN
1	Е	325	ASN
1	Е	406	ASN
1	Е	420	HIS
1	Е	427	GLN
1	Е	448	GLN
1	Е	507	HIS
1	Е	549	ASN
1	Е	582	GLN
1	Е	605	GLN
1	Е	625	HIS
1	Е	643	GLN
1	Е	688	ASN
1	F	226	ASN
1	F	254	HIS
1	F	269	ASN
1	F	316	ASN
1	F	325	ASN
1	F	406	ASN
1	F	420	HIS
1	F	427	GLN
1	F	507	HIS
1	F	549	ASN
1	F	582	GLN
1	F	605	GLN
1	F	625	HIS
1	F	643	GLN
1	F	688	ASN
1	G	226	ASN
1	G	254	HIS
1	G G	269	ASN
1	G	316	ASN
1	G	325	ASN
1	G	406	ASN
1	G	420	HIS
1	G	427	GLN
1	G	448	GLN
1	G	507	HIS
1	G	549	ASN



Mol	Chain	Res	Type
1	G	582	GLN
1	G	605	GLN
1	G	625	HIS
1	G	643	GLN
1	G	688	ASN
1	Н	226	ASN
1	Н	254	HIS
1	Н	269	ASN
1	Н	316	ASN
1	Н	325	ASN
1	Н	406	ASN
1	Н	420	HIS
1	Н	427	GLN
1	Н	448	GLN
1	Н	507	HIS
1	Н	549	ASN
1	Н	582	GLN
1	Н	605	GLN
1	Н	625	HIS
1	Н	643	GLN
1	Н	688	ASN
1	Ι	226	ASN
1	Ι	254	HIS
1	Ι	269	ASN
1	Ι	316	ASN
1	Ι	325	ASN
1	Ι	406	ASN
1	Ι	420	HIS
1	Ι	427	GLN
1	Ι	448	GLN
1	Ι	507	HIS
1	Ι	549	ASN
1	Ι	582	GLN
1	Ι	605	GLN
1	Ι	625	HIS
1	Ι	643	GLN
1	Ι	688	ASN
1	J	226	ASN
1	J	254	HIS
1	J	269	ASN
1	J	316	ASN



Mol	Chain	Res	Type
1	J	406	ASN
1	J	420	HIS
1	J	427	GLN
1	J	507	HIS
1	J	549	ASN
1	J	582	GLN
1	J	605	GLN
1	J	625	HIS
1	J	643	GLN
1	J	688	ASN
1	K	226	ASN
1	K	254	HIS
1	K	269	ASN
1	K	316	ASN
1	K	325	ASN
1	K	406	ASN
1	K	420	HIS
1	K	427	GLN
1	K	448	GLN
1	K	507	HIS
1	K	549	ASN
1	K	582	GLN
1	K	605	GLN
1	K	625	HIS
1	K	643	GLN
1	K	688	ASN
1	L	226	ASN
1	L	254	HIS
1	L	269	ASN
1	L	316	ASN
1	L	325	ASN
1	L	406	ASN
1	L	420	HIS
1	L	427	GLN
1	L	448	GLN
1	L	507	HIS
1	L	549	ASN
1	L	582	GLN
1	L	605	GLN
1	L	625	HIS
	L	643	GLN
1	L		



Mol	Chain	Res	Type
1	М	226	ASN
1	М	254	HIS
1	М	269	ASN
1	М	316	ASN
1	М	325	ASN
1	М	406	ASN
1	М	420	HIS
1	М	427	GLN
1	М	448	GLN
1	М	507	HIS
1	М	549	ASN
1	М	582	GLN
1	М	605	GLN
1	М	625	HIS
1	М	643	GLN
1	М	688	ASN
1	N	226	ASN
1	Ν	254	HIS
1	N	269	ASN
1	N	316	ASN
1	N	325	ASN
1	N	406	ASN
1	N	420	HIS
1	N	427	GLN
1	Ν	448	GLN
1	N	507	HIS
1	Ν	549	ASN
1	N	582	GLN
1	N	605	GLN
1	N	625	HIS
1	Ν	643	GLN
1	Ν	688	ASN
1	N 0 0 0 0 0 0 0 0 0 0	226	ASN
1	0	254	HIS
1	0	269	ASN
1	0	316	ASN
1	Ο	325	ASN
1	0	406	ASN
1	0	420	HIS
1	0	427	GLN
1	0	448	GLN
1	0	507	HIS



Mol	Chain	Res	Type
1	0	549	ASN GLN
1	0	582	GLN
1	0	605	GLN
1	0	625	HIS
1	0 0 0 P P	643	GLN
1	0	688	ASN
1	Р	226	ASN
1	Р	254	HIS
1	Р	269	ASN
1	Р	316	ASN
1	Р	325	ASN
1	Р	406	ASN
1	Р	420	HIS
1	Р	427	GLN
1	Р	448	GLN
1	Р	507	HIS
1	P P P P P P P P P P P Q	549	ASN
1	Р	582	GLN
1	Р	605	GLN GLN
1	Р	625	HIS
1	Р	643	GLN
1	Р	688	ASN
1	Q	226	ASN
1	Q	254	HIS
1	Q	269	ASN
1	Q	316	ASN
1	Q	325	ASN
1	Q	406	ASN
1	Q	420	HIS
1		427	GLN
1	Q Q Q Q Q Q Q Q Q R	448	GLN
1	Q	507	HIS
1	Q	549	ASN
1	Q	582	GLN
1	Q	605	GLN
1	Q	625	HIS
1	Q	643	GLN
1	Q	688	ASN
1	R	226	ASN
1	R	254	HIS
1	R	269	ASN
•	R	316	ASN



Mol	Chain	Res	Type
1	R	325	ASN
1	R	406	ASN
1	R	420	HIS
1	R	427	GLN
1	R	448	GLN
1	R	507	HIS
1	R	549	ASN
1	R	582	GLN
1	R	605	GLN
1	R	625	HIS
1	R	643	GLN
1	R	688	ASN
1	S	226	ASN
1	S	254	HIS
1	S	269	ASN
1	S	316	ASN
1	S	325	ASN
1	S	406	ASN
1	S	420	HIS
1	S	427	GLN
1	S	507	HIS
1	S	549	ASN
1	S	582	GLN
1	S	605	GLN
1	S	625	HIS
1	~ S	643	GLN
1	S	688	ASN
1	T	226	ASN
1	T	254	HIS
1	T	269	ASN
1		316	ASN
1	T T	325	ASN
1	T T T T T T	406	ASN
1	T T	420	HIS
1	т Т	427	GLN
1	т Т	507	HIS
1	T	549	ASN
1	T T	582	GLN
1	T T	$\frac{502}{605}$	GLN
1	T	625	HIS
1	T	643	GLN



Mol	Chain	Res	Type
1	U	226	ASN
1	U	254	HIS
1	U	269	ASN
1	U	316	ASN
1	U	325	ASN
1	U	406	ASN
1	U	420	HIS
1	U	427	GLN
1	U	448	GLN
1	U	507	HIS
1	U	549	ASN
1	U	582	GLN
1	U	605	GLN
1	U	625	HIS
1	U	643	GLN
1	U	688	ASN
1	V	226	ASN
1	V	254	HIS
1	V	269	ASN
1	V	316	ASN
1	V	325	ASN
1	V	406	ASN
1	V	420	HIS
1	V	427	GLN
1	V	448	GLN
1	V	507	HIS
1	V	549	ASN
1	V	582	GLN
1	V	605	GLN
1	V	625	HIS
1	V	643	GLN
1	V	688	ASN
1	W	226	ASN
1	W	$\frac{220}{254}$	HIS
1	W	269	ASN
1	W	316	ASN
1	W	325	ASN
1	W	406	ASN
1	W	400	HIS
1	W	420	GLN
1	W	448	GLN
1	W	507	HIS
T	Continue		



Mol	Chain	Res	Type
1	W	549	ASN
1	W	582	GLN
1	W	605	GLN
1	W	625	HIS
1	W	643	GLN
1	W	688	ASN
1	Х	226	ASN
1	Х	254	HIS
1	Х	269	ASN
1	X X	316	ASN
1	Х	325	ASN
1	Х	406	ASN
1	Х	420	HIS
1	Х	427	GLN
1	Х	448	GLN
1	Х	507	HIS
1	Х	549	ASN
1	Х	582	GLN
1	Х	605	GLN
1	Х	625	HIS
1	Х	643	GLN
1	Х	688	ASN
1	Y	226	ASN
1	Y	254	HIS
1	Y	269	ASN
1	Y	316	ASN
1	Y	325	ASN
1	Y Y	406	ASN
1	Y	420	HIS
1	Y	427	GLN
1	Y	448	GLN
1	Y	507	HIS
1	Y	549	ASN
1	Y	582	GLN
1	Y Y	605	GLN
1	Y	625	HIS
1	Y	643	GLN
1	Y	688	ASN
1	Z	226	ASN
1	Z	254	HIS
1	Z	269	ASN
1	Z	316	ASN



Mol	Chain	Res	Type
1	Ζ	325	ASN
1	Ζ	406	ASN
1	Ζ	420	HIS
1	Ζ	427	GLN
1	Ζ	507	HIS
1	Ζ	549	ASN
1		582	GLN
1	Z Z	605	GLN
1	Ζ	625	HIS
1	Ζ	643	GLN
1	Ζ	688	ASN
1	a	226	ASN
1	a	254	HIS
1	a	269	ASN
1	a	316	ASN
1	a	325	ASN
1	a	406	ASN
1	a	420	HIS
1	a	427	GLN
1	a	448	GLN
1	a	507	HIS
1	a	549	ASN
1	a	582	GLN
1	a	605	GLN
1	a	625	HIS
1	a	643	GLN
1	a	688	ASN
1	b	226	ASN
1	b	254	HIS
1	b	269	ASN
1	b	316	ASN
1	b	325	ASN
1	b	406	ASN
1	b	420	HIS
1	b	427	GLN
1	b	507	HIS
1	b	549	ASN
1	b	582	GLN
1	b	605	GLN
	b	625	HIS
		040	1110
1	b	643	GLN



Mol	Chain	Res	Type
1	с	226	ASN
1	c	254	HIS
1	с	269	ASN
1	с	316	ASN
1	с	325	ASN
1	с	406	ASN
1	с	427	GLN
1	с	507	HIS
1	с	549	ASN
1	с	582	GLN
1	с	605	GLN
1	с	625	HIS
1	с	643	GLN
1	с	688	ASN
1	d	226	ASN
1	d	254	HIS
1	d	269	ASN
1	d	316	ASN
1	d	325	ASN
1	d	406	ASN
1	d	427	GLN
1	d	448	GLN
1	d	507	HIS
1	d	549	ASN
1	d	582	GLN
1	d	605	GLN
1	d	625	HIS
1	d	643	GLN
1	d	688	ASN
1	е	226	ASN
1	е	254	HIS
1	е	269	ASN
1	е	316	ASN
1	е	325	ASN
1	е	406	ASN
1	е	427	GLN
1	е	448	GLN
1	е	507	HIS
1	е	549	ASN
1	е	582	GLN
1	е	605	GLN
1	е	625	HIS



Mol	Chain	Res	Type
1	е	643	GLN
1	е	688	ASN
1	f	226	ASN
1	f	254	HIS
1	f	269	ASN
1	f	316	ASN
1	f	325	ASN
1	f	406	ASN
1	f	420	HIS
1	f	427	GLN
1	f	448	GLN
1	f	507	HIS
1	f	549	ASN
1	f	582	GLN
1	f	605	GLN
1	f	625	HIS
1	f	643	GLN
1	f	688	ASN
1	g	226	ASN
1	g	254	HIS
1	g	269	ASN
1	g	316	ASN
1	g	325	ASN
1	g	406	ASN
1	g	420	HIS
1	g	427	GLN
1	g	507	HIS
1	g	549	ASN
1	g	582	GLN
1	g	605	GLN
1	g	625	HIS
1	g	643	GLN
1	b go	688	ASN
1	h	226	ASN
1	h	254	HIS
1	h	269	ASN
1	h	316	ASN
1	h	325	ASN
1	h	406	ASN
1	h	420	HIS
	11		
1	h	427	GLN



Mol	Chain	Res	Type
1	h	507	HIS
1	h	549	ASN
1	h	582	GLN
1	h	605	GLN
1	h	625	HIS
1	h	643	GLN
1	h	688	ASN
1	i	226	ASN
1	i	254	HIS
1	i	269	ASN
1	i	316	ASN
1	i	325	ASN
1	i	406	ASN
1	i	420	HIS
1	i	427	GLN
1	i	448	GLN
1	i	507	HIS
1	i	549	ASN
1	i	582	GLN
1	i	605	GLN
1	i	625	HIS
1	i	643	GLN
1	i	688	ASN
1		226	ASN
1	j	254	HIS
1	j	269	ASN
1	j	316	ASN
1	j	325	ASN
1	j	406	ASN
1	j	420	HIS
1	j	427	GLN
1	j	448	GLN
1	j j j j j j j j j j j j j j j j j j	507	HIS
1	j	549	ASN
1	j	582	GLN
1	j	605	GLN
1	j	625	HIS
1	i	643	GLN
1	j	688	ASN
1	k	226	ASN
1	k	254	HIS
1	k	269	ASN
		d on n	



Mol	Chain	Res	Type
1	k	316	ASN
1	k	325	ASN
1	k	406	ASN
1	k	420	HIS
1	k	427	GLN
1	k	507	HIS
1	k	549	ASN
1	k	582	GLN
1	k	605	GLN
1	k	625	HIS
1	k	643	GLN
1	k	688	ASN
1	1	226	ASN
1	1	254	HIS
1	l	269	ASN
1	1	316	ASN
1	1	325	ASN
1	1	406	ASN
1	1	420	HIS
1	1	427	GLN
1	1	448	GLN
1	1	507	HIS
1	1	549	ASN
1	1	582	GLN
1	1	605	GLN
1	1	625	HIS
1	1	643	GLN
1	1	688	ASN
1	m	226	ASN
1	m	254	HIS
1	m	269	ASN
1	m	316	ASN
1	m	325	ASN
1	m	406	ASN
1	m	420	HIS
1	m	427	GLN
1	m	507	HIS
1	m	549	ASN
1	m	582	GLN
1	m	605	GLN
1	m	625	HIS
1	m	643	GLN



Mol	Chain	Res	Type
1	m	688	ASN
1	n	226	ASN
1	n	254	HIS
1	n	269	ASN
1	n	316	ASN
1	n	325	ASN
1	n	406	ASN
1	n	427	GLN
1	n	448	GLN
1	n	507	HIS
1	n	549	ASN
1	n	582	GLN
1	n	605	GLN
1	n	625	HIS
1	n	643	GLN
1	n	688	ASN
1	0	226	ASN
1	0	254	HIS
1	0	269	ASN
1	0	316	ASN
1	0	325	ASN
1	0	406	ASN
1	0	420	HIS
1	0	427	GLN
1	0	448	GLN
1	0	507	HIS
1	0	549	ASN
1	0	582	GLN
1	0	605	GLN
1	0	625	HIS
1	0	643	GLN
1	0	688	ASN
1	p	226	ASN
1	p p	254	HIS
1	p p	269	ASN
1	p p	316	ASN
1	p p	325	ASN
1	р р	406	ASN
1	p p	420	HIS
1	p p	427	GLN
1	p p	507	HIS
-	Р		



Mol	Chain	Res	Type
1	р	582	GLN
1	р	605	GLN
1	p	625	HIS
1	р	643	GLN
1	р	688	ASN
1	q	226	ASN
1	q	254	HIS
1	q	269	ASN
1	q	316	ASN
1	q	325	ASN
1	q	406	ASN
1	q	420	HIS
1	q	427	GLN
1	q	448	GLN
1	q	507	HIS
1	q	549	ASN
1	q	582	GLN
1	q	605	GLN
1	q	625	HIS
1	q	643	GLN
1	q	688	ASN
1	r	226	ASN
1	r	254	HIS
1	r	269	ASN
1	r	316	ASN
1	r	325	ASN
1	r	406	ASN
1	r	420	HIS
1	r	427	GLN
1	r	448	GLN
1	r	507	HIS
1	r	549	ASN
1	r	582	GLN
1	r	605	GLN
1	r	625	HIS
1	r	643	GLN
1	r	688	ASN
1	s	226	ASN
1	s	254	HIS
1	s	269	ASN
1	s	316	ASN
	~	~	~~ •



Mol	Chain	Res	Type
1	s	406	ASN
1	s	420	HIS
1	s	427	GLN
1	s	448	GLN
1	s	507	HIS
1	s	549	ASN
1	s	582	GLN
1	s	605	GLN
1	s	625	HIS
1	s	643	GLN
1	s	688	ASN
1	t	226	ASN
1	t	254	HIS
1	t	269	ASN
1	t	316	ASN
1	t	325	ASN
1	t	406	ASN
1	t	420	HIS
1	t	427	GLN
1	\mathbf{t}	448	GLN
1	t	507	HIS
1	t	549	ASN
1	\mathbf{t}	582	GLN
1	t	605	GLN
1	t	625	HIS
1	t	643	GLN
1	t	688	ASN
1	u	226	ASN
1	u	254	HIS
1	u	269	ASN
1	u	316	ASN
1	u	325	ASN
1	u	406	ASN
1	u	420	HIS
1	u	427	GLN
1	u	448	GLN
1	u	507	HIS
1	u	549	ASN
1	u	582	GLN
1	u	605	GLN
1	u	625	HIS
1	u	643	GLN



Mol	Chain	Res	Type
1	u	688	ASN
1	v	226	ASN
1	V	254	HIS
1	v	269	ASN
1	V	316	ASN
1	V	325	ASN
1	v	406	ASN
1	V	420	HIS
1	V	427	GLN
1	V	448	GLN
1	V	507	HIS
1	V	549	ASN
1	V	582	GLN
1	v	605	GLN
1	V	625	HIS
1	v	643	GLN
1	V	688	ASN
1	W	226	ASN
1	W	254	HIS
1	W	269	ASN
1	W	316	ASN
1	W	325	ASN
1	W	406	ASN
1	W	420	HIS
1	W	427	GLN
1	W	448	GLN
1	W	507	HIS
1	W	549	ASN
1	W	582	GLN
1	W	605	GLN
1	W	625	HIS
1	W	643	GLN
1	W	688	ASN
1	х	226	ASN
1	X	254	HIS
1	X	269	ASN
1	X	316	ASN
1	X	325	ASN
1	X	406	ASN
1	X	420	HIS
1	X	427	GLN
1	X	448	GLN



1 x 507 HIS 1 x 549 ASN 1 x 582 GLN 1 x 605 GLN 1 x 625 HIS 1 x 643 GLN 1 x 643 GLN 1 x 688 ASN 1 y 226 ASN 1 y 269 ASN 1 y 269 ASN 1 y 269 ASN 1 y 325 ASN 1 y 406 ASN 1 y 420 HIS 1 y 427 GLN 1 y 507 HIS 1 y 549 ASN 1 y 605 GLN 1 y 625 HIS 1 y 625<	Mol	Chain	Res	Type
1 x 549 ASN 1 x 582 GLN 1 x 605 GLN 1 x 625 HIS 1 x 643 GLN 1 x 643 GLN 1 x 688 ASN 1 y 226 ASN 1 y 269 ASN 1 y 269 ASN 1 y 269 ASN 1 y 316 ASN 1 y 325 ASN 1 y 420 HIS 1 y 420 HIS 1 y 507 HIS 1 y 549 ASN 1 y 625 HIS 1 y 625 HIS 1 y 643 GLN 1 z 269<	1	x	507	
1 x 605 GLN 1 x 625 HIS 1 x 643 GLN 1 x 688 ASN 1 y 226 ASN 1 y 254 HIS 1 y 269 ASN 1 y 269 ASN 1 y 269 ASN 1 y 325 ASN 1 y 325 ASN 1 y 420 HIS 1 y 427 GLN 1 y 507 HIS 1 y 549 ASN 1 y 625 HIS 1 y 625 HIS 1 y 643 GLN 1 z 269 ASN 1 z 325 ASN 1 z 426<	1	X	549	ASN
1 x 625 HIS 1 x 643 GLN 1 x 688 ASN 1 y 226 ASN 1 y 254 HIS 1 y 269 ASN 1 y 316 ASN 1 y 325 ASN 1 y 325 ASN 1 y 406 ASN 1 y 420 HIS 1 y 420 HIS 1 y 507 HIS 1 y 549 ASN 1 y 625 HIS 1 y 625 HIS 1 y 625 HIS 1 z 269 ASN 1 z 269 ASN 1 z 325 ASN 1 z 426<	1	X	582	GLN
1 x 643 GLN 1 x 688 ASN 1 y 226 ASN 1 y 269 ASN 1 y 269 ASN 1 y 316 ASN 1 y 325 ASN 1 y 325 ASN 1 y 406 ASN 1 y 420 HIS 1 y 420 HIS 1 y 507 HIS 1 y 549 ASN 1 y 565 GLN 1 y 605 GLN 1 y 625 HIS 1 y 643 GLN 1 y 688 ASN 1 z 226 ASN 1 z 316 ASN 1 z 420<	1	X	605	GLN
1 x 688 ASN 1 y 226 ASN 1 y 254 HIS 1 y 269 ASN 1 y 316 ASN 1 y 325 ASN 1 y 325 ASN 1 y 406 ASN 1 y 420 HIS 1 y 427 GLN 1 y 549 ASN 1 y 549 ASN 1 y 625 HIS 1 y 625 HIS 1 y 643 GLN 1 z 226 ASN 1 z 269 ASN 1 z 269 ASN 1 z 316 ASN 1 z 426 ASN 1 z 420<	1	X	625	HIS
1 y 226 ASN 1 y 254 HIS 1 y 269 ASN 1 y 316 ASN 1 y 325 ASN 1 y 325 ASN 1 y 406 ASN 1 y 420 HIS 1 y 420 HIS 1 y 507 HIS 1 y 549 ASN 1 y 549 ASN 1 y 605 GLN 1 y 605 GLN 1 y 643 GLN 1 z 226 ASN 1 z 269 ASN 1 z 316 ASN 1 z 426 ASN 1 z 427 GLN 1 z 427<	1	X	643	GLN
1 y 254 HIS 1 y 269 ASN 1 y 316 ASN 1 y 325 ASN 1 y 325 ASN 1 y 325 ASN 1 y 420 HIS 1 y 420 HIS 1 y 420 HIS 1 y 507 HIS 1 y 549 ASN 1 y 549 ASN 1 y 605 GLN 1 y 625 HIS 1 y 643 GLN 1 z 226 ASN 1 z 269 ASN 1 z 316 ASN 1 z 325 ASN 1 z 420 HIS 1 z 427<	1	X	688	ASN
1 y 254 HIS 1 y 269 ASN 1 y 316 ASN 1 y 325 ASN 1 y 406 ASN 1 y 420 HIS 1 y 427 GLN 1 y 507 HIS 1 y 549 ASN 1 y 549 ASN 1 y 605 GLN 1 y 605 GLN 1 y 643 GLN 1 y 643 GLN 1 z 226 ASN 1 z 269 ASN 1 z 316 ASN 1 z 325 ASN 1 z 406 ASN 1 z 420 HIS 1 z 507<	1	у	226	ASN
1 y 269 ASN 1 y 316 ASN 1 y 325 ASN 1 y 406 ASN 1 y 420 HIS 1 y 427 GLN 1 y 507 HIS 1 y 549 ASN 1 y 549 ASN 1 y 582 GLN 1 y 605 GLN 1 y 625 HIS 1 y 643 GLN 1 y 643 GLN 1 z 226 ASN 1 z 269 ASN 1 z 316 ASN 1 z 325 ASN 1 z 406 ASN 1 z 420 HIS 1 z 507<	1		254	HIS
1 y 316 ASN 1 y 325 ASN 1 y 406 ASN 1 y 420 HIS 1 y 427 GLN 1 y 507 HIS 1 y 549 ASN 1 y 549 ASN 1 y 549 ASN 1 y 582 GLN 1 y 605 GLN 1 y 625 HIS 1 y 643 GLN 1 y 643 GLN 1 z 226 ASN 1 z 269 ASN 1 z 316 ASN 1 z 325 ASN 1 z 420 HIS 1 z 427 GLN 1 z 507<	1		269	ASN
1 y 325 ASN 1 y 406 ASN 1 y 420 HIS 1 y 427 GLN 1 y 507 HIS 1 y 549 ASN 1 y 549 ASN 1 y 549 ASN 1 y 542 GLN 1 y 605 GLN 1 y 625 HIS 1 y 643 GLN 1 y 643 GLN 1 z 226 ASN 1 z 269 ASN 1 z 325 ASN 1 z 325 ASN 1 z 420 HIS 1 z 427 GLN 1 z 507 HIS 1<	1			ASN
1 y 406 ASN 1 y 420 HIS 1 y 427 GLN 1 y 507 HIS 1 y 507 HIS 1 y 549 ASN 1 y 549 ASN 1 y 582 GLN 1 y 605 GLN 1 y 625 HIS 1 y 643 GLN 1 y 688 ASN 1 z 226 ASN 1 z 269 ASN 1 z 316 ASN 1 z 325 ASN 1 z 325 ASN 1 z 420 HIS 1 z 427 GLN 1 z 507 HIS 1 z 549<	1		325	ASN
1 y 420 HIS 1 y 427 GLN 1 y 507 HIS 1 y 549 ASN 1 y 549 ASN 1 y 582 GLN 1 y 605 GLN 1 y 605 GLN 1 y 643 GLN 1 y 643 GLN 1 y 643 GLN 1 y 688 ASN 1 z 226 ASN 1 z 269 ASN 1 z 269 ASN 1 z 316 ASN 1 z 325 ASN 1 z 420 HIS 1 z 427 GLN 1 z 507 HIS 1 z 507 HIS 1 z 549 ASN 1	1			
1 y 427 GLN 1 y 507 HIS 1 y 549 ASN 1 y 582 GLN 1 y 582 GLN 1 y 605 GLN 1 y 625 HIS 1 y 643 GLN 1 y 643 GLN 1 y 643 GLN 1 y 643 GLN 1 z 226 ASN 1 z 254 HIS 1 z 269 ASN 1 z 316 ASN 1 z 325 ASN 1 z 406 ASN 1 z 420 HIS 1 z 427 GLN 1 z 507 HIS 1 z 549 ASN 1 z 605 GLN 1	1			
1y507HIS1y549ASN1y582GLN1y605GLN1y625HIS1y643GLN1y643GLN1y688ASN1z226ASN1z269ASN1z269ASN1z316ASN1z325ASN1z406ASN1z427GLN1z507HIS1z507HIS1z549ASN1z605GLN1z643GLN1z643GLN1z643GLN1z643GLN11226ASN11226ASN11226ASN				
1 y 549 ASN 1 y 582 GLN 1 y 605 GLN 1 y 625 HIS 1 y 643 GLN 1 z 226 ASN 1 z 269 ASN 1 z 269 ASN 1 z 316 ASN 1 z 325 ASN 1 z 420 HIS 1 z 427 GLN 1 z 507 HIS 1 z 549 ASN 1 z 605 GLN 1 z 625 HIS 1 z 643 GLN <td>1</td> <td></td> <td></td> <td></td>	1			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1		549	ASN
1 y 605 GLN 1 y 625 HIS 1 y 643 GLN 1 y 643 GLN 1 y 688 ASN 1 z 226 ASN 1 z 226 ASN 1 z 254 HIS 1 z 269 ASN 1 z 316 ASN 1 z 325 ASN 1 z 325 ASN 1 z 406 ASN 1 z 420 HIS 1 z 427 GLN 1 z 507 HIS 1 z 549 ASN 1 z 605 GLN 1 z 625 HIS 1 z 643 GLN 1 z 688 ASN 1 1 226 ASN <td>1</td> <td></td> <td></td> <td>GLN</td>	1			GLN
1 y 625 HIS 1 y 643 GLN 1 y 688 ASN 1 z 226 ASN 1 z 226 ASN 1 z 269 ASN 1 z 269 ASN 1 z 316 ASN 1 z 325 ASN 1 z 325 ASN 1 z 406 ASN 1 z 420 HIS 1 z 427 GLN 1 z 507 HIS 1 z 549 ASN 1 z 582 GLN 1 z 605 GLN 1 z 643 GLN 1 z 688 ASN 1 1 226 ASN 1 1 254 HIS <td>1</td> <td></td> <td>605</td> <td></td>	1		605	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1			ASN
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1		254	HIS
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	Z	269	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		Z	427	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1			
1 z 605 GLN 1 z 625 HIS 1 z 643 GLN 1 z 643 GLN 1 z 688 ASN 1 1 226 ASN 1 1 254 HIS	1			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1			
1 z 643 GLN 1 z 688 ASN 1 1 226 ASN 1 1 254 HIS				
1 z 688 ASN 1 1 226 ASN 1 1 254 HIS	1	Z		
1 1 226 ASN 1 1 254 HIS				
1 1 254 HIS				
			269	ASN
$\frac{1}{1} 1 316 \text{ASN}$				



Mol	Chain	Res	Type
1	1	325	ASN
1	1	406	ASN
1	1	420	HIS
1	1	427	GLN
1	1	448	GLN
1	1	507	HIS
1	1	549	ASN
1	1	582	GLN
1	1	605	GLN
1	1	625	HIS
1	1	643	GLN
1	1	688	ASN
1	2	226	ASN
1	2	254	HIS
1	2 2 2 2 2 2	269	ASN
1	2	316	ASN
1	2	325	ASN
1	2	406	ASN
1	2 2 2	420	HIS
1	2	427	GLN
1	2	507	HIS
1	2	549	ASN
1	2	582	GLN
1	2 2	605	GLN
1	2	625	HIS
1	2	643	GLN
1	2	688	ASN
1	3	226	ASN
1	3	254	HIS
1	3	269	ASN
1	3	316	ASN
1	3	325	ASN
1	3	406	ASN
1	3	420	HIS
1	3	427	GLN
1	3	448	GLN
1	3	507	HIS
1	3	549	ASN
1	3	582	GLN
1	3	605	GLN
1	3	625	HIS
1	3	643	GLN



Mol	Chain	Res	Type
1	3	688	ASN
1	4	226	ASN
1	4	254	HIS
1	4	269	ASN
1	4	316	ASN
1	4	325	ASN
1	4	406	ASN
1	4	420	HIS
1	4	427	GLN
1	4	507	HIS
1	4	549	ASN
1	4	582	GLN
1	4	605	GLN
1	4	625	HIS
1	4	643	GLN
1	4	688	ASN
1	5	226	ASN
1	5	254	HIS
1	5	269	ASN
1	5	316	ASN
1	5	325	ASN
1	5	406	ASN
1	5	420	HIS
1	5	427	GLN
1	5	448	GLN
1	5	507	HIS
1	5	549	ASN
1	5	582	GLN
1	5	605	GLN
1	5	625	HIS
1	5	643	GLN
1	5	688	ASN
1	6	226	ASN
1	6	254	HIS
1	6	269	ASN
1	6	316	ASN
1	6	325	ASN
1	6	406	ASN
1	6	400	HIS
1	6	420	GLN
1	6	448	GLN
1	6	507	HIS
1	Continuu	<u> </u>	, ,



Mol	Chain	Res	Type
1	6	549	ASN
1	6	582	GLN
1	6	605	GLN
1	6	625	HIS
1	6	643	GLN
1	6	688	ASN
1	7	226	ASN
1	7	254	HIS
1	7	269	ASN
1	7	316	ASN
1	7	325	ASN
1	7	406	ASN
1	7	420	HIS
1	7	427	GLN
1	7	507	HIS
1	7	549	ASN
1	7	582	GLN
1	7	605	GLN
1	7	625	HIS
1	7	643	GLN
1	7	688	ASN
1	8	226	ASN
1	8	254	HIS
1	8	269	ASN
1	8	316	ASN
1	8	325	ASN
1	8	406	ASN
1	8	420	HIS
1	8	427	GLN
1	8	507	HIS
1	8	549	ASN
1	8	582	GLN
1	8	605	GLN
1	8	625	HIS
1	8	643	GLN
1	8	688	ASN

Continued from previous page...

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.




Map visualisation (i) 6

This section contains visualisations of the EMDB entry EMD-23205. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

Orthogonal projections (i) 6.1


6.1.1Primary map



The images above show the map projected in three orthogonal directions.

6.2Central slices (i)

6.2.1Primary map



X Index: 210




Z Index: 210

The images above show central slices of the map in three orthogonal directions.

Largest variance slices (i) 6.3

6.3.1Primary map



X Index: 271


Y Index: 271

Z Index: 271

The images above show the largest variance slices of the map in three orthogonal directions.

Orthogonal standard-deviation projections (False-color) (i) 6.4

6.4.1**Primary** map




The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 2.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.6 Mask visualisation (i)


This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.


7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)




The volume at the recommended contour level is 1534 nm^3 ; this corresponds to an approximate mass of 1385 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.362 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)


This section was not generated. No FSC curve or half-maps provided.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-23205 and PDB model 7L6I. Per-residue inclusion information can be found in section 3 on page 10.


9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 2.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.0).



9.4 Atom inclusion (i)



At the recommended contour level, 98% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.



9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (2.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9460	0.6250
1	0.9470	0.6250
2	0.9460	0.6240
3	0.9460	0.6250
4	0.9470	0.6260
5	0.9480	0.6250
6	0.9480	0.6240
7	0.9480	0.6250
8	0.9460	0.6260
А	0.9460	0.6250
В	0.9470	0.6250
С	0.9460	0.6250
D	0.9480	0.6250
Ε	0.9460	0.6250
F	0.9460	0.6250
G	0.9460	0.6240
Н	0.9480	0.6250
Ι	0.9470	0.6250
J	0.9460	0.6250
Κ	0.9470	0.6250
L	0.9460	0.6250
М	0.9460	0.6260
Ν	0.9480	0.6250
О	0.9460	0.6250
Р	0.9480	0.6250
Q	0.9470	0.6250
R	0.9470	0.6250
S	0.9460	0.6250
Т	0.9470	0.6260
U	0.9460	0.6260
V	0.9460	0.6250
W	0.9480	0.6250
Х	0.9460	0.6250
Y	0.9480	0.6250
Z	0.9460	0.6250

0.0 <0.0

1.0



Chain	Atom inclusion	Q-score
a	0.9460	0.6250
b	0.9460	0.6260
С	0.9460	0.6250
d	0.9460	0.6250
e	0.9460	0.6250
f	0.9460	0.6250
g	0.9470	0.6240
h	0.9450	0.6250
i	0.9480	0.6250
j	0.9480	0.6260
k	0.9480	0.6250
1	0.9460	0.6250
m	0.9470	0.6260
n	0.9460	0.6250
0	0.9460	0.6250
р	0.9460	0.6250
q	0.9470	0.6250
r	0.9460	0.6250
S	0.9460	0.6250
t	0.9460	0.6240
u	0.9470	0.6240
V	0.9460	0.6250
W	0.9460	0.6240
X	0.9470	0.6250
У	0.9460	0.6250
Z	0.9460	0.6250

