



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 26, 2017 – 02:23 AM EDT

PDB ID : 3LH3
Title : DFP modified DegS delta PDZ
Authors : Sohn, J.; Grant, R.A.; Sauer, R.T.
Deposited on : unknown
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1522 (2.38-2.34)
Clashscore	112137	1626 (2.38-2.34)
Ramachandran outliers	110173	1605 (2.38-2.34)
Sidechain outliers	110143	1606 (2.38-2.34)
RSRZ outliers	101464	1528 (2.38-2.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	241	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 14%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="font-size: small; margin-top: 5px;">5% 82% 14%</p>
1	B	241	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="font-size: small; margin-top: 5px;">8% 87% 12%</p>
1	C	241	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="font-size: small; margin-top: 5px;">7% 87% 11%</p>
1	D	241	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 84%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="font-size: small; margin-top: 5px;">6% 84% 12%</p>
1	E	241	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="font-size: small; margin-top: 5px;">6% 80% 16%</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	241	 8% 85% 12%
1	G	241	 7% 81% 16%
1	H	241	 7% 76% 20%
1	I	241	 8% 78% 18%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 28641 atoms, of which 14016 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protease degS.

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf	Trace
			Total	C	H	N	O	P	S			
1	A	207	3113	967	1563	276	303	1	3	0	0	0
1	B	213	3187	992	1595	285	311	1	3	0	0	0
1	C	214	3223	1000	1618	288	313	1	3	0	0	0
1	D	212	3203	992	1612	287	308	1	3	0	0	0
1	E	203	3056	952	1534	267	299	1	3	0	0	0
1	F	211	3180	988	1595	283	310	1	3	0	0	0
1	G	202	3053	951	1535	268	295	1	3	0	0	0
1	H	193	2898	902	1460	256	276	1	3	0	0	0
1	I	198	2992	933	1504	261	290	1	3	0	0	0

There are 99 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	16	MET	-	EXPRESSION TAG	UNP P0AEE3
A	17	ARG	-	EXPRESSION TAG	UNP P0AEE3
A	18	GLY	-	EXPRESSION TAG	UNP P0AEE3
A	19	SER	-	EXPRESSION TAG	UNP P0AEE3
A	20	HIS	-	EXPRESSION TAG	UNP P0AEE3
A	21	HIS	-	EXPRESSION TAG	UNP P0AEE3
A	22	HIS	-	EXPRESSION TAG	UNP P0AEE3
A	23	HIS	-	EXPRESSION TAG	UNP P0AEE3
A	24	HIS	-	EXPRESSION TAG	UNP P0AEE3
A	25	HIS	-	EXPRESSION TAG	UNP P0AEE3
A	26	GLY	-	EXPRESSION TAG	UNP P0AEE3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	16	MET	-	EXPRESSION TAG	UNP P0AEE3
B	17	ARG	-	EXPRESSION TAG	UNP P0AEE3
B	18	GLY	-	EXPRESSION TAG	UNP P0AEE3
B	19	SER	-	EXPRESSION TAG	UNP P0AEE3
B	20	HIS	-	EXPRESSION TAG	UNP P0AEE3
B	21	HIS	-	EXPRESSION TAG	UNP P0AEE3
B	22	HIS	-	EXPRESSION TAG	UNP P0AEE3
B	23	HIS	-	EXPRESSION TAG	UNP P0AEE3
B	24	HIS	-	EXPRESSION TAG	UNP P0AEE3
B	25	HIS	-	EXPRESSION TAG	UNP P0AEE3
B	26	GLY	-	EXPRESSION TAG	UNP P0AEE3
C	16	MET	-	EXPRESSION TAG	UNP P0AEE3
C	17	ARG	-	EXPRESSION TAG	UNP P0AEE3
C	18	GLY	-	EXPRESSION TAG	UNP P0AEE3
C	19	SER	-	EXPRESSION TAG	UNP P0AEE3
C	20	HIS	-	EXPRESSION TAG	UNP P0AEE3
C	21	HIS	-	EXPRESSION TAG	UNP P0AEE3
C	22	HIS	-	EXPRESSION TAG	UNP P0AEE3
C	23	HIS	-	EXPRESSION TAG	UNP P0AEE3
C	24	HIS	-	EXPRESSION TAG	UNP P0AEE3
C	25	HIS	-	EXPRESSION TAG	UNP P0AEE3
C	26	GLY	-	EXPRESSION TAG	UNP P0AEE3
D	16	MET	-	EXPRESSION TAG	UNP P0AEE3
D	17	ARG	-	EXPRESSION TAG	UNP P0AEE3
D	18	GLY	-	EXPRESSION TAG	UNP P0AEE3
D	19	SER	-	EXPRESSION TAG	UNP P0AEE3
D	20	HIS	-	EXPRESSION TAG	UNP P0AEE3
D	21	HIS	-	EXPRESSION TAG	UNP P0AEE3
D	22	HIS	-	EXPRESSION TAG	UNP P0AEE3
D	23	HIS	-	EXPRESSION TAG	UNP P0AEE3
D	24	HIS	-	EXPRESSION TAG	UNP P0AEE3
D	25	HIS	-	EXPRESSION TAG	UNP P0AEE3
D	26	GLY	-	EXPRESSION TAG	UNP P0AEE3
E	16	MET	-	EXPRESSION TAG	UNP P0AEE3
E	17	ARG	-	EXPRESSION TAG	UNP P0AEE3
E	18	GLY	-	EXPRESSION TAG	UNP P0AEE3
E	19	SER	-	EXPRESSION TAG	UNP P0AEE3
E	20	HIS	-	EXPRESSION TAG	UNP P0AEE3
E	21	HIS	-	EXPRESSION TAG	UNP P0AEE3
E	22	HIS	-	EXPRESSION TAG	UNP P0AEE3
E	23	HIS	-	EXPRESSION TAG	UNP P0AEE3
E	24	HIS	-	EXPRESSION TAG	UNP P0AEE3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	25	HIS	-	EXPRESSION TAG	UNP P0AEE3
E	26	GLY	-	EXPRESSION TAG	UNP P0AEE3
F	16	MET	-	EXPRESSION TAG	UNP P0AEE3
F	17	ARG	-	EXPRESSION TAG	UNP P0AEE3
F	18	GLY	-	EXPRESSION TAG	UNP P0AEE3
F	19	SER	-	EXPRESSION TAG	UNP P0AEE3
F	20	HIS	-	EXPRESSION TAG	UNP P0AEE3
F	21	HIS	-	EXPRESSION TAG	UNP P0AEE3
F	22	HIS	-	EXPRESSION TAG	UNP P0AEE3
F	23	HIS	-	EXPRESSION TAG	UNP P0AEE3
F	24	HIS	-	EXPRESSION TAG	UNP P0AEE3
F	25	HIS	-	EXPRESSION TAG	UNP P0AEE3
F	26	GLY	-	EXPRESSION TAG	UNP P0AEE3
G	16	MET	-	EXPRESSION TAG	UNP P0AEE3
G	17	ARG	-	EXPRESSION TAG	UNP P0AEE3
G	18	GLY	-	EXPRESSION TAG	UNP P0AEE3
G	19	SER	-	EXPRESSION TAG	UNP P0AEE3
G	20	HIS	-	EXPRESSION TAG	UNP P0AEE3
G	21	HIS	-	EXPRESSION TAG	UNP P0AEE3
G	22	HIS	-	EXPRESSION TAG	UNP P0AEE3
G	23	HIS	-	EXPRESSION TAG	UNP P0AEE3
G	24	HIS	-	EXPRESSION TAG	UNP P0AEE3
G	25	HIS	-	EXPRESSION TAG	UNP P0AEE3
G	26	GLY	-	EXPRESSION TAG	UNP P0AEE3
H	16	MET	-	EXPRESSION TAG	UNP P0AEE3
H	17	ARG	-	EXPRESSION TAG	UNP P0AEE3
H	18	GLY	-	EXPRESSION TAG	UNP P0AEE3
H	19	SER	-	EXPRESSION TAG	UNP P0AEE3
H	20	HIS	-	EXPRESSION TAG	UNP P0AEE3
H	21	HIS	-	EXPRESSION TAG	UNP P0AEE3
H	22	HIS	-	EXPRESSION TAG	UNP P0AEE3
H	23	HIS	-	EXPRESSION TAG	UNP P0AEE3
H	24	HIS	-	EXPRESSION TAG	UNP P0AEE3
H	25	HIS	-	EXPRESSION TAG	UNP P0AEE3
H	26	GLY	-	EXPRESSION TAG	UNP P0AEE3
I	16	MET	-	EXPRESSION TAG	UNP P0AEE3
I	17	ARG	-	EXPRESSION TAG	UNP P0AEE3
I	18	GLY	-	EXPRESSION TAG	UNP P0AEE3
I	19	SER	-	EXPRESSION TAG	UNP P0AEE3
I	20	HIS	-	EXPRESSION TAG	UNP P0AEE3
I	21	HIS	-	EXPRESSION TAG	UNP P0AEE3
I	22	HIS	-	EXPRESSION TAG	UNP P0AEE3


Continued on next page...

Continued from previous page...



Chain	Residue	Modelled	Actual	Comment	Reference
I	23	HIS	-	EXPRESSION TAG	UNP P0AEE3
I	24	HIS	-	EXPRESSION TAG	UNP P0AEE3
I	25	HIS	-	EXPRESSION TAG	UNP P0AEE3
I	26	GLY	-	EXPRESSION TAG	UNP P0AEE3

- Molecule 2 is water.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	103	Total 103	O 103	0	0
2	B	121	Total 121	O 121	0	0
2	C	103	Total 103	O 103	0	0
2	D	81	Total 81	O 81	0	0
2	E	71	Total 71	O 71	0	0
2	F	86	Total 86	O 86	0	0
2	G	66	Total 66	O 66	0	0
2	H	59	Total 59	O 59	0	0
2	I	46	Total 46	O 46	0	0





- Molecule 1: Protease degS





- Molecule 1: Protease degS




- Molecule 1: Protease degS




- Molecule 1: Protease degS



- Molecule 1: Protease degS





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	71.53Å 132.75Å 231.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.14 – 2.35 37.14 – 2.35	Depositor EDS
% Data completeness (in resolution range)	91.0 (37.14-2.35) 91.0 (37.14-2.35)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.74 (at 2.34Å)	Xtrriage
Refinement program	PHENIX 1.5_2	Depositor
R, R_{free}	0.185 , 0.227 0.175 , 0.220	Depositor DCC
R_{free} test set	4119 reflections (4.88%)	DCC
Wilson B-factor (Å ²)	35.6	Xtrriage
Anisotropy	0.085	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 53.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	28641	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.85 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.4661e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MIS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/1554	0.48	0/2107
1	B	0.27	0/1599	0.46	0/2172
1	C	0.26	0/1611	0.47	0/2187
1	D	0.26	0/1597	0.47	0/2170
1	E	0.25	0/1526	0.46	0/2071
1	F	0.26	0/1592	0.47	0/2163
1	G	0.26	0/1523	0.47	0/2068
1	H	0.24	0/1442	0.45	0/1959
1	I	0.23	0/1491	0.44	0/2022
All	All	0.26	0/13935	0.47	0/18919

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1550	1563	1563	5	0
1	B	1592	1595	1595	2	0
1	C	1605	1618	1618	4	0
1	D	1591	1612	1612	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1522	1534	1534	6	0
1	F	1585	1595	1595	4	0
1	G	1518	1535	1534	4	0
1	H	1438	1460	1460	6	0
1	I	1488	1504	1504	7	0
2	A	103	0	0	0	0
2	B	121	0	0	0	0
2	C	103	0	0	1	0
2	D	81	0	0	0	0
2	E	71	0	0	0	0
2	F	86	0	0	0	0
2	G	66	0	0	0	0
2	H	59	0	0	0	0
2	I	46	0	0	0	0
All	All	14625	14016	14015	38	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (38) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:181:LEU:HD11	1:D:105:ILE:HD12	1.92	0.52
1:E:217:THR:HG22	1:E:218:LEU:HG	1.90	0.52
1:I:64:ARG:HG2	1:I:76:ILE:HD13	1.94	0.50
1:D:153:ASP:HB2	1:D:173:ILE:HD12	1.94	0.50
1:F:201:MIS:H31	1:F:219:SER:HB2	1.94	0.49
1:D:167:THR:HG23	1:E:174:SER:HB3	1.96	0.48
1:H:167:THR:HG23	1:I:174:SER:HB3	1.95	0.48
1:E:135:THR:HG21	1:H:45:ALA:HA	1.95	0.47
1:H:92:ILE:HD11	1:H:245:MET:HB2	1.96	0.47
1:D:62:TYR:HB2	1:D:105:ILE:HB	1.97	0.46
1:E:179:ILE:HB	1:E:189:PHE:HD2	1.79	0.46
1:I:201:MIS:OG	1:I:201:MIS:H33	2.16	0.46
1:A:87:GLN:O	1:A:134:ALA:HB1	2.18	0.44
1:D:248:LEU:HD23	1:D:253:ARG:HA	2.00	0.44
1:D:71:HIS:CD2	1:D:73:GLN:HB3	2.52	0.44
1:A:176:THR:HG22	1:A:190:LEU:HD22	1.98	0.44
1:A:157:ALA:HB1	1:A:196:ILE:HD11	1.99	0.44
1:G:174:SER:HB3	1:I:167:THR:HG23	2.00	0.44
1:I:85:MET:HG3	1:I:245:MET:SD	2.58	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:94:ASN:HB3	1:G:96:HIS:CE1	2.54	0.43
1:A:223:SER:HB2	1:A:227:GLU:O	2.18	0.43
1:G:167:THR:HG23	1:H:174:SER:HB3	2.00	0.43
1:D:53:ARG:HD3	1:F:37:PHE:CZ	2.54	0.42
1:B:201:MIS:H31	1:B:219:SER:HB3	2.01	0.42
1:G:85:MET:HG3	1:G:92:ILE:HG13	2.02	0.42
1:C:181:LEU:CD1	1:D:105:ILE:HD12	2.50	0.41
1:F:48:ASN:O	1:F:52:ARG:HG3	2.20	0.41
1:C:79:LEU:HD11	2:C:762:HOH:O	2.20	0.41
1:B:95:LYS:HG3	1:B:121:SER:HB2	2.03	0.41
1:E:153:ASP:HB2	1:E:173:ILE:HD12	2.01	0.41
1:H:217:THR:HG22	1:H:218:LEU:HG	2.02	0.41
1:E:62:TYR:CD2	1:E:76:ILE:HD13	2.56	0.41
1:I:62:TYR:HB2	1:I:105:ILE:HB	2.03	0.41
1:I:85:MET:HE2	1:I:92:ILE:HD12	2.03	0.41
1:C:62:TYR:HB2	1:C:105:ILE:HB	2.01	0.41
1:H:186:ARG:HD2	1:H:189:PHE:CE1	2.56	0.41
1:F:90:TYR:CE2	1:F:131:LYS:HD3	2.57	0.40
1:A:250:ARG:O	1:A:251:ASP:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	200/241 (83%)	198 (99%)	2 (1%)	0	100	100
1	B	208/241 (86%)	204 (98%)	4 (2%)	0	100	100
1	C	209/241 (87%)	207 (99%)	2 (1%)	0	100	100
1	D	207/241 (86%)	205 (99%)	2 (1%)	0	100	100
1	E	196/241 (81%)	192 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	206/241 (86%)	202 (98%)	4 (2%)	0	100	100
1	G	195/241 (81%)	193 (99%)	2 (1%)	0	100	100
1	H	186/241 (77%)	182 (98%)	4 (2%)	0	100	100
1	I	189/241 (78%)	188 (100%)	1 (0%)	0	100	100
All	All	1796/2169 (83%)	1771 (99%)	25 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	165/197 (84%)	165 (100%)	0	100	100
1	B	169/197 (86%)	169 (100%)	0	100	100
1	C	171/197 (87%)	171 (100%)	0	100	100
1	D	170/197 (86%)	169 (99%)	1 (1%)	89	94
1	E	163/197 (83%)	163 (100%)	0	100	100
1	F	170/197 (86%)	170 (100%)	0	100	100
1	G	162/197 (82%)	162 (100%)	0	100	100
1	H	152/197 (77%)	151 (99%)	1 (1%)	87	93
1	I	159/197 (81%)	159 (100%)	0	100	100
All	All	1481/1773 (84%)	1479 (100%)	2 (0%)	94	98

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	71	HIS
1	H	220	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	69	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

9 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	MIS	A	201	1	12,12,13	0.67	0	10,16,18	0.84	0
1	MIS	B	201	1	12,12,13	0.66	0	10,16,18	0.71	0
1	MIS	C	201	1	12,12,13	0.69	0	10,16,18	0.72	0
1	MIS	D	201	1	12,12,13	0.66	0	10,16,18	0.74	0
1	MIS	E	201	1	12,12,13	0.64	0	10,16,18	0.71	0
1	MIS	F	201	1	12,12,13	0.69	0	10,16,18	0.71	0
1	MIS	G	201	1	12,12,13	0.63	0	10,16,18	0.75	0
1	MIS	H	201	1	12,12,13	0.65	0	10,16,18	0.77	0
1	MIS	I	201	1	12,12,13	0.58	0	10,16,18	1.00	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MIS	A	201	1	-	0/10/13/15	0/0/0/0
1	MIS	B	201	1	-	0/10/13/15	0/0/0/0
1	MIS	C	201	1	-	0/10/13/15	0/0/0/0
1	MIS	D	201	1	-	0/10/13/15	0/0/0/0
1	MIS	E	201	1	-	0/10/13/15	0/0/0/0
1	MIS	F	201	1	-	0/10/13/15	0/0/0/0
1	MIS	G	201	1	-	0/10/13/15	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MIS	H	201	1	-	0/10/13/15	0/0/0/0
1	MIS	I	201	1	-	0/10/13/15	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	201	MIS	1	0
1	F	201	MIS	1	0
1	I	201	MIS	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	206/241 (85%)	0.33	12 (5%) 24 34	18, 32, 76, 121	0
1	B	212/241 (87%)	0.49	19 (8%) 10 15	17, 33, 80, 127	0
1	C	213/241 (88%)	0.18	16 (7%) 15 22	16, 33, 84, 108	0
1	D	211/241 (87%)	0.21	14 (6%) 19 27	24, 38, 84, 92	0
1	E	202/241 (83%)	0.54	14 (6%) 18 25	25, 46, 86, 102	0
1	F	210/241 (87%)	0.46	19 (9%) 10 15	19, 33, 78, 121	0
1	G	201/241 (83%)	0.45	17 (8%) 11 16	24, 40, 83, 100	0
1	H	192/241 (79%)	0.35	18 (9%) 9 14	25, 47, 84, 96	0
1	I	197/241 (81%)	0.75	20 (10%) 7 11	30, 57, 96, 113	0
All	All	1844/2169 (85%)	0.41	149 (8%) 13 18	16, 40, 86, 127	0

All (149) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	68	THR	10.7
1	A	184	THR	7.0
1	D	183	PRO	7.0
1	B	66	LEU	6.4
1	I	66	LEU	6.3
1	A	225	ASP	6.2
1	B	37	PHE	6.1
1	B	72	ASN	6.1
1	E	66	LEU	6.1
1	F	37	PHE	6.0
1	E	225	ASP	5.9
1	D	181	LEU	5.9
1	A	226	GLY	5.4
1	C	66	LEU	5.3
1	B	71	HIS	5.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	74	LEU	5.0
1	B	224	ASN	5.0
1	F	69	ASN	4.8
1	B	225	ASP	4.7
1	I	77	ARG	4.7
1	E	135	THR	4.7
1	H	103	GLN	4.7
1	I	67	ASN	4.6
1	G	100	ASP	4.6
1	F	38	ASP	4.5
1	A	37	PHE	4.5
1	G	247	LYS	4.5
1	G	250	ARG	4.3
1	H	78	THR	4.3
1	H	102	ASP	4.3
1	D	182	ASN	4.3
1	D	40	THR	4.3
1	E	224	ASN	4.2
1	I	37	PHE	4.1
1	I	65	GLY	4.1
1	B	77	ARG	4.1
1	C	74	LEU	4.0
1	C	77	ARG	4.0
1	I	74	LEU	3.9
1	C	68	THR	3.9
1	E	226	GLY	3.9
1	F	70	SER	3.8
1	I	244	ILE	3.7
1	G	37	PHE	3.7
1	A	186	ARG	3.7
1	E	37	PHE	3.7
1	A	66	LEU	3.7
1	I	124	LEU	3.7
1	I	179	ILE	3.6
1	H	63	ASN	3.5
1	I	75	GLU	3.5
1	I	117	LEU	3.5
1	G	38	ASP	3.5
1	D	187	GLN	3.4
1	G	78	THR	3.4
1	F	39	SER	3.3
1	C	69	ASN	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	67	ASN	3.3
1	B	73	GLN	3.2
1	D	186	ARG	3.2
1	D	66	LEU	3.1
1	C	250	ARG	3.1
1	F	66	LEU	3.1
1	B	249	ILE	3.1
1	B	247	LYS	3.1
1	A	136	GLY	3.1
1	G	39	SER	3.0
1	F	40	THR	3.0
1	I	250	ARG	3.0
1	A	224	ASN	3.0
1	C	39	SER	3.0
1	C	70	SER	3.0
1	I	146	ARG	3.0
1	A	185	GLY	3.0
1	C	65	GLY	3.0
1	A	73	GLN	3.0
1	F	250	ARG	3.0
1	E	67	ASN	3.0
1	F	252	GLY	2.9
1	F	72	ASN	2.9
1	I	76	ILE	2.9
1	H	220	PHE	2.9
1	B	38	ASP	2.9
1	G	249	ILE	2.9
1	D	184	THR	2.9
1	D	69	ASN	2.9
1	D	41	ASP	2.9
1	H	123	SER	2.8
1	D	250	ARG	2.8
1	H	117	LEU	2.8
1	F	249	ILE	2.8
1	G	233	GLY	2.8
1	C	222	LYS	2.7
1	B	226	GLY	2.7
1	A	135	THR	2.7
1	H	79	LEU	2.7
1	I	78	THR	2.7
1	I	113	VAL	2.7
1	I	125	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	247	LYS	2.6
1	C	37	PHE	2.6
1	G	74	LEU	2.6
1	H	221	ASP	2.6
1	F	77	ARG	2.6
1	D	70	SER	2.5
1	D	254	VAL	2.5
1	H	116	ALA	2.5
1	G	192	THR	2.5
1	G	75	GLU	2.5
1	F	73	GLN	2.4
1	B	100	ASP	2.4
1	B	75	GLU	2.4
1	B	67	ASN	2.4
1	H	101	ALA	2.4
1	F	41	ASP	2.4
1	G	77	ARG	2.4
1	B	40	THR	2.3
1	I	135	THR	2.3
1	C	67	ASN	2.3
1	B	252	GLY	2.3
1	B	41	ASP	2.3
1	G	228	THR	2.3
1	G	234	PHE	2.3
1	I	102	ASP	2.3
1	G	171	GLY	2.3
1	H	134	ALA	2.3
1	D	227	GLU	2.2
1	H	104	ILE	2.2
1	E	146	ARG	2.2
1	E	167	THR	2.2
1	E	227	GLU	2.2
1	E	240	LEU	2.2
1	F	247	LYS	2.2
1	E	250	ARG	2.2
1	A	252	GLY	2.2
1	H	135	THR	2.1
1	C	72	ASN	2.1
1	F	190	LEU	2.1
1	C	40	THR	2.1
1	C	75	GLU	2.1
1	F	227	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	106	VAL	2.1
1	H	97	VAL	2.1
1	H	100	ASP	2.0
1	I	136	GLY	2.0
1	C	71	HIS	2.0
1	E	74	LEU	2.0
1	H	115	GLU	2.0
1	G	191	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	MIS	H	201	13/14	0.97	0.14	-	34,57,74,74	0
1	MIS	E	201	13/14	0.98	0.19	-	27,43,56,63	0
1	MIS	I	201	13/14	0.96	0.14	-	39,56,71,71	0
1	MIS	C	201	13/14	0.98	0.15	-	18,38,48,52	0
1	MIS	B	201	13/14	0.98	0.16	-	21,36,47,57	0
1	MIS	G	201	13/14	0.98	0.16	-	29,42,56,60	0
1	MIS	D	201	13/14	0.97	0.14	-	21,44,63,63	0
1	MIS	A	201	13/14	0.98	0.18	-	19,34,52,52	0
1	MIS	F	201	13/14	0.98	0.15	-	20,36,57,62	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.