Full wwPDB X-ray Structure Validation Report ⓘ

Nov 18, 2021 – 10:06 AM EST

PDB ID	:	7LIR
Title	:	Structure of the invertebrate ALK GRD
Authors	:	Stayrook, S.; Li, T.; Klein, D.E.
Deposited on	:	2021-01-27
Resolution	:	2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.23.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.23.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	350	7% 83% 15%
1	B	350	8% 72% 22%
2	C	6	67% 33%
3	D	2	100%
3	F	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	I	2	100%
4	E	2	100%
5	G	5	80% 20%
6	H	3	100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	I	1	-	-	-	X
3	NAG	I	2	-	-	-	X
4	NAG	E	1	-	-	-	X
8	NAG	B	401	-	-	-	X

2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 5660 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALK tyrosine kinase receptor homolog scd-2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	347	Total	C	N	O	S	Se	0	0	0
			2630	1614	458	533	20	5			
1	B	336	Total	C	N	O	S	Se	0	0	0
			2546	1566	442	513	20	5			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	6	Total	C	N	O	0	0	0
			70	40	2	28			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	I	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called alpha-L-fucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	2	Total	C	N	O	0	0	0
			24	14	1	9			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	G	5	Total	C	N	O	0	0	0
			59	34	2	23			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	H	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 7 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total O S 5 4 1	0	0
7	A	1	Total O S 5 4 1	0	0
7	B	1	Total O S 5 4 1	0	0
7	B	1	Total O S 5 4 1	0	0
7	B	1	Total O S 5 4 1	0	0

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total C N O 14 8 1 5	0	0

- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	95	Total O 95 95	0	0
9	B	74	Total O 74 74	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ALK tyrosine kinase receptor homolog scd-2



• Molecule 1: ALK tyrosine kinase receptor homolog scd-2



• Molecule 2: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:



• Molecule 4: alpha-L-fucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:



• Molecule 5: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:



• Molecule 6: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 41 2 2	Depositor
Cell constants a, b, c, α, β, γ	224.34Å 224.34Å 114.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.18 – 2.60 50.16 – 2.60	Depositor EDS
% Data completeness (in resolution range)	100.0 (50.18-2.60) 99.9 (50.16-2.60)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.20 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.223 , 0.270 0.225 , 0.270	Depositor DCC
R_{free} test set	2177 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å^2)	75.7	Xtriage
Anisotropy	0.379	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.35 , 70.3	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	5660	wwPDB-VP
Average B, all atoms (Å^2)	89.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.57% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, SO4, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.68	0/2683	0.80	0/3614
1	B	0.70	0/2598	0.80	1/3497 (0.0%)
All	All	0.69	0/5281	0.80	1/7111 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	220	MSE	CG-SE-CE	5.56	111.13	98.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2630	0	2408	56	0
1	B	2546	0	2330	61	0
2	C	70	0	61	1	0
3	D	28	0	25	0	0
3	F	28	0	25	0	0
3	I	28	0	25	0	0
4	E	24	0	22	0	0
5	G	59	0	52	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	H	39	0	34	0	0
7	A	10	0	0	0	0
7	B	15	0	0	0	0
8	B	14	0	13	1	0
9	A	95	0	0	3	0
9	B	74	0	0	3	0
All	All	5660	0	4995	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:CYS:SG	1:A:181:CYS:SG	1.39	1.23
1:B:126:ARG:HH12	1:B:205:SER:HB2	1.20	1.07
1:A:177:CYS:SG	1:A:181:CYS:CB	2.46	1.03
1:B:174:ASP:OD1	1:B:176:ARG:HD2	1.57	1.02
1:A:297:PRO:HB2	1:A:328:TYR:CE2	1.98	0.98
1:B:72:THR:HG21	1:B:259:SER:O	1.74	0.88
1:B:94:GLN:HG3	1:B:211:PHE:HB3	1.55	0.87
1:B:126:ARG:NH1	1:B:205:SER:HB2	1.89	0.86
1:B:272:CYS:HB3	1:B:284:PHE:CZ	2.14	0.83
1:A:285:ARG:NH1	1:A:293:TYR:CD2	2.53	0.76
1:A:248:ILE:HD11	1:B:119:ASN:HD21	1.52	0.75
1:A:9:ILE:HD13	1:A:90:MSE:HE1	1.70	0.73
1:A:248:ILE:HD11	1:B:119:ASN:ND2	2.03	0.73
1:B:88:LEU:HD23	1:B:138:VAL:HG12	1.71	0.70
1:B:9:ILE:CD1	1:B:90:MSE:SE	2.89	0.70
1:B:237:SER:OG	1:B:238:ARG:N	2.24	0.70
1:A:285:ARG:HD3	1:A:293:TYR:CD1	2.27	0.69
1:B:325:ASN:HB2	9:B:545:HOH:O	1.91	0.69
1:A:90:MSE:HE2	1:A:267:ILE:HD12	1.73	0.69
1:A:255:ILE:HD12	1:A:288:TYR:HA	1.77	0.66
1:B:45:TRP:CE3	1:B:88:LEU:HD12	2.32	0.65
1:B:54:ARG:NH1	1:B:290:GLU:HA	2.14	0.63
1:B:9:ILE:HD13	1:B:90:MSE:SE	2.49	0.63
1:B:297:PRO:HB2	1:B:328:TYR:CE2	2.35	0.62
1:B:45:TRP:HE3	1:B:88:LEU:HD12	1.64	0.62
1:A:52:PHE:CD2	1:A:283:ARG:HG2	2.35	0.62
1:B:53:TYR:CD1	1:B:82:LEU:HD12	2.34	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:174:ASP:OD1	1:B:176:ARG:CD	2.43	0.60
9:B:548:HOH:O	5:G:4:FUC:H62	2.03	0.57
1:A:285:ARG:HD3	1:A:293:TYR:CG	2.39	0.57
1:A:297:PRO:CB	1:A:328:TYR:CE2	2.82	0.57
1:B:170:HIS:HE1	1:B:172:LYS:HD2	1.70	0.56
1:B:57:ILE:HD12	1:B:145:VAL:HG11	1.87	0.56
1:B:9:ILE:HD12	1:B:90:MSE:SE	2.55	0.56
1:A:285:ARG:NH1	1:A:293:TYR:CG	2.74	0.56
1:B:65:ASN:HB3	1:B:67:LYS:H	1.70	0.55
2:C:1:NAG:H62	2:C:6:FUC:O2	2.07	0.55
1:A:53:TYR:CD1	1:A:82:LEU:HD12	2.41	0.55
1:A:177:CYS:SG	1:A:181:CYS:HB3	2.41	0.54
1:A:240:ARG:HD3	9:A:553:HOH:O	2.06	0.54
1:A:297:PRO:HB2	1:A:328:TYR:CD2	2.42	0.54
1:A:340:ILE:HG22	1:A:340:ILE:O	2.07	0.54
1:A:152:GLY:O	1:A:240:ARG:NH2	2.32	0.53
1:B:169:ILE:HD13	1:B:228:TYR:CZ	2.44	0.53
1:B:42:THR:OG1	1:B:89:ARG:NH1	2.41	0.53
1:B:88:LEU:CD2	1:B:138:VAL:HG12	2.39	0.53
1:B:186:HIS:ND1	1:B:191:VAL:HG11	2.23	0.53
1:B:169:ILE:HD13	1:B:228:TYR:CE2	2.44	0.53
1:A:311:PHE:CD1	1:A:312:PRO:HD2	2.44	0.52
1:B:139:GLU:HG3	1:B:141:ASP:OD1	2.09	0.52
1:B:52:PHE:CE1	1:B:81:HIS:HB2	2.44	0.52
1:A:331:PHE:HB2	1:A:341:TYR:HB3	1.93	0.51
1:B:94:GLN:CG	1:B:211:PHE:HB3	2.34	0.50
1:A:334:CYS:HB2	1:A:340:ILE:CD1	2.42	0.50
1:A:52:PHE:CE1	1:A:81:HIS:HB2	2.47	0.50
1:B:9:ILE:HD12	1:B:90:MSE:HE1	1.94	0.49
1:A:141:ASP:HA	1:B:101:PHE:O	2.13	0.49
1:B:90:MSE:HE2	1:B:267:ILE:HD12	1.95	0.48
1:A:334:CYS:HB2	1:A:340:ILE:HD11	1.95	0.48
1:B:332:CYS:HB2	1:B:340:ILE:HB	1.96	0.48
1:B:86:LEU:HD12	1:B:87:SER:H	1.77	0.48
1:B:272:CYS:HB3	1:B:284:PHE:CE2	2.48	0.48
1:A:311:PHE:HD1	1:A:312:PRO:N	2.12	0.47
1:A:9:ILE:HD13	1:A:90:MSE:CE	2.41	0.47
1:B:286:LYS:HB3	1:B:290:GLU:HG2	1.96	0.47
1:A:36:PHE:CE1	1:A:44:GLN:HB3	2.50	0.47
1:A:340:ILE:C	1:A:342:ASP:H	2.18	0.47
1:A:209:GLY:HA3	1:A:214:GLY:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:126:ARG:HH12	1:B:205:SER:CB	2.09	0.47
1:A:136:LEU:C	1:A:136:LEU:HD23	2.36	0.46
1:A:286:LYS:HB2	1:A:291:GLU:HB3	1.96	0.46
1:A:284:PHE:HA	1:A:291:GLU:O	2.15	0.46
1:A:67:LYS:HE3	1:A:156:ASP:OD2	2.14	0.46
1:A:287:ASP:OD1	1:A:287:ASP:N	2.47	0.46
1:A:9:ILE:CD1	1:A:90:MSE:HE1	2.42	0.46
1:A:284:PHE:CB	1:A:289:PHE:HB3	2.46	0.46
1:B:311:PHE:CZ	1:B:321:ASN:HB2	2.52	0.45
1:B:109:ARG:NH1	1:B:204:GLU:OE1	2.50	0.45
1:A:197:ARG:NH1	9:A:508:HOH:O	2.47	0.45
1:A:142:LEU:HD21	1:B:120:TYR:CE1	2.52	0.45
1:B:152:GLY:O	1:B:222:GLY:HA3	2.17	0.44
1:A:311:PHE:HD1	1:A:311:PHE:C	2.21	0.44
1:A:274:LYS:HD3	1:A:294:CYS:SG	2.58	0.44
1:A:297:PRO:HG2	1:A:328:TYR:HE2	1.82	0.44
1:B:284:PHE:HA	1:B:291:GLU:O	2.18	0.44
1:A:57:ILE:HD13	1:A:145:VAL:HG11	2.00	0.43
1:A:171:VAL:HG22	1:A:229:GLN:HG2	2.00	0.43
1:B:136:LEU:C	1:B:136:LEU:HD23	2.38	0.43
1:B:6:ASP:HB2	1:B:270:ALA:HA	2.00	0.43
1:B:231:GLY:HA3	1:B:240:ARG:O	2.18	0.43
1:B:72:THR:HG23	1:B:259:SER:HB3	2.00	0.43
1:A:285:ARG:NH1	1:A:293:TYR:CB	2.82	0.42
1:B:115:LYS:HD3	9:B:509:HOH:O	2.19	0.42
1:A:129:ALA:HB1	1:A:209:GLY:HA2	2.01	0.42
1:B:46:THR:HA	1:B:86:LEU:O	2.20	0.42
1:B:176:ARG:HD2	1:B:176:ARG:H	1.84	0.42
1:A:311:PHE:CD1	1:A:311:PHE:C	2.93	0.42
1:B:284:PHE:CB	1:B:289:PHE:HB3	2.49	0.42
1:A:87:SER:O	1:A:140:LYS:NZ	2.49	0.42
1:A:284:PHE:HB3	1:A:289:PHE:HB3	2.02	0.42
1:A:78:LEU:C	1:A:78:LEU:HD12	2.41	0.41
1:B:209:GLY:HA3	1:B:214:GLY:O	2.20	0.41
1:A:285:ARG:NH1	1:A:293:TYR:HB2	2.35	0.41
1:B:340:ILE:HD11	1:B:348:CYS:SG	2.60	0.41
1:B:23:CYS:SG	1:B:37:LEU:HD22	2.60	0.41
1:B:170:HIS:CE1	1:B:172:LYS:HD2	2.52	0.41
1:B:238:ARG:HD2	1:B:238:ARG:HA	1.94	0.41
1:A:89:ARG:C	1:A:90:MSE:HG3	2.41	0.41
1:B:9:ILE:HD12	1:B:90:MSE:CE	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:167:SER:OG	1:B:230:ALA:N	2.39	0.41
1:B:285:ARG:HD3	8:B:401:NAG:H81	2.03	0.41
1:B:343:VAL:O	1:B:345:ASN:N	2.54	0.41
1:A:158:PHE:CD1	1:A:158:PHE:C	2.94	0.40
1:A:99:PRO:HB3	1:A:126:ARG:HG3	2.02	0.40
1:A:287:ASP:HA	9:A:580:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	345/350 (99%)	322 (93%)	23 (7%)	0	100 100
1	B	332/350 (95%)	303 (91%)	28 (8%)	1 (0%)	41 64
All	All	677/700 (97%)	625 (92%)	51 (8%)	1 (0%)	51 75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	344	TYR

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	283/281 (101%)	278 (98%)	5 (2%)	59 80
1	B	274/281 (98%)	258 (94%)	16 (6%)	20 40
All	All	557/562 (99%)	536 (96%)	21 (4%)	33 59

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	120	TYR
1	A	195	ASP
1	A	287	ASP
1	A	311	PHE
1	A	328	TYR
1	B	36	PHE
1	B	49	VAL
1	B	58	CYS
1	B	74	ASP
1	B	75	CYS
1	B	105	ASP
1	B	118	HIS
1	B	119	ASN
1	B	121	VAL
1	B	176	ARG
1	B	191	VAL
1	B	237	SER
1	B	287	ASP
1	B	321	ASN
1	B	325	ASN
1	B	328	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	65	ASN
1	B	170	HIS
1	B	321	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

22 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	NAG	C	1	1,2	14,14,15	0.66	0	17,19,21	1.93	4 (23%)
2	NAG	C	2	2	14,14,15	0.48	0	17,19,21	1.35	2 (11%)
2	MAN	C	3	2	11,11,12	0.46	0	15,15,17	1.78	2 (13%)
2	MAN	C	4	2	11,11,12	0.55	0	15,15,17	1.60	4 (26%)
2	FUC	C	5	2	10,10,11	0.78	0	14,14,16	1.22	1 (7%)
2	FUC	C	6	2	10,10,11	1.00	0	14,14,16	1.49	2 (14%)
3	NAG	D	1	1,3	14,14,15	0.64	0	17,19,21	1.72	3 (17%)
3	NAG	D	2	3	14,14,15	0.45	0	17,19,21	1.67	3 (17%)
4	NAG	E	1	1,4	14,14,15	0.66	0	17,19,21	1.42	2 (11%)
4	FUC	E	2	4	10,10,11	0.52	0	14,14,16	1.49	1 (7%)
3	NAG	F	1	1,3	14,14,15	0.67	0	17,19,21	1.48	3 (17%)
3	NAG	F	2	3	14,14,15	0.41	0	17,19,21	1.89	1 (5%)
5	NAG	G	1	1,5	14,14,15	0.71	0	17,19,21	1.48	4 (23%)
5	NAG	G	2	5	14,14,15	0.42	0	17,19,21	1.44	2 (11%)
5	MAN	G	3	5	11,11,12	0.50	0	15,15,17	2.30	4 (26%)
5	FUC	G	4	5	10,10,11	0.54	0	14,14,16	1.74	1 (7%)
5	FUC	G	5	5	10,10,11	0.47	0	14,14,16	1.03	1 (7%)
6	NAG	H	1	1,6	14,14,15	0.53	0	17,19,21	1.17	1 (5%)
6	NAG	H	2	6	14,14,15	0.46	0	17,19,21	1.32	2 (11%)
6	MAN	H	3	6	11,11,12	0.43	0	15,15,17	1.01	1 (6%)
3	NAG	I	1	1,3	14,14,15	0.63	0	17,19,21	2.26	5 (29%)
3	NAG	I	2	3	14,14,15	0.31	0	17,19,21	1.02	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	MAN	C	3	2	-	1/2/19/22	1/1/1/1
2	MAN	C	4	2	-	1/2/19/22	0/1/1/1
2	FUC	C	5	2	-	-	0/1/1/1
2	FUC	C	6	2	-	-	0/1/1/1
3	NAG	D	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
4	NAG	E	1	1,4	-	2/6/23/26	0/1/1/1
4	FUC	E	2	4	-	-	0/1/1/1
3	NAG	F	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1
5	NAG	G	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	G	2	5	-	2/6/23/26	0/1/1/1
5	MAN	G	3	5	-	2/2/19/22	0/1/1/1
5	FUC	G	4	5	-	-	0/1/1/1
5	FUC	G	5	5	-	-	0/1/1/1
6	NAG	H	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	H	2	6	-	2/6/23/26	0/1/1/1
6	MAN	H	3	6	-	2/2/19/22	0/1/1/1
3	NAG	I	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	F	2	NAG	C1-O5-C5	7.26	122.02	112.19
5	G	3	MAN	C1-O5-C5	5.64	119.84	112.19
5	G	4	FUC	O5-C1-C2	5.53	119.31	110.77
5	G	3	MAN	C1-C2-C3	5.33	116.22	109.67
3	D	1	NAG	C1-O5-C5	5.21	119.25	112.19
2	C	3	MAN	C1-O5-C5	5.09	119.09	112.19
2	C	1	NAG	C3-C4-C5	-5.07	101.20	110.24
3	D	2	NAG	C1-O5-C5	4.97	118.92	112.19
3	I	1	NAG	C1-O5-C5	4.74	118.62	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	E	2	FUC	C1-O5-C5	4.45	122.87	112.78
4	E	1	NAG	C1-O5-C5	4.26	117.96	112.19
6	H	2	NAG	C1-O5-C5	4.01	117.62	112.19
3	I	1	NAG	C4-C3-C2	3.92	116.76	111.02
2	C	4	MAN	O5-C1-C2	3.86	116.73	110.77
5	G	1	NAG	C4-C3-C2	-3.64	105.68	111.02
5	G	2	NAG	C4-C3-C2	3.62	116.33	111.02
3	I	1	NAG	C2-N2-C7	3.46	127.82	122.90
2	C	1	NAG	O5-C1-C2	-3.38	105.95	111.29
3	I	1	NAG	C3-C4-C5	3.38	116.26	110.24
3	I	2	NAG	C1-O5-C5	3.32	116.69	112.19
5	G	3	MAN	O5-C1-C2	3.25	115.79	110.77
2	C	3	MAN	O5-C1-C2	3.09	115.55	110.77
2	C	6	FUC	O3-C3-C4	3.06	117.43	110.35
2	C	4	MAN	C1-O5-C5	3.02	116.29	112.19
3	I	1	NAG	O5-C1-C2	2.96	115.96	111.29
4	E	1	NAG	O5-C5-C6	2.92	111.78	107.20
5	G	1	NAG	C3-C4-C5	-2.89	105.09	110.24
2	C	1	NAG	C6-C5-C4	2.83	119.64	113.00
6	H	3	MAN	O5-C1-C2	2.79	115.07	110.77
2	C	4	MAN	C3-C4-C5	2.77	115.18	110.24
5	G	5	FUC	O5-C1-C2	2.68	114.90	110.77
2	C	1	NAG	O3-C3-C4	2.66	116.50	110.35
2	C	2	NAG	O3-C3-C2	-2.64	104.00	109.47
5	G	2	NAG	O3-C3-C2	-2.64	104.01	109.47
3	F	1	NAG	C1-O5-C5	2.50	115.58	112.19
5	G	1	NAG	O3-C3-C4	2.46	116.03	110.35
3	F	1	NAG	C2-N2-C7	2.45	126.39	122.90
3	D	1	NAG	O5-C5-C6	-2.42	103.41	107.20
5	G	1	NAG	C2-N2-C7	-2.34	119.56	122.90
3	D	2	NAG	O5-C5-C6	2.33	110.85	107.20
3	D	1	NAG	C4-C3-C2	-2.29	107.67	111.02
2	C	5	FUC	C2-C3-C4	-2.25	106.99	110.89
2	C	2	NAG	C1-O5-C5	2.25	115.24	112.19
6	H	2	NAG	O5-C1-C2	2.24	114.83	111.29
3	D	2	NAG	C4-C3-C2	-2.20	107.80	111.02
6	H	1	NAG	O5-C1-C2	-2.17	107.85	111.29
5	G	3	MAN	O4-C4-C3	-2.11	105.47	110.35
2	C	6	FUC	O2-C2-C3	-2.10	105.94	110.14
2	C	4	MAN	O2-C2-C1	2.04	113.32	109.15
3	F	1	NAG	O5-C1-C2	-2.03	108.08	111.29

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	1	NAG	O5-C5-C6-O6
3	F	2	NAG	O5-C5-C6-O6
3	F	2	NAG	C4-C5-C6-O6
4	E	1	NAG	C4-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
6	H	3	MAN	O5-C5-C6-O6
4	E	1	NAG	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
6	H	3	MAN	C4-C5-C6-O6
3	I	1	NAG	C1-C2-N2-C7
3	F	1	NAG	O5-C5-C6-O6
5	G	2	NAG	O5-C5-C6-O6
5	G	3	MAN	C4-C5-C6-O6
5	G	2	NAG	C4-C5-C6-O6
6	H	2	NAG	O5-C5-C6-O6
6	H	2	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
2	C	3	MAN	O5-C5-C6-O6
5	G	3	MAN	O5-C5-C6-O6
2	C	4	MAN	O5-C5-C6-O6
3	I	1	NAG	O5-C5-C6-O6
3	I	1	NAG	C4-C5-C6-O6
3	F	1	NAG	C3-C2-N2-C7
3	I	1	NAG	C3-C2-N2-C7

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	3	MAN	C1-C2-C3-C4-C5-O5

3 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1	NAG	1	0
2	C	6	FUC	1	0
5	G	4	FUC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

Oligosaccharide Chain C



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain D



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain F



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain I



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain E



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain G



Bond lengths



Bond angles



Torsions



Rings



5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
7	SO4	A	401	-	4,4,4	0.40	0	6,6,6	0.13	0
7	SO4	B	404	-	4,4,4	0.33	0	6,6,6	0.09	0
7	SO4	B	402	-	4,4,4	0.41	0	6,6,6	0.12	0
8	NAG	B	401	1	14,14,15	0.52	0	17,19,21	1.46	1 (5%)
7	SO4	B	403	-	4,4,4	0.34	0	6,6,6	0.08	0
7	SO4	A	402	-	4,4,4	0.38	0	6,6,6	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	B	401	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
8	B	401	NAG	C1-O5-C5	4.96	118.91	112.19

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	B	401	NAG	C4-C5-C6-O6
8	B	401	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	401	NAG	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	342/350 (97%)	0.59	25 (7%)	15	11	42, 61, 148, 206	0
1	B	331/350 (94%)	0.49	29 (8%)	10	7	47, 80, 180, 219	0
All	All	673/700 (96%)	0.54	54 (8%)	12	9	42, 71, 164, 219	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	304	ASP	8.3
1	B	349	GLU	7.5
1	A	30	ASP	7.4
1	B	333	LEU	7.2
1	A	29	LEU	6.3
1	A	303	THR	6.1
1	B	340	ILE	6.1
1	B	346	ASP	5.8
1	B	341	TYR	5.8
1	A	341	TYR	5.6
1	A	31	GLY	5.6
1	B	337	GLY	5.6
1	B	344	TYR	5.5
1	B	323	TYR	4.9
1	A	305	THR	4.8
1	A	306	GLU	4.6
1	B	336	ASN	4.6
1	B	36	PHE	4.4
1	B	345	ASN	4.3
1	A	26	ASN	4.1
1	B	342	ASP	3.9
1	B	317	SER	3.6
1	B	348	CYS	3.6
1	B	271	PHE	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	347	THR	3.5
1	B	339	GLU	3.4
1	B	335	ASN	3.2
1	A	27	ARG	3.1
1	A	32	GLN	3.1
1	A	193	ARG	3.1
1	B	343	VAL	3.0
1	A	105	ASP	2.9
1	B	313	LEU	2.8
1	B	334	CYS	2.8
1	A	191	VAL	2.7
1	B	328	TYR	2.7
1	B	338	LYS	2.6
1	B	314	VAL	2.6
1	A	195	ASP	2.6
1	A	25	HIS	2.6
1	A	344	TYR	2.5
1	B	318	SER	2.5
1	A	190	ILE	2.5
1	A	33	THR	2.4
1	A	307	GLU	2.4
1	B	273	ARG	2.3
1	A	279	PRO	2.2
1	B	332	CYS	2.2
1	A	194	ARG	2.2
1	A	28	GLU	2.1
1	A	342	ASP	2.1
1	A	201	GLU	2.1
1	B	141	ASP	2.1
1	B	82	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	NAG	I	2	14/15	0.34	0.79	177,208,222,223	0
4	NAG	E	1	14/15	0.58	0.48	129,179,185,187	0
6	NAG	H	2	14/15	0.63	0.28	156,195,214,216	0
3	NAG	F	2	14/15	0.65	0.37	156,191,199,202	0
5	MAN	G	3	11/12	0.75	0.26	124,150,166,169	0
3	NAG	I	1	14/15	0.79	0.40	148,178,187,206	0
2	MAN	C	4	11/12	0.80	0.38	124,166,177,179	0
3	NAG	D	2	14/15	0.81	0.21	146,159,181,190	0
4	FUC	E	2	10/11	0.82	0.39	119,141,159,160	0
6	MAN	H	3	11/12	0.84	0.31	165,178,190,194	0
2	MAN	C	3	11/12	0.85	0.20	131,135,151,172	0
3	NAG	F	1	14/15	0.88	0.27	132,160,172,177	0
6	NAG	H	1	14/15	0.91	0.19	95,122,136,162	0
5	FUC	G	4	10/11	0.93	0.23	88,115,124,126	0
5	NAG	G	2	14/15	0.93	0.21	82,103,128,131	0
2	FUC	C	6	10/11	0.94	0.20	66,75,93,97	0
3	NAG	D	1	14/15	0.94	0.12	66,94,116,134	0
2	FUC	C	5	10/11	0.94	0.16	81,96,109,110	0
2	NAG	C	2	14/15	0.95	0.15	79,100,121,123	0
5	NAG	G	1	14/15	0.97	0.13	62,70,78,85	0
5	FUC	G	5	10/11	0.98	0.18	59,66,73,77	0
2	NAG	C	1	14/15	0.98	0.14	55,61,71,74	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around Chain D:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain F:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around Chain I:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain E:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain G:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around Chain H:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
8	NAG	B	401	14/15	0.37	0.51	156,191,208,209	0
7	SO4	B	402	5/5	0.83	0.25	132,153,156,159	0
7	SO4	B	404	5/5	0.86	0.12	134,148,160,161	0
7	SO4	B	403	5/5	0.89	0.15	105,132,135,136	0
7	SO4	A	402	5/5	0.92	0.46	131,134,156,167	0
7	SO4	A	401	5/5	0.97	0.19	73,74,81,101	0

6.5 Other polymers

There are no such residues in this entry.