

Full wwPDB X-ray Structure Validation Report (i)

Aug 8, 2020 - 02:22 AM BST

PDB ID	:	4LN3
Title	:	The crystal structure of hemagglutinin from a H7N9 influenza virus
		(A/Shanghai/1/2013)
Authors	:	Yang, H.; Carney, P.J.; Chang, J.C.; Villanueva, J.M.; Stevens, J.
Deposited on	:	2013-07-11
Resolution	:	2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.13.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
$\operatorname{CCP4}$:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	1332 (2.68-2.64)
Clash score	141614	1374(2.68-2.64)
Ramachandran outliers	138981	1349(2.68-2.64)
Sidechain outliers	138945	1349(2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
-1	٨	0.05			
	А	325	78%	16%	••
_	a	22 5			
		325	78%	16%	•••
	_		%		
1	E	325	77%	16%	•••
	~		%		
1	G	325	78%	17%	••
	-		%		
1		325	76%	19%	••
			%		
1	K	325	77%	17%	• •



Mol	Chain	Length	Quality of chain	Quality of chain							
2	В	181	79%	12%		8%					
2	D	181	% 77%	14%	••	8%					
2	F	181	77%	14%	••	8%					
2	Н	181	77%	12%	••	9%					
2	J	181	78%	10%	••	9%					
2	L	181	78%	10%	••	9%					
3	М	3	33% 67%								
3	N	3	100%								
3	0	3	100%								

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	А	404	X	-	-	-
4	NAG	Е	404	Х	-	-	-



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 23076 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
1	Λ	216	Total	С	Ν	Ο	S	0	0	0
L T	л	510	2410	1494	435	466	15	0	0	0
1	C	316	Total	С	Ν	Ο	S	0	0	0
1		510	2410	1494	435	466	15		0	0
1	F	316	Total	С	Ν	Ο	S	0	0	0
			2410	1494	435	466	15		0	0
1	C	316	Total	С	Ν	Ο	S	0	0	0
L T	G		2410	1494	435	466	15	0		0
1	т	216	Total	С	Ν	Ο	S	0	0	0
	510	2410	1494	435	466	15	0	0	0	
1	1 IZ	916	Total	С	Ν	Ο	S	0	0	0
	310	2410	1494	435	466	15			U	

• Molecule 1 is a protein called Hemagglutinin.

• Molecule 2 is a protein called Hemagglutinin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	В	167	Total	С	Ν	Ο	S	0	0	0
2	D	107	1359	838	237	277	7	0	0	0
9	Л	167	Total	С	Ν	0	S	0	0	0
2	D	107	1359	838	237	277	7	0	0	0
9	F	167	Total	С	Ν	0	S	0	0	0
2	Ľ		1359	838	237	277	7			
9	Ц	164	Total	С	Ν	0	S	0	0	0
2	11	104	1335	823	231	274	7	0		0
9	т	164	Total	С	Ν	0	S	0	0	0
2	2 J	104	1335	823	231	274	7	0	0	0
9	2 L	164	Total	С	Ν	Ο	S	0	0	0
			1335	823	231	274	7	0	0	U

• Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	М	3	Total C N O 39 22 2 15	0	0	0
3	Ν	3	Total C N O 39 22 2 15	0	0	0
3	О	3	Total C N O 39 22 2 15	0	0	0

• Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf		
4	Λ	1	Total	С	Ν	0	0	0		
4	л	L	14	8	1	5	0	0		
4	В	1	Total	С	Ν	Ο	0	0		
4		D	D	D	L	14	8	1	5	0
4	а	1	Total	С	Ν	Ο	0	0		
4		1	14	8	1	5		0		
4	F	1	Total	С	Ν	Ο	0	0		
4			14	8	1	5	0	0		
4	Б	1	Total	С	Ν	Ο	0	0		
4 Γ	1	14	8	1	5	0	U			
	1	Total	С	Ν	Ο	0	0			
4	G		14	8	1	5		0		



Continued from previous page...

Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf	
4 H	1	Total	С	Ν	0	0	0		
	L	14	8	1	5	0	0		
4	Т	1	Total	С	Ν	Ο	0	0	
4	4 1	L	14	8	1	5	0	U	
4	4 T	1	Total	С	Ν	Ο	0	0	
4	J		14	8	1	5	0	0	
4	K	1	Total	С	Ν	Ο	0	0	
	1	14	8	1	5	0	0		
4 L	т	1	Total	С	Ν	0	0	0	
	Г		14	8	1	5		U	

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	37	Total O 37 37	0	0
5	В	17	Total O 17 17	0	0
5	С	38	Total O 38 38	0	0
5	D	24	Total O 24 24	0	0
5	Е	40	$\begin{array}{cc} \text{Total} & \text{O} \\ 40 & 40 \end{array}$	0	0
5	F	20	Total O 20 20	0	0
5	G	22	$\begin{array}{ccc} \text{Total} & \text{O} \\ 22 & 22 \end{array}$	0	0
5	Н	13	Total O 13 13	0	0
5	Ι	21	Total O 21 21	0	0
5	J	8	Total O 8 8	0	0
5	K	17	Total O 17 17	0	0
5	L	6	Total O 6 6	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Hemagglutinin





• Molecule 1: Hemagglutinin









ARG LEU VAL PRO ARG

Chain M: 33% 67%

NAG 1 NAG 2 NAG 2 BMA 3

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:

100%

NAG 1 NAG 2 NAG 2 BMA 3

• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:

100%

NAG1 NAG2 BMA3



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	154.30Å 154.29 Å 154.93 Å	Deperitor
$\mathrm{a,b,c,\alpha,\beta,\gamma}$	90.00° 90.00° 90.00°	Depositor
$\mathbf{B}_{\text{assolution}}\left(\overset{}{\boldsymbol{\lambda}}\right)$	49.02 - 2.65	Depositor
Resolution (A)	48.97 - 2.65	EDS
% Data completeness	$99.9 \ (49.02 - 2.65)$	Depositor
(in resolution range)	98.7(48.97 - 2.65)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.71 ({\rm at} 2.65 { m \AA})$	Xtriage
Refinement program	REFMAC $5.7.0029$	Depositor
D D.	0.211 , 0.244	Depositor
n, n_{free}	0.213 , 0.244	DCC
R_{free} test set	5388 reflections (5.01%)	wwPDB-VP
Wilson B-factor $(Å^2)$	62.7	Xtriage
Anisotropy	0.145	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , 26.1	EDS
L-test for twinning ²	$< L > = 0.49, < L^2 > = 0.33$	Xtriage
	0.019 for l,-k,h	
	0.020 for -h,-l,-k	
Estimated twinning fraction	0.019 for k,h,-l	Xtriage
	0.459 for l,h,k	
	0.459 for k,l,h	
F_o, F_c correlation	0.94	EDS
Total number of atoms	23076	wwPDB-VP
Average B, all atoms $(Å^2)$	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 1.87% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond lengths		Bond angles	
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.71	0/2455	0.84	3/3316~(0.1%)
1	С	0.72	0/2455	0.85	3/3316~(0.1%)
1	Е	0.71	0/2455	0.83	2/3316~(0.1%)
1	G	0.62	0/2455	0.80	2/3316~(0.1%)
1	Ι	0.63	0/2455	0.81	2/3316~(0.1%)
1	K	0.63	0/2455	0.81	3/3316~(0.1%)
2	В	0.71	0/1382	0.89	4/1863~(0.2%)
2	D	0.69	0/1382	0.87	3/1863~(0.2%)
2	F	0.70	0/1382	0.87	3/1863~(0.2%)
2	Н	0.59	0/1358	0.80	2/1831~(0.1%)
2	J	0.59	0/1358	0.81	2/1831~(0.1%)
2	L	0.60	0/1358	0.81	2/1831~(0.1%)
All	All	0.66	0/22950	0.83	31/30978~(0.1%)

There are no bond length outliers.

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^{o})$	$Ideal(^{o})$
1	С	121	ARG	CG-CD-NE	7.16	126.84	111.80
2	D	25	ARG	NE-CZ-NH1	6.53	123.56	120.30
1	Ε	222	ASP	CB-CG-OD1	6.35	124.02	118.30
2	В	25	ARG	NE-CZ-NH1	6.31	123.45	120.30
1	Ι	295	LYS	CD-CE-NZ	6.25	126.08	111.70
2	L	25	ARG	NE-CZ-NH1	6.21	123.40	120.30
2	J	25	ARG	NE-CZ-NH1	6.17	123.38	120.30
2	F	25	ARG	NE-CZ-NH1	6.11	123.35	120.30
1	С	222	ASP	CB-CG-OD1	6.10	123.79	118.30
1	А	222	ASP	CB-CG-OD1	6.07	123.77	118.30
1	G	222	ASP	CB-CG-OD1	6.04	123.73	118.30
1	К	222	ASP	CB-CG-OD1	6.03	123.72	118.30



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	Η	25	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	Ι	222	ASP	CB-CG-OD1	5.85	123.56	118.30
2	Η	25	ARG	CG-CD-NE	5.83	124.05	111.80
2	J	25	ARG	CG-CD-NE	5.81	123.99	111.80
2	L	25	ARG	CG-CD-NE	5.80	123.98	111.80
2	В	25	ARG	CG-CD-NE	5.78	123.94	111.80
2	D	25	ARG	CG-CD-NE	5.78	123.93	111.80
2	F	25	ARG	CG-CD-NE	5.71	123.80	111.80
1	Κ	121	ARG	NE-CZ-NH1	5.61	123.11	120.30
1	А	121	ARG	CG-CD-NE	5.59	123.54	111.80
2	В	170	ARG	NE-CZ-NH1	5.47	123.04	120.30
1	С	157	LYS	CG-CD-CE	5.43	128.18	111.90
2	В	170	ARG	NE-CZ-NH2	-5.40	117.60	120.30
1	Ε	47	ARG	NE-CZ-NH1	5.17	122.89	120.30
1	А	47	ARG	NE-CZ-NH1	5.11	122.86	120.30
1	G	247	ARG	NE-CZ-NH1	5.08	122.84	120.30
2	D	124	ARG	NE-CZ-NH2	-5.04	117.78	120.30
1	Κ	247	ARG	NE-CZ-NH1	5.03	122.81	120.30
2	F	124	ARG	NE-CZ-NH2	-5.02	117.79	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2410	0	2361	29	0
1	С	2410	0	2362	27	0
1	Е	2410	0	2361	34	0
1	G	2410	0	2362	25	0
1	Ι	2410	0	2362	25	0
1	K	2410	0	2362	30	0
2	В	1359	0	1263	12	0
2	D	1359	0	1263	15	0
2	F	1359	0	1263	15	0
2	Н	1335	0	1234	10	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	J	1335	0	1234	10	0
2	L	1335	0	1234	10	0
3	М	39	0	34	0	0
3	Ν	39	0	34	0	0
3	0	39	0	34	0	0
4	А	14	0	13	0	0
4	В	14	0	13	0	0
4	D	14	0	13	0	0
4	Е	14	0	13	0	0
4	F	14	0	13	0	0
4	G	14	0	13	0	0
4	Н	14	0	13	0	0
4	Ι	14	0	13	1	0
4	J	14	0	13	0	0
4	Κ	14	0	13	0	0
4	L	14	0	13	0	0
5	А	37	0	0	1	0
5	В	17	0	0	1	0
5	С	38	0	0	1	0
5	D	24	0	0	1	0
5	Е	40	0	0	2	0
5	F	20	0	0	0	0
5	G	22	0	0	3	0
5	Н	13	0	0	0	0
5	Ι	21	0	0	3	0
5	J	8	0	0	1	0
5	К	17	0	0	4	0
5	L	6	0	0	0	0
All	All	23076	0	21906	226	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (226) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:121:ARG:NH1	1:C:145:SER:O	1.99	0.96
2:D:131:GLU:OE1	2:D:170:ARG:HD2	1.66	0.95
2:F:131:GLU:OE1	2:F:170:ARG:HD2	1.67	0.94
1:K:47:ARG:NH1	5:K:906:HOH:O	1.89	0.86
1:I:117:TYR:HA	5:I:902:HOH:O	1.79	0.81



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	$overlan(\mathbf{A})$
2·H·25·ARG·HG3	2.H.25.ARG.HH11	1 47	
1.K.117.TYB.HA	5·K·903·HOH·O	1.11	0.80
2.1.25.ABG.HH11	2:1:25:ABG:HG3	1.00	0.00
2:5:25:ABG:HG3	2.5.25.ARG.HH11	1.40	0.78
2:D:25:ABG:HG3	2:D:25:ABG:HH11	1.40	0.77
2.D.25.ARG.HH11	2:D:25:ABG:HG3	1.40	0.77
$2 \cdot B \cdot 25 \cdot \Delta B G \cdot HH11$	2.B.25.ARG.HG3	1.40	0.76
1.1.130.CI U.OF1	2.D.25.ARG.IIG5	1.40	0.70
1.1.139.GLU.OE1	1.1.247.ARG.HD3	1.80	0.74
1.F.120.CLU.OF1	1.K.247.ARG.IID3	1.07	0.74
1.E.139.GLU.OE1	1.E.247.AnG.HD3	1.07	0.74
1:0:139:GLU:0E1	1:0:247:ARG:HD5	1.00	0.74
1:G:139:GLU:UE1	1:G:247:ARG:HD3	1.88	0.74
1:A:139:GLU:UE1	1:A:247:ARG:HD3	1.88	0.73
2:F:128:GLU:HG3	2:F:170:ARG:HH21	1.59	0.68
1:C:42:CYS:SG	1:C:278:THR:HG21	2.34	0.68
1:A:42:CYS:SG	1:A:278:THR:HG21	2.34	0.67
2:F:128:GLU:HG3	2:F:170:ARG:NH2	2.10	0.67
1:E:42:CYS:SG	1:E:278:THR:HG21	2.34	0.67
1:K:42:CYS:SG	1:K:278:THR:HG21	2.35	0.67
1:E:147:THR:O	1:E:150:ALA:CB	2.43	0.66
2:D:128:GLU:HG3	2:D:170:ARG:NH2	2.09	0.66
1:I:42:CYS:SG	1:I:278:THR:HG21	2.36	0.66
1:E:293:VAL:HG11	2:F:65:LEU:HD13	1.77	0.66
1:G:42:CYS:SG	1:G:278:THR:HG21	2.36	0.65
2:D:128:GLU:HG3	2:D:170:ARG:HH21	1.59	0.65
1:C:293:VAL:HG11	2:D:65:LEU:HD13	1.79	0.65
1:E:147:THR:O	1:E:150:ALA:HB3	1.97	0.65
1:C:207:SER:CB	1:E:203:SER:OG	2.47	0.63
1:A:293:VAL:HG11	2:B:65:LEU:HD13	1.80	0.63
1:A:121:ARG:HD2	1:A:146:ASN:O	2.00	0.61
1:K:163:ARG:HG3	1:K:250:PHE:CZ	2.36	0.61
1:A:163:ARG:HG3	1:A:250:PHE:CZ	2.36	0.61
1:C:116:THR:O	1:C:157:LYS:HE3	2.00	0.61
1:G:163:ARG:HG3	1:G:250:PHE:CZ	2.36	0.61
1:I:118:SER:N	5:I:902:HOH:O	2.33	0.61
1:I:163:ARG:HG3	1:I:250:PHE:CZ	2.36	0.60
2:D:67:ASP:HB2	5:D:603:HOH:O	2.00	0.60
	1:E:207:SER:CB	2.50	0.59
1:C:163:ARG:HG3	1:C:250:PHE:CZ	2.37	0.59
1:E:163:ARG·HG3	1:E:250:PHE:CZ	2.37	0.58
1:I:156:THR:O	1:I:157:LYS:HG2	2.05	0.56



	lo uo puge	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:K:121:ARG:HG2	1:K:123:ASN:OD1	2.05	0.56	
1:K:156:THR:O	1:K:157:LYS:HG2	2.06	0.56	
1:C:121:ARG:HH11	1:C:121:ARG:HG3	1.71	0.56	
1:C:156:THR:O	1:C:157:LYS:HG2	2.06	0.56	
1:I:293:VAL:HG11	2:J:65:LEU:HD13	1.88	0.56	
1:I:116:THR:O	1:I:157:LYS:NZ	2.36	0.56	
1:K:293:VAL:HG11	2:L:65:LEU:HD13	1.88	0.55	
2:B:55:LEU:HD22	2:B:99:LEU:HD21	1.88	0.55	
1:A:207:SER:CB	1:C:203:SER:OG	2.55	0.55	
1:E:116:THR:O	1:E:157:LYS:NZ	2.35	0.55	
1:G:116:THR:O	1:G:157:LYS:NZ	2.36	0.55	
1:E:148:ASP:C	1:E:150:ALA:H	2.10	0.55	
1:E:44:LYS:HG3	1:E:266:ALA:O	2.07	0.55	
1:G:156:THR:O	1:G:157:LYS:HG2	2.06	0.55	
1:A:194:THR:HG23	1:A:237:SER:HB3	1.90	0.54	
1:E:194:THR:HG23	1:E:237:SER:HB3	1.90	0.54	
2:F:55:LEU:HD22	2:F:99:LEU:HD21	1.89	0.54	
1:A:156:THR:O	1:A:157:LYS:HG2	2.08	0.54	
1:E:156:THR:O	1:E:157:LYS:HG2	2.08	0.54	
2:J:55:LEU:HD22	2:J:99:LEU:HD21	1.90	0.54	
1:C:194:THR:HG23	1:C:237:SER:HB3	1.90	0.53	
2:D:55:LEU:HD22	2:D:99:LEU:HD21	1.90	0.53	
1:K:140:MET:CE	1:K:245:PRO:HA	2.39	0.53	
1:A:116:THR:O	1:A:157:LYS:NZ	2.35	0.53	
2:H:55:LEU:HD22	2:H:99:LEU:HD21	1.90	0.53	
1:K:194:THR:HG23	1:K:237:SER:HB3	1.89	0.53	
1:E:267:ASP:HB2	5:E:513:HOH:O	2.09	0.52	
1:E:140:MET:CE	1:E:245:PRO:HA	2.40	0.52	
1:G:293:VAL:HG11	2:H:65:LEU:HD13	1.91	0.52	
1:I:140:MET:CE	1:I:245:PRO:HA	2.39	0.52	
1:K:140:MET:HE2	1:K:245:PRO:HA	1.91	0.52	
1:I:32:THR:HB	1:I:305:LEU:O	2.10	0.52	
1:G:140:MET:CE	1:G:245:PRO:HA	2.39	0.52	
1:E:186:TYR:O	1:E:191:LYS:NZ	2.31	0.52	
2:F:47:GLN:CD	2:F:110:LEU:HD11	2.30	0.52	
1:G:32:THR:HB	1:G:305:LEU:O	2.10	0.52	
2:J:60:ASN:HB3	5:J:601:HOH:O	2.10	0.52	
2:L:55:LEU:HD22	2:L:99:LEU:HD21	1.91	0.51	
1:K:32:THR:HB	1:K:305:LEU:O	2.10	0.51	
1:C:32:THR:HB	1:C:305:LEU:O	2.10	0.51	
1:C:34:GLU:OE2	1:C:36:THR:HB	2.11	0.51	



		Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
1:E:32:THR:HB	1:E:305:LEU:O	2.10	0.51	
1:G:186:TYR:O	1:G:191:LYS:NZ	2.32	0.51	
1:A:32:THR:HB	1:A:305:LEU:O	2.10	0.51	
1:E:199:ASN:N	5:E:507:HOH:O	2.43	0.51	
1:I:34:GLU:OE2	1:I:36:THR:HB	2.11	0.50	
1:E:34:GLU:OE2	1:E:36:THR:HB	2.11	0.50	
1:G:34:GLU:OE2	1:G:36:THR:HB	2.11	0.50	
1:K:34:GLU:OE2	1:K:36:THR:HB	2.11	0.50	
1:C:199:ASN:N	5:C:917:HOH:O	2.43	0.50	
1:K:116:THR:O	1:K:157:LYS:NZ	2.36	0.50	
1:K:186:TYR:O	1:K:191:LYS:NZ	2.32	0.50	
1:A:34:GLU:OE2	1:A:36:THR:HB	2.11	0.50	
1:I:47:ARG:HD2	5:I:904:HOH:O	2.11	0.50	
2:B:47:GLN:CD	2:B:110:LEU:HD11	2.33	0.49	
2:D:47:GLN:CD	2:D:110:LEU:HD11	2.32	0.49	
1:G:228:LEU:HD11	1:G:232:ASP:O	2.12	0.49	
2:B:47:GLN:NE2	2:B:110:LEU:HD11	2.28	0.49	
2:D:47:GLN:NE2	2:D:110:LEU:HD11	2.28	0.49	
1:E:228:LEU:HD11	1:E:232:ASP:O	2.13	0.49	
1:G:124:GLY:HA3	1:G:142:TRP:HB3	1.95	0.49	
1:C:160:LYS:HG2	1:C:233:THR:OG1	2.13	0.48	
1:A:160:LYS:HG2	1:A:233:THR:OG1	2.13	0.48	
1:E:160:LYS:HG2	1:E:233:THR:OG1	2.13	0.48	
2:D:56:ILE:CG2	2:D:56:ILE:O	2.61	0.48	
1:G:190:ASN:N	1:G:190:ASN:OD1	2.45	0.48	
1:G:47:ARG:HD2	5:G:903:HOH:O	2.11	0.48	
1:I:160:LYS:HG2	1:I:233:THR:OG1	2.14	0.48	
1:I:228:LEU:HD11	1:I:232:ASP:O	2.13	0.48	
1:C:228:LEU:HD11	1:C:232:ASP:O	2.13	0.48	
1:G:160:LYS:HG2	1:G:233:THR:OG1	2.14	0.48	
1:K:228:LEU:HD11	1:K:232:ASP:O	2.12	0.48	
1:K:124:GLY:HA3	1:K:142:TRP:HB3	1.96	0.48	
1:K:160:LYS:HG2	1:K:233:THR:OG1	2.14	0.48	
1:A:186:TYR:O	1:A:191:LYS:NZ	2.32	0.48	
1:A:228:LEU:HD11	1:A:232:ASP:O	2.13	0.48	
2:D:131:GLU:OE1	2:D:170:ARG:CD	2.52	0.48	
2:F:56:ILE:CG2	2:F:56:ILE:O	2.62	0.48	
1:I:124:GLY:HA3	1:I:142:TRP:HB3	1.95	0.47	
2:B:56:ILE:CG2	2:B:56:ILE:O	2.62	0.47	
1:I:140:MET:HE2	1:I:245:PRO:HA	1.96	0.47	
1:A:130:ARG:NH2	5:A:537:HOH:O	$2.\overline{47}$	0.47	



	h h o	Interatomic	Clash
Atom-1	Atom-2	$distance (m \AA)$	overlap (Å)
1:K:118:SER:N	5:K:903:HOH:O	2.45	0.47
2:B:26:HIS:HE1	5:B:601:HOH:O	1.97	0.47
1:E:32:THR:HG23	1:E:285:PHE:HD1	1.80	0.47
1:A:32:THR:HG23	1:A:285:PHE:HD1	1.81	0.46
1:A:156:THR:C	1:A:157:LYS:HG2	2.35	0.46
1:G:156:THR:C	1:G:157:LYS:HG2	2.35	0.46
2:L:47:GLN:CD	2:L:110:LEU:HD11	2.36	0.46
1:C:190:ASN:OD1	1:C:190:ASN:N	2.46	0.46
1:C:32:THR:HG23	1:C:285:PHE:HD1	1.80	0.46
2:F:131:GLU:OE1	2:F:170:ARG:CD	2.52	0.46
1:G:15:LYS:HG3	5:G:910:HOH:O	2.14	0.46
2:J:47:GLN:CD	2:J:110:LEU:HD11	2.35	0.46
2:F:47:GLN:OE1	2:F:110:LEU:HD11	2.16	0.46
1:I:32:THR:HG23	1:I:285:PHE:HD1	1.81	0.46
1:A:192:LEU:HG	1:A:193:VAL:N	2.31	0.45
2:J:56:ILE:O	2:J:56:ILE:CG2	2.64	0.45
1:E:156:THR:C	1:E:157:LYS:HG2	2.36	0.45
2:L:47:GLN:NE2	2:L:110:LEU:HD11	2.31	0.45
1:C:186:TYR:O	1:C:191:LYS:NZ	2.32	0.45
2:J:47:GLN:NE2	2:J:110:LEU:HD11	2.31	0.45
1:K:156:THR:C	1:K:157:LYS:HG2	2.36	0.45
1:K:190:ASN:OD1	1:K:190:ASN:N	2.45	0.45
2:L:169:ASN:OD1	2:L:169:ASN:N	2.49	0.45
2:L:56:ILE:CG2	2:L:56:ILE:O	2.64	0.45
1:C:77:ILE:O	1:C:257:GLY:HA2	2.17	0.45
2:H:47:GLN:CD	2:H:110:LEU:HD11	2.35	0.45
2:H:47:GLN:OE1	2:H:110:LEU:HD11	2.17	0.45
1:A:77:ILE:O	1:A:257:GLY:HA2	2.16	0.45
2:H:169:ASN:OD1	2:H:169:ASN:N	2.49	0.45
1:I:156:THR:C	1:I:157:LYS:HG2	2.35	0.45
1:I:186:TYR:O	1:I:191:LYS:NZ	2.32	0.45
1:K:32:THR:HG23	1:K:285:PHE:HD1	1.82	0.45
2:H:56:ILE:O	2:H:56:ILE:CG2	2.64	0.44
1:K:47:ARG:HD2	5:K:906:HOH:O	2.16	0.44
2:B:56:ILE:HG23	2:B:56:ILE:O	2.18	0.44
1:C:124:GLY:HA3	1:C:142:TRP:HB3	1.99	0.44
1:K:38:ILE:CD1	1:K:280:ILE:HD12	2.48	0.44
1:E:60:ILE:HG21	1:E:170:VAL:HG21	1.98	0.44
1:I:60:ILE:HG21	1:I:170:VAL:HG21	1.99	0.44
1:K:60:ILE:HG21	1:K:170:VAL:HG21	2.00	0.44
1:C:38:ILE:CD1	1:C:280:ILE:HD12	2.48	0.44



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:G:32:THR:HG23	1:G:285:PHE:HD1	1.81	0.44	
2:J:169:ASN:OD1	2:J:169:ASN:N	2.49	0.44	
1:A:38:ILE:CD1	1:A:280:ILE:HD12	2.47	0.44	
1:E:38:ILE:CD1	1:E:280:ILE:HD12	2.48	0.44	
1:E:77:ILE:O	1:E:257:GLY:HA2	2.18	0.44	
2:F:56:ILE:HG23	2:F:56:ILE:O	2.18	0.44	
1:I:200:TYR:C	1:I:200:TYR:CD2	2.91	0.44	
2:D:56:ILE:HG23	2:D:56:ILE:O	2.18	0.43	
1:A:60:ILE:HG21	1:A:170:VAL:HG21	1.99	0.43	
1:C:60:ILE:HG21	1:C:170:VAL:HG21	1.99	0.43	
1:A:20:THR:O	2:D:50:GLY:HA3	2.18	0.43	
2:F:47:GLN:NE2	2:F:110:LEU:HD11	2.34	0.43	
1:E:148:ASP:O	1:E:150:ALA:N	2.51	0.43	
1:I:38:ILE:CD1	1:I:280:ILE:HD12	2.48	0.43	
1:G:60:ILE:HG21	1:G:170:VAL:HG21	2.00	0.43	
1:G:77:ILE:O	1:G:257:GLY:HA2	2.18	0.43	
1:I:77:ILE:O	1:I:257:GLY:HA2	2.18	0.43	
1:K:77:ILE:O	1:K:257:GLY:HA2	2.19	0.43	
1:E:190:ASN:N	1:E:190:ASN:OD1	2.47	0.43	
1:A:124:GLY:HA3	1:A:142:TRP:HB3	2.01	0.42	
1:C:156:THR:C	1:C:157:LYS:HG2	2.39	0.42	
1:C:20:THR:O	2:F:50:GLY:HA3	2.19	0.42	
1:G:38:ILE:CD1	1:G:280:ILE:HD12	2.48	0.42	
1:C:207:SER:O	1:C:211:ARG:NH2	2.48	0.42	
2:F:6:ILE:O	2:F:6:ILE:HG23	2.19	0.42	
1:A:214:VAL:O	1:A:215:ASN:HB2	2.18	0.42	
1:G:200:TYR:C	1:G:200:TYR:CD2	2.92	0.42	
1:E:200:TYR:CD2	1:E:200:TYR:C	2.93	0.42	
1:A:12:ASN:N	1:A:12:ASN:OD1	2.49	0.42	
1:C:121:ARG:HH11	1:C:121:ARG:CG	2.33	0.42	
2:J:56:ILE:O	2:J:56:ILE:HG23	2.20	0.42	
1:K:291:ARG:HH21	2:L:67:ASP:HB3	1.85	0.42	
2:F:24:PHE:O	2:F:34:THR:HA	2.20	0.42	
2:H:56:ILE:O	2:H:56:ILE:HG23	2.19	0.41	
1:E:147:THR:HG22	1:E:148:ASP:N	2.35	0.41	
1:I:309:THR:HG21	4:I:800:NAG:O6	2.19	0.41	
2:B:50:GLY:HA3	1:E:20:THR:O	2.18	0.41	
1:G:275:SER:HB3	2:H:69:GLU:OE2	2.19	0.41	
1:G:199:ASN:HB3	5:G:901:HOH:O	2.20	0.41	
1:A:190:ASN:OD1	1:A:190:ASN:N	2.46	0.41	
2:B:6:ILE:HG23	2:B:6:ILE:O	$2.\overline{20}$	0.41	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:D:141:PHE:CG	2:D:170:ARG:HG2	2.56	0.41
1:E:140:MET:HE2	1:E:245:PRO:HA	2.01	0.41
1:K:200:TYR:C	1:K:200:TYR:CD2	2.93	0.41
1:A:200:TYR:CD2	1:A:200:TYR:C	2.94	0.41
2:B:24:PHE:O	2:B:34:THR:HA	2.21	0.41
1:E:124:GLY:HA3	1:E:142:TRP:HB3	2.02	0.41
2:D:24:PHE:O	2:D:34:THR:HA	2.21	0.41
2:H:24:PHE:O	2:H:34:THR:HA	2.21	0.41
2:L:6:ILE:O	2:L:6:ILE:HG23	2.21	0.41
2:B:25:ARG:NH1	2:B:25:ARG:HG3	2.26	0.40
1:G:140:MET:HE2	1:G:245:PRO:HA	2.03	0.40
1:I:291:ARG:HH21	2:J:67:ASP:HB3	1.87	0.40
1:A:161:ASN:HB2	1:A:228:LEU:HD12	2.04	0.40
1:E:207:SER:O	1:E:211:ARG:NH2	2.47	0.40
1:K:207:SER:O	1:K:211:ARG:NH2	2.49	0.40
1:K:275:SER:HB3	2:L:69:GLU:OE2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	314/325~(97%)	298~(95%)	15 (5%)	1 (0%)	41	56
1	С	314/325~(97%)	295~(94%)	18 (6%)	1 (0%)	41	56
1	Е	314/325~(97%)	296~(94%)	16 (5%)	2 (1%)	25	37
1	G	314/325~(97%)	298~(95%)	15 (5%)	1 (0%)	41	56
1	Ι	314/325~(97%)	298~(95%)	15 (5%)	1 (0%)	41	56
1	К	314/325~(97%)	297~(95%)	16 (5%)	1 (0%)	41	56
2	В	165/181~(91%)	159(96%)	6 (4%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	D	165/181~(91%)	159~(96%)	6 (4%)	0	100 100
2	F	165/181~(91%)	159~(96%)	6 (4%)	0	100 100
2	Н	162/181~(90%)	156~(96%)	6 (4%)	0	100 100
2	J	162/181~(90%)	156~(96%)	6 (4%)	0	100 100
2	L	162/181~(90%)	156~(96%)	6 (4%)	0	100 100
All	All	2865/3036~(94%)	2727 (95%)	131 (5%)	7 (0%)	47 64

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	199	ASN
1	С	199	ASN
1	Е	199	ASN
1	G	199	ASN
1	Ι	199	ASN
1	К	199	ASN
1	Е	150	ALA

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	264/271~(97%)	238~(90%)	26~(10%)	8	11
1	С	264/271~(97%)	233 (88%)	31 (12%)	5	7
1	Ε	264/271~(97%)	235~(89%)	29~(11%)	6	9
1	G	264/271~(97%)	232 (88%)	32 (12%)	5	6
1	Ι	264/271~(97%)	229 (87%)	35~(13%)	4	5
1	K	264/271~(97%)	234 (89%)	30 (11%)	5	8
2	В	144/155~(93%)	131 (91%)	13~(9%)	9	14
2	D	144/155~(93%)	129 (90%)	15(10%)	7	10
2	F	144/155~(93%)	130(90%)	14 (10%)	8	11



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	Н	142/155~(92%)	125~(88%)	17~(12%)	5 7
2	J	142/155~(92%)	125~(88%)	17 (12%)	5 7
2	L	142/155~(92%)	126 (89%)	16 (11%)	6 8
All	All	2442/2556~(96%)	2167 (89%)	275 (11%)	6 8

Continued from previous page...

All (275) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	HIS
1	А	11	SER
1	А	19	LEU
1	А	20	THR
1	А	32	THR
1	А	36	THR
1	А	37	ASN
1	А	65	GLN
1	А	68	GLN
1	А	122	THR
1	А	132	SER
1	А	144	LEU
1	А	157	LYS
1	А	158	SER
1	А	163	ARG
1	А	176	SER
1	А	188	SER
1	А	190	ASN
1	А	192	LEU
1	А	194	THR
1	А	200	TYR
1	А	205	VAL
1	А	207	SER
1	А	212	THR
1	А	218	SER
1	А	227	MET
2	В	25	ARG
2	В	42	GLN
2	В	52	LEU
2	В	65	LEU
2	В	66	ILE
2	В	67	ASP
2	В	74	GLU



Mol	Chain	Res	Type
2	В	75	LYS
2	В	97	GLU
2	В	116	ASP
2	В	126	LEU
2	В	133	ASP
2	В	155	ASN
1	С	8	HIS
1	С	11	SER
1	С	19	LEU
1	С	20	THR
1	С	22	ARG
1	С	32	THR
1	С	36	THR
1	С	37	ASN
1	С	65	GLN
1	С	68	GLN
1	С	121	ARG
1	С	122	THR
1	С	132	SER
1	С	140	MET
1	С	144	LEU
1	С	157	LYS
1	С	158	SER
1	С	163	ARG
1	С	176	SER
1	С	183	THR
1	С	188	SER
1	С	190	ASN
1	С	192	LEU
1	С	194	THR
1	C	200	TYR
1	С	205	VAL
1	С	207	SER
1	C	212	THR
1	C	218	SER
1	С	227	MET
1	C	235	THR
2	D	18	ILE
2	D	25	ARG
2	D	42	GLN
2	D	52	LEU
2	D	59	THR



Mol	Chain	Res	Type
2	D	65	LEU
2	D	66	ILE
2	D	67	ASP
2	D	75	LYS
2	D	97	GLU
2	D	116	ASP
2	D	126	LEU
2	D	133	ASP
2	D	155	ASN
2	D	167	MET
1	Е	8	HIS
1	Е	11	SER
1	Е	19	LEU
1	Е	20	THR
1	Е	32	THR
1	Е	36	THR
1	Е	37	ASN
1	Е	44	LYS
1	Е	65	GLN
1	Е	68	GLN
1	Е	122	THR
1	Е	132	SER
1	Е	140	MET
1	Е	144	LEU
1	Е	157	LYS
1	Е	158	SER
1	Е	163	ARG
1	Е	176	SER
1	Е	188	SER
1	Е	190	ASN
1	E	192	LEU
1	E	194	THR
1	E	200	TYR
1	E	205	VAL
1	E	207	SER
1	E	212	THR
1	E	218	SER
1	E	227	MET
1	E	235	THR
2	F	19	ASP
2	F	25	ARG
2	F	52	LEU



Mol	Chain	Res	Type
2	F	59	THR
2	F	65	LEU
2	F	66	ILE
2	F	67	ASP
2	F	74	GLU
2	F	75	LYS
2	F	116	ASP
2	F	126	LEU
2	F	133	ASP
2	F	155	ASN
2	F	167	MET
1	G	8	HIS
1	G	11	SER
1	G	12	ASN
1	G	19	LEU
1	G	20	THR
1	G	22	ARG
1	G	32	THR
1	G	36	THR
1	G	37	ASN
1	G	65	GLN
1	G	68	GLN
1	G	122	THR
1	G	132	SER
1	G	140	MET
1	G	144	LEU
1	G	157	LYS
1	G	158	SER
1	G	163	ARG
1	G	176	SER
1	G	184	LYS
1	G	188	SER
1	G	190	ASN
1	G	192	LEU
1	G	194	THR
1	G	200	TYR
1	G	205	VAL
1	G	207	SER
1	G	212	THR
1	G	218	SER
1	G	227	MET
1	G	235	THR



Mol	Chain	Res	Type
1	G	237	SER
2	Н	18	ILE
2	Н	19	ASP
2	Н	25	ARG
2	Н	52	LEU
2	Н	59	THR
2	Н	65	LEU
2	Н	66	ILE
2	Н	67	ASP
2	Н	74	GLU
2	Н	75	LYS
2	Н	97	GLU
2	Н	116	ASP
2	Н	126	LEU
2	Н	133	ASP
2	Н	155	ASN
2	Н	167	MET
2	Н	169	ASN
1	Ι	8	HIS
1	Ι	11	SER
1	Ι	12	ASN
1	Ι	19	LEU
1	Ι	20	THR
1	Ι	22	ARG
1	Ι	32	THR
1	Ι	36	THR
1	Ι	37	ASN
1	Ι	44	LYS
1	Ι	65	GLN
1	Ι	68	GLN
1	Ι	91	LYS
1	Ι	121	ARG
1	I	122	THR
1	Ι	132	SER
1	Ι	140	MET
1	Ι	144	LEU
1	Ι	157	LYS
1	I	158	SER
1	Ι	163	ARG
1	I	176	SER
1	Ι	184	LYS
1	Ι	188	SER



Mol	Chain	Res	Type
1	Ι	190	ASN
1	Ι	192	LEU
1	Ι	194	THR
1	Ι	200	TYR
1	Ι	205	VAL
1	Ι	207	SER
1	Ι	212	THR
1	Ι	218	SER
1	Ι	227	MET
1	Ι	235	THR
1	Ι	237	SER
2	J	18	ILE
2	J	19	ASP
2	J	25	ARG
2	J	52	LEU
2	J	59	THR
2	J	65	LEU
2	J	66	ILE
2	J	67	ASP
2	J	74	GLU
2	J	75	LYS
2	J	97	GLU
2	J	116	ASP
2	J	126	LEU
2	J	133	ASP
2	J	155	ASN
2	J	167	MET
2	J	169	ASN
1	K	8	HIS
1	K	11	SER
1	K	12	ASN
1	K	19	LEU
1	K	20	THR
1	K	22	ARG
1	K	32	THR
1	K	36	THR
1	K	37	ASN
1	K	65	GLN
1	K	68	GLN
1	K	122	THR
1	K	132	SER
1	K	140	MET



Mol	Chain	Res	Type
1	K	144	LEU
1	K	157	LYS
1	K	158	SER
1	K	163	ARG
1	K	176	SER
1	K	188	SER
1	K	190	ASN
1	K	192	LEU
1	K	194	THR
1	K	200	TYR
1	K	205	VAL
1	K	207	SER
1	K	212	THR
1	K	218	SER
1	K	227	MET
1	K	235	THR
2	L	18	ILE
2	L	25	ARG
2	L	52	LEU
2	L	59	THR
2	L	65	LEU
2	L	66	ILE
2	L	67	ASP
2	L	74	GLU
2	L	75	LYS
2	L	97	GLU
2	L	116	ASP
2	L	126	LEU
2	L	133	ASP
2	L	155	ASN
2	L	167	MET
2	L	169	ASN

α \cdot \cdot \cdot	C	•	
Continued	trom	nremous	ทกลค
Contracta	JIONO	Preceduo	pago

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	37	ASN
1	С	37	ASN
1	Е	37	ASN
1	Е	165	ASN
1	G	37	ASN
1	Ι	37	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	Κ	37	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tune	Chain	Dog	Tink	Bo	ond leng	$_{\rm ths}$	B	ond ang	les
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
3	NAG	М	1	1,3	14, 14, 15	0.58	0	17,19,21	1.38	3 (17%)
3	NAG	М	2	3	14, 14, 15	0.76	1 (7%)	17,19,21	1.63	3 (17%)
3	BMA	М	3	3	11, 11, 12	0.59	0	$15,\!15,\!17$	0.99	0
3	NAG	Ν	1	1,3	14, 14, 15	0.80	1 (7%)	17,19,21	1.33	3 (17%)
3	NAG	Ν	2	3	14, 14, 15	0.80	1 (7%)	17,19,21	1.53	4 (23%)
3	BMA	N	3	3	11, 11, 12	0.58	0	15,15,17	1.83	1(6%)
3	NAG	Ο	1	1,3	14, 14, 15	0.55	0	17,19,21	1.39	1(5%)
3	NAG	Ο	2	3	14,14,15	0.68	0	17,19,21	1.36	3 (17%)
3	BMA	0	3	3	11,11,12	0.52	0	15,15,17	1.25	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	М	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	М	2	3	-	2/6/23/26	0/1/1/1
3	BMA	М	3	3	-	2/2/19/22	0/1/1/1
3	NAG	N	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	Ν	2	3	-	2/6/23/26	0/1/1/1
3	BMA	N	3	3	-	2/2/19/22	0/1/1/1
3	NAG	0	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	Ο	2	3	-	2/6/23/26	0/1/1/1
3	BMA	0	3	3	-	2/2/19/22	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
3	Ν	1	NAG	C1-C2	2.33	1.55	1.52
3	Ν	2	NAG	C1-C2	2.15	1.55	1.52
3	М	2	NAG	C1-C2	2.08	1.55	1.52

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	Ν	3	BMA	O5-C5-C6	5.93	116.51	107.20
3	0	1	NAG	C1-O5-C5	3.79	117.33	112.19
3	М	2	NAG	C1-C2-N2	3.56	116.58	110.49
3	Ν	1	NAG	C1-O5-C5	3.56	117.01	112.19
3	0	3	BMA	O5-C5-C6	3.47	112.64	107.20
3	Ν	2	NAG	C1-O5-C5	3.26	116.61	112.19
3	М	1	NAG	C1-C2-N2	-3.14	105.13	110.49
3	М	1	NAG	C1-O5-C5	3.08	116.36	112.19
3	Ν	2	NAG	C1-C2-N2	2.61	114.94	110.49
3	Ν	2	NAG	O4-C4-C5	2.56	115.66	109.30
3	N	1	NAG	C3-C4-C5	-2.51	105.76	110.24
3	М	2	NAG	O5-C5-C6	2.27	110.76	107.20
3	Ν	1	NAG	C1-C2-N2	-2.21	106.71	110.49
3	М	1	NAG	C3-C4-C5	-2.19	106.33	110.24
3	М	2	NAG	C2-N2-C7	2.18	126.01	122.90
3	N	2	NAG	C3-C4-C5	-2.18	106.36	110.24
3	0	2	NAG	C3-C4-C5	-2.16	106.38	110.24
3	0	2	NAG	O7-C7-C8	-2.04	118.27	122.06
3	0	2	NAG	O5-C5-C6	2.02	110.37	107.20

There are no chirality outliers.



Mol	Chain	Res	Type	Atoms
3	М	2	NAG	C4-C5-C6-O6
3	0	2	NAG	C4-C5-C6-O6
3	Ν	2	NAG	C4-C5-C6-O6
3	0	2	NAG	O5-C5-C6-O6
3	М	3	BMA	O5-C5-C6-O6
3	Ν	2	NAG	O5-C5-C6-O6
3	М	2	NAG	O5-C5-C6-O6
3	Ν	3	BMA	C4-C5-C6-O6
3	Ν	3	BMA	O5-C5-C6-O6
3	0	3	BMA	C4-C5-C6-O6
3	0	3	BMA	O5-C5-C6-O6
3	М	3	BMA	C4-C5-C6-O6
3	0	1	NAG	C4-C5-C6-O6

All (13) torsion outliers are listed below:

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry (i)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	Chain	Dog	Tink	Bo	ond leng	\mathbf{ths}	В	ond ang	les
	туре	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
4	NAG	J	500	2	14, 14, 15	0.69	0	$17,\!19,\!21$	1.45	2 (11%)
4	NAG	Ι	800	1	14, 14, 15	0.38	0	$17,\!19,\!21$	2.31	4 (23%)
4	NAG	А	404	1	14,14,15	0.61	0	$17,\!19,\!21$	1.93	2 (11%)
4	NAG	Н	500	2	14,14,15	0.65	0	$17,\!19,\!21$	1.40	3 (17%)
4	NAG	К	800	1	14,14,15	0.43	0	$17,\!19,\!21$	1.81	3 (17%)
4	NAG	G	800	1	14,14,15	0.38	0	$17,\!19,\!21$	1.52	4 (23%)
4	NAG	Е	404	1	14,14,15	0.78	1 (7%)	$17,\!19,\!21$	1.31	2 (11%)
4	NAG	D	500	2	14,14,15	0.70	0	$17,\!19,\!21$	2.00	4 (23%)
4	NAG	В	500	2	14,14,15	0.72	0	$17,\!19,\!21$	2.12	4 (23%)
4	NAG	F	500	2	14,14,15	0.62	0	$17,\!19,\!21$	2.12	4 (23%)
4	NAG	L	500	2	14,14,15	0.58	0	17,19,21	1.74	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	J	500	2	-	0/6/23/26	0/1/1/1
4	NAG	Ι	800	1	-	2/6/23/26	0/1/1/1
4	NAG	А	404	1	1/1/5/7	2/6/23/26	0/1/1/1
4	NAG	Н	500	2	-	0/6/23/26	0/1/1/1
4	NAG	Κ	800	1	-	2/6/23/26	0/1/1/1
4	NAG	G	800	1	-	2/6/23/26	0/1/1/1
4	NAG	Е	404	1	1/1/5/7	4/6/23/26	0/1/1/1
4	NAG	D	500	2	-	2/6/23/26	0/1/1/1
4	NAG	В	500	2	-	1/6/23/26	0/1/1/1



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	F	500	2	-	2/6/23/26	0/1/1/1
4	NAG	L	500	2	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Ε	404	NAG	C1-C2	2.10	1.55	1.52

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	F	500	NAG	C1-O5-C5	6.45	120.93	112.19
4	Ι	800	NAG	C1-O5-C5	6.44	120.92	112.19
4	А	404	NAG	C1-O5-C5	6.05	120.38	112.19
4	В	500	NAG	C1-O5-C5	5.83	120.09	112.19
4	K	800	NAG	C1-O5-C5	5.39	119.49	112.19
4	D	500	NAG	C1-O5-C5	5.10	119.10	112.19
4	Ι	800	NAG	O5-C1-C2	3.88	117.41	111.29
4	G	800	NAG	C1-O5-C5	3.78	117.32	112.19
4	D	500	NAG	C2-N2-C7	3.77	128.28	122.90
4	J	500	NAG	C1-O5-C5	3.75	117.28	112.19
4	А	404	NAG	C4-C3-C2	-3.34	106.12	111.02
4	Ι	800	NAG	C4-C3-C2	-3.20	106.33	111.02
4	L	500	NAG	C1-O5-C5	3.17	116.49	112.19
4	L	500	NAG	O5-C1-C2	-3.05	106.47	111.29
4	L	500	NAG	C3-C4-C5	-3.03	104.84	110.24
4	В	500	NAG	C3-C4-C5	-2.99	104.91	110.24
4	В	500	NAG	O5-C5-C6	-2.89	102.68	107.20
4	F	500	NAG	C3-C4-C5	-2.88	105.09	110.24
4	Н	500	NAG	C1-O5-C5	2.80	115.99	112.19
4	J	500	NAG	O5-C1-C2	-2.77	106.92	111.29
4	G	800	NAG	O5-C1-C2	2.65	115.47	111.29
4	В	500	NAG	O5-C1-C2	-2.60	107.19	111.29
4	D	500	NAG	C3-C4-C5	-2.55	105.70	110.24
4	Е	404	NAG	C1-O5-C5	2.46	115.53	112.19
4	D	500	NAG	O3-C3-C4	2.45	116.01	110.35
4	Н	500	NAG	C3-C4-C5	-2.41	105.93	110.24
4	Ι	800	NAG	C3-C4-C5	-2.40	105.96	110.24
4	K	800	NAG	C4-C3-C2	-2.32	107.62	111.02
4	Е	404	NAG	O5-C1-C2	-2.28	107.68	111.29
4	G	800	NAG	C4-C3-C2	-2.24	107.73	111.02
4	L	500	NAG	O6-C6-C5	-2.24	103.62	111.29



Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
4	Κ	800	NAG	O5-C1-C2	2.21	114.78	111.29
4	F	500	NAG	O3-C3-C4	2.05	115.08	110.35
4	G	800	NAG	C3-C4-C5	-2.03	106.62	110.24
4	Н	500	NAG	O5-C1-C2	-2.02	108.09	111.29
4	F	500	NAG	O5-C5-C6	-2.02	104.04	107.20
4	L	500	NAG	C4-C3-C2	-2.01	108.08	111.02

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	А	404	NAG	C1
4	Ε	404	NAG	C1

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	K	800	NAG	O5-C5-C6-O6
4	Ι	800	NAG	O5-C5-C6-O6
4	Ι	800	NAG	C4-C5-C6-O6
4	G	800	NAG	O5-C5-C6-O6
4	K	800	NAG	C4-C5-C6-O6
4	А	404	NAG	O5-C5-C6-O6
4	D	500	NAG	O5-C5-C6-O6
4	G	800	NAG	C4-C5-C6-O6
4	F	500	NAG	O5-C5-C6-O6
4	Е	404	NAG	C4-C5-C6-O6
4	А	404	NAG	C4-C5-C6-O6
4	D	500	NAG	C4-C5-C6-O6
4	Е	404	NAG	O5-C5-C6-O6
4	В	500	NAG	O5-C5-C6-O6
4	Е	404	NAG	C1-C2-N2-C7
4	F	500	NAG	C4-C5-C6-O6
4	Е	404	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	Ι	800	NAG	1	0



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	# RSRZ > 2	$OWAB(Å^2)$	Q<0.9
1	А	316/325~(97%)	-0.13	0 100 100	38, 59, 84, 103	1 (0%)
1	С	316/325~(97%)	-0.13	1 (0%) 94 95	40, 59, 84, 104	1 (0%)
1	Ε	316/325~(97%)	-0.12	2 (0%) 89 89	37, 58, 85, 106	1 (0%)
1	G	316/325~(97%)	-0.07	3 (0%) 84 83	50, 73, 100, 128	1 (0%)
1	Ι	316/325~(97%)	-0.07	4 (1%) 77 75	49, 72, 99, 124	1 (0%)
1	K	316/325~(97%)	-0.06	2 (0%) 89 89	49, 72, 99, 127	1 (0%)
2	В	167/181~(92%)	-0.17	0 100 100	33, 59, 82, 125	0
2	D	167/181~(92%)	-0.16	1 (0%) 89 89	34,60,83,122	0
2	F	167/181~(92%)	-0.15	1 (0%) 89 89	32,60,81,125	0
2	Н	164/181~(90%)	0.20	7 (4%) 35 31	47, 83, 103, 130	0
2	J	164/181~(90%)	0.18	6 (3%) 41 38	46, 82, 105, 133	0
2	L	164/181~(90%)	0.10	6 (3%) 41 38	46, 83, 104, 120	0
All	All	2889/3036~(95%)	-0.06	33 (1%) 80 79	32, 67, 97, 133	6 (0%)

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	J	7	ALA	5.4
2	L	7	ALA	5.3
2	Н	7	ALA	5.0
2	Н	58	LYS	4.2
2	L	141	PHE	3.1
2	L	119	TYR	3.1
2	Н	141	PHE	3.0
2	Н	130	ALA	2.7
2	F	60	ASN	2.7
2	Н	6	ILE	2.7
1	G	0	GLY	2.7



Mol	Chain	Res	Type	RSRZ
1	Ι	5	LEU	2.6
2	Н	167	MET	2.5
1	Κ	205	VAL	2.5
1	Ι	3	ILE	2.4
2	J	120	GLU	2.4
1	Е	0	GLY	2.4
1	G	205	VAL	2.3
2	L	139	GLU	2.3
1	Е	215	ASN	2.3
1	G	181	GLU	2.3
1	С	215	ASN	2.2
1	Κ	303	ARG	2.2
2	L	167	MET	2.1
1	Ι	215	ASN	2.1
2	Н	23	GLY	2.1
2	J	119	TYR	2.1
2	L	6	ILE	2.1
1	Ι	160	LYS	2.1
2	J	6	ILE	2.0
2	J	58	LYS	2.0
2	J	167	MET	2.0
2	D	60	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B} ext{-factors}({ m \AA}^2)$	Q<0.9
3	BMA	N	3	11/12	0.57	0.27	$124,\!143,\!151,\!161$	0
3	BMA	0	3	11/12	0.57	0.19	$124,\!145,\!156,\!158$	0
3	BMA	М	3	11/12	0.71	0.19	$113,\!138,\!144,\!151$	0
3	NAG	0	1	14/15	0.84	0.18	$82,\!89,\!96,\!105$	0
3	NAG	0	2	14/15	0.86	0.23	$86,\!122,\!138,\!146$	0
3	NAG	М	1	14/15	0.90	0.18	$79,\!90,\!93,\!100$	0



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B} ext{-factors}({ m \AA}^2)$	Q<0.9
3	NAG	М	2	14/15	0.91	0.15	$85,\!110,\!124,\!140$	0
3	NAG	N	2	14/15	0.91	0.18	$80,\!105,\!126,\!134$	0
3	NAG	Ν	1	14/15	0.91	0.15	74,89,94,95	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.









6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	А	404	14/15	0.74	0.24	$125,\!139,\!162,\!165$	0
4	NAG	Е	404	14/15	0.74	0.30	$123,\!141,\!151,\!160$	0
4	NAG	F	500	14/15	0.83	0.23	70,86,90,107	0
4	NAG	J	500	14/15	0.84	0.15	82,91,98,98	0
4	NAG	D	500	14/15	0.85	0.21	70,84,92,93	0
4	NAG	Н	500	14/15	0.86	0.15	81,89,95,96	0
4	NAG	В	500	14/15	0.87	0.18	66,80,90,97	0
4	NAG	K	800	14/15	0.88	0.15	92,107,110,111	0
4	NAG	G	800	14/15	0.88	0.14	98,111,114,115	0
4	NAG	Ι	800	14/15	0.90	0.14	95,110,114,115	0
4	NAG	L	500	14/15	0.90	0.12	83,92,97,99	0

6.5 Other polymers (i)

There are no such residues in this entry.

