

Mar 20, 2024 – 05:54 AM JST

PDB ID	:	6LNB
EMDB ID	:	EMD-0929
Title	:	CryoEM structure of Cascade-TniQ-dsDNA complex
Authors	:	Wang, B.; Xu, W.; Yang, H.
Deposited on	:	2019-12-28
Resolution	:	3.18 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev70
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${ m EM~structures}\ (\#{ m Entries})$		
Clashscore	158937	4297		
Ramachandran outliers	154571	4023		
Sidechain outliers	154315	3826		
RNA backbone	4643	859		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	В	354	77% 8%	15%	
1	С	354	86%	8%	6%
1	D	354	89%	6%	5%
1	Е	354	89%	6%	5%
1	F	354	88%	7%	5%
1	G	354	87%	9%	•••
2	Н	640	67% 12%	20%	_



COULL	nueu fron	i previous	puye	
Mol	Chain	Length	Quality of chain	
9		100	i i i i i i i i i i i i i i i i i i i	
3	A	199	76%	23% •
			55%	
4	Ι	394	84%	12% 5%
			52%	
4	J	394	73%	17% • 9%
5	М	60	48% 40%	. 10% ·
_				
6	Ν	51	61% •	35%
7	Ο	51	10% • 86%	



2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 29583 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			AltConf	Trace
1	С	349	Total	С	Ν	0	S	0	0
1	G	042	2725	1732	468	511	14	0	0
1	Б	226	Total	С	Ν	0	S	0	0
	Г	550	2685	1710	461	499	15	0	0
1	F	335	Total	С	Ν	Ο	\mathbf{S}	0	0
1		000	2681	1708	460	499	14	0	0
1	П	336	Total	С	Ν	0	\mathbf{S}	0	0
1	D	550	2675	1702	460	499	14	0	0
1	С	222	Total	С	Ν	0	\mathbf{S}	0	0
	ააა	2659	1693	455	497	14	0	0	
1	B	301	Total	C	N	0	S	0	0
	D	501	2443	1562	419	449	13	0	U

• Molecule 1 is a protein called CRISPR-associated protein Cas7.

• Molecule 2 is a protein called CRISPR-associated protein Cas8.

Mol	Chain	Residues		At	AltConf	Trace			
2	Н	510	Total 4001	C 2529	N 697	O 755	S 20	0	0

• Molecule 3 is a protein called CRISPR-associated protein Cas6.

Mol	Chain	Residues		At	AltConf	Trace			
3	А	197	Total 1611	C 1024	N 286	0 294	S 7	0	0

• Molecule 4 is a protein called Transposition protein TniQ.

Mol	Chain	Residues		At		AltConf	Trace		
4	т	J 359	Total	С	Ν	0	\mathbf{S}	0	0
4 J	009	2937	1884	506	531	16	0	0	
4	т	376	Total	С	Ν	0	S	0	0
	1		3070	1971	527	553	19	0	0



• Molecule 5 is a RNA chain called CRISPR RNA (60-MER).

Mol	Chain	Residues		A	toms		AltConf	Trace	
5	М	60	Total 1276	C 570	N 225	0 422	Р 59	0	0

• Molecule 6 is a DNA chain called Target DNA strand (51-MER).

Mol	Chain	Residues		At	toms		AltConf	Trace	
6	Ν	33	Total 678	C 320	N 130	0 195	Р 33	0	0

• Molecule 7 is a DNA chain called Non-target DNA strand (51-MER).

Mol	Chain	Residues		\mathbf{At}	\mathbf{oms}	AltConf	Trace		
7	О	7	Total 142	C 68	N 25	0 42	Р 7	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CRISPR-associated protein Cas7







• Molecule 1: CRISPR-associated protein Cas7







ASP

• Molecule 1: CRISPR-associated protein Cas7







 \bullet Molecule 4: Transposition protein TniQ



S388 F389 Y390 V391 S392 R393 TRP

• Molecule 4: Transposition protein TniQ



• Molecule	5: CRISPR RNA (60-MER)		
Chain M:	48%	40%	10% ·
02 03 03 03 03 03 03 03 03 03 03 03 03 03	U10 C13 C13 C13 C13 C13 C13 C13 C13 C13 C13	042 044 044 045 051 051 055 055 055 055 055 055	
• Molecule	6: Target DNA strand (51-MER))	
Chain N:	61%	• 359	%
DA DA DC DT DT DG	DG DA DA 14 14 14 04 DA DA DG DG DG		
• Molecule	7: Non-target DNA strand (51-M	IER)	
Chain O:	10% •	86%	
DC DC DA DA CO CO	11111111111111111111111111111111111111	A A A A A A A A A A A A A A A A A A A	10 10 10



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	206913	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	48	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.162	Depositor
Minimum map value	-0.089	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.0015	Depositor
Map size (Å)	276.48, 276.48, 276.48	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.08, 1.08, 1.08	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bo	ond lengths	Bond angles		
WIOI	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	В	0.32	0/2510	0.57	1/3406~(0.0%)	
1	С	0.36	0/2729	0.62	0/3709	
1	D	0.37	0/2746	0.61	0/3735	
1	Е	0.37	0/2751	0.62	2/3735~(0.1%)	
1	F	0.37	0/2755	0.62	1/3742~(0.0%)	
1	G	0.35	0/2796	0.59	0/3800	
2	Н	0.30	0/4090	0.64	3/5552~(0.1%)	
3	А	0.31	0/1648	0.67	2/2222~(0.1%)	
4	Ι	0.27	0/3156	0.53	1/4275~(0.0%)	
4	J	0.31	0/3018	0.66	5/4089~(0.1%)	
5	М	0.55	1/1425~(0.1%)	1.04	8/2220~(0.4%)	
6	Ν	0.68	0/761	0.93	0/1172	
7	0	0.65	0/158	0.98	0/241	
All	All	0.36	1/30543~(0.0%)	0.66	$23/\overline{41898~(0.1\%)}$	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1
2	Н	0	1
3	А	0	1
4	Ι	0	1
4	J	0	3
All	All	0	7

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	М	39	U	C1'-N1	5.13	1.56	1.48



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	М	38	С	N1-C2-O2	10.69	125.31	118.90
5	М	38	С	C2-N1-C1'	9.39	129.13	118.80
5	М	38	С	N3-C2-O2	-8.86	115.70	121.90
1	Е	202	ASP	CB-CG-OD1	7.56	125.11	118.30
2	Н	160	LEU	CA-CB-CG	6.87	131.09	115.30
4	J	336	LEU	CA-CB-CG	6.73	130.77	115.30
4	J	279	LEU	CA-CB-CG	6.69	130.69	115.30
3	А	14	LEU	CA-CB-CG	6.67	130.63	115.30
5	М	38	С	C6-N1-C2	-6.56	117.68	120.30
5	М	38	С	C6-N1-C1'	-6.42	113.10	120.80
1	Е	259	LEU	CA-CB-CG	6.35	129.90	115.30
4	J	34	LEU	CA-CB-CG	6.27	129.72	115.30
4	J	132	LEU	CA-CB-CG	6.25	129.67	115.30
3	А	81	LEU	CA-CB-CG	6.09	129.32	115.30
1	В	259	LEU	CA-CB-CG	5.99	129.09	115.30
2	Н	229	LEU	CA-CB-CG	5.89	128.84	115.30
4	Ι	275	LEU	CA-CB-CG	5.84	128.74	115.30
2	Н	575	GLU	C-N-CD	-5.77	107.91	120.60
4	J	78	LEU	CA-CB-CG	5.66	128.32	115.30
5	М	20	С	C6-N1-C2	-5.63	118.05	120.30
5	М	50	С	N1-C2-O2	5.37	122.12	118.90
1	F	252	ASP	CB-CG-OD1	5.11	122.90	118.30
5	М	38	С	C5-C6-N1	5.03	123.52	121.00

All (23) bond angle outliers are listed below:

There are no chirality outliers.

All (7)	planarity	outliers	are	listed	below:
-----------	-----------	----------	-----	--------	--------

Mol	Chain	Res	Type	Group
3	А	11	LEU	Peptide
1	D	297	TYR	Peptide
2	Н	260	MET	Peptide
4	Ι	209	SER	Peptide
4	J	119	LEU	Peptide
4	J	308	GLU	Peptide
4	J	7	LYS	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	2443	0	2374	16	0
1	С	2659	0	2574	16	0
1	D	2675	0	2585	10	0
1	Е	2681	0	2612	9	0
1	F	2685	0	2611	11	0
1	G	2725	0	2643	21	0
2	Н	4001	0	3971	49	0
3	А	1611	0	1597	26	0
4	Ι	3070	0	2981	24	0
4	J	2937	0	2844	48	0
5	М	1276	0	647	13	0
6	N	678	0	369	2	0
7	0	142	0	80	2	0
All	All	29583	0	27888	222	0

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (222) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
4:J:3:LEU:HD21	4:J:33:PHE:CZ	1.42	1.54
4:J:3:LEU:CD2	4:J:33:PHE:HZ	1.41	1.33
4:J:3:LEU:CD2	4:J:33:PHE:CZ	2.22	1.10
2:H:37:LEU:HD22	2:H:166:LYS:HG2	1.33	1.07
2:H:37:LEU:CD2	2:H:166:LYS:HG2	2.06	0.84
1:G:227:PHE:HB3	2:H:451:GLY:HA3	1.76	0.67
4:J:379:GLU:HG2	4:J:379:GLU:O	1.95	0.66
1:B:157:THR:HB	1:B:208:GLU:HB2	1.79	0.65
1:F:12:SER:HB2	1:F:342:ILE:HG23	1.79	0.65
2:H:576:PRO:HB3	2:H:589:ALA:HB2	1.78	0.64
4:J:3:LEU:HD22	4:J:33:PHE:CZ	2.31	0.64
4:I:215:LEU:H	4:I:220:ARG:HH11	1.45	0.64
3:A:196:VAL:HG12	3:A:198:LEU:H	1.64	0.62
3:A:82:GLN:NE2	3:A:84:PHE:O	2.33	0.62
1:D:106:SER:O	1:D:110:GLN:NE2	2.34	0.61
3:A:180:ILE:HD12	3:A:191:ASN:HB2	1.82	0.61
1:F:11:ARG:HD3	5:M:12:A:H5"	1.83	0.60
2:H:571:HIS:HB2	2:H:594:ILE:HD11	1.84	0.60



EMD-0929,	6LNB
-----------	------

		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:286:ARG:NH2	1:E:344:GLY:O	2.35	0.60
4:I:161:CYS:SG	4:I:162:SER:N	2.76	0.59
4:I:172:SER:OG	4:I:179:CYS:SG	2.60	0.59
2:H:84:SER:H	2:H:99:ARG:HG2	1.67	0.59
1:B:286:ARG:NH2	1:B:344:GLY:O	2.35	0.58
1:G:23:VAL:HG23	1:G:83:SER:HB2	1.84	0.58
2:H:99:ARG:HH22	2:H:185:THR:HG22	1.68	0.58
2:H:261:LEU:HD23	2:H:406:THR:HG22	1.85	0.58
4:J:30:VAL:O	4:J:34:LEU:HB2	2.04	0.58
1:C:45:ALA:HB3	1:C:48:LEU:HD13	1.85	0.58
1:G:12:SER:HB2	1:G:342:ILE:HG23	1.86	0.58
2:H:170:SER:O	2:H:175:LYS:NZ	2.37	0.57
4:J:3:LEU:HD21	4:J:33:PHE:HZ	0.53	0.57
1:D:286:ARG:NH2	1:D:344:GLY:O	2.37	0.57
4:J:30:VAL:O	4:J:34:LEU:CB	2.52	0.57
1:G:98:ARG:NH2	1:G:117:GLU:OE2	2.38	0.57
1:F:98:ARG:NH1	1:F:199:SER:O	2.38	0.57
1:E:12:SER:HB3	1:E:342:ILE:HG23	1.85	0.57
2:H:131:ASN:ND2	7:0:11:DT:OP1	2.38	0.57
1:D:6:ASN:HB3	1:D:104:ASN:HB2	1.87	0.57
1:G:5:THR:O	1:G:348:GLN:NE2	2.37	0.57
4:J:386:ASN:ND2	4:I:111:GLY:O	2.38	0.57
4:I:203:TRP:O	4:I:220:ARG:NH2	2.38	0.56
2:H:41:THR:O	2:H:45:ASN:ND2	2.38	0.56
1:B:258:ILE:HG13	1:B:260:GLY:H	1.70	0.56
1:B:278:ALA:O	4:J:58:ARG:NH1	2.35	0.56
3:A:8:ILE:HG22	3:A:56:ILE:H	1.71	0.56
3:A:103:ARG:O	3:A:188:ASN:ND2	2.38	0.56
4:J:273:LEU:HD23	4:J:278:LEU:HB2	1.88	0.56
3:A:126:ALA:O	3:A:129:ARG:NH2	2.39	0.55
4:J:316:GLY:HA2	4:J:320:ASN:HB3	1.86	0.55
4:I:292:ARG:NH2	4:I:330:VAL:O	2.39	0.55
1:C:150:TYR:O	1:C:172:ARG:NH2	2.40	0.55
4:I:109:VAL:HG22	4:I:114:VAL:HG22	1.89	0.55
1:C:12:SER:HB2	1:C:342:ILE:HG23	1.89	0.54
1:C:286:ARG:NH2	1:C:344:GLY:O	2.39	0.54
2:H:491:ILE:HG21	2:H:496:LEU:HD13	1.90	0.54
3:A:96:CYS:SG	3:A:97:THR:N	2.80	0.54
2:H:569:GLY:HA3	2:H:624:VAL:HA	1.90	0.54
2:H:148:CYS:SG	2:H:149:LEU:N	2.78	0.54
4:I:14:LEU:HD22	4:I:93:ALA:HA	1.89	0.54



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:86:GLU:HG2	1:B:212:THR:HG22	1.90	0.54	
4:I:19:ILE:HG12	4:I:30:VAL:HG21	1.88	0.54	
4:J:102:SER:OG	4:J:287:ILE:O	2.26	0.54	
4:J:388:SER:HB3	4:I:112:ALA:HB2	1.90	0.54	
1:G:9:TYR:O	5:M:5:U:O2'	2.25	0.53	
2:H:210:TYR:OH	2:H:424:ARG:NH1	2.41	0.53	
4:J:288:ARG:NH2	4:J:330:VAL:O	2.41	0.53	
1:G:23:VAL:HG12	1:G:29:LYS:HG2	1.89	0.53	
2:H:82:ARG:HB3	2:H:99:ARG:HD3	1.90	0.53	
1:B:290:HIS:ND1	1:B:293:ASP:OD1	2.41	0.53	
3:A:180:ILE:O	3:A:191:ASN:ND2	2.41	0.53	
3:A:186:LEU:HD21	3:A:191:ASN:HD21	1.73	0.53	
1:B:98:ARG:NH1	1:B:199:SER:O	2.41	0.53	
2:H:102:ALA:O	2:H:571:HIS:NE2	2.42	0.53	
4:J:321:LEU:O	4:J:368:HIS:ND1	2.40	0.53	
1:G:9:TYR:H	1:G:345:GLY:HA2	1.74	0.53	
1:B:244:ARG:NH1	5:M:41:G:N3	2.56	0.53	
1:C:98:ARG:NH1	1:C:200:SER:O	2.42	0.53	
2:H:563:LEU:HD13	2:H:597:LEU:HD11	1.91	0.53	
3:A:187:SER:OG	3:A:194:GLN:O	2.20	0.52	
4:J:247:TRP:HE1	4:J:298:ILE:HD11	1.74	0.52	
4:J:206:GLY:HA2	4:J:220:ARG:HH22	1.75	0.52	
1:E:11:ARG:NE	1:E:14:ASP:OD1	2.38	0.52	
4:J:61:PRO:HG3	4:J:93:ALA:HB1	1.92	0.52	
1:D:272:ASP:HB2	1:D:284:VAL:HG12	1.92	0.52	
2:H:614:TRP:HA	2:H:627:PRO:HA	1.92	0.51	
4:J:217:LYS:HG2	4:J:220:ARG:HD2	1.92	0.51	
3:A:102:ARG:HB3	3:A:187:SER:HB2	1.91	0.51	
3:A:107:ILE:HB	3:A:166:ASN:HD22	1.76	0.51	
2:H:26:LEU:HD12	2:H:253:THR:HB	1.93	0.51	
4:J:334:CYS:SG	4:J:335:SER:N	2.83	0.51	
1:B:227:PHE:O	5:M:39:U:C4	2.64	0.51	
4:J:3:LEU:CD2	4:J:33:PHE:CE2	2.90	0.51	
2:H:93:ARG:HB3	6:N:43:DG:H5"	1.92	0.50	
4:J:68:SER:OG	4:J:96:ARG:NH1	2.44	0.50	
1:G:14:ASP:OD1	1:G:92:SER:OG	2.29	0.50	
$1:G:296:CYS:S\overline{G}$	1:G:299:HIS:ND1	2.81	0.50	
2:H:161:TRP:HA	2:H:164:LEU:HD23	1.92	0.50	
1:G:331:ILE:O	1:G:335:HIS:N	2.40	0.50	
4:I:113:GLU:OE2	4:I:221:TRP:NE1	2.44	0.50	
4:J:262:ASN:ND2	4:J:277:ASP:O	2.45	0.49	



	lous page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
4:I:169:TYR:HB2	4:I:174:LEU:HG	1.94	0.49
3:A:79:GLU:HG2	3:A:80:GLN:HG2	1.94	0.49
4:I:348:LEU:HD23	4:I:375:LEU:HG	1.94	0.49
1:F:23:VAL:HG22	1:F:29:LYS:HG2	1.94	0.49
2:H:133:SER:O	2:H:137:THR:OG1	2.26	0.49
1:G:42:GLN:NE2	1:G:44:GLU:OE2	2.44	0.49
4:J:225:HIS:O	4:J:229:GLY:N	2.44	0.49
4:I:15:GLU:OE2	4:I:60:ASN:ND2	2.45	0.49
1:D:12:SER:HB2	1:D:342:ILE:HG23	1.94	0.49
3:A:192:SER:OG	3:A:193:PHE:N	2.46	0.49
1:B:291:ARG:NH2	5:M:39:U:O2'	2.37	0.48
4:I:116:PRO:HG2	4:I:119:LEU:HB2	1.93	0.48
1:F:120:GLU:HG2	1:F:125:TRP:HE1	1.78	0.48
2:H:106:LEU:HD21	2:H:594:ILE:HD12	1.95	0.48
5:M:8:C:O2'	5:M:10:U:OP1	2.30	0.48
1:E:171:ILE:HG23	1:E:175:TYR:HB2	1.94	0.48
4:J:90:LEU:HB3	4:I:387:ARG:HH22	1.77	0.48
4:I:170:ARG:HG3	4:I:171:VAL:HG23	1.94	0.48
4:J:379:GLU:O	4:J:379:GLU:CG	2.62	0.48
2:H:86:ASN:HB2	2:H:219:LEU:HD23	1.97	0.47
2:H:99:ARG:HH12	2:H:186:LEU:HA	1.79	0.47
4:J:12:GLU:O	4:J:110:ARG:NH2	2.39	0.47
1:G:309:ILE:HG22	1:G:337:LEU:HD12	1.96	0.47
4:J:259:VAL:HG21	4:J:310:ARG:HH12	1.80	0.47
2:H:37:LEU:CD2	2:H:166:LYS:CG	2.89	0.47
2:H:423:GLU:O	2:H:427:ASN:ND2	2.48	0.47
1:G:14:ASP:OD1	1:G:14:ASP:N	2.48	0.47
4:I:291:GLU:O	4:I:297:ASN:ND2	2.47	0.47
1:G:270:THR:HG22	1:G:281:PRO:HB2	1.97	0.47
1:C:325:THR:HG23	1:C:331:ILE:HD11	1.96	0.46
1:E:157:THR:HG23	1:E:208:GLU:HB2	1.96	0.46
2:H:6:GLU:O	2:H:10:SER:OG	2.30	0.46
2:H:172:LYS:HA	2:H:175:LYS:HD3	1.97	0.46
1:F:9:TYR:HB2	1:F:344:GLY:HA3	1.98	0.46
4:J:375:LEU:HB3	4:I:69:SER:HB2	1.97	0.46
1:G:184:ASN:HD22	1:G:185:LYS:H	1.63	0.46
3:A:18:GLU:HG3	3:A:152:LEU:HD23	1.98	0.46
1:C:6:ASN:HB3	1:C:104:ASN:HB2	1.98	0.45
1:E:309:ILE:HG22	1:E:337:LEU:HD12	1.98	0.45
1:C:9:TYR:O	5:M:29:C:O2'	2.34	0.45
3:A:149:TYR:HB3	3:A:168:ARG:HH11	1.81	0.45



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:23:VAL:HG12	1:C:29:LYS:HG2	1.98	0.45
3:A:22:ALA:O	3:A:26:ARG:N	2.49	0.45
1:G:312:GLN:HB3	1:G:315:HIS:HB3	1.98	0.45
1:C:177:SER:OG	1:C:178:ARG:N	2.50	0.45
2:H:84:SER:HB3	2:H:99:ARG:HA	1.98	0.45
3:A:18:GLU:HG3	3:A:152:LEU:HA	1.99	0.45
2:H:614:TRP:HE3	2:H:625:VAL:HG12	1.82	0.45
4:J:203:TRP:O	4:J:220:ARG:NH2	2.50	0.45
1:E:11:ARG:HG3	5:M:18:G:H5"	1.99	0.45
1:G:42:GLN:HG3	1:G:44:GLU:HG3	1.99	0.45
1:D:171:ILE:HG23	1:D:175:TYR:HB2	1.98	0.45
4:J:30:VAL:O	4:J:34:LEU:HB3	2.16	0.45
1:E:6:ASN:HB2	1:E:104:ASN:HB2	1.99	0.44
4:J:322:LYS:HB3	4:J:365:TYR:HB3	1.99	0.44
1:B:291:ARG:NH2	5:M:40:G:O4'	2.50	0.44
3:A:103:ARG:HA	3:A:167:ILE:HG13	2.00	0.44
2:H:268:SER:O	2:H:538:ARG:NH2	2.38	0.44
2:H:608:ASP:OD1	2:H:608:ASP:N	2.49	0.44
3:A:159:THR:OG1	3:A:160:ASN:N	2.50	0.44
4:J:35:GLU:HA	4:J:38:LYS:HG2	2.00	0.44
4:J:387:ARG:HE	4:I:90:LEU:HD12	1.81	0.44
4:I:275:LEU:HA	4:I:321:LEU:HD12	1.99	0.44
1:D:11:ARG:NH2	5:M:25:U:OP2	2.50	0.44
4:I:267:VAL:HG13	4:I:268:VAL:HG23	2.00	0.44
4:J:278:LEU:HG	4:J:279:LEU:HD23	2.00	0.44
4:J:377:LEU:O	4:J:381:GLN:NE2	2.50	0.44
4:J:142:TRP:HE1	4:J:205:ALA:HB2	1.83	0.43
2:H:209:SER:OG	2:H:210:TYR:N	2.52	0.43
2:H:475:CYS:SG	2:H:476:ASP:N	2.91	0.43
3:A:47:TRP:HA	3:A:52:VAL:HG23	1.99	0.43
1:G:149:ALA:O	1:G:172:ARG:NH1	2.48	0.43
1:B:70:PRO:HB2	1:B:71:HIS:H	1.57	0.43
1:F:15:PRO:HB3	1:F:91:VAL:HG22	2.01	0.43
2:H:127:SER:OG	6:N:42:DG:N2	2.52	0.43
2:H:205:ASP:O	2:H:618:ASN:ND2	2.50	0.43
4:J:62:TYR:O	4:J:96:ARG:NH2	2.52	0.43
5:M:51:G:H21	5:M:55:A:H62	1.64	0.43
1:F:258:ILE:HG13	1:F:260:GLY:H	1.83	0.43
4:J:3:LEU:HD22	4:J:33:PHE:CE2	2.53	0.43
4:J:317:LEU:HD23	4:J:318:ILE:HG13	2.01	0.43
1:C:51:ASP:HA	1:B:349:HIS:HE1	1.83	0.43



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:G:84:HIS:CD2	1:G:212:THR:HG23	2.53	0.43	
4:J:266:ALA:HA	4:J:273:LEU:HD13	2.00	0.43	
4:I:307:LEU:HD22	4:I:369:PHE:HZ	1.84	0.43	
1:G:158:PRO:HB2	1:G:161:TRP:HB2	2.01	0.42	
2:H:130:VAL:HG13	2:H:249:VAL:HG12	2.01	0.42	
2:H:539:TRP:HB2	2:H:601:ILE:HB	2.00	0.42	
4:J:116:PRO:HD3	4:J:221:TRP:HB3	2.01	0.42	
1:D:147:ARG:NH2	1:C:94:SER:OG	2.53	0.42	
1:C:327:ALA:HA	1:C:331:ILE:HB	2.01	0.42	
4:J:128:CYS:HA	4:J:129:PRO:HD3	1.87	0.42	
1:E:127:GLU:OE2	1:E:131:ARG:NH2	2.53	0.42	
2:H:512:ALA:HB3	2:H:515:ASP:HB2	2.00	0.42	
1:F:156:LEU:HB2	1:F:166:VAL:HB	2.01	0.42	
3:A:18:GLU:OE2	3:A:164:ARG:NH1	2.53	0.42	
1:C:145:ASN:HD21	1:C:222:ARG:H	1.68	0.42	
1:B:105:SER:HB3	1:B:108:VAL:HG22	2.02	0.42	
3:A:117:ARG:HH11	5:M:46:C:H3'	1.84	0.42	
1:F:299:HIS:O	1:F:302:THR:OG1	2.32	0.41	
2:H:48:ASP:OD1	2:H:48:ASP:N	2.53	0.41	
1:F:3:LEU:HD22	1:F:310:LEU:HD23	2.02	0.41	
1:D:325:THR:HG23	1:D:331:ILE:HD11	2.03	0.41	
4:J:154:ASN:HB2	4:J:170:ARG:HD2	2.02	0.41	
2:H:158:HIS:ND1	2:H:159:PRO:O	2.54	0.41	
2:H:543:TYR:HB3	2:H:597:LEU:HB3	2.02	0.41	
2:H:570:TYR:HB3	2:H:591:ALA:HB1	2.03	0.41	
4:J:33:PHE:O	4:J:37:THR:HG23	2.21	0.41	
1:B:184:ASN:HD22	1:B:185:LYS:H	1.67	0.41	
1:C:93:PHE:HD2	1:C:194:ILE:HG23	1.86	0.41	
4:I:101:TYR:HB2	4:I:105:THR:HB	2.02	0.41	
1:D:305:ASP:N	1:D:305:ASP:OD1	2.54	0.41	
2:H:165:LYS:HG2	2:H:175:LYS:HZ3	1.85	0.41	
2:H:398:ALA:O	2:H:475:CYS:N	2.53	0.41	
4:J:267:VAL:HG21	4:J:274:ARG:HH11	1.86	0.41	
1:C:172:ARG:HH12	1:B:159:TRP:HH2	1.69	0.40	
3:A:168:ARG:HG2	3:A:169:MET:H	1.85	0.40	
2:H:524:THR:HG23	2:H:527:THR:HG22	2.03	0.40	
3:A:117:ARG:NH1	5:M:46:C:OP2	2.43	0.40	
3:A:173:GLN:HE22	3:A:176:GLU:HG3	1.87	0.40	
2:H:128:LYS:HG2	7:O:9:DC:H1'	2.04	0.40	
4:J:77:LYS:H	4:J:77:LYS:HD2	1.87	0.40	

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	В	293/354~(83%)	261 (89%)	32 (11%)	0	100	100
1	С	327/354~(92%)	295~(90%)	32~(10%)	0	100	100
1	D	332/354~(94%)	301 (91%)	31~(9%)	0	100	100
1	Ε	329/354~(93%)	306~(93%)	23~(7%)	0	100	100
1	F	330/354~(93%)	301 (91%)	29~(9%)	0	100	100
1	G	338/354~(96%)	298 (88%)	40 (12%)	0	100	100
2	Н	504/640~(79%)	415 (82%)	89~(18%)	0	100	100
3	А	195/199~(98%)	151 (77%)	44 (23%)	0	100	100
4	Ι	370/394~(94%)	345~(93%)	25~(7%)	0	100	100
4	J	351/394~(89%)	290~(83%)	61 (17%)	0	100	100
All	All	3369/3751~(90%)	2963 (88%)	406 (12%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	В	270/309~(87%)	265~(98%)	5 (2%)	57 80
1	С	290/309~(94%)	289 (100%)	1 (0%)	92 97
1	D	290/309~(94%)	288~(99%)	2(1%)	84 93
1	Е	293/309~(95%)	290~(99%)	3 (1%)	76 89



Mol	Chain	Analysed	Rotameric	Outliers Percent		ntiles
1	F	293/309~(95%)	289~(99%)	4 (1%)	67	85
1	G	297/309~(96%)	295~(99%)	2(1%)	84	93
2	Н	450/573~(78%)	445~(99%)	5 (1%)	73	88
3	А	179/181~(99%)	176~(98%)	3~(2%)	60	82
4	Ι	339/356~(95%)	335~(99%)	4 (1%)	71	87
4	J	324/356~(91%)	319~(98%)	5(2%)	65	85
All	All	3025/3320~(91%)	2991 (99%)	34 (1%)	74	88

Continued from previous page...

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	184	ASN
1	G	185	LYS
1	F	11	ARG
1	F	184	ASN
1	F	186	ASN
1	F	283	ARG
1	Е	183	ASN
1	Е	184	ASN
1	Е	283	ARG
1	D	107	LYS
1	D	283	ARG
1	С	28	ARG
1	В	104	ASN
1	В	177	SER
1	В	184	ASN
1	В	218	ASN
1	В	283	ARG
2	Н	93	ARG
2	Н	177	MET
2	Н	228	ARG
2	Н	524	THR
2	Н	584	ARG
3	А	19	SER
3	А	125	ARG
3	А	178	ASN
4	J	24	LYS
4	J	32	ARG
4	J	33	PHE
4	J	77	LYS



Continued from previous page...

Mol	Chain	Res	Type
4	J	387	ARG
4	Ι	23	ASN
4	Ι	175	LYS
4	Ι	217	LYS
4	Ι	276	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	84	HIS
1	G	184	ASN
1	F	184	ASN
1	F	340	ASN
1	Е	183	ASN
1	Е	184	ASN
1	D	110	GLN
1	D	145	ASN
1	D	299	HIS
1	С	145	ASN
1	С	340	ASN
1	В	104	ASN
1	В	184	ASN
1	В	218	ASN
1	В	349	HIS
2	Н	235	HIS
2	Н	272	HIS
2	Н	420	HIS
2	Н	443	HIS
3	А	29	HIS
3	А	85	HIS
3	А	178	ASN
4	J	351	ASN
4	J	381	GLN
4	Ι	23	ASN
4	Ι	25	ASN
4	Ι	207	HIS

5.3.3 RNA (i)



Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
5	М	59/60~(98%)	22~(37%)	0

All (22) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
5	М	2	U
5	М	3	G
5	М	8	С
5	М	9	U
5	М	14	G
5	М	15	G
5	М	20	С
5	М	21	U
5	М	26	G
5	М	27	U
5	М	33	U
5	М	38	С
5	М	39	U
5	М	40	G
5	М	41	G
5	М	42	U
5	М	43	G
5	М	44	А
5	М	45	А
5	М	46	С
5	М	56	G
5	М	57	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-0929. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

Orthogonal projections (i) 6.1

6.1.1Primary map



The images above show the map projected in three orthogonal directions.

6.2Central slices (i)

6.2.1Primary map



X Index: 128



The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 153

Y Index: 146

Z Index: 99

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 481 nm^3 ; this corresponds to an approximate mass of 435 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.314 $\rm \AA^{-1}$



8 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-0929 and PDB model 6LNB. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.0015 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0015).



9.4 Atom inclusion (i)



At the recommended contour level, 87% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.



Map-model fit summary (i) 9.5

The table lists the average atom inclusion at the recommended contour level (0.0015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score	
All	0.8640	0.4410	
А	0.9530	0.3180	1.0
В	0.9880	0.5330	
С	0.9900	0.5600	
D	0.9900	0.5750	
Е	0.9910	0.5790	
F	0.9920	0.5750	
G	0.9920	0.5490	
Н	0.9840	0.4770	
Ι	0.3830	0.0950	
J	0.3780	0.1090	0.0 <0.0
М	0.9920	0.5040	
N	0.9840	0.5500	
0	1.0000	0.4800	

