



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 17, 2021 – 08:36 AM EDT

PDB ID : 1LOS
Title : crystal structure of orotidine monophosphate decarboxylase mutant deltaR203A complexed with 6-azaUMP
Authors : Wu, N.; Pai, E.F.
Deposited on : 2002-05-06
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	 4% (red), 82% (green), 13% (yellow), 1% (grey)
1	B	224	 8% (red), 80% (green), 11% (yellow), 8% (grey)
1	C	224	 10% (red), 67% (green), 18% (yellow), 15% (grey)
1	D	224	 6% (red), 80% (green), 14% (yellow), 1% (grey)

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 6590 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called orotidine monophosphate decarboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	216	Total 1643	C 1032	N 288	O 311	S 12	0	0	0
1	B	206	Total 1562	C 983	N 272	O 296	S 11	0	0	0
1	C	191	Total 1466	C 925	N 256	O 275	S 10	0	0	0
1	D	214	Total 1629	C 1023	N 286	O 308	S 12	0	0	0

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	LEU	MET	see remark 999	UNP O26232
A	101	PRO	ARG	see remark 999	UNP O26232
A	?	-	ALA	deletion	UNP O26232
A	?	-	GLN	deletion	UNP O26232
A	?	-	GLY	deletion	UNP O26232
A	?	-	GLY	deletion	UNP O26232
A	203	ALA	ARG	engineered mutation	UNP O26232
B	1001	LEU	MET	see remark 999	UNP O26232
B	1101	PRO	ARG	see remark 999	UNP O26232
B	?	-	ALA	deletion	UNP O26232
B	?	-	GLN	deletion	UNP O26232
B	?	-	GLY	deletion	UNP O26232
B	?	-	GLY	deletion	UNP O26232
B	1203	ALA	ARG	engineered mutation	UNP O26232
C	2001	LEU	MET	see remark 999	UNP O26232
C	2101	PRO	ARG	see remark 999	UNP O26232
C	?	-	ALA	deletion	UNP O26232
C	?	-	GLN	deletion	UNP O26232
C	?	-	GLY	deletion	UNP O26232
C	?	-	GLY	deletion	UNP O26232
C	2203	ALA	ARG	engineered mutation	UNP O26232

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	3001	LEU	MET	see remark 999	UNP O26232
D	3101	PRO	ARG	see remark 999	UNP O26232
D	?	-	ALA	deletion	UNP O26232
D	?	-	GLN	deletion	UNP O26232
D	?	-	GLY	deletion	UNP O26232
D	?	-	GLY	deletion	UNP O26232
D	3203	ALA	ARG	engineered mutation	UNP O26232

- Molecule 2 is 6-AZA URIDINE 5'-MONOPHOSPHATE (three-letter code: UP6) (formula: $C_8H_{12}N_3O_9P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			21	8	3	9	1		
2	B	1	Total	C	N	O	P	0	0
			21	8	3	9	1		
2	C	1	Total	C	N	O	P	0	0
			21	8	3	9	1		
2	D	1	Total	C	N	O	P	0	0
			21	8	3	9	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	86	Total	O	0	0
			86	86		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	45	Total 45	O 45	0	0
3	C	28	Total 28	O 28	0	0
3	D	47	Total 47	O 47	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: orotidine monophosphate decarboxylase




- Molecule 1: orotidine monophosphate decarboxylase




- Molecule 1: orotidine monophosphate decarboxylase



- Molecule 1: orotidine monophosphate decarboxylase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	52.49Å 56.15Å 73.87Å 82.76° 89.89° 76.91°	Depositor
Resolution (Å)	29.39 – 1.90 33.57 – 1.90	Depositor EDS
% Data completeness (in resolution range)	87.3 (29.39-1.90) 87.4 (33.57-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 1.89Å)	Xtrriage
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.205 , 0.240 0.199 , 0.233	Depositor DCC
R_{free} test set	1856 reflections (3.19%)	wwPDB-VP
Wilson B-factor (Å ²)	27.7	Xtrriage
Anisotropy	0.392	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 59.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6590	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UP6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/1666	0.65	0/2249
1	B	0.46	0/1585	0.63	0/2140
1	C	0.41	0/1488	0.60	0/2007
1	D	0.43	0/1652	0.62	0/2230
All	All	0.45	0/6391	0.62	0/8626

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1643	0	1658	26	0
1	B	1562	0	1572	18	0
1	C	1466	0	1480	37	0
1	D	1629	0	1642	21	0
2	A	21	0	10	0	0
2	B	21	0	10	0	0
2	C	21	0	10	0	0
2	D	21	0	10	1	0
3	A	86	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	45	0	0	1	0
3	C	28	0	0	0	0
3	D	47	0	0	1	0
All	All	6590	0	6392	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:ARG:HE	1:A:149:LEU:HD22	1.45	0.79
1:A:115:GLU:HG3	1:A:116:MET:HG3	1.65	0.77
1:D:3156:GLY:O	1:D:3180:PRO:HD2	1.87	0.74
1:C:2015:LEU:HD13	1:C:2038:ILE:HD11	1.71	0.73
1:A:29:ARG:HD3	3:A:4091:HOH:O	1.88	0.73
1:A:36:GLU:H	1:A:36:GLU:CD	1.94	0.71
1:A:156:GLY:O	1:A:180:PRO:HD2	1.91	0.70
1:A:57:ALA:O	1:A:61:LYS:HG3	1.92	0.69
1:B:1075:ASP:H	1:B:1080:ASN:HD21	1.40	0.68
1:B:1191:GLU:O	1:B:1194:ARG:HB3	1.94	0.66
1:C:2160:ARG:HB3	1:C:2162:GLU:OE2	1.95	0.66
1:C:2015:LEU:O	1:C:2038:ILE:HG23	1.96	0.66
1:C:2013:ASN:CG	1:C:2014:ARG:H	1.98	0.65
1:B:1156:GLY:O	1:B:1180:PRO:HD2	1.98	0.63
1:D:3081:GLU:HG3	1:D:3112:VAL:CG2	2.28	0.62
1:B:1194:ARG:HH11	1:B:1194:ARG:HG3	1.64	0.62
1:C:2038:ILE:HG22	1:C:2040:THR:H	1.65	0.62
1:C:2156:GLY:O	1:C:2180:PRO:HD2	2.01	0.61
1:D:3029:ARG:NH1	3:D:4176:HOH:O	2.30	0.60
1:B:1192:THR:C	1:B:1194:ARG:H	2.04	0.60
1:C:2165:SER:HB2	1:C:2195:PHE:CE1	2.37	0.59
1:C:2029:ARG:O	1:C:2033:GLU:HG3	2.02	0.58
1:B:1038:ILE:O	1:B:1038:ILE:HD13	2.04	0.57
1:C:2192:THR:C	1:C:2194:ARG:H	2.07	0.56
1:C:2066:ARG:C	1:C:2067:ILE:HD12	2.26	0.56
1:D:3085:ARG:HH12	1:D:3115:GLU:CD	2.08	0.56
1:C:2153:ASN:HD22	1:C:2176:PHE:HB3	1.71	0.55
1:C:2024:ARG:HE	1:C:2028:LEU:HD11	1.72	0.55
1:D:3026:ASP:O	1:D:3030:VAL:HG23	2.07	0.54
1:C:2013:ASN:CG	1:C:2014:ARG:N	2.61	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2015:LEU:HD21	1:C:2201:VAL:HG23	1.90	0.53
1:C:2180:PRO:HB3	1:C:2200:ILE:HB	1.92	0.51
1:C:2035:ARG:HD3	1:C:2063:PHE:HD2	1.75	0.51
1:A:40:THR:OG1	1:A:66:ARG:NH1	2.44	0.51
1:C:2030:VAL:O	1:C:2034:VAL:HG22	2.11	0.51
1:B:1180:PRO:HB3	1:B:1200:ILE:HB	1.92	0.51
1:C:2038:ILE:HG22	1:C:2039:ASP:N	2.26	0.50
1:C:2015:LEU:HD21	1:C:2201:VAL:CG2	2.41	0.50
1:B:1021:LEU:HD13	1:B:1026:ASP:HB3	1.93	0.50
1:D:3024:ARG:NH2	1:D:3058:GLU:OE1	2.45	0.50
1:C:2015:LEU:HD13	1:C:2038:ILE:CD1	2.40	0.49
1:B:1107:ARG:HD3	3:B:4204:HOH:O	2.11	0.49
1:B:1167:LEU:HD12	1:B:1167:LEU:O	2.13	0.48
1:A:23:ASN:ND2	1:A:26:ASP:HB2	2.29	0.48
1:D:3057:ALA:O	1:D:3061:LYS:HG3	2.14	0.48
1:A:112:VAL:O	1:A:115:GLU:HG2	2.14	0.47
1:A:157:PRO:O	1:A:164:LEU:HG	2.14	0.47
1:B:1048:VAL:HG11	1:B:1053:MET:SD	2.54	0.47
1:D:3060:ARG:HH22	1:D:3118:ARG:HH12	1.61	0.47
1:C:2015:LEU:HB3	1:C:2038:ILE:CD1	2.45	0.47
1:D:3125:GLU:OE1	1:D:3136:GLN:HG2	2.15	0.46
1:B:1164:LEU:HB3	1:B:1195:PHE:HD1	1.80	0.46
1:A:36:GLU:CD	1:A:36:GLU:N	2.66	0.46
1:B:1219:ILE:O	1:B:1221:SER:N	2.42	0.46
1:A:58:GLU:HG3	1:A:62:ARG:NH1	2.30	0.45
1:C:2194:ARG:HH11	1:C:2194:ARG:HG3	1.81	0.45
1:D:3040:THR:OG1	1:D:3066:ARG:NH1	2.46	0.45
1:A:24:ARG:HH21	1:A:58:GLU:CD	2.20	0.45
1:A:23:ASN:HD21	1:A:26:ASP:CG	2.20	0.45
1:C:2023:ASN:HD21	1:C:2026:ASP:HB2	1.82	0.45
1:D:3036:GLU:HG3	1:D:3037:TYR:CE1	2.51	0.45
1:C:2078:GLU:OE1	1:C:2078:GLU:N	2.41	0.45
1:A:9:MET:HE1	1:C:2035:ARG:HE	1.81	0.44
1:A:173:GLN:HG3	3:A:4139:HOH:O	2.18	0.44
1:C:2030:VAL:HG11	1:C:2206:TYR:HA	1.98	0.44
1:B:1194:ARG:HG3	1:B:1194:ARG:NH1	2.31	0.43
1:A:180:PRO:HB3	1:A:200:ILE:HB	1.99	0.43
1:C:2125:GLU:OE1	1:C:2136:GLN:HG3	2.19	0.43
1:D:3045:TYR:N	1:D:3046:PRO:CD	2.80	0.43
1:D:3085:ARG:NH1	1:D:3115:GLU:OE1	2.45	0.43
1:C:2067:ILE:HD12	1:C:2067:ILE:N	2.34	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1192:THR:C	1:B:1194:ARG:N	2.70	0.43
1:C:2026:ASP:O	1:C:2030:VAL:HG23	2.18	0.43
1:A:211:PRO:HD2	3:A:4096:HOH:O	2.18	0.42
1:C:2130:GLY:HA3	1:D:3104:ASP:OD1	2.19	0.42
1:A:221:SER:O	1:A:222:ILE:C	2.57	0.42
1:D:3098:HIS:CE1	1:D:3123:LEU:HD23	2.54	0.42
1:A:152:LYS:HE3	1:A:152:LYS:HA	2.02	0.42
1:C:2192:THR:C	1:C:2194:ARG:N	2.73	0.42
1:A:3:SER:HB3	1:C:2035:ARG:HH21	1.84	0.42
1:A:104:ASP:OD1	1:B:1130:GLY:HA3	2.20	0.42
1:D:3036:GLU:HG3	1:D:3037:TYR:CD1	2.55	0.42
1:B:1165:SER:HB3	1:B:1195:PHE:CE1	2.55	0.41
1:A:85:ARG:NH1	1:A:115:GLU:OE1	2.53	0.41
1:A:144:ARG:HG2	1:A:144:ARG:HH11	1.85	0.41
1:C:2071:PHE:O	1:C:2072:LYS:C	2.58	0.41
1:D:3071:PHE:O	1:D:3072:LYS:C	2.57	0.41
1:C:2023:ASN:ND2	1:C:2026:ASP:HB2	2.36	0.41
1:C:2191:GLU:O	1:C:2194:ARG:HB3	2.21	0.41
1:A:58:GLU:CG	1:A:62:ARG:NH1	2.84	0.41
1:D:3164:LEU:HD12	1:D:3164:LEU:HA	1.95	0.41
1:C:2023:ASN:ND2	1:C:2026:ASP:OD2	2.54	0.41
1:D:3024:ARG:HB2	1:D:3051:GLU:CD	2.40	0.41
1:A:45:TYR:N	1:A:46:PRO:CD	2.84	0.41
1:D:3126:MET:HA	2:D:5004:UP6:O4	2.21	0.41
1:C:2045:TYR:N	1:C:2046:PRO:CD	2.84	0.41
1:D:3037:TYR:HB3	1:D:3219:ILE:CD1	2.50	0.41
1:B:1155:VAL:HA	1:B:1178:ILE:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	214/224 (96%)	206 (96%)	7 (3%)	1 (0%)	29	18
1	B	204/224 (91%)	194 (95%)	7 (3%)	3 (2%)	10	3
1	C	189/224 (84%)	178 (94%)	10 (5%)	1 (0%)	29	18
1	D	212/224 (95%)	203 (96%)	8 (4%)	1 (0%)	29	18
All	All	819/896 (91%)	781 (95%)	32 (4%)	6 (1%)	22	12

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1180	PRO
1	C	2180	PRO
1	A	180	PRO
1	D	3180	PRO
1	B	1193	LEU
1	B	1220	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	172/180 (96%)	169 (98%)	3 (2%)	60	57
1	B	162/180 (90%)	159 (98%)	3 (2%)	57	53
1	C	154/180 (86%)	150 (97%)	4 (3%)	46	39
1	D	170/180 (94%)	166 (98%)	4 (2%)	49	43
All	All	658/720 (91%)	644 (98%)	14 (2%)	53	48

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	ASP
1	A	152	LYS
1	A	180	PRO
1	B	1024	ARG
1	B	1038	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1180	PRO
1	C	2015	LEU
1	C	2115	GLU
1	C	2148	ASP
1	C	2180	PRO
1	D	3118	ARG
1	D	3180	PRO
1	D	3188	ASP
1	D	3209	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	111	ASN
1	B	1013	ASN
1	B	1080	ASN
1	C	2013	ASN
1	C	2111	ASN
1	C	2136	GLN
1	C	2153	ASN
1	D	3136	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	UP6	D	5004	-	22,22,22	2.80	6 (27%)	32,33,33	3.41	6 (18%)
2	UP6	C	5003	-	22,22,22	2.66	5 (22%)	32,33,33	3.46	6 (18%)
2	UP6	B	5002	-	22,22,22	2.70	5 (22%)	32,33,33	3.41	7 (21%)
2	UP6	A	5001	-	22,22,22	2.68	6 (27%)	32,33,33	3.34	7 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UP6	D	5004	-	-	4/10/26/26	0/1/2/2
2	UP6	C	5003	-	-	4/10/26/26	0/1/2/2
2	UP6	B	5002	-	-	4/10/26/26	0/1/2/2
2	UP6	A	5001	-	-	5/10/26/26	0/1/2/2

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	5004	UP6	C5-C4	-9.78	1.43	1.50
2	C	5003	UP6	C5-C4	-9.43	1.43	1.50
2	B	5002	UP6	C5-C4	-8.55	1.44	1.50
2	A	5001	UP6	C5-C4	-8.46	1.44	1.50
2	A	5001	UP6	C2-N1	6.22	1.42	1.37
2	B	5002	UP6	C2-N1	5.73	1.42	1.37
2	D	5004	UP6	C2-N1	5.28	1.41	1.37
2	B	5002	UP6	C5-N6	-4.74	1.32	1.46
2	D	5004	UP6	C5-N6	-4.49	1.33	1.46
2	C	5003	UP6	C5-N6	-4.43	1.33	1.46
2	A	5001	UP6	C5-N6	-4.35	1.33	1.46
2	C	5003	UP6	C2-N1	4.13	1.40	1.37
2	C	5003	UP6	P-O3P	3.51	1.68	1.54
2	B	5002	UP6	P-O3P	3.02	1.66	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	5004	UP6	N6-N1	-3.00	1.38	1.42
2	A	5001	UP6	C4-N3	2.91	1.42	1.37
2	A	5001	UP6	P-O3P	2.86	1.65	1.54
2	D	5004	UP6	P-O3P	2.64	1.65	1.54
2	B	5002	UP6	C4-N3	2.60	1.42	1.37
2	A	5001	UP6	N6-N1	-2.57	1.39	1.42
2	D	5004	UP6	C4-N3	2.34	1.41	1.37
2	C	5003	UP6	C4-N3	2.28	1.41	1.37

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	5003	UP6	O4-C4-C5	11.07	127.34	118.67
2	D	5004	UP6	C5-N6-N1	10.65	123.85	110.27
2	A	5001	UP6	O4-C4-C5	10.57	126.95	118.67
2	B	5002	UP6	C5-N6-N1	10.54	123.72	110.27
2	B	5002	UP6	O4-C4-C5	10.52	126.90	118.67
2	A	5001	UP6	C5-N6-N1	10.47	123.62	110.27
2	C	5003	UP6	C5-N6-N1	10.43	123.57	110.27
2	D	5004	UP6	O4-C4-C5	10.41	126.82	118.67
2	B	5002	UP6	C4-C5-N6	8.46	120.53	114.67
2	C	5003	UP6	C4-C5-N6	8.37	120.46	114.67
2	D	5004	UP6	C4-C5-N6	8.34	120.44	114.67
2	A	5001	UP6	C4-C5-N6	8.17	120.33	114.67
2	D	5004	UP6	C2'-C1'-N1	5.47	121.84	113.46
2	B	5002	UP6	C2'-C1'-N1	4.72	120.69	113.46
2	A	5001	UP6	C2'-C1'-N1	4.37	120.16	113.46
2	C	5003	UP6	O5'-P-O1P	4.33	118.62	106.47
2	B	5002	UP6	O5'-P-O1P	4.19	118.23	106.47
2	C	5003	UP6	C2'-C1'-N1	4.05	119.68	113.46
2	D	5004	UP6	O5'-P-O1P	3.88	117.35	106.47
2	A	5001	UP6	O5'-P-O1P	3.68	116.81	106.47
2	C	5003	UP6	O4'-C1'-N1	3.30	112.91	109.39
2	B	5002	UP6	O4'-C1'-N1	2.74	112.32	109.39
2	B	5002	UP6	P-O5'-C5'	2.50	125.17	118.30
2	A	5001	UP6	O4'-C1'-N1	2.41	111.96	109.39
2	A	5001	UP6	P-O5'-C5'	2.25	124.49	118.30
2	D	5004	UP6	O4'-C1'-N1	2.10	111.63	109.39

There are no chirality outliers.

All (17) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	A	5001	UP6	C2'-C1'-N1-N6
2	A	5001	UP6	O4'-C1'-N1-N6
2	B	5002	UP6	C2'-C1'-N1-N6
2	C	5003	UP6	C2'-C1'-N1-N6
2	C	5003	UP6	O4'-C1'-N1-N6
2	D	5004	UP6	C2'-C1'-N1-N6
2	D	5004	UP6	O4'-C1'-N1-N6
2	D	5004	UP6	C2'-C1'-N1-C2
2	B	5002	UP6	O4'-C1'-N1-C2
2	A	5001	UP6	O4'-C4'-C5'-O5'
2	B	5002	UP6	O4'-C4'-C5'-O5'
2	C	5003	UP6	O4'-C4'-C5'-O5'
2	D	5004	UP6	O4'-C4'-C5'-O5'
2	A	5001	UP6	C2'-C1'-N1-C2
2	B	5002	UP6	C2'-C1'-N1-C2
2	C	5003	UP6	C2'-C1'-N1-C2
2	A	5001	UP6	O4'-C1'-N1-C2



There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	5004	UP6	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	216/224 (96%)	0.11	8 (3%) 41 44	21, 33, 48, 62	0
1	B	206/224 (91%)	0.36	18 (8%) 10 11	19, 35, 59, 77	0
1	C	191/224 (85%)	0.57	23 (12%) 4 4	24, 41, 69, 77	0
1	D	214/224 (95%)	0.31	14 (6%) 18 21	22, 37, 56, 71	0
All	All	827/896 (92%)	0.33	63 (7%) 13 15	19, 36, 60, 77	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	2037	TYR	8.6
1	C	2192	THR	5.0
1	B	1013	ASN	4.2
1	B	1195	PHE	4.2
1	C	2036	GLU	4.1
1	D	3096	ILE	3.8
1	C	2038	ILE	3.5
1	C	2195	PHE	3.4
1	C	2183	GLY	3.3
1	C	2074	ALA	3.3
1	C	2191	GLU	3.3
1	B	1219	ILE	3.2
1	C	2174	ASP	3.1
1	B	1174	ASP	3.0
1	C	2189	PRO	3.0
1	A	74	ALA	3.0
1	A	73	VAL	2.9
1	B	1074	ALA	2.9
1	D	3071	PHE	2.8
1	B	1169	GLU	2.8
1	D	3068	ILE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	71	PHE	2.7
1	B	1123	LEU	2.7
1	B	1221	SER	2.7
1	D	3162	GLU	2.7
1	B	1173	GLN	2.6
1	D	3208	ALA	2.5
1	C	2190	GLY	2.5
1	D	3219	ILE	2.5
1	B	1220	GLU	2.5
1	C	2188	ASP	2.5
1	C	2207	LEU	2.5
1	C	2073	VAL	2.4
1	D	3037	TYR	2.4
1	C	2032	GLY	2.4
1	D	3190	GLY	2.4
1	C	2170	ILE	2.4
1	B	1071	PHE	2.3
1	C	2014	ARG	2.3
1	C	2203	ALA	2.3
1	D	3166	ARG	2.3
1	B	1098	HIS	2.3
1	C	2096	ILE	2.2
1	A	166	ARG	2.2
1	C	2166	ARG	2.2
1	B	1194	ARG	2.2
1	C	2167	LEU	2.2
1	C	2193	LEU	2.2
1	A	148	ASP	2.1
1	D	3073	VAL	2.1
1	D	3062	ARG	2.1
1	A	83	ILE	2.1
1	D	3169	GLU	2.1
1	B	1073	VAL	2.1
1	B	1209	ASP	2.1
1	D	3207	LEU	2.1
1	A	72	LYS	2.1
1	C	2026	ASP	2.0
1	A	147	VAL	2.0
1	B	1072	LYS	2.0
1	D	3209	ASP	2.0
1	B	1167	LEU	2.0
1	B	1162	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	UP6	C	5003	21/21	0.92	0.10	42,46,49,51	0
2	UP6	B	5002	21/21	0.95	0.11	28,33,36,39	0
2	UP6	A	5001	21/21	0.96	0.10	22,27,31,35	0
2	UP6	D	5004	21/21	0.96	0.10	29,32,36,39	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UP6 C 5003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UP6 B 5002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UP6 A 5001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UP6 D 5004:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.