



## Full wwPDB EM Validation Report ⓘ

Nov 19, 2022 – 08:49 am GMT

PDB ID : 5LQY  
EMDB ID : EMD-4101  
Title : Structure of F-ATPase from *Pichia angusta*, in state2  
Authors : Vinothkumar, K.R.; Montgomery, M.G.; Liu, S.; Walker, J.E.  
Deposited on : 2016-08-17  
Resolution : 7.80 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 7.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	30	
2	2	25	
3	3	17	
4	4	27	
5	A	510	
5	B	510	
5	C	510	
6	D	476	
6	E	476	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	F	476	12% 97% ..
7	G	269	13% 98% ..
8	H	138	20% 87% 6% 7%
9	I	63	8% 90% 10%
10	J	66	11% 65% 35%
11	K	76	30% 92% . . .
11	L	76	26% 88% . . 7%
11	M	76	29% 89% 5% 5%
11	N	76	33% 89% 5% 5%
11	O	76	39% 92% . . .
11	P	76	36% 93% . . .
11	Q	76	29% 91% . . .
11	R	76	37% 89% . . .
11	S	76	32% 91% 5% .
11	T	76	24% 91% . . 5%
12	U	194	15% 75% 9% 16%
13	V	204	10% 74% . 25%
14	W	155	25% 92% . 6%
15	X	21	38% 100%
16	Y	252	10% 46% . 52%
17	Z	44	11% 82% 18%

## 2 Entry composition [i](#)

There are 20 unique types of molecules in this entry. The entry contains 24170 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP synthase subunit f.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	1	30	150	90	30	30	0	0

- Molecule 2 is a protein called ATP synthase subunit AAP1.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	2	25	125	75	25	25	0	0

- Molecule 3 is a protein called ATP synthase subunit a.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	3	17	85	51	17	17	0	0

- Molecule 4 is a protein called ATP synthase subunit b.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	4	27	135	81	27	27	0	0

- Molecule 5 is a protein called ATP synthase alpha subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	A	498	2444	1448	498	498	0	0
5	B	498	2445	1449	498	498	0	0
5	C	505	2480	1470	505	505	0	0

- Molecule 6 is a protein called ATP synthase beta subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	D	471	Total	C	N	O	0	0
			2306	1364	471	471		
6	E	469	Total	C	N	O	0	0
			2297	1359	469	469		
6	F	470	Total	C	N	O	0	0
			2301	1361	470	470		

- Molecule 7 is a protein called ATP synthase gamma subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	G	267	Total	C	N	O	0	0
			1323	789	267	267		

- Molecule 8 is a protein called ATP synthase delta subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	H	128	Total	C	N	O	0	0
			633	377	128	128		

- Molecule 9 is a protein called ATP synthase epsilon subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
9	I	57	Total	C	N	O	0	0
			284	170	57	57		

- Molecule 10 is a protein called ATP synthase inhibitor protein IF1.

Mol	Chain	Residues	Atoms				AltConf	Trace
10	J	43	Total	C	N	O	0	0
			211	125	43	43		

- Molecule 11 is a protein called ATP synthase c subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
11	K	73	Total	C	N	O	0	0
			356	210	73	73		
11	L	71	Total	C	N	O	0	0
			347	205	71	71		
11	M	72	Total	C	N	O	0	0
			352	208	72	72		
11	N	72	Total	C	N	O	0	0
			352	208	72	72		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf	Trace
11	O	73	Total	C	N	O	0	0
			357	211	73	73		
11	P	74	Total	C	N	O	0	0
			362	214	74	74		
11	Q	74	Total	C	N	O	0	0
			362	214	74	74		
11	R	73	Total	C	N	O	0	0
			357	211	73	73		
11	S	73	Total	C	N	O	0	0
			357	211	73	73		
11	T	72	Total	C	N	O	0	0
			352	208	72	72		

- Molecule 12 is a protein called ATP synthase OSCP subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	U	163	Total	C	N	O	0	0
			810	484	163	163		

- Molecule 13 is a protein called ATP synthase subunit b.

Mol	Chain	Residues	Atoms				AltConf	Trace
13	V	154	Total	C	N	O	0	0
			767	459	154	154		

- Molecule 14 is a protein called ATP synthase subunit d.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	W	145	Total	C	N	O	0	0
			723	433	145	145		

- Molecule 15 is a protein called ATP synthase subunit h.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	X	21	Total	C	N	O	0	0
			105	63	21	21		


- Molecule 16 is a protein called ATP synthase subunit a.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	Y	122	Total	C	N	O	0	0
			601	357	122	122		

- Molecule 17 is a protein called ATP synthase subunit a.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
17	Z	44	220	132	44	44	0	0

- Molecule 18 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
18	A	1	31	10	5	13	3	0

- Molecule 19 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
19	A	1	1	1	0
19	B	1	1	1	0
19	C	1	1	1	0
19	D	1	1	1	0
19	F	1	1	1	0

- Molecule 20 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
20	B	1	Total	C	N	O	P	0
			27	10	5	10	2	
20	C	1	Total	C	N	O	P	0
			27	10	5	10	2	
20	D	1	Total	C	N	O	P	0
			27	10	5	10	2	
20	E	1	Total	C	N	O	P	0
			27	10	5	10	2	
20	F	1	Total	C	N	O	P	0
			27	10	5	10	2	




### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP synthase subunit f




- Molecule 2: ATP synthase subunit AAP1



- Molecule 3: ATP synthase subunit a




- Molecule 4: ATP synthase subunit b




- Molecule 5: ATP synthase alpha subunit







• Molecule 5: ATP synthase alpha subunit



• Molecule 5: ATP synthase alpha subunit




• Molecule 6: ATP synthase beta subunit




• Molecule 6: ATP synthase beta subunit

Chain E: 




- Molecule 6: ATP synthase beta subunit

Chain F: 





- Molecule 7: ATP synthase gamma subunit

Chain G: 




- Molecule 8: ATP synthase delta subunit

Chain H: 




- Molecule 9: ATP synthase epsilon subunit

Chain I: 





- Molecule 10: ATP synthase inhibitor protein IF1


Chain J: 





• Molecule 11: ATP synthase c subunit





• Molecule 11: ATP synthase c subunit





• Molecule 11: ATP synthase c subunit



• Molecule 11: ATP synthase c subunit



• Molecule 11: ATP synthase c subunit




• Molecule 11: ATP synthase c subunit




• Molecule 11: ATP synthase c subunit




• Molecule 14: ATP synthase subunit d




• Molecule 15: ATP synthase subunit h



• Molecule 16: ATP synthase subunit a



• Molecule 17: ATP synthase subunit a



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	23065	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	64	Depositor
Minimum defocus (nm)	1800	Depositor
Maximum defocus (nm)	5000	Depositor
Magnification	81395	Depositor
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.548	Depositor
Minimum map value	-0.242	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.019	Depositor
Recommended contour level	0.145	Depositor
Map size ( $\text{\AA}$ )	525.0, 525.0, 525.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.75, 1.75, 1.75	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
5	A	0.24	0/2443	0.43	0/3391
5	B	0.24	0/2443	0.44	0/3390
5	C	0.24	0/2479	0.43	0/3442
6	D	0.24	0/2305	0.43	0/3196
6	E	0.24	0/2296	0.44	0/3184
6	F	0.25	0/2300	0.44	0/3189
7	G	0.23	0/1322	0.38	0/1842
8	H	0.24	0/632	0.45	0/879
9	I	0.23	0/282	0.42	0/391
10	J	0.23	0/210	0.34	0/290
11	K	0.23	0/355	0.40	0/490
11	L	0.24	0/346	0.40	0/478
11	M	0.23	0/351	0.39	0/485
11	N	0.23	0/351	0.38	0/485
11	O	0.23	0/356	0.38	0/492
11	P	0.23	0/361	0.38	0/499
11	Q	0.23	0/361	0.39	0/499
11	R	0.23	0/356	0.38	0/492
11	S	0.23	0/356	0.39	0/492
11	T	0.24	0/351	0.39	0/485
12	U	0.23	0/808	0.39	0/1125
13	V	0.22	0/766	0.31	0/1069
14	W	0.23	0/581	0.37	0/809
16	Y	0.23	0/599	0.36	0/830
All	All	0.24	0/23010	0.41	0/31924

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	150	0	32	0	0
2	2	125	0	27	0	0
3	3	85	0	19	0	0
4	4	135	0	29	0	0
5	A	2444	0	1179	2	0
5	B	2445	0	1177	3	0
5	C	2480	0	1197	3	0
6	D	2306	0	1110	2	0
6	E	2297	0	1103	2	0
6	F	2301	0	1105	2	0
7	G	1323	0	630	0	0
8	H	633	0	316	2	0
9	I	284	0	140	0	0
10	J	211	0	116	0	0
11	K	356	0	188	1	0
11	L	347	0	183	2	0
11	M	352	0	188	2	0
11	N	352	0	188	1	0
11	O	357	0	190	1	0
11	P	362	0	192	1	0
11	Q	362	0	192	2	0
11	R	357	0	190	3	0
11	S	357	0	190	1	0
11	T	352	0	185	1	0
12	U	810	0	362	0	0
13	V	767	0	369	1	0
14	W	723	0	295	0	0
15	X	105	0	23	0	0
16	Y	601	0	279	1	0
17	Z	220	0	48	6	0
18	A	31	0	12	0	0
19	A	1	0	0	0	0
19	B	1	0	0	0	0
19	C	1	0	0	0	0
19	D	1	0	0	0	0
19	F	1	0	0	0	0
20	B	27	0	12	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
20	C	27	0	12	0	0
20	D	27	0	12	0	0
20	E	27	0	12	0	0
20	F	27	0	12	0	0
All	All	24170	0	11514	34	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (34) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
16:Y:242:SER:CB	17:Z:1020:UNK:CB	2.74	0.66
17:Z:1025:UNK:O	17:Z:1027:UNK:N	2.40	0.54
17:Z:1025:UNK:C	17:Z:1027:UNK:N	2.69	0.53
17:Z:1025:UNK:O	17:Z:1026:UNK:C	2.59	0.51
8:H:30:VAL:HA	8:H:59:VAL:HA	1.91	0.51
6:D:257:ASP:HA	6:D:258:ASN:HA	1.54	0.47
5:C:271:ASP:HA	5:C:272:ASP:HA	1.53	0.47
6:F:257:ASP:HA	6:F:258:ASN:HA	1.57	0.46
5:B:271:ASP:HA	5:B:272:ASP:HA	1.52	0.45
6:D:346:TYR:HA	6:D:347:PRO:HA	1.81	0.45
11:O:40:ASN:HA	11:O:41:PRO:HA	1.78	0.45
11:Q:40:ASN:HA	11:Q:41:PRO:HA	1.82	0.44
11:L:40:ASN:HA	11:L:41:PRO:HA	1.82	0.44
5:A:292:GLY:N	5:A:296:TYR:O	2.50	0.43
11:P:40:ASN:HA	11:P:41:PRO:HA	1.79	0.43
17:Z:1017:UNK:O	17:Z:1021:UNK:CB	2.66	0.43
8:H:51:GLU:HA	8:H:75:PHE:HA	2.00	0.42
11:K:40:ASN:HA	11:K:41:PRO:HA	1.84	0.42
6:F:346:TYR:HA	6:F:347:PRO:HA	1.83	0.42
11:L:21:GLY:HA3	11:M:20:THR:HA	2.02	0.42
11:R:40:ASN:HA	11:R:41:PRO:HA	1.89	0.42
5:A:271:ASP:HA	5:A:272:ASP:HA	1.55	0.42
6:E:346:TYR:HA	6:E:347:PRO:HA	1.79	0.41
6:E:257:ASP:HA	6:E:258:ASN:HA	1.52	0.41
11:M:21:GLY:HA3	11:N:20:THR:HA	2.02	0.41
11:T:40:ASN:HA	11:T:41:PRO:HA	1.81	0.41
11:R:21:GLY:HA3	11:S:20:THR:HA	2.02	0.41
5:B:33:VAL:HA	5:B:43:VAL:HA	2.03	0.41
13:V:50:GLU:O	13:V:52:ILE:N	2.54	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:53:GLU:HA	5:B:96:ILE:HA	2.03	0.40
5:C:11:VAL:O	5:C:13:SER:N	2.55	0.40
5:C:28:ASP:HA	5:C:47:ASN:H	1.86	0.40
11:Q:21:GLY:HA3	11:R:20:THR:HA	2.03	0.40
17:Z:1028:UNK:O	17:Z:1032:UNK:N	2.55	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	A	496/510 (97%)	449 (90%)	43 (9%)	4 (1%)	19	60
5	B	494/510 (97%)	441 (89%)	50 (10%)	3 (1%)	25	66
5	C	503/510 (99%)	453 (90%)	42 (8%)	8 (2%)	9	44
6	D	469/476 (98%)	431 (92%)	33 (7%)	5 (1%)	14	52
6	E	467/476 (98%)	422 (90%)	39 (8%)	6 (1%)	12	48
6	F	468/476 (98%)	424 (91%)	41 (9%)	3 (1%)	25	66
7	G	265/269 (98%)	242 (91%)	20 (8%)	3 (1%)	14	52
8	H	126/138 (91%)	100 (79%)	22 (18%)	4 (3%)	4	26
9	I	53/63 (84%)	46 (87%)	7 (13%)	0	100	100
10	J	41/66 (62%)	40 (98%)	1 (2%)	0	100	100
11	K	71/76 (93%)	66 (93%)	2 (3%)	3 (4%)	3	22
11	L	69/76 (91%)	63 (91%)	3 (4%)	3 (4%)	2	22
11	M	70/76 (92%)	66 (94%)	2 (3%)	2 (3%)	4	29
11	N	70/76 (92%)	65 (93%)	2 (3%)	3 (4%)	2	22
11	O	71/76 (93%)	64 (90%)	4 (6%)	3 (4%)	3	22
11	P	72/76 (95%)	66 (92%)	3 (4%)	3 (4%)	3	22

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	Q	72/76 (95%)	65 (90%)	3 (4%)	4 (6%)	2	19
11	R	71/76 (93%)	65 (92%)	3 (4%)	3 (4%)	3	22
11	S	71/76 (93%)	65 (92%)	3 (4%)	3 (4%)	3	22
11	T	70/76 (92%)	64 (91%)	3 (4%)	3 (4%)	2	22
12	U	159/194 (82%)	115 (72%)	27 (17%)	17 (11%)	0	8
13	V	152/204 (74%)	147 (97%)	3 (2%)	2 (1%)	12	48
14	W	113/155 (73%)	107 (95%)	4 (4%)	2 (2%)	8	40
16	Y	118/252 (47%)	105 (89%)	8 (7%)	5 (4%)	3	22
All	All	4631/5059 (92%)	4171 (90%)	368 (8%)	92 (2%)	11	38

All (92) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	G	60	PRO
11	K	41	PRO
11	L	41	PRO
11	M	41	PRO
11	Q	41	PRO
11	R	41	PRO
11	S	41	PRO
11	T	41	PRO
12	U	81	GLU
12	U	82	PRO
12	U	126	LYS
14	W	51	PRO
16	Y	149	VAL
16	Y	156	PRO
5	C	12	SER
6	D	323	PRO
6	E	340	ILE
6	F	163	GLY
6	F	323	PRO
11	M	46	THR
11	N	46	THR
12	U	72	SER
12	U	118	VAL
13	V	51	SER
5	A	70	PRO
5	A	159	VAL

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
5	B	28	ASP
5	C	8	PRO
5	C	24	GLU
5	C	147	PRO
6	E	323	PRO
6	E	341	SER
8	H	23	THR
8	H	62	SER
11	K	40	ASN
11	K	46	THR
11	L	40	ASN
11	L	46	THR
11	Q	2	GLN
11	Q	40	ASN
11	Q	46	THR
11	R	46	THR
11	S	46	THR
11	T	40	ASN
12	U	11	GLN
12	U	14	GLY
12	U	61	ALA
12	U	62	LEU
12	U	69	GLU
12	U	123	VAL
12	U	127	PRO
16	Y	165	GLU
6	D	225	GLU
6	E	145	LEU
6	E	225	GLU
6	F	221	GLY
8	H	36	SER
8	H	43	ALA
11	N	41	PRO
11	O	41	PRO
11	O	46	THR
11	P	40	ASN
11	P	41	PRO
11	P	46	THR
11	R	40	ASN
11	S	40	ASN
11	T	46	THR
12	U	78	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
12	U	131	LYS
5	A	69	GLU
5	C	69	GLU
6	D	82	ALA
6	E	82	ALA
7	G	183	PRO
11	N	40	ASN
11	O	40	ASN
12	U	121	THR
12	U	132	ILE
7	G	196	ILE
13	V	50	GLU
6	D	221	GLY
16	Y	153	THR
16	Y	155	LEU
12	U	71	VAL
5	A	204	VAL
5	B	69	GLU
5	C	70	PRO
5	C	140	PRO
5	C	204	VAL
6	D	83	PRO
5	B	290	PRO
14	W	54	VAL

### 5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

Of 11 ligands modelled in this entry, 5 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
20	ADP	B	600	19	24,29,29	0.96	1 (4%)	29,45,45	1.41	4 (13%)
20	ADP	C	600	19	24,29,29	0.96	1 (4%)	29,45,45	1.41	4 (13%)
20	ADP	E	600	-	24,29,29	0.96	1 (4%)	29,45,45	1.42	4 (13%)
18	ATP	A	600	19	26,33,33	0.94	1 (3%)	31,52,52	1.55	5 (16%)
20	ADP	F	600	19	24,29,29	0.96	1 (4%)	29,45,45	1.41	4 (13%)
20	ADP	D	600	19	24,29,29	0.95	1 (4%)	29,45,45	1.41	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
20	ADP	B	600	19	-	3/12/32/32	0/3/3/3
20	ADP	C	600	19	-	3/12/32/32	0/3/3/3
20	ADP	E	600	-	-	3/12/32/32	0/3/3/3
18	ATP	A	600	19	-	2/18/38/38	0/3/3/3
20	ADP	F	600	19	-	3/12/32/32	0/3/3/3
20	ADP	D	600	19	-	3/12/32/32	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	A	600	ATP	C5-C4	2.52	1.47	1.40
20	C	600	ADP	C5-C4	2.51	1.47	1.40
20	E	600	ADP	C5-C4	2.49	1.47	1.40
20	B	600	ADP	C5-C4	2.49	1.47	1.40
20	F	600	ADP	C5-C4	2.49	1.47	1.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
20	D	600	ADP	C5-C4	2.48	1.47	1.40

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	A	600	ATP	PB-O3B-PG	-3.50	120.80	132.83
18	A	600	ATP	PA-O3A-PB	-3.41	121.12	132.83
20	E	600	ADP	C3'-C2'-C1'	3.27	105.90	100.98
20	C	600	ADP	C3'-C2'-C1'	3.27	105.89	100.98
20	B	600	ADP	C3'-C2'-C1'	3.26	105.88	100.98
20	F	600	ADP	C3'-C2'-C1'	3.25	105.87	100.98
18	A	600	ATP	C3'-C2'-C1'	3.24	105.85	100.98
20	E	600	ADP	PA-O3A-PB	-3.23	121.76	132.83
20	F	600	ADP	PA-O3A-PB	-3.22	121.78	132.83
20	D	600	ADP	C3'-C2'-C1'	3.22	105.82	100.98
20	D	600	ADP	PA-O3A-PB	-3.21	121.80	132.83
20	C	600	ADP	PA-O3A-PB	-3.21	121.80	132.83
20	B	600	ADP	PA-O3A-PB	-3.21	121.82	132.83
20	F	600	ADP	N3-C2-N1	-3.20	123.67	128.68
20	B	600	ADP	N3-C2-N1	-3.20	123.68	128.68
20	E	600	ADP	N3-C2-N1	-3.19	123.69	128.68
18	A	600	ATP	N3-C2-N1	-3.18	123.71	128.68
20	D	600	ADP	N3-C2-N1	-3.18	123.71	128.68
20	C	600	ADP	N3-C2-N1	-3.16	123.73	128.68
20	C	600	ADP	C4-C5-N7	-2.72	106.57	109.40
20	E	600	ADP	C4-C5-N7	-2.70	106.58	109.40
20	F	600	ADP	C4-C5-N7	-2.70	106.58	109.40
20	B	600	ADP	C4-C5-N7	-2.70	106.58	109.40
18	A	600	ATP	C4-C5-N7	-2.70	106.59	109.40
20	D	600	ADP	C4-C5-N7	-2.68	106.61	109.40

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	A	600	ATP	PB-O3A-PA-O1A
18	A	600	ATP	PB-O3A-PA-O2A
20	E	600	ADP	O4'-C4'-C5'-O5'
20	B	600	ADP	O4'-C4'-C5'-O5'
20	C	600	ADP	O4'-C4'-C5'-O5'
20	D	600	ADP	O4'-C4'-C5'-O5'
20	F	600	ADP	O4'-C4'-C5'-O5'

*Continued on next page...*





*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
20	B	600	ADP	PB-O3A-PA-O1A
20	B	600	ADP	PB-O3A-PA-O2A
20	C	600	ADP	PB-O3A-PA-O1A
20	C	600	ADP	PB-O3A-PA-O2A
20	D	600	ADP	PB-O3A-PA-O1A
20	D	600	ADP	PB-O3A-PA-O2A
20	E	600	ADP	PB-O3A-PA-O1A
20	E	600	ADP	PB-O3A-PA-O2A
20	F	600	ADP	PB-O3A-PA-O1A
20	F	600	ADP	PB-O3A-PA-O2A


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
14	W	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	W	127:SER	C	1001:UNK	N	6.18
1	W	12:ASP	C	13:TRP	N	4.59


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4101. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 151



Y Index: 151



Z Index: 180


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.145. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

## 6.5 Mask visualisation


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 375 nm<sup>3</sup>; this corresponds to an approximate mass of 339 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of  $0.128 \text{\AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.128 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	7.80	-	-
Author-provided FSC curve	7.79	9.29	7.89
Unmasked-calculated*	-	-	-

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4101 and PDB model 5LQY. Per-residue inclusion information can be found in section 3 on page 9.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.145 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.145).

## 9.4 Atom inclusion [i](#)

































































At the recommended contour level, 82% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.145) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7602	 0.2060
1	 0.6200	 0.1630
2	 0.8480	 0.2230
3	 0.6118	 0.2000
4	 0.7037	 0.2290
A	 0.8235	 0.2180
B	 0.7651	 0.2100
C	 0.7978	 0.2160
D	 0.8132	 0.2190
E	 0.7543	 0.1990
F	 0.8119	 0.2090
G	 0.8095	 0.2160
H	 0.7346	 0.2010
I	 0.8134	 0.2290
J	 0.7299	 0.2310
K	 0.6236	 0.1840
L	 0.6801	 0.1930
M	 0.6250	 0.1850
N	 0.5966	 0.1990
O	 0.5462	 0.1670
P	 0.6105	 0.1820
Q	 0.6547	 0.1890
R	 0.5798	 0.1620
S	 0.6443	 0.1840
T	 0.6364	 0.1940
U	 0.7790	 0.2020
V	 0.8123	 0.1950
W	 0.6957	 0.1790
X	 0.5810	 0.1850
Y	 0.7321	 0.2140
Z	 0.7864	 0.2270

