

Nov 16, 2022 – 10:54 AM JST

PDB ID	:	6LSR
EMDB ID	:	EMD-0963
Title	:	Cryo-EM structure of a pre-60S ribosomal subunit - state B
Authors	:	Liang, X.; Zuo, M.; Zhang, Y.; Li, N.; Ma, C.; Dong, M.; Gao, N.
Deposited on	:	2020-01-20
Resolution	:	3.13 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev43
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM} {f structures} \ (\#{f Entries})$
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length		Quality of a	chain	
1	0	477	<u>18%</u> 39%	•	60%	
2	1	658	23%		62%	
3	2	5070	44%	21%	•	31%
4	3	534	46%		52%	
5	5	120	–	78%		19% ·
6	6	245	7%	91%		9%
7	8	156	6 9	%		28% •••
8	А	217	55%	92%		6% •



Mol	Chain	Length	Quality of chain	
9	В	403	9 8%	•
10	С	159	58% 42%	-
11	D	427	83% • 16%	
12	Е	115		
13	F	117	90% • 7%	6
14	G	266	7% 86% • 13%	_
15	Н	123	99%	·
16	Ι	192	98%	
17	К	105	94%	•
18	L	148	99%	••
19	М	97	87% • 11%	
20	Ν	178	12% 89% ··· 9%	
21	О	70	96%	•
22	Р	51	• 98%	•
23	Q	211	<u>5%</u> 99%	.
24	S	215	62% 38%	_
25	Т	125	5% 83% • 14%	-
26	U	204	98%	
27	V	203	96%	
28	W	106	9%	
29	Х	92	98%	
30	Y	184	82% · 17%	_
31	Z	188	99%	
32	a	196	74% 26%	_
33	b	176	98%	

Continued from previous page...



Mol	Chain	Length	Quality of chain	
34	с	160	97%	•••
35	d	128	77%	23%
36	е	140	91%	• 8%
37	f	157	3 9% 61%	
38	g	156	75%	25%
39	h	145	92%	• 8%
40	i	136	97%	••
41	1	137	89%	• 9%
42	m	257	94%	
43	r	297	<mark>6%</mark> 92%	• 7%
44	t	135	95%	5%
45	u	110	94%	5%•
46	V	288	9%	• 18%
47	W	248	90%	• 9%
48	Z	394	90%	• 10%

Continued from previous page...



2 Entry composition (i)

There are 50 unique types of molecules in this entry. The entry contains 141172 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Zinc finger protein 622.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	190	Total 1537	C 968	N 266	0 287	S 16	0	0

• Molecule 2 is a protein called Large subunit GTPase 1 homolog.

Mol	Chain	Residues	Atoms			AltConf	Trace	
2	1	247	Total 988	C 494	N 247	0 247	0	0

• Molecule 3 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	3482	Total 74786	C 33362	N 13689	0 24254	Р 3481	0	0

• Molecule 4 is a protein called 60S ribosomal export protein NMD3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	3	255	Total 2053	C 1305	N 358	0 373	S 17	0	0

There are 31 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
3	504	GLY	-	expression tag	UNP Q96D46
3	505	SER	-	expression tag	UNP Q96D46
3	506	GLU	-	expression tag	UNP Q96D46
3	507	ASN	-	expression tag	UNP Q96D46
3	508	LEU	-	expression tag	UNP Q96D46
3	509	TYR	-	expression tag	UNP Q96D46
3	510	PHE	-	expression tag	UNP Q96D46
3	511	GLN	-	expression tag	UNP Q96D46
3	512	GLY	-	expression tag	UNP Q96D46



Chain	Residue	Modelled	Actual	Comment	Reference
3	513	ASP	-	expression tag	UNP Q96D46
3	514	TYR	-	expression tag	UNP Q96D46
3	515	LYS	-	expression tag	UNP Q96D46
3	516	ASP	-	expression tag	UNP Q96D46
3	517	HIS	-	expression tag	UNP Q96D46
3	518	ASP	-	expression tag	UNP Q96D46
3	519	GLY	-	expression tag	UNP Q96D46
3	520	ASP	-	expression tag	UNP Q96D46
3	521	TYR	-	expression tag	UNP Q96D46
3	522	LYS	-	expression tag	UNP Q96D46
3	523	ASP	-	expression tag	UNP Q96D46
3	524	HIS	-	expression tag	UNP Q96D46
3	525	ASP	-	expression tag	UNP Q96D46
3	526	ILE	-	expression tag	UNP Q96D46
3	527	ASP	-	expression tag	UNP Q96D46
3	528	TYR	-	expression tag	UNP Q96D46
3	529	LYS	-	expression tag	UNP Q96D46
3	530	ASP	-	expression tag	UNP Q96D46
3	531	ASP	-	expression tag	UNP Q96D46
3	532	ASP	-	expression tag	UNP Q96D46
3	533	ASP	-	expression tag	UNP Q96D46
3	534	LYS	-	expression tag	UNP Q96D46

Continued from previous page...

• Molecule 5 is a RNA chain called 5S rRNA.

Mol	Chain	Residues		A	AltConf	Trace			
5	5	120	Total 2558	C 1141	N 456	0 842	Р 119	0	0

• Molecule 6 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	224	Total 1704	C 1060	N 294	O 339	S 11	0	0

• Molecule 7 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues		Α	toms			AltConf	Trace
7	8	155	Total 3294	C 1471	N 583	O 1086	Р 154	0	0

• Molecule 8 is a protein called 60S ribosomal protein L10a.



Mol	Chain	Residues		At		AltConf	Trace		
8	А	212	Total 1708	C 1092	N 308	O 300	S 8	0	0

• Molecule 9 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues		At		AltConf	Trace		
9	В	402	Total 3238	C 2060	N 608	O 556	S 14	0	0

• Molecule 10 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	С	92	Total 757	С 471	N 166	0 117	${ m S} { m 3}$	0	0

• Molecule 11 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues		At	AltConf	Trace			
11	D	357	Total 2846	C 1791	N 569	0 472	S 14	0	0

• Molecule 12 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues		At	oms	AltConf	Trace		
12	Е	94	Total 732	C 465	N 130	0 131	S 6	0	0

• Molecule 13 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues		At	oms		AltConf	Trace	
13	F	109	Total 868	С 544	N 179	O 139	S 6	0	0

• Molecule 14 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues		Ate	oms			AltConf	Trace
14	G	231	Total 1853	C 1180	N 359	0 310	${S \atop 4}$	0	0

• Molecule 15 is a protein called 60S ribosomal protein L35.



Mol	Chain	Residues		At	oms			AltConf	Trace
15	Н	122	Total 1015	C 641	N 205	O 168	S 1	0	0

• Molecule 16 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues		At	oms	AltConf	Trace		
16	Ι	190	Total 1518	C 956	N 284	0 272	S 6	0	0

• Molecule 17 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues		At	oms	AltConf	Trace		
17	K	102	Total 832	C 521	N 177	0 129	${ m S}{ m 5}$	0	0

• Molecule 18 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues		At	\mathbf{oms}			AltConf	Trace
18	L	147	Total 1162	C 736	N 237	0 186	${ m S} { m 3}$	0	0

• Molecule 19 is a protein called 60S ribosomal protein L37.

Mol	Chain	Residues		At	oms		AltConf	Trace	
19	М	86	Total 705	C 434	N 155	0 111	${f S}{5}$	0	0

• Molecule 20 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues		At	oms			AltConf	Trace
20	Ν	162	Total 1302	C 823	N 244	O 230	${ m S}{ m 5}$	0	0

• Molecule 21 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues		Ate	oms			AltConf	Trace
21	О	68	Total 559	C 360	N 101	O 97	S 1	0	0

• Molecule 22 is a protein called 60S ribosomal protein L39.



Mol	Chain	Residues		Ato	\mathbf{ms}			AltConf	Trace
22	Р	50	Total	C	N	0	S	0	0
			444	281	98	64	T		

• Molecule 23 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues		Ate	AltConf	Trace			
23	Q	210	Total 1701	C 1064	N 352	0 281	$\frac{S}{4}$	0	0

• Molecule 24 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues		At	oms	AltConf	Trace		
24	S	134	Total 1103	C 707	N 212	0 177	${f S}{7}$	0	0

• Molecule 25 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues		At	oms			AltConf	Trace
25	Т	107	Total 888	C 560	N 171	0 155	${ m S} { m 2}$	0	0

• Molecule 26 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues		Ate	oms			AltConf	Trace
26	U	203	Total 1701	C 1072	N 359	O 266	S 4	0	0

• Molecule 27 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues		At		AltConf	Trace		
27	V	199	Total 1634	C 1053	N 319	O 257	${ m S}{ m 5}$	0	0

• Molecule 28 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues		At	oms		AltConf	Trace	
28	W	105	Total 862	C 542	N 175	0 139	S 6	0	0

• Molecule 29 is a protein called 60S ribosomal protein L37a.



Mol	Chain	Residues		At	oms	AltConf	Trace		
29	Х	91	Total 708	$\begin{array}{c} \mathrm{C} \\ 445 \end{array}$	N 136	O 120	${ m S} 7$	0	0

• Molecule 30 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues		At	oms	AltConf	Trace		
30	Y	153	Total 1242	C 776	N 241	O 216	S 9	0	0

• Molecule 31 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues		At	oms	AltConf	Trace		
31	Z	187	Total 1513	C 944	N 314	O 250	${ m S}{ m 5}$	0	0

• Molecule 32 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues		At	oms	AltConf	Trace		
32	a	145	Total 1217	C 759	N 262	0 187	S 9	0	0

• Molecule 33 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues		\mathbf{A}	toms			AltConf	Trace
33	b	175	Total 1453	C 925	N 283	O 235	S 10	0	0

• Molecule 34 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues		At	oms	AltConf	Trace		
34	С	157	Total 1284	C 815	N 250	0 214	${ m S}{ m 5}$	0	0

• Molecule 35 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues		At	oms	AltConf	Trace		
35	d	99	Total 808	C 518	N 141	0 147	${S \over 2}$	0	0

• Molecule 36 is a protein called 60S ribosomal protein L23.



Mol	Chain	Residues		At	oms			AltConf	Trace
36	е	129	Total 969	C 613	N 182	0 169	${f S}{5}$	0	0

• Molecule 37 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues		Ate	oms	AltConf	Trace		
37	f	62	Total 519	C 332	N 101	O 83	${ m S} { m 3}$	0	0

• Molecule 38 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues		At	oms	AltConf	Trace		
38	g	117	Total 958	C 612	N 179	0 166	S 1	0	0

• Molecule 39 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues		At	oms	AltConf	Trace		
39	h	134	Total 1115	C 700	N 226	0 186	${ m S} { m 3}$	0	0

• Molecule 40 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues		At	oms	AltConf	Trace		
40	i	135	Total 1107	С 714	N 208	0 182	${ m S} { m 3}$	0	0

• Molecule 41 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	1	125	Total 1002	C 622	N 207	0 168	${ m S}{ m 5}$	0	0

• Molecule 42 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms				AltConf	Trace	
42	m	248	Total 1898	C 1189	N 389	0 314	S 6	0	0

• Molecule 43 is a protein called 60S ribosomal protein L5.



Mol	Chain	Residues	Atoms				AltConf	Trace	
43	r	275	Total 2237	C 1414	N 405	O 404	S 14	0	0

• Molecule 44 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms				AltConf	Trace	
44	t	128	Total 1053	C 667	N 216	0 165	${ m S}{ m 5}$	0	0

• Molecule 45 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms				AltConf	Trace	
45	u	109	Total 876	C 555	N 174	0 144	${ m S} { m 3}$	0	0

• Molecule 46 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms				AltConf	Trace	
46	V	235	Total 1897	C 1217	N 360	O 316	${f S}$ 4	0	0

• Molecule 47 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms				AltConf	Trace	
47	W	225	Total 1878	C 1207	N 361	O 301	S 9	1	0

• Molecule 48 is a protein called Proliferation-associated protein 2G4.

Mol	Chain	Residues	Atoms				AltConf	Trace	
48	Z	354	Total 2837	C 1792	N 483	0 543	S 19	13	0

• Molecule 49 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
49	2	236	Total Mg 236 236	0
49	5	3	Total Mg 3 3	0
49	8	1	Total Mg 1 1	0



Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
49	F	1	Total Mg 1 1	0
49	a	1	Total Mg 1 1	0
49	С	1	Total Mg 1 1	0
49	m	2	Total Mg 2 2	0
49	W	1	Total Mg 1 1	0

• Molecule 50 is water.

Mol	Chain	Residues	Atoms	AltConf
50	2	7	Total O 7 7	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Zinc finger protein 622

































Chain I:	98%	
M1 K51 T72 G109 A139 D142 C1176	A190	
• Molecule 17: 60S	ribosomal protein L36	
Chain K:	94%	• •
MET A2 118 P24 P24 A100 A101 A101 A101 A103	LYS ASP	
• Molecule 18: 60S	ribosomal protein L27a	
Chain L:	99%	
MET P2 K94 R95 G96 A148		
• Molecule 19: 60S	ribosomal protein L37	
Chain M:	87%	• 11%
MET 12 11 11 11 11 11 11 11 11 11 11 11 11	SER SER SER SER	
• Molecule 20: 60S	ribosomal protein L11	
Chain N:	89%	•• 9%
MET ALA GLN GLN GLV GLV GLU GLU ASN MET MET	E28 K38 E41 641 641 642 661 162 R63 R63 R63 R63 R63 R63 R63 R63 R63 R63	P121 5122 5122 5124 5125 7126 1174 1174 1174 1174 1174 1174 1174 117
• Molecule 21: 60S	ribosomal protein L38	
Chain O:	96%	
MET P2 D10 P62 P62 P62 P62		
• Molecule 22: 60S	ribosomal protein L39	
Chain P:	98%	
MET S G G G G S C L 5 1		



• Molecule 23: 60S ribosomal protein L13	
Chain Q: 99%	
MET A2 146 R103 K145 K145 A203 e204 Q205 K210 K211 K211	
\bullet Molecule 24: 60S ribosomal protein L14	
Chain S: 62%	38%
MET V2 V2 V2 V2 V2 V2 V2 V2 V2 V2 V2 V2 V2	LYS LYS THR THR ALA ALA ALA ALA ALA CLYS CLY CLYS CLN CLYS CLN CLN CLYS CLN CLN CLN CLN CLN CLN CLN CLN CLN CLN
ALA PRO PRO LYS CLYS CLYS CLYS CLYS CLYS CLYS CLNS CLNS CLNS CLNS CLNS CLNS CLNS CLN	
• Molecule 25: 60S ribosomal protein L31	
5% Chain T: 83%	• 14%
MET ALA ALA ALA ALA ALA ALA CLY CLY CLY CLY CLY CLY CLU CLY CLY CLU CLY CLY CLY CLY CLY CLY CLY CLY CLY CLY	NSA
• Molecule 26: 60S ribosomal protein L15	
Chain U: 98%	
MET 62 83 84 1134 1147 8204	
• Molecule 27: 60S ribosomal protein L13a	
Chain V: 96%	•••
MET GLU CLU CAL CAL CAL CAL CAL CAL CAL CAL CAL CAL	
\bullet Molecule 28: 60S ribosomal protein L36a	
Chain W: 99%	
MET V2 N76 B96 R999 K100 C101 Q102 F106 F106	
\bullet Molecule 29: 60S ribosomal protein L37a	
Chain X: 98%	





• Molecule 30: 60S ribosomal protein L17

Chain Y:	82%	• 17%
MET V24 N24 B131 E154 GLN	ILE PRO PRO CLU CLU CLU CLU CLU CLU CLU CLU CLV CLV CLV CLV CLV CLV CLV CLV CLV CLV	
• Molecule 3	31: 60S ribosomal protein L18	
Chain Z:	99%	
MET G2 L28 N188		
• Molecule 3	32: 60S ribosomal protein L19	
Chain a:	74%	26%
MET S2 K146 ALA ASP ALA ALA ALA ARG	LYS LEU LEU ALA ALA ALA ALA ALA ALA ALA ALA ALA AL	SER LYS GLU GLU CLU CLU LYS LYS LYS
• Molecule 3	33: 60S ribosomal protein L18a	
Chain b:	98%	
MET K2 H23 V38	1100 B87	
• Molecule 3	34: 60S ribosomal protein L21	
Chain c:	97%	••
MET 12 6121 6123 9135	R136 E147 HET ALA ALA	
• Molecule 3	35: 60S ribosomal protein L22	
Chain d:	77% •	23%
MET PRO PRO VAL LYS LYS LEU VAL VAL	LIVE LIVE	ASV ATD ASV ATD ATD
• Molecule 3	36: 60S ribosomal protein L23	



Chain e:	91% .	8%
MET SER LYS ARG GLY GLY GLY SER SER GLY	A 12 A 140	
• Molecule 37:	60S ribosomal protein L24	
Chain f:	39% 61%	_
M1 C26 C26 G26 G26 G26 G20 G1U G1U G1U	ILE CVS CVS CVS CVS CVS ARG ARG ARG ARG ARG ARG ARG ARG ARG ARG	ALA TLA ARG ALA ALA CLU ALA
LYS LYS LYS ALA CLN GLN ALA SER LYS LYS LYS THR ALA	MET MET ALA ALA ALA ALA ALA ALA ALA ALA ALA AL	
• Molecule 38:	60S ribosomal protein L23a	
Chain g:	75% 25%	_
MET ALA PRO LYS ALA ALA CYS GLU ALA ALA ALA	PRU PRU ALA ALA ALA ALA ALA ALA ALA ALA ALA AL	
• Molecule 39:	60S ribosomal protein L26	
Chain h:	92%	8%
M1 Y14 K132 C133 K134 C133 G1U G1U	THR GLU GLU GLU GLU	
• Molecule 40:	60S ribosomal protein L27	
Chain i:	97%	
MET G2 D31 K62 B88 L91 C91	K93 1124 136 1126 136 1126 136	
• Molecule 41:	60S ribosomal protein L28	
Chain l:	89% . 9	%
MET 82 82 N21 N21 127 A55 M125	V126 LYS LYS ARG PRO THR LYS SER SER	
• Molecule 42:	60S ribosomal protein L8	
Chain m:	94%	











4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	18819	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
Micrographa	EEL TITAN KDIOS	Deperitor
Microscope	FEI IIIAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	64	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT $(4k \ge 4k)$	Depositor
Maximum map value	0.551	Depositor
Minimum map value	-0.234	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.07	Depositor
Map size (Å)	507.84, 507.84, 507.84	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ($^{\circ}$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.058, 1.058, 1.058	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: B9H, M7A, 5MC, E7G, MG, 7MG, 6MZ, P4U, BGH, MHG, P7G, B8Q, OMG, I4U, A2M, B8T, OMU, 1MA, UR3, PSU, 2MG, OMC, B8W, 5MU, B8K, B8H, B9B, E6G

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	B	ond lengths	I	Bond angles
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	0	0.40	0/1569	0.65	1/2098~(0.0%)
2	1	0.36	0/976	0.66	0/1199
3	2	1.16	10/81127~(0.0%)	1.28	853/126475~(0.7%)
4	3	0.47	1/2096~(0.0%)	0.64	1/2832~(0.0%)
5	5	0.91	0/2858	1.19	15/4455~(0.3%)
6	6	0.42	0/1728	0.66	0/2352
7	8	4.05	9/3678~(0.2%)	1.69	47/5728~(0.8%)
8	А	0.37	0/1736	0.70	1/2328~(0.0%)
9	В	0.56	0/3306	0.68	2/4424~(0.0%)
10	С	0.39	0/769	0.55	0/1014
11	D	0.56	0/2900	0.64	0/3895
12	Ε	0.60	2/742~(0.3%)	0.67	0/996
13	F	0.54	0/878	0.69	2/1170~(0.2%)
14	G	0.48	0/1886	0.62	0/2539
15	Н	0.47	0/1023	0.60	0/1351
16	Ι	0.43	0/1537	0.62	1/2066~(0.0%)
17	Κ	0.45	0/843	0.59	0/1115
18	L	0.56	0/1191	0.61	1/1591~(0.1%)
19	М	0.64	0/720	0.70	1/952~(0.1%)
20	Ν	0.40	0/1323	0.67	1/1768~(0.1%)
21	Ο	0.44	0/565	0.57	0/750
22	Р	0.56	0/454	0.61	0/599
23	\mathbf{Q}	0.51	0/1732	0.60	0/2315
24	S	0.50	0/1125	0.58	0/1505
25	Т	0.52	0/903	0.62	1/1216~(0.1%)
26	U	0.60	0/1746	0.65	1/2338~(0.0%)
27	V	0.57	0/1666	0.59	1/2228~(0.0%)
28	W	0.51	0/876	0.62	0/1156
29	Х	0.59	0/718	0.62	0/953
30	Y	0.56	0/1268	0.62	0/1701
31	Z	0.58	$0/1\overline{537}$	0.69	1/2052~(0.0%)



Mol Chain		В	ond lengths	Bond angles		
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
32	a	0.47	0/1233	0.58	0/1633	
33	b	0.55	0/1493	0.58	0/2003	
34	с	0.55	0/1312	0.61	0/1753	
35	d	0.45	0/822	0.68	0/1103	
36	е	0.49	0/983	0.68	2/1319~(0.2%)	
37	f	0.47	0/532	0.60	0/708	
38	g	0.50	0/975	0.63	0/1312	
39	h	0.55	0/1132	0.63	0/1504	
40	i	0.54	0/1130	0.63	0/1507	
41	1	0.54	0/1017	0.59	0/1364	
42	m	0.60	0/1936	0.71	1/2596~(0.0%)	
43	r	0.48	0/2281	0.60	1/3058~(0.0%)	
44	t	0.57	0/1071	0.64	0/1429	
45	u	0.62	0/895	0.69	0/1198	
46	V	0.45	0/1935	0.67	1/2596~(0.0%)	
47	W	0.55	0/1916	0.65	1/2553~(0.0%)	
48	Z	0.56	0/2911	0.64	2/3913~(0.1%)	
All	All	1.12	22/149050~(0.0%)	1.10	938/218710~(0.4%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	1	0	2
8	А	0	3
9	В	0	1
12	Е	0	1
20	Ν	0	1
21	0	0	1
23	Q	0	1
26	U	0	1
30	Y	0	1
34	с	0	1
35	d	0	1
40	i	0	1
41	1	0	1
42	m	0	1
45	u	0	2
46	V	0	2
47	W	0	1
All	All	0	22



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	417	G	C2-N2	132.94	2.67	1.34
7	8	16	G	N3-C4	123.93	2.22	1.35
7	8	16	G	C2-N3	106.90	2.18	1.32
7	8	16	G	C6-N1	101.25	2.10	1.39
7	8	16	G	N1-C2	86.95	2.07	1.37
7	8	16	G	C5-C4	81.29	1.95	1.38
7	8	16	G	C5-C6	65.82	2.08	1.42
3	2	417	G	N3-C4	-13.36	1.26	1.35
3	2	417	G	C5-C4	-11.39	1.30	1.38
7	8	16	G	N9-C4	-9.75	1.30	1.38
7	8	16	G	C8-N7	7.73	1.35	1.30
4	3	397	ARG	CA-CB	6.59	1.68	1.53
3	2	2465	С	N1-C6	-6.46	1.33	1.37
3	2	417	G	N9-C4	-5.97	1.33	1.38
12	Е	92	CYS	CB-SG	-5.92	1.72	1.81
12	Е	52	CYS	CB-SG	-5.92	1.72	1.81
3	2	417	G	N1-C2	5.42	1.42	1.37
3	2	1663	С	C4-C5	-5.36	1.38	1.43
3	2	416	U	C4-C5	-5.35	1.38	1.43
3	2	1577	G	C2-N3	-5.20	1.28	1.32
3	2	2579	G	N9-C4	-5.06	1.33	1.38
7	8	82	А	N9-C4	5.04	1.40	1.37

All (22) bond length outliers are listed below:

All ((938)	bond	angle	outliers	are	listed	below:
-------	-------	-----------------------	-------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	417	G	C2-N3-C4	38.59	131.19	111.90
7	8	16	G	C2-N3-C4	37.70	130.75	111.90
7	8	16	G	C4-C5-N7	-37.43	95.83	110.80
3	2	417	G	N1-C2-N3	-36.89	101.76	123.90
7	8	16	G	N3-C4-C5	-31.04	113.08	128.60
7	8	16	G	N1-C2-N3	-30.23	105.76	123.90
7	8	16	G	N3-C4-N9	24.79	140.87	126.00
3	2	417	G	N9-C4-C5	23.24	114.70	105.40
7	8	16	G	N7-C8-N9	22.41	124.30	113.10
3	2	417	G	C6-C5-N7	19.43	142.06	130.40
7	8	16	G	C6-C5-N7	19.41	142.05	130.40
7	8	16	G	C5-C6-N1	19.41	121.20	111.50
3	2	417	G	N1-C2-N2	19.02	133.32	116.20
3	2	417	G	C4-C5-N7	-15.06	104.78	110.80
7	8	16	G	N3-C2-N2	15.03	130.42	119.90
3	2	485	С	C2-N1-C1'	14.56	134.82	118.80
					•	Continued on n	ext page

WORLDWIDE PROTEIN DATA BANK

α \cdot \cdot \cdot	C	•	
Continued	from	previous	page
	5	1	1 0

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	417	G	N3-C4-N9	-14.16	117.50	126.00
3	2	2257	С	C2-N1-C1'	12.21	132.22	118.80
3	2	753	С	N3-C2-O2	-12.16	113.38	121.90
3	2	417	G	C6-N1-C2	11.88	132.23	125.10
3	2	1768	С	N1-C2-O2	11.45	125.77	118.90
3	2	485	С	C6-N1-C1'	-11.21	107.34	120.80
3	2	1768	С	C2-N1-C1'	11.18	131.10	118.80
3	2	2257	С	N1-C2-O2	11.10	125.56	118.90
3	2	180	С	C6-N1-C2	-10.90	115.94	120.30
3	2	485	С	N1-C2-O2	10.81	125.39	118.90
3	2	753	С	N1-C2-O2	10.72	125.33	118.90
3	2	449	С	N1-C2-O2	10.56	125.23	118.90
7	8	16	G	C5-N7-C8	10.46	109.53	104.30
3	2	417	G	C8-N9-C4	-10.45	102.22	106.40
3	2	1715	С	N1-C2-O2	10.36	125.11	118.90
3	2	4557	U	N3-C2-O2	-10.12	115.12	122.20
3	2	925	С	C6-N1-C2	-10.04	116.28	120.30
3	2	1704	С	C6-N1-C2	-10.02	116.29	120.30
3	2	180	С	C5-C6-N1	9.99	125.99	121.00
3	2	4990	С	C2-N1-C1'	9.83	129.61	118.80
3	2	417	G	C8-N9-C1'	9.76	139.69	127.00
3	2	704	С	N1-C2-O2	9.60	124.66	118.90
7	8	16	G	N1-C6-O6	-9.58	114.15	119.90
7	8	147	G	N9-C4-C5	-9.58	101.57	105.40
3	2	449	С	C6-N1-C2	-9.58	116.47	120.30
3	2	655	С	N3-C2-O2	-9.53	115.23	121.90
3	2	1762	С	N1-C2-O2	9.49	124.59	118.90
3	2	1704	С	C2-N1-C1'	9.47	129.21	118.80
3	2	416	U	C2-N1-C1'	9.43	129.01	117.70
3	2	417	G	C4-C5-C6	-9.41	113.15	118.80
7	8	64	U	N3-C2-O2	-9.41	115.61	122.20
3	2	2410	С	C2-N1-C1'	9.37	129.11	118.80
3	2	2410	С	C6-N1-C2	-9.36	116.56	120.30
3	2	1192	С	N3-C2-O2	-9.34	115.36	121.90
3	2	1168	G	N3-C4-N9	-9.31	120.42	126.00
3	2	2257	С	C6-N1-C1'	-9.27	109.67	120.80
3	2	1241	C	C2-N1-C1'	9.26	128.99	118.80
3	2	449	C	N3-C2-O2	-9.24	$115.4\overline{3}$	121.90
3	2	181	C	N1-C2-O2	9.23	124.44	118.90
3	2	4398	C	N1-C2-O2	9.22	124.44	118.90
3	2	1715	C	$C2-N1-\overline{C1'}$	9.18	128.90	118.80
3	2	209	U	C2-N1-C1'	9.17	128.71	117.70



α \cdot \cdot \cdot	C		
Continued	trom	previous	page
	J	1	1

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
7	8	16	G	C8-N9-C1'	9.16	138.91	127.00
3	2	4990	С	C6-N1-C2	-9.12	116.65	120.30
3	2	1768	С	N3-C2-O2	-9.01	115.59	121.90
3	2	1447	С	N3-C2-O2	-8.94	115.64	121.90
3	2	4902	С	C2-N1-C1'	8.90	128.59	118.80
3	2	449	С	C2-N1-C1'	8.88	128.57	118.80
7	8	51	U	N3-C2-O2	-8.83	116.02	122.20
3	2	100	С	C2-N1-C1'	8.82	128.51	118.80
3	2	3598	С	N1-C2-O2	8.82	124.19	118.90
3	2	4601	U	C5-C6-N1	8.82	127.11	122.70
3	2	655	С	N1-C2-O2	8.73	124.14	118.90
7	8	147	G	C4-C5-N7	8.69	114.28	110.80
3	2	181	С	N3-C2-O2	-8.65	115.85	121.90
3	2	1241	С	N1-C2-O2	8.59	124.05	118.90
3	2	4945	G	C5-C6-N1	8.57	115.79	111.50
3	2	654	С	N1-C2-O2	8.52	124.01	118.90
3	2	1762	С	C2-N1-C1'	8.47	128.12	118.80
3	2	1081	С	N1-C2-O2	8.46	123.98	118.90
3	2	1762	С	N3-C2-O2	-8.46	115.98	121.90
7	8	16	G	N1-C2-N2	8.41	123.77	116.20
3	2	489	С	N1-C2-O2	8.39	123.93	118.90
3	2	4476	С	N1-C2-O2	8.38	123.93	118.90
3	2	1704	С	N1-C2-O2	8.35	123.91	118.90
3	2	264	С	C6-N1-C2	-8.35	116.96	120.30
3	2	4682	U	N1-C2-O2	8.34	128.63	122.80
3	2	1447	С	C6-N1-C2	-8.32	116.97	120.30
7	8	51	U	N1-C2-O2	8.32	128.62	122.80
3	2	4303	С	N3-C2-O2	-8.25	116.13	121.90
3	2	1731	С	C5-C6-N1	8.24	125.12	121.00
3	2	4990	С	N1-C2-O2	8.24	123.85	118.90
3	2	704	С	C2-N1-C1'	8.23	127.86	118.80
3	2	753	С	C6-N1-C2	-8.23	117.01	120.30
3	2	2410	С	C5-C6-N1	8.22	125.11	121.00
3	2	115	С	N1-C2-O2	8.22	123.83	118.90
3	2	1663	С	C5-C6-N1	8.21	125.10	121.00
3	2	4895	С	N3-C2-O2	-8.20	116.16	121.90
3	2	4557	U	C2-N1-C1'	8.20	127.53	117.70
3	2	1620	U	N3-C2-O2	-8.19	116.47	122.20
3	2	1768	С	C6-N1-C1'	-8.19	110.98	120.80
3	2	416	U	N3-C2-O2	-8.12	116.52	122.20
3	2	4926	С	N1-C2-O2	8.11	123.77	118.90
3	2	1704	С	C5-C6-N1	8.11	$1\overline{25.05}$	121.00



Continued j	from	previous	page
-------------	------	----------	------

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	485	С	C5-C6-N1	8.10	125.05	121.00
3	2	472	С	C2-N1-C1'	8.09	127.70	118.80
3	2	4895	С	N1-C2-O2	8.08	123.75	118.90
7	8	16	G	C4-N9-C1'	-8.07	116.01	126.50
3	2	4682	U	N3-C2-O2	-8.03	116.58	122.20
3	2	1243	С	N1-C2-O2	7.99	123.69	118.90
3	2	4601	U	C2-N1-C1'	7.95	127.24	117.70
3	2	3636	С	C6-N1-C2	-7.92	117.13	120.30
26	U	134	LEU	CA-CB-CG	7.91	133.49	115.30
3	2	654	С	N3-C2-O2	-7.91	116.37	121.90
7	8	147	G	C8-N9-C1'	-7.88	116.75	127.00
3	2	1715	С	N3-C2-O2	-7.87	116.39	121.90
3	2	1050	С	C6-N1-C2	-7.86	117.16	120.30
3	2	673	С	C2-N1-C1'	7.84	127.42	118.80
3	2	1241	С	C6-N1-C2	-7.84	117.17	120.30
3	2	2561	С	C6-N1-C2	-7.83	117.17	120.30
3	2	2465	С	C5-C6-N1	7.82	124.91	121.00
3	2	4945	G	N3-C4-N9	7.75	130.65	126.00
3	2	115	С	N3-C2-O2	-7.74	116.48	121.90
3	2	4557	U	N1-C2-O2	7.73	128.21	122.80
3	2	1628	С	C6-N1-C2	-7.73	117.21	120.30
3	2	704	С	N3-C2-O2	-7.71	116.51	121.90
3	2	115	С	C2-N1-C1'	7.69	127.26	118.80
3	2	4775	С	N1-C2-O2	7.67	123.50	118.90
3	2	1241	С	N3-C2-O2	-7.65	116.54	121.90
3	2	2096	G	C4-N9-C1'	7.65	136.45	126.50
3	2	77	U	N3-C2-O2	-7.62	116.86	122.20
3	2	2900	U	N1-C2-O2	7.62	128.14	122.80
3	2	1378	С	N1-C2-O2	7.62	123.47	118.90
3	2	1662	С	C6-N1-C2	-7.62	117.25	120.30
3	2	4709	U	C5-C6-N1	7.61	126.51	122.70
3	2	985	С	C2-N1-C1'	7.59	127.15	118.80
3	2	1704	С	N3-C2-O2	-7.59	116.59	121.90
3	2	987	С	C6-N1-C2	-7.57	117.27	120.30
3	2	4926	С	C2-N1-C1'	7.56	127.11	118.80
3	2	41	С	C6-N1-C2	-7.55	117.28	120.30
3	2	672	С	C2-N1-C1'	7.54	127.10	118.80
3	2	672	С	N1-C2-O2	7.54	123.42	118.90
3	2	100	С	N1-C2-O2	7.54	123.42	118.90
3	2	220	С	C5-C6-N1	7.53	124.77	121.00
3	2	220	С	N1-C2-O2	7.53	123.42	118.90
3	2	1821	G	N3-C4-C5	-7.51	124.84	128.60



Continued	from	monique	naae
Commuta	jiom	pretious	page

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	1417	С	C2-N1-C1'	7.51	127.06	118.80
3	2	1216	С	C2-N1-C1'	7.50	127.05	118.80
3	2	1245	C	C5-C6-N1	7.50	124.75	121.00
3	2	4775	С	C2-N1-C1'	7.49	127.04	118.80
3	2	4766	C	C6-N1-C2	-7.48	117.31	120.30
3	2	1731	C	C6-N1-C2	-7.46	117.31	120.30
3	2	10	A	N1-C2-N3	-7.46	125.57	129.30
3	2	512	U	N3-C2-O2	-7.43	117.00	122.20
3	2	2627	С	C2-N1-C1'	7.43	126.98	118.80
3	2	1821	G	N3-C4-N9	7.41	130.44	126.00
3	2	2583	С	C6-N1-C2	-7.39	117.34	120.30
3	2	2528	G	C4-N9-C1'	7.38	136.10	126.50
3	2	2900	U	N3-C2-O2	-7.37	117.04	122.20
3	2	9	С	C6-N1-C2	-7.36	117.36	120.30
3	2	1168	G	C4-N9-C1'	-7.35	116.94	126.50
3	2	1168	G	C8-N9-C1'	7.35	136.56	127.00
3	2	1446	С	N1-C2-O2	7.35	123.31	118.90
3	2	3598	С	N3-C2-O2	-7.34	116.76	121.90
3	2	449	С	C5-C6-N1	7.33	124.66	121.00
3	2	4928	С	C2-N1-C1'	7.33	126.86	118.80
3	2	512	U	N1-C2-O2	7.32	127.92	122.80
3	2	1446	С	C2-N1-C1'	7.31	126.84	118.80
3	2	1168	G	C6-C5-N7	7.31	134.78	130.40
3	2	4476	С	N3-C2-O2	-7.29	116.80	121.90
3	2	673	С	C5-C6-N1	7.28	124.64	121.00
3	2	2583	С	N3-C2-O2	-7.28	116.81	121.90
3	2	416	U	N1-C2-O2	7.27	127.89	122.80
7	8	64	U	N1-C2-O2	7.27	127.89	122.80
36	е	48	ARG	NE-CZ-NH1	7.25	123.92	120.30
3	2	4990	С	N3-C2-O2	-7.25	116.83	121.90
3	2	1216	С	N1-C2-O2	7.23	123.24	118.90
3	2	3696	С	C6-N1-C2	-7.22	117.41	120.30
3	2	1821	G	C4-N9-C1'	7.22	135.88	126.50
3	2	100	С	N3-C2-O2	-7.21	116.85	121.90
3	2	3788	С	C6-N1-C2	-7.21	117.42	120.30
3	2	41	С	C5-C6-N1	7.21	124.60	121.00
3	2	1763	C	P-O3'-C3'	7.21	128.35	119.70
3	2	654	C	C2-N1-C1'	7.18	126.70	118.80
7	8	147	G	C6-C5-N7	-7.18	126.09	130.40
3	2	4078	С	C5-C6-N1	7.18	124.59	121.00
3	2	217	С	N1-C2-O2	7.17	123.20	118.90
3	2	2257	C	N3-C2-O2	-7.16	116.89	121.90



Continued	from	nrevious	naae
Continucu	JIOIN	pretious	page

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	2257	С	C5-C6-N1	7.14	124.57	121.00
3	2	2528	G	N3-C4-N9	7.13	130.28	126.00
3	2	4928	С	N3-C2-O2	-7.13	116.91	121.90
3	2	4601	U	N1-C2-O2	7.09	127.76	122.80
3	2	3866	С	C5-C6-N1	7.09	124.54	121.00
3	2	3637	U	N3-C2-O2	-7.07	117.25	122.20
7	8	111	U	C2-N1-C1'	7.06	126.17	117.70
3	2	914	U	P-O3'-C3'	7.05	128.16	119.70
3	2	2505	С	C2-N1-C1'	7.05	126.56	118.80
3	2	1193	С	C6-N1-C2	-7.05	117.48	120.30
3	2	4078	С	C6-N1-C2	-7.04	117.48	120.30
3	2	2579	G	N3-C4-N9	-7.04	121.78	126.00
3	2	2653	С	C6-N1-C2	-7.03	117.49	120.30
3	2	148	С	C6-N1-C2	-7.01	117.49	120.30
3	2	1439	С	C2-N1-C1'	7.01	126.52	118.80
3	2	2103	G	C4-N9-C1'	7.01	135.62	126.50
3	2	4145	С	N1-C2-O2	7.01	123.10	118.90
3	2	1050	С	C5-C6-N1	7.00	124.50	121.00
3	2	1192	С	N1-C2-O2	6.99	123.09	118.90
3	2	4990	С	C5-C6-N1	6.99	124.50	121.00
3	2	4303	С	C2-N1-C1'	6.99	126.48	118.80
3	2	4882	U	C2-N1-C1'	6.96	126.05	117.70
3	2	498	С	N1-C2-O2	6.95	123.07	118.90
3	2	1340	С	C5-C6-N1	6.94	124.47	121.00
3	2	417	G	C4-N9-C1'	-6.94	117.48	126.50
3	2	418	А	N7-C8-N9	6.93	117.27	113.80
3	2	969	С	C2-N1-C1'	6.92	126.41	118.80
3	2	1620	U	N1-C2-O2	6.92	127.64	122.80
3	2	1740	С	C6-N1-C2	-6.92	117.53	120.30
3	2	1566	С	C5-C6-N1	6.92	124.46	121.00
3	2	992	С	N1-C2-O2	6.91	123.04	118.90
3	2	1633	G	P-O3'-C3'	6.89	127.97	119.70
3	2	4728	U	N1-C2-O2	6.89	127.62	122.80
7	8	82	А	C2-N3-C4	6.89	114.04	110.60
3	2	322	C	N1-C2-O2	6.88	123.03	118.90
3	2	322	C	C6-N1-C2	-6.88	$117.5\overline{5}$	120.30
3	2	1378	C	N3-C2-O2	-6.87	117.09	121.90
3	2	4732	G	C8-N9-C4	-6.87	103.65	106.40
3	2	2675	G	P-O3'-C3'	6.87	127.95	119.70
3	2	1789	C	N1-C2-O2	6.87	123.02	118.90
3	2	1666	C	C6-N1-C2	-6.86	117.56	120.30
7	8	147	G	C4-N9-C1'	6.86	135.42	126.50


α \cdot \cdot \cdot	C	•	
Continued	trom	previous	paae
0010000000	J. 00	p. 0000 a0	P ~ 9 0

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	655	С	C6-N1-C2	-6.85	117.56	120.30
7	8	16	G	C5-C6-O6	-6.84	124.50	128.60
3	2	4940	С	N1-C2-O2	6.83	123.00	118.90
3	2	4926	С	N3-C2-O2	-6.83	117.12	121.90
3	2	3680	U	N1-C2-O2	6.82	127.58	122.80
3	2	987	С	C5-C6-N1	6.82	124.41	121.00
3	2	969	С	N1-C2-O2	6.82	122.99	118.90
3	2	96	U	N3-C2-O2	-6.81	117.43	122.20
3	2	2454	U	N3-C2-O2	-6.79	117.44	122.20
3	2	4772	С	C5-C6-N1	6.79	124.40	121.00
3	2	489	С	N3-C2-O2	-6.79	117.15	121.90
3	2	282	С	N3-C2-O2	-6.79	117.15	121.90
3	2	2561	С	C5-C6-N1	6.78	124.39	121.00
3	2	4258	С	C5-C6-N1	6.78	124.39	121.00
3	2	1081	С	N3-C2-O2	-6.76	117.17	121.90
3	2	4709	U	C2-N1-C1'	6.75	125.80	117.70
3	2	4303	С	N1-C2-O2	6.74	122.94	118.90
7	8	51	U	C2-N1-C1'	6.74	125.79	117.70
3	2	1447	С	N1-C2-O2	6.74	122.94	118.90
3	2	1893	С	C5-C6-N1	6.72	124.36	121.00
3	2	1188	С	C6-N1-C2	-6.71	117.62	120.30
3	2	2084	С	P-O3'-C3'	6.71	127.75	119.70
3	2	1726	U	N3-C2-O2	-6.70	117.51	122.20
3	2	3882	С	N1-C2-O2	6.69	122.91	118.90
3	2	1367	С	C2-N1-C1'	6.68	126.14	118.80
3	2	4993	G	N3-C4-N9	-6.67	122.00	126.00
3	2	2255	С	C2-N1-C1'	6.67	126.14	118.80
3	2	4882	U	N1-C2-O2	6.67	127.47	122.80
9	В	360	LEU	CA-CB-CG	6.66	130.62	115.30
3	2	1662	С	C5-C6-N1	6.66	124.33	121.00
3	2	4766	С	C2-N1-C1'	6.65	126.12	118.80
3	2	2760	G	P-O3'-C3'	6.64	127.67	119.70
3	2	925	С	N3-C2-O2	-6.64	117.25	121.90
3	2	2563	С	N1-C2-O2	6.62	122.87	118.90
3	2	963	G	C4-N9-C1'	6.62	135.10	126.50
3	2	1726	U	N1-C2-O2	6.61	127.43	122.80
3	2	4662	С	C6-N1-C2	-6.61	117.66	120.30
3	2	2615	С	N1-C2-O2	6.61	122.86	118.90
3	2	3598	С	C6-N1-C2	-6.60	117.66	120.30
3	2	4766	C	C5-C6-N1	6.60	124.30	121.00
3	2	704	C	C6-N1-C2	-6.59	117.66	120.30
3	2	4229	U	N3-C2-O2	-6.59	$1\overline{17.59}$	122.20



Continued	from	previous	page
Contentaca	JIONE	precious	page

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	1763	С	OP1-P-O3'	6.58	119.69	105.20
3	2	2560	С	C5-C6-N1	6.58	124.29	121.00
47	W	109	LEU	CA-CB-CG	6.58	130.42	115.30
3	2	2103	G	C8-N9-C1'	-6.56	118.47	127.00
3	2	4926	С	C6-N1-C2	-6.56	117.67	120.30
3	2	4945	G	C5-C6-O6	-6.56	124.66	128.60
3	2	2465	С	C6-N1-C2	-6.55	117.68	120.30
3	2	2409	U	N1-C2-N3	6.55	118.83	114.90
3	2	1853	G	C4-N9-C1'	6.54	135.00	126.50
3	2	4969	С	C6-N1-C2	-6.54	117.68	120.30
3	2	2409	U	N3-C2-O2	-6.54	117.62	122.20
3	2	274	С	C6-N1-C2	-6.53	117.69	120.30
3	2	4923	С	C2-N1-C1'	6.53	125.98	118.80
3	2	5016	А	O4'-C1'-N9	6.53	113.42	108.20
5	5	67	С	C6-N1-C2	-6.53	117.69	120.30
3	2	1293	G	N3-C4-C5	-6.53	125.34	128.60
3	2	2499	С	C6-N1-C2	-6.52	117.69	120.30
3	2	2528	G	N3-C4-C5	-6.52	125.34	128.60
3	2	220	С	C2-N1-C1'	6.50	125.95	118.80
3	2	2084	С	OP2-P-O3'	6.49	119.47	105.20
3	2	220	С	C6-N1-C2	-6.48	117.71	120.30
3	2	2033	А	P-O3'-C3'	6.48	127.47	119.70
48	Z	281	ARG	NE-CZ-NH1	6.47	123.53	120.30
3	2	1243	С	C2-N1-C1'	6.46	125.91	118.80
3	2	2416	G	P-O3'-C3'	6.46	127.45	119.70
3	2	209	U	C6-N1-C1'	-6.45	112.17	121.20
3	2	1715	С	C6-N1-C2	-6.45	117.72	120.30
3	2	217	С	C2-N1-C1'	6.45	125.89	118.80
3	2	925	С	C5-C6-N1	6.43	124.22	121.00
3	2	3863	С	C5-C6-N1	6.43	124.22	121.00
3	2	14	С	C6-N1-C2	-6.42	117.73	120.30
3	2	4206	С	C6-N1-C2	-6.42	117.73	120.30
3	2	4490	С	C6-N1-C2	-6.41	117.73	120.30
3	2	264	С	C5-C6-N1	6.41	124.20	121.00
3	2	1099	С	N3-C2-O2	-6.41	117.41	121.90
7	8	140	С	C6-N1-C2	-6.41	117.74	120.30
3	2	1207	C	C6-N1-C2	-6.40	117.74	120.30
3	2	2392	С	C6-N1-C2	-6.40	117.74	120.30
3	2	1085	C	C6-N1-C2	-6.37	117.75	120.30
3	2	3840	U	N3-C2-O2	-6.37	117.75	122.20
3	2	4120	U	C2-N1-C1'	6.36	125.33	117.70
3	2	4902	С	N1-C2-O2	6.36	122.72	118.90



α \cdot \cdot \cdot	C		
Continued	from	previous	page
	5	1	1 0

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	416	U	C6-N1-C2	-6.36	117.19	121.00
3	2	4601	U	N3-C2-O2	-6.35	117.75	122.20
3	2	1245	С	N1-C2-O2	6.34	122.71	118.90
3	2	2096	G	C8-N9-C1'	-6.33	118.77	127.00
3	2	488	G	C6-C5-N7	-6.32	126.61	130.40
3	2	1340	С	C6-N1-C2	-6.32	117.77	120.30
3	2	1168	G	N9-C4-C5	6.32	107.93	105.40
3	2	1438	U	O4'-C1'-N1	6.31	113.25	108.20
3	2	1086	С	C6-N1-C2	-6.30	117.78	120.30
3	2	673	С	C6-N1-C2	-6.29	117.79	120.30
3	2	2791	С	C6-N1-C2	-6.28	117.79	120.30
3	2	489	С	C2-N1-C1'	6.28	125.70	118.80
3	2	2627	С	C6-N1-C2	-6.28	117.79	120.30
3	2	1187	G	N3-C4-N9	6.27	129.76	126.00
3	2	3802	U	C2-N1-C1'	6.27	125.22	117.70
3	2	1715	С	C6-N1-C1'	-6.27	113.28	120.80
3	2	1273	G	C6-C5-N7	-6.26	126.65	130.40
3	2	2729	С	C5-C6-N1	6.25	124.12	121.00
3	2	322	С	N3-C2-O2	-6.25	117.53	121.90
3	2	2814	С	N1-C2-O2	6.24	122.64	118.90
3	2	2528	G	C8-N9-C1'	-6.24	118.89	127.00
3	2	4923	С	C6-N1-C2	-6.23	117.81	120.30
3	2	195	С	C6-N1-C2	-6.21	117.81	120.30
3	2	141	С	C5-C6-N1	6.21	124.11	121.00
3	2	1276	С	C6-N1-C2	-6.21	117.82	120.30
3	2	4902	С	C6-N1-C2	-6.21	117.82	120.30
3	2	4923	С	C5-C6-N1	6.20	124.10	121.00
3	2	3696	С	C2-N1-C1'	6.20	125.62	118.80
3	2	498	С	C6-N1-C2	-6.19	117.82	120.30
3	2	1249	С	C5-C6-N1	6.19	124.10	121.00
27	V	141	LEU	CA-CB-CG	6.19	129.53	115.30
3	2	2262	G	C4-N9-C1'	6.18	134.54	126.50
3	2	3925	U	N3-C2-O2	-6.18	117.87	122.20
3	2	4303	С	C6-N1-C2	-6.18	117.83	120.30
3	2	4398	С	N3-C2-O2	-6.18	117.58	121.90
3	2	485	С	C6-N1-C2	-6.17	117.83	120.30
3	2	2096	G	N3-C4-N9	6.17	129.70	126.00
3	2	100	С	C6-N1-C1'	-6.17	113.40	120.80
3	2	282	C	N1-C2-O2	6.16	122.60	118.90
3	2	343	С	C6-N1-C2	-6.16	117.83	120.30
3	2	1418	C	C6-N1-C2	-6.16	117.83	120.30
3	2	4773	С	N1-C2-O2	6.16	122.60	118.90



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	3905	А	O4'-C1'-N9	6.16	113.13	108.20
3	2	3788	С	P-O3'-C3'	6.16	127.09	119.70
3	2	9	С	C5-C6-N1	6.15	124.07	121.00
3	2	4583	С	O4'-C1'-N1	6.14	113.12	108.20
3	2	1441	С	C6-N1-C2	-6.14	117.85	120.30
3	2	2579	G	N9-C4-C5	6.13	107.85	105.40
3	2	4775	С	N3-C2-O2	-6.13	117.61	121.90
3	2	3781	С	C6-N1-C2	-6.12	117.85	120.30
3	2	4229	U	N1-C2-O2	6.12	127.08	122.80
3	2	100	С	O4'-C1'-N1	6.12	113.09	108.20
3	2	3636	С	C5-C6-N1	6.11	124.06	121.00
3	2	1168	G	N3-C4-C5	6.11	131.65	128.60
3	2	1674	С	C6-N1-C2	-6.11	117.86	120.30
3	2	3802	U	N3-C2-O2	-6.11	117.93	122.20
3	2	4145	С	C6-N1-C2	-6.11	117.86	120.30
3	2	2262	G	N3-C4-N9	6.10	129.66	126.00
3	2	2410	С	N1-C2-O2	6.09	122.56	118.90
3	2	4902	С	C6-N1-C1'	-6.09	113.49	120.80
3	2	2675	G	N3-C4-N9	6.09	129.65	126.00
3	2	4728	U	N3-C2-O2	-6.08	117.94	122.20
3	2	447	С	C6-N1-C2	-6.08	117.87	120.30
3	2	2579	G	N3-C2-N2	-6.08	115.64	119.90
3	2	2454	U	N1-C2-O2	6.08	127.05	122.80
3	2	1607	С	N3-C2-O2	-6.07	117.65	121.90
3	2	4476	С	C2-N1-C1'	6.07	125.47	118.80
13	F	64	LEU	CA-CB-CG	6.07	129.26	115.30
3	2	1439	С	C6-N1-C2	-6.07	117.87	120.30
4	3	313	LEU	CB-CG-CD2	-6.06	100.70	111.00
3	2	1494	U	N3-C2-O2	-6.05	117.96	122.20
3	2	3788	С	C5-C6-N1	6.05	124.03	121.00
3	2	4118	U	N3-C2-O2	-6.05	117.97	122.20
3	2	4714	С	C6-N1-C2	-6.05	117.88	120.30
3	2	1080	С	C6-N1-C2	-6.05	117.88	120.30
3	2	516	С	N1-C2-O2	6.04	122.52	118.90
3	2	488	G	N3-C4-N9	6.03	129.62	126.00
3	2	972	С	C6-N1-C2	-6.03	117.89	120.30
3	2	1762	С	C6-N1-C1'	-6.03	113.57	120.80
3	2	3866	С	C6-N1-C2	-6.03	117.89	120.30
3	2	4945	G	C2-N3-C4	6.03	114.91	111.90
3	2	3926	С	N1-C2-O2	6.02	122.51	118.90
48	Z	281	ARG	NE-CZ-NH2	-6.02	117.29	120.30
3	2	3680	U	N3-C2-O2	-6.02	117.99	122.20



$\alpha \cdot \cdot \cdot \cdot$	C	•	
Continued	trom	previous	page
• • • • • • • • • • • •	J	P	r ~g = · · ·

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
19	М	19	CYS	CA-CB-SG	6.02	124.83	114.00
3	2	4601	U	C6-N1-C2	-6.01	117.39	121.00
3	2	3778	U	C2-N1-C1'	6.01	124.91	117.70
3	2	4887	С	C2-N1-C1'	6.01	125.41	118.80
3	2	3920	U	C2-N1-C1'	6.01	124.91	117.70
3	2	3870	С	C5-C6-N1	6.00	124.00	121.00
3	2	1254	А	C2-N3-C4	6.00	113.60	110.60
3	2	2362	U	C2-N1-C1'	6.00	124.90	117.70
3	2	4990	С	C6-N1-C1'	-5.99	113.61	120.80
3	2	1182	С	C6-N1-C2	-5.99	117.90	120.30
3	2	343	С	C5-C6-N1	5.99	123.99	121.00
3	2	1821	G	C8-N9-C1'	-5.99	119.21	127.00
3	2	205	С	C6-N1-C2	-5.99	117.91	120.30
5	5	34	С	N1-C2-O2	5.98	122.49	118.90
3	2	1768	С	C6-N1-C2	-5.98	117.91	120.30
3	2	4099	G	O4'-C1'-N9	5.97	112.98	108.20
3	2	26	С	C6-N1-C2	-5.97	117.91	120.30
8	А	170	GLY	N-CA-C	5.97	128.02	113.10
3	2	657	С	C2-N1-C1'	5.96	125.36	118.80
3	2	1080	С	N1-C2-O2	5.96	122.48	118.90
7	8	150	С	N1-C2-O2	5.96	122.48	118.90
36	е	48	ARG	NE-CZ-NH2	-5.96	117.32	120.30
3	2	1081	С	C2-N1-C1'	5.96	125.35	118.80
3	2	4764	A	C6-N1-C2	5.96	122.17	118.60
3	2	657	С	N1-C2-O2	5.95	122.47	118.90
3	2	3870	С	C6-N1-C2	-5.95	117.92	120.30
3	2	4945	G	N3-C4-C5	-5.95	125.63	128.60
3	2	485	С	N3-C2-O2	-5.95	117.74	121.90
3	2	1467	С	C6-N1-C2	-5.94	117.92	120.30
3	2	4229	U	C2-N1-C1'	5.94	124.83	117.70
3	2	4600	G	P-O3'-C3'	5.94	126.83	119.70
3	2	1598	С	C6-N1-C2	-5.94	117.92	120.30
3	2	3826	С	C6-N1-C2	-5.94	117.92	120.30
7	8	35	С	C6-N1-C2	-5.94	117.92	120.30
3	2	2726	G	N3-C4-C5	-5.93	125.63	128.60
3	2	1275	G	N3-C4-N9	-5.93	122.44	126.00
7	8	146	U	C6-N1-C2	-5.93	117.44	121.00
3	2	1607	C	C6-N1-C2	-5.92	117.93	120.30
3	2	1245	C	C2-N1-C1'	5.92	125.32	118.80
3	2	2255	C	N1-C2-O2	5.91	122.45	118.90
3	2	4764	A	N1-C2-N3	-5.91	126.34	129.30
3	2	1293	G	N3-C4-N9	5.91	129.55	126.00



$\alpha \cdot \cdot \cdot \cdot$	C	•	
1 Continued	trom	nromanic	naae
Continucu	11011	preduous	puyc
		1	1 0

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	1245	С	C6-N1-C2	-5.91	117.94	120.30
3	2	3598	С	C2-N1-C1'	5.90	125.29	118.80
3	2	4900	С	C6-N1-C2	-5.90	117.94	120.30
3	2	719	С	C6-N1-C2	-5.89	117.94	120.30
3	2	258	G	N9-C4-C5	-5.89	103.05	105.40
3	2	1882	U	C5-C4-O4	-5.88	122.37	125.90
3	2	4862	G	N3-C4-N9	5.88	129.53	126.00
3	2	2560	С	C6-N1-C2	-5.88	117.95	120.30
3	2	1273	G	N9-C4-C5	-5.88	103.05	105.40
3	2	1708	G	N3-C4-N9	5.88	129.53	126.00
3	2	2653	С	C5-C6-N1	5.88	123.94	121.00
3	2	4708	А	C4-N9-C1'	5.88	136.88	126.30
3	2	1439	С	C5-C6-N1	5.87	123.93	121.00
3	2	4360	U	N3-C2-O2	-5.87	118.09	122.20
3	2	274	С	C5-C6-N1	5.86	123.93	121.00
3	2	1367	С	N1-C2-O2	5.86	122.42	118.90
3	2	390	С	C5-C6-N1	5.85	123.93	121.00
3	2	1792	U	N3-C2-O2	-5.85	118.11	122.20
3	2	1663	С	C6-N1-C2	-5.85	117.96	120.30
3	2	2281	U	C2-N1-C1'	5.85	124.72	117.70
3	2	345	С	C6-N1-C2	-5.84	117.96	120.30
5	5	29	С	N1-C2-O2	5.84	122.40	118.90
7	8	147	G	N3-C4-N9	5.84	129.50	126.00
3	2	2729	С	C2-N1-C1'	5.83	125.22	118.80
3	2	4772	С	N1-C2-O2	5.83	122.40	118.90
3	2	4372	U	N3-C2-O2	-5.83	118.12	122.20
3	2	260	С	C6-N1-C2	-5.83	117.97	120.30
3	2	472	С	C5-C6-N1	5.83	123.91	121.00
3	2	274	С	C2-N1-C1'	5.82	125.21	118.80
3	2	1068	G	N3-C4-N9	5.82	129.49	126.00
3	2	4281	А	N7-C8-N9	5.82	116.71	113.80
3	2	1957	U	N3-C2-O2	-5.82	118.13	122.20
3	2	2505	С	C6-N1-C1'	-5.82	113.82	120.80
3	2	1632	А	C2-N3-C4	5.81	113.51	110.60
3	2	2416	G	OP2-P-O3'	5.81	117.99	105.20
3	2	1853	G	C8-N9-C1'	-5.81	119.45	127.00
3	2	1929	A	C4-N9-C1'	5.81	136.75	126.30
3	2	74	G	C8-N9-C1'	-5.81	119.45	127.00
3	2	1413	C	C5-C6-N1	5.81	123.90	121.00
3	2	4145	C	C5-C6-N1	5.81	123.90	121.00
3	2	992	C	C2-N1-C1'	5.80	$1\overline{25.18}$	118.80
3	2	417	G	N1-C6-O6	-5.80	116.42	119.90



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	5	76	U	N1-C2-O2	5.80	126.86	122.80
3	2	4895	С	C6-N1-C2	-5.80	117.98	120.30
3	2	1241	С	C6-N1-C1'	-5.79	113.85	120.80
3	2	1327	С	C6-N1-C2	-5.79	117.98	120.30
3	2	2817	С	C6-N1-C2	-5.79	117.98	120.30
3	2	3636	С	N3-C2-O2	-5.79	117.84	121.90
3	2	4482	U	C2-N1-C1'	5.79	124.65	117.70
31	Ζ	28	LEU	CA-CB-CG	5.79	128.62	115.30
3	2	1241	С	C5-C6-N1	5.79	123.89	121.00
3	2	141	С	C6-N1-C2	-5.79	117.98	120.30
3	2	269	G	C6-C5-N7	-5.78	126.93	130.40
3	2	2096	G	N3-C4-C5	-5.78	125.71	128.60
3	2	516	С	C6-N1-C2	-5.78	117.99	120.30
3	2	1633	G	OP1-P-O3'	5.78	117.91	105.20
3	2	216	С	C5-C6-N1	5.77	123.89	121.00
3	2	4773	С	N3-C2-O2	-5.77	117.86	121.90
3	2	1216	С	C6-N1-C1'	-5.77	113.88	120.80
7	8	76	С	C5-C6-N1	5.77	123.88	121.00
3	2	1893	С	C2-N1-C1'	5.77	125.14	118.80
3	2	360	А	N9-C1'-C2'	5.76	121.49	114.00
3	2	1590	С	P-O3'-C3'	5.76	126.61	119.70
3	2	1597	G	O4'-C1'-N9	5.76	112.81	108.20
3	2	27	С	C6-N1-C2	-5.76	118.00	120.30
3	2	68	U	N3-C2-O2	-5.76	118.17	122.20
3	2	360	A	C5-N7-C8	-5.76	101.02	103.90
3	2	4883	С	C5-C6-N1	5.75	123.87	121.00
3	2	4466	С	C6-N1-C2	-5.74	118.00	120.30
3	2	2593	С	C6-N1-C2	-5.74	118.00	120.30
3	2	2899	С	N1-C2-O2	5.74	122.34	118.90
5	5	24	С	C6-N1-C2	-5.74	118.00	120.30
3	2	2607	С	N1-C2-O2	5.73	122.34	118.90
3	2	2900	U	C2-N1-C1'	5.73	124.58	117.70
3	2	4913	G	P-O3'-C3'	5.73	126.58	119.70
3	2	2094	G	C4-N9-C1'	5.73	133.95	126.50
3	2	4096	С	N3-C4-N4	5.73	122.01	118.00
3	2	2072	C	C6-N1-C2	-5.72	118.01	120.30
3	2	4709	U	N1-C2-O2	5.72	126.81	122.80
3	2	181	C	O4'-C1'-N1	5.72	112.78	108.20
3	2	2409	U	C4-C5-C6	5.72	123.13	119.70
3	2	4887	C	N1-C2-O2	5.71	122.33	118.90
3	2	472	C	C6-N1-C1'	-5.71	113.95	120.80
3	2	4281	А	O4'-C1'-N9	5.71	112.77	108.20



Continued	fareare		
Continuea	jrom	previous	page

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
7	8	111	U	N3-C2-O2	-5.71	118.20	122.20
3	2	387	G	O4'-C1'-N9	5.70	112.76	108.20
3	2	1273	G	N3-C4-N9	5.70	129.42	126.00
3	2	2478	С	N1-C2-O2	5.70	122.32	118.90
3	2	77	U	N1-C2-O2	5.70	126.79	122.80
3	2	753	С	N3-C4-N4	-5.70	114.01	118.00
3	2	2362	U	C5-C6-N1	5.70	125.55	122.70
3	2	1580	С	C6-N1-C2	-5.70	118.02	120.30
3	2	365	U	N3-C2-O2	-5.70	118.21	122.20
5	5	76	U	N3-C2-O2	-5.69	118.22	122.20
3	2	3696	С	C5-C6-N1	5.69	123.84	121.00
3	2	4902	С	C5-C6-N1	5.69	123.84	121.00
18	L	46	ASP	CB-CG-OD1	5.69	123.42	118.30
3	2	406	С	P-O3'-C3'	5.68	126.52	119.70
3	2	2667	С	N1-C2-O2	5.68	122.31	118.90
3	2	4145	С	N3-C2-O2	-5.68	117.92	121.90
3	2	4398	С	C2-N1-C1'	5.68	125.05	118.80
3	2	50	С	C6-N1-C2	-5.68	118.03	120.30
3	2	1853	G	N3-C4-C5	-5.68	125.76	128.60
3	2	1417	С	C6-N1-C2	-5.67	118.03	120.30
3	2	3863	С	C6-N1-C2	-5.67	118.03	120.30
3	2	1273	G	C8-N9-C1'	-5.67	119.63	127.00
3	2	2593	С	C5-C6-N1	5.66	123.83	121.00
3	2	4502	С	N1-C2-O2	5.65	122.29	118.90
3	2	4973	U	N3-C2-O2	-5.65	118.25	122.20
20	N	94	LEU	CA-CB-CG	5.64	128.28	115.30
3	2	209	U	N3-C2-O2	-5.64	118.25	122.20
3	2	282	С	C6-N1-C2	-5.64	118.04	120.30
3	2	2683	С	C6-N1-C2	-5.64	118.05	120.30
5	5	29	С	C6-N1-C2	-5.63	118.05	120.30
3	2	4215	С	C6-N1-C2	-5.63	118.05	120.30
3	2	217	С	C6-N1-C2	-5.63	118.05	120.30
3	2	1192	С	C6-N1-C2	-5.63	118.05	120.30
3	2	3667	С	C6-N1-C2	-5.63	118.05	120.30
3	2	3882	С	C2-N1-C1'	5.63	124.99	118.80
3	2	1651	G	C4-N9-C1'	5.62	133.81	126.50
3	2	3670	С	N1-C2-O2	5.62	122.27	118.90
5	5	34	С	N3-C2-O2	-5.62	117.97	121.90
3	2	742	G	N3-C4-N9	5.62	129.37	126.00
3	2	2615	С	N3-C2-O2	-5.62	117.97	121.90
3	2	3637	U	N1-C2-O2	5.62	126.73	122.80
3	2	2534	С	C6-N1-C2	-5.62	118.05	120.30



Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
3	2	2814	С	N3-C2-O2	-5.62	117.97	121.90
3	2	3673	С	P-O3'-C3'	5.62	126.44	119.70
3	2	446	С	C5-C6-N1	5.61	123.81	121.00
3	2	1884	С	C6-N1-C2	-5.61	118.06	120.30
3	2	3853	U	C2-N1-C1'	5.61	124.43	117.70
3	2	1494	U	N1-C2-O2	5.60	126.72	122.80
3	2	2563	С	N3-C2-O2	-5.60	117.98	121.90
3	2	100	C	C6-N1-C2	-5.60	118.06	120.30
3	2	257	С	C5-C6-N1	5.60	123.80	121.00
3	2	2892	С	N1-C2-O2	5.60	122.26	118.90
3	2	2257	С	C6-N1-C2	-5.59	118.06	120.30
3	2	4171	С	C6-N1-C2	-5.59	118.06	120.30
3	2	1708	G	N3-C4-C5	-5.58	125.81	128.60
3	2	258	G	N3-C4-N9	5.58	129.35	126.00
3	2	4695	C	N1-C2-O2	5.58	122.25	118.90
46	V	254	ASP	CB-CG-OD1	5.58	123.32	118.30
3	2	3926	С	C6-N1-C2	-5.58	118.07	120.30
3	2	2627	C	N1-C2-O2	5.58	122.25	118.90
3	2	4613	С	N1-C2-O2	5.57	122.24	118.90
3	2	3775	A	O4'-C1'-N9	5.57	112.66	108.20
3	2	4928	С	N1-C2-O2	5.57	122.24	118.90
7	8	147	G	C5-N7-C8	-5.57	101.52	104.30
3	2	74	G	C4-N9-C1'	5.57	133.74	126.50
3	2	498	С	N3-C2-O2	-5.57	118.00	121.90
3	2	3778	U	N1-C2-O2	5.57	126.70	122.80
3	2	365	U	N1-C2-O2	5.56	126.69	122.80
3	2	200	U	O4'-C1'-N1	5.56	112.65	108.20
3	2	4880	С	N1-C2-O2	5.56	122.23	118.90
3	2	1429	С	C2-N1-C1'	5.56	124.91	118.80
3	2	436	С	N1-C2-O2	5.55	122.23	118.90
3	2	2579	G	N1-C6-O6	-5.55	116.57	119.90
3	2	513	U	N1-C2-O2	5.55	126.69	122.80
3	2	4923	С	N1-C2-O2	5.55	122.23	118.90
3	2	4882	U	C5-C6-N1	5.55	125.47	122.70
3	2	195	С	C2-N1-C1'	5.54	124.90	118.80
3	2	2561	C	N1-C2-O2	5.54	122.23	118.90
3	2	4146	G	N3-C4-N9	5.54	129.33	126.00
3	2	5022	U	N1-C2-O2	5.54	126.68	122.80
3	2	85	G	O4'-C1'-N9	5.54	112.63	108.20
3	2	4145	C	$C2-N1-\overline{C1'}$	5.54	124.89	118.80
3	2	360	A	OP2-P-O3'	5.53	117.38	105.20
7	8	146	U	C6-N1-C1'	5.53	128.94	121.20



Continued	fareare		
Continuea	jrom	previous	page

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	472	С	N1-C2-O2	5.53	122.22	118.90
3	2	1847	С	C5-C6-N1	5.53	123.77	121.00
3	2	2627	С	C5-C6-N1	5.53	123.76	121.00
7	8	16	G	C4-C5-C6	5.52	122.11	118.80
3	2	4926	С	C5-C6-N1	5.51	123.76	121.00
3	2	654	С	C6-N1-C2	-5.51	118.10	120.30
3	2	2410	С	C6-N1-C1'	-5.50	114.20	120.80
3	2	2589	С	C6-N1-C2	-5.50	118.10	120.30
3	2	716	С	C6-N1-C2	-5.50	118.10	120.30
3	2	3598	С	C5-C6-N1	5.50	123.75	121.00
3	2	137	G	C8-N9-C4	-5.49	104.20	106.40
3	2	1077	С	C6-N1-C2	-5.49	118.10	120.30
3	2	1715	С	C5-C6-N1	5.49	123.75	121.00
3	2	488	G	C4-N9-C1'	5.49	133.64	126.50
3	2	3781	С	C5-C6-N1	5.49	123.75	121.00
3	2	1395	U	N3-C2-O2	-5.49	118.36	122.20
3	2	1607	С	N1-C2-O2	5.49	122.19	118.90
5	5	34	С	C6-N1-C2	-5.49	118.11	120.30
3	2	2783	А	N1-C2-N3	-5.48	126.56	129.30
3	2	2532	С	N1-C2-O2	5.48	122.19	118.90
3	2	2303	С	C6-N1-C2	-5.48	118.11	120.30
3	2	4862	G	C6-C5-N7	-5.47	127.12	130.40
3	2	337	U	C5-C6-N1	5.47	125.44	122.70
3	2	112	С	C2-N1-C1'	5.47	124.82	118.80
3	2	4158	С	C2-N1-C1'	5.47	124.82	118.80
3	2	5020	G	C4-N9-C1'	5.47	133.61	126.50
7	8	111	U	N1-C2-O2	5.47	126.63	122.80
7	8	128	С	O4'-C1'-N1	5.47	112.58	108.20
3	2	4162	С	N1-C2-O2	5.47	122.18	118.90
3	2	79	С	C6-N1-C2	-5.46	118.11	120.30
3	2	390	С	C6-N1-C2	-5.46	118.11	120.30
3	2	925	С	C6-N1-C1'	5.46	127.36	120.80
3	2	969	С	N3-C2-O2	-5.46	118.08	121.90
3	2	1578	U	C5-C6-N1	5.46	125.43	122.70
3	2	971	U	N1-C2-O2	5.46	126.62	122.80
3	2	963	G	C8-N9-C1'	-5.46	119.91	127.00
3	2	4068	U	$C2-N1-\overline{C1'}$	5.46	124.25	117.70
3	2	2853	C	N1-C2-O2	5.46	122.17	118.90
5	5	29	С	C2-N1-C1'	5.45	124.80	118.80
7	8	146	U	C5-C6-N1	5.45	125.43	122.70
3	2	3693	U	N1-C2-O2	5.45	126.62	122.80
9	В	17	LEU	CA-CB-CG	5.45	127.83	115.30



α \cdot \cdot \cdot	C	•	
Continued	from	previous	page
	5	1	1 0

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	1187	G	N3-C4-C5	-5.45	125.88	128.60
3	2	4162	С	C2-N1-C1'	5.45	124.79	118.80
3	2	4940	С	N3-C2-O2	-5.45	118.09	121.90
3	2	515	С	N1-C2-O2	5.44	122.17	118.90
3	2	4259	С	C6-N1-C2	-5.44	118.12	120.30
3	2	133	С	N1-C2-O2	5.44	122.16	118.90
3	2	2046	G	O4'-C1'-N9	5.44	112.55	108.20
3	2	4728	U	C2-N1-C1'	5.44	124.23	117.70
3	2	2281	U	C5-C6-N1	5.44	125.42	122.70
3	2	4940	С	C2-N1-C1'	5.44	124.78	118.80
3	2	1807	С	C6-N1-C2	-5.44	118.13	120.30
3	2	3920	U	N3-C2-O2	-5.43	118.40	122.20
3	2	86	U	N3-C2-O2	-5.43	118.40	122.20
3	2	209	U	N1-C2-O2	5.43	126.60	122.80
3	2	1632	А	C4-N9-C1'	5.43	136.07	126.30
3	2	3685	С	C5-C6-N1	5.43	123.72	121.00
3	2	2850	А	C4-N9-C1'	5.43	136.07	126.30
3	2	4882	U	N3-C2-O2	-5.43	118.40	122.20
3	2	228	С	C6-N1-C2	-5.43	118.13	120.30
3	2	1187	G	C8-N9-C1'	-5.43	119.94	127.00
3	2	122	U	N3-C2-O2	-5.42	118.40	122.20
3	2	673	С	N1-C2-O2	5.42	122.15	118.90
3	2	148	С	C5-C6-N1	5.42	123.71	121.00
3	2	1187	G	C4-N9-C1'	5.42	133.54	126.50
3	2	2038	U	N3-C2-O2	-5.42	118.41	122.20
3	2	4772	С	C2-N1-C1'	5.42	124.76	118.80
5	5	63	С	O4'-C1'-N1	5.41	112.53	108.20
3	2	217	С	N3-C2-O2	-5.41	118.11	121.90
3	2	269	G	C4-N9-C1'	5.41	133.53	126.50
3	2	4171	С	N1-C2-O2	5.41	122.15	118.90
3	2	3844	U	C5-C6-N1	5.41	125.40	122.70
3	2	4714	С	C5-C6-N1	5.40	123.70	121.00
3	2	258	G	N3-C2-N2	5.40	123.68	119.90
3	2	4928	С	C6-N1-C1'	-5.40	114.32	120.80
3	2	4864	U	N1-C2-O2	5.40	126.58	122.80
3	2	2802	С	C6-N1-C2	-5.40	118.14	120.30
3	2	345	С	C5-C6-N1	5.39	123.70	121.00
3	2	672	С	C6-N1-C1'	-5.39	114.33	120.80
3	2	2892	C	C2-N1-C1'	5.39	124.73	118.80
3	2	3778	U	N3-C2-O2	-5.39	118.42	122.20
3	2	4775	С	C6-N1-C2	-5.39	118.14	120.30
3	2	1293	G	C4-N9-C1'	5.39	133.50	126.50



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
13	F	97	ILE	CG1-CB-CG2	-5.39	99.55	111.40
3	2	4068	U	N1-C2-O2	5.39	126.57	122.80
3	2	4865	С	C5-C6-N1	5.39	123.69	121.00
3	2	1439	С	N1-C2-O2	5.38	122.13	118.90
3	2	2561	С	C2-N3-C4	5.38	122.59	119.90
3	2	115	С	C6-N1-C2	-5.38	118.15	120.30
3	2	217	С	C5-C6-N1	5.38	123.69	121.00
3	2	2819	U	N3-C2-O2	-5.38	118.43	122.20
3	2	4519	С	N1-C2-O2	5.38	122.13	118.90
3	2	1188	С	C5-C6-N1	5.38	123.69	121.00
3	2	753	С	C5-C4-N4	5.38	123.96	120.20
3	2	985	С	C6-N1-C2	-5.37	118.15	120.30
3	2	652	G	C8-N9-C1'	-5.37	120.02	127.00
3	2	1446	С	N3-C2-O2	-5.37	118.14	121.90
3	2	1566	С	C2-N1-C1'	5.37	124.71	118.80
3	2	1703	C	N1-C2-O2	5.37	122.12	118.90
3	2	1081	С	C6-N1-C2	-5.37	118.15	120.30
3	2	3892	U	N3-C2-O2	-5.37	118.44	122.20
25	Т	46	LEU	CA-CB-CG	-5.37	102.95	115.30
3	2	5037	U	N3-C2-O2	-5.37	118.44	122.20
3	2	4557	U	C6-N1-C1'	-5.36	113.69	121.20
3	2	4945	G	C4-C5-N7	5.36	112.94	110.80
3	2	416	U	C6-N1-C1'	-5.36	113.69	121.20
3	2	1704	С	O4'-C1'-N1	5.36	112.49	108.20
3	2	704	С	C5-C6-N1	5.36	123.68	121.00
3	2	2724	G	N3-C4-C5	-5.36	125.92	128.60
3	2	4969	С	C5-C6-N1	5.36	123.68	121.00
3	2	4199	С	N1-C2-O2	5.36	122.11	118.90
3	2	4243	С	C6-N1-C2	-5.36	118.16	120.30
3	2	4887	С	C6-N1-C2	-5.35	118.16	120.30
3	2	3826	С	C5-C6-N1	5.35	123.67	121.00
3	2	1929	A	N7-C8-N9	5.35	116.47	113.80
3	2	4887	С	N3-C2-O2	-5.35	118.16	121.90
3	2	1447	С	C2-N1-C1'	5.35	124.68	118.80
3	2	3838	U	N3-C2-O2	-5.34	118.46	122.20
3	2	416	U	C5-C6-N1	5.34	125.37	122.70
3	2	4594	U	N3-C2-O2	-5.34	118.46	122.20
3	2	4973	U	N1-C2-O2	5.34	126.54	122.80
3	2	4302	U	N3-C2-O2	-5.34	118.46	122.20
3	2	1579	C	C6-N1-C2	-5.33	118.17	120.30
3	2	4613	C	C6-N1-C2	-5.33	118.17	120.30
3	2	1197	C	C6-N1-C2	-5.32	118.17	120.30



a 1	C	•	
Continued	trom	previous	<i>paae</i>
001000000	J. 00	p. 0000 a0	$P \approx g \circ \cdots$

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	2727	С	C6-N1-C2	-5.32	118.17	120.30
3	2	4463	U	O4'-C1'-N1	5.32	112.46	108.20
3	2	467	U	C2-N1-C1'	5.32	124.08	117.70
3	2	1906	U	N1-C2-O2	5.31	126.52	122.80
3	2	2304	U	N3-C2-O2	-5.31	118.48	122.20
3	2	2850	А	C8-N9-C4	-5.31	103.68	105.80
1	0	439	LEU	CA-CB-CG	5.30	127.50	115.30
3	2	675	С	C6-N1-C2	-5.30	118.18	120.30
42	m	102	LEU	CA-CB-CG	5.30	127.50	115.30
3	2	4198	G	N3-C4-N9	5.30	129.18	126.00
3	2	413	G	C4-N9-C1'	5.30	133.39	126.50
3	2	7	С	C6-N1-C2	-5.29	118.18	120.30
7	8	50	С	N1-C2-O2	5.29	122.08	118.90
3	2	446	С	C6-N1-C2	-5.29	118.18	120.30
3	2	1848	С	C6-N1-C2	-5.29	118.18	120.30
3	2	53	С	C6-N1-C2	-5.29	118.18	120.30
3	2	71	С	C6-N1-C1'	5.29	127.15	120.80
3	2	220	С	N3-C2-O2	-5.29	118.20	121.90
3	2	4241	С	N1-C2-O2	5.28	122.07	118.90
3	2	1552	G	O4'-C1'-N9	5.28	112.43	108.20
3	2	1538	U	N3-C2-O2	-5.28	118.50	122.20
5	5	28	С	N1-C2-O2	5.28	122.07	118.90
3	2	4506	С	C6-N1-C2	-5.28	118.19	120.30
3	2	86	U	N1-C2-O2	5.28	126.49	122.80
3	2	1168	G	N3-C2-N2	-5.27	116.21	119.90
3	2	1294	А	O4'-C1'-N9	5.27	112.42	108.20
3	2	1704	С	C6-N1-C1'	-5.27	114.47	120.80
3	2	4399	U	N3-C2-O2	-5.27	118.51	122.20
3	2	1384	С	C6-N1-C2	-5.27	118.19	120.30
3	2	1666	С	C5-C6-N1	5.27	123.64	121.00
3	2	2520	С	C6-N1-C2	-5.27	118.19	120.30
3	2	704	С	C6-N1-C1'	-5.26	114.48	120.80
3	2	1762	С	C6-N1-C2	-5.26	118.19	120.30
3	2	3924	С	C6-N1-C2	-5.26	118.19	120.30
3	2	4068	U	N3-C2-O2	-5.26	118.52	122.20
3	2	941	С	C6-N1-C2	-5.26	118.20	120.30
3	2	1273	G	C4-N9-C1'	5.26	133.34	126.50
3	2	4722	G	C2-N3-C4	5.26	114.53	111.90
3	2	4980	С	C5-C6-N1	5.26	123.63	121.00
3	2	1853	G	N3-C4-N9	5.26	129.16	126.00
3	2	4654	С	C6-N1-C2	-5.26	118.20	120.30
3	2	1203	G	N3-C4-N9	5.25	129.15	126.00



α \cdot \cdot \cdot	C	•	
Continued	from	previous	page
	5	1	1 0

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	504	G	C2-N3-C4	5.25	114.52	111.90
3	2	1446	С	C6-N1-C1'	-5.25	114.50	120.80
3	2	4703	U	N3-C2-O2	-5.25	118.53	122.20
3	2	969	С	C6-N1-C1'	-5.24	114.51	120.80
3	2	1663	С	N1-C2-O2	5.24	122.05	118.90
3	2	657	С	C5-C6-N1	5.24	123.62	121.00
3	2	1080	С	N3-C2-O2	-5.24	118.23	121.90
3	2	4981	G	C4-N9-C1'	5.24	133.31	126.50
3	2	691	С	C6-N1-C2	-5.24	118.21	120.30
3	2	2338	С	C6-N1-C2	-5.24	118.21	120.30
3	2	4771	С	C5-C6-N1	5.24	123.62	121.00
3	2	1203	G	C4-N9-C1'	5.23	133.30	126.50
3	2	4880	С	N3-C2-O2	-5.23	118.24	121.90
3	2	4926	С	O4'-C1'-N1	5.22	112.38	108.20
3	2	1068	G	N3-C4-C5	-5.22	125.99	128.60
3	2	1708	G	C4-N9-C1'	5.22	133.28	126.50
3	2	2094	G	C8-N9-C1'	-5.22	120.22	127.00
3	2	4340	U	C5-C6-N1	5.22	125.31	122.70
3	2	1386	С	N1-C2-O2	5.21	122.03	118.90
3	2	2362	U	N1-C2-O2	5.21	126.45	122.80
3	2	2561	С	C2-N1-C1'	5.21	124.53	118.80
3	2	155	С	N3-C2-O2	-5.21	118.25	121.90
7	8	119	С	C6-N1-C2	-5.21	118.22	120.30
3	2	985	С	C6-N1-C1'	-5.21	114.55	120.80
3	2	1915	С	C2-N1-C1'	5.21	124.53	118.80
3	2	1344	С	C6-N1-C2	-5.20	118.22	120.30
3	2	2499	С	C5-C6-N1	5.20	123.60	121.00
3	2	963	G	N7-C8-N9	5.20	115.70	113.10
3	2	986	С	C6-N1-C2	-5.20	118.22	120.30
3	2	3685	C	C6-N1-C2	-5.20	118.22	120.30
3	2	4342	С	N1-C2-O2	5.20	122.02	118.90
3	2	4361	U	N3-C2-O2	-5.19	118.56	122.20
3	2	1789	С	N3-C2-O2	-5.19	118.27	121.90
3	2	250	С	C6-N1-C2	-5.18	118.23	120.30
3	2	3622	C	C5-C6-N1	5.18	123.59	121.00
3	2	2817	C	C5-C6-N1	5.18	123.59	121.00
3	2	115	С	C6-N1-C1'	-5.17	114.59	120.80
3	2	3926	C	C2-N1-C1'	5.17	124.49	118.80
3	2	322	C	C5-C6-N1	5.17	123.59	121.00
3	2	1514	U	N1-C2-O2	5.17	126.42	122.80
3	2	4682	U	C2-N1-C1'	5.17	123.91	117.70
3	2	4199	C	N3-C2-O2	-5.17	118.28	121.90



α \cdot \cdot \cdot	C	•	
Continued	trom	previous	page
	1	1	I J

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	4900	С	C2-N1-C1'	5.17	124.49	118.80
3	2	417	G	C5-N7-C8	5.17	106.88	104.30
3	2	4183	G	N3-C4-C5	-5.17	126.02	128.60
3	2	4399	U	N1-C2-O2	5.17	126.42	122.80
3	2	4289	U	C2-N1-C1'	5.17	123.90	117.70
3	2	2094	G	N3-C4-N9	5.17	129.10	126.00
3	2	1821	G	C2-N3-C4	5.16	114.48	111.90
3	2	2262	G	C8-N9-C1'	-5.16	120.29	127.00
3	2	4880	С	C6-N1-C2	-5.16	118.23	120.30
3	2	4341	С	N3-C2-O2	-5.16	118.29	121.90
3	2	258	G	C4-C5-N7	5.16	112.86	110.80
5	5	4	U	N1-C2-O2	5.16	126.41	122.80
3	2	691	С	C5-C6-N1	5.16	123.58	121.00
3	2	3641	U	C5-C6-N1	-5.15	120.12	122.70
3	2	4372	U	N1-C2-O2	5.15	126.41	122.80
3	2	4973	U	C2-N1-C1'	5.15	123.88	117.70
16	Ι	176	LEU	CA-CB-CG	5.15	127.14	115.30
3	2	2262	G	N3-C4-C5	-5.15	126.03	128.60
7	8	54	С	N1-C2-O2	5.15	121.99	118.90
7	8	50	С	N3-C2-O2	-5.14	118.30	121.90
3	2	4342	С	C5-C6-N1	5.14	123.57	121.00
3	2	1731	С	N1-C2-O2	5.14	121.98	118.90
3	2	49	U	N3-C2-O2	-5.14	118.60	122.20
3	2	2667	С	N3-C2-O2	-5.14	118.30	121.90
3	2	2860	С	C6-N1-C2	-5.14	118.25	120.30
3	2	4258	С	C6-N1-C2	-5.14	118.25	120.30
3	2	110	С	C6-N1-C2	-5.13	118.25	120.30
3	2	4138	С	N1-C2-O2	5.13	121.98	118.90
3	2	2534	С	C5-C6-N1	5.13	123.57	121.00
3	2	974	С	C6-N1-C2	-5.13	118.25	120.30
3	2	2447	U	N3-C2-O2	-5.13	118.61	122.20
3	2	5022	U	N3-C2-O2	-5.13	118.61	122.20
3	2	1929	А	C2-N3-C4	5.12	113.16	110.60
3	2	2249	С	C6-N1-C2	-5.12	118.25	120.30
7	8	32	С	C6-N1-C2	-5.12	118.25	120.30
3	2	3939	G	N3-C4-C5	-5.12	126.04	128.60
3	2	4162	С	N3-C2-O2	-5.12	118.32	121.90
3	2	4694	G	C4-N9-C1'	5.12	133.16	126.50
3	2	1216	C	N3-C2-O2	-5.12	118.32	121.90
3	2	137	G	N7-C8-N9	5.12	115.66	113.10
3	2	2819	U	N1-C2-O2	5.12	126.38	122.80
3	2	4364	G	N1-C6-O6	-5.12	116.83	119.90



α \cdot \cdot \cdot	C	•	
Continued	from	previous	page
	5	1	1 0

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
3	2	1074	G	N3-C4-N9	5.11	129.07	126.00
3	2	4714	С	N1-C2-O2	5.11	121.97	118.90
3	2	250	С	C2-N1-C1'	5.11	124.42	118.80
3	2	1243	С	C5-C6-N1	5.11	123.55	121.00
3	2	1068	G	C4-N9-C1'	5.11	133.14	126.50
3	2	1187	G	C5-C6-O6	-5.10	125.54	128.60
3	2	1686	С	N1-C2-O2	5.10	121.96	118.90
3	2	436	С	N3-C2-O2	-5.10	118.33	121.90
3	2	2362	U	N3-C2-O2	-5.10	118.63	122.20
3	2	742	G	N3-C4-C5	-5.09	126.05	128.60
3	2	2639	U	O4'-C1'-N1	5.09	112.28	108.20
7	8	147	G	N1-C6-O6	5.09	122.96	119.90
3	2	2351	С	C6-N1-C2	-5.09	118.26	120.30
3	2	4261	С	C6-N1-C2	-5.09	118.26	120.30
3	2	3926	С	C5-C6-N1	5.09	123.55	121.00
3	2	2689	С	C5-C6-N1	5.09	123.54	121.00
3	2	5020	G	C8-N9-C1'	-5.09	120.39	127.00
3	2	3832	U	N3-C2-O2	-5.08	118.64	122.20
3	2	4360	U	N1-C2-O2	5.08	126.36	122.80
3	2	1767	А	C2-N3-C4	5.08	113.14	110.60
3	2	5060	A	C3'-C2'-C1'	5.08	105.56	101.50
3	2	672	С	C5-C6-N1	5.07	123.54	121.00
3	2	971	U	C2-N1-C1'	5.07	123.79	117.70
3	2	4928	С	O4'-C1'-N1	5.07	112.26	108.20
3	2	4970	C	C2-N1-C1'	5.07	124.38	118.80
3	2	1879	С	C6-N1-C2	-5.07	118.27	120.30
3	2	14	С	C5-C6-N1	5.07	123.53	121.00
3	2	1720	С	C6-N1-C2	-5.07	118.27	120.30
3	2	294	G	C2-N3-C4	5.06	114.43	111.90
3	2	992	С	N3-C2-O2	-5.06	118.36	121.90
3	2	1430	С	C6-N1-C2	-5.06	118.28	120.30
3	2	1602	U	N3-C2-O2	-5.06	118.66	122.20
3	2	499	G	C8-N9-C4	-5.06	104.38	106.40
5	5	24	С	C5-C6-N1	5.06	123.53	121.00
3	2	4883	С	C6-N1-C2	-5.06	118.28	120.30
3	2	673	С	C6-N1-C1'	-5.06	114.73	120.80
3	2	1167	C	C6-N1-C2	-5.06	118.28	120.30
3	2	4758	U	C5-C6-N1	5.06	125.23	122.70
3	2	1249	С	C6-N1-C2	-5.06	118.28	120.30
3	2	216	C	C6-N1-C2	-5.05	118.28	120.30
3	2	1298	С	C6-N1-C2	-5.05	118.28	120.30
3	2	1644	С	C5-C6-N1	5.05	123.53	121.00



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	10	А	C2-N3-C4	5.05	113.12	110.60
3	2	3693	U	N3-C2-O2	-5.05	118.67	122.20
3	2	4341	С	N1-C2-O2	5.05	121.93	118.90
3	2	504	G	C4-N9-C1'	5.05	133.06	126.50
3	2	934	С	N1-C2-O2	5.05	121.93	118.90
3	2	2593	С	C2-N1-C1'	5.05	124.35	118.80
3	2	1286	С	C6-N1-C2	-5.04	118.28	120.30
3	2	1417	С	C6-N1-C1'	-5.04	114.75	120.80
3	2	4502	С	C6-N1-C2	-5.04	118.28	120.30
3	2	656	С	C5-C6-N1	5.04	123.52	121.00
3	2	1598	С	N1-C2-O2	5.03	121.92	118.90
3	2	1243	С	N3-C2-O2	-5.03	118.38	121.90
3	2	1915	С	N3-C2-O2	-5.03	118.38	121.90
3	2	276	С	C6-N1-C2	-5.03	118.29	120.30
3	2	1441	С	C6-N1-C1'	5.03	126.83	120.80
3	2	1906	U	N3-C2-O2	-5.03	118.68	122.20
3	2	4900	С	N1-C2-O2	5.03	121.92	118.90
3	2	2524	U	N3-C2-O2	-5.03	118.68	122.20
3	2	4699	U	OP1-P-O3'	5.03	116.26	105.20
3	2	233	U	C2-N1-C1'	5.02	123.73	117.70
3	2	4775	С	C6-N1-C1'	-5.02	114.77	120.80
7	8	113	C	C6-N1-C2	-5.02	118.29	120.30
3	2	504	G	N3-C4-C5	-5.02	126.09	128.60
3	2	4862	G	C4-C5-N7	5.02	112.81	110.80
3	2	4922	С	C6-N1-C2	-5.02	118.29	120.30
3	2	218	A	C4-N9-C1'	5.02	135.33	126.30
3	2	1468	C	C6-N1-C2	-5.02	118.29	120.30
3	2	1602	U	C5-C6-N1	5.02	125.21	122.70
3	2	2499	С	C2-N1-C1'	5.01	124.31	118.80
3	2	245	С	C5-C6-N1	5.01	123.51	121.00
3	2	472	С	C6-N1-C2	-5.01	118.30	120.30
3	2	1863	U	N3-C2-O2	-5.01	118.69	122.20
3	2	2072	C	C5-C6-N1	5.01	123.50	121.00
3	2	946	C	C6-N1-C2	-5.01	118.30	120.30
3	2	4862	G	C4-N9-C1'	5.01	133.01	126.50
5	5	43	U	N1-C2-O2	5.01	126.30	122.80
43	r	278	ASP	CB-CG-OD1	5.01	122.81	118.30
3	2	18	C	N1-C2-O2	5.00	121.90	118.90
3	2	2729	C	C6-N1-C2	-5.00	118.30	120.30
3	2	406	C	C2'-C3'-O3	5.00	121.71	113.70

There are no chirality outliers.



Mol	Chain	Res	Type	Group
2	1	502	ARG	Peptide
2	1	503	PRO	Peptide
8	А	158	GLN	Peptide
8	А	46	ASP	Peptide
8	А	82	ILE	Peptide
9	В	17	LEU	Peptide
12	Е	52	CYS	Peptide
20	Ν	94	LEU	Peptide
21	0	10	ASP	Peptide
23	Q	46	ILE	Peptide
26	U	147	ASP	Peptide
30	Y	131	ARG	Peptide
34	с	135	PRO	Peptide
35	d	20	LYS	Peptide
40	i	124	THR	Peptide
41	1	20	ARG	Peptide
42	m	54	ARG	Peptide
45	u	103	VAL	Peptide
45	u	106	TYR	Peptide
46	V	129	GLY	Peptide
46	V	203	ILE	Peptide
47	W	221	LYS	Peptide

All (22) planarity outliers are listed below:

5.2 Too-close contacts (i)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Analysed Favoured Allowed		Outliers	Percentiles	
1	0	184/477~(39%)	158 (86%)	25 (14%)	1 (0%)	29 63	



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
2	1	223/658~(34%)	183 (82%)	40 (18%)	0	100	100
4	3	251/534~(47%)	227~(90%)	23~(9%)	1 (0%)	34	67
6	6	222/245~(91%)	208 (94%)	14 (6%)	0	100	100
8	А	210/217~(97%)	184 (88%)	22 (10%)	4 (2%)	8	31
9	В	400/403~(99%)	372 (93%)	28 (7%)	0	100	100
10	С	88/159~(55%)	84 (96%)	4 (4%)	0	100	100
11	D	355/427~(83%)	326 (92%)	28 (8%)	1 (0%)	41	72
12	Е	92/115~(80%)	82 (89%)	10 (11%)	0	100	100
13	F	107/117~(92%)	104 (97%)	3 (3%)	0	100	100
14	G	229/266~(86%)	212 (93%)	17 (7%)	0	100	100
15	Н	120/123~(98%)	114 (95%)	6 (5%)	0	100	100
16	Ι	188/192~(98%)	169 (90%)	19 (10%)	0	100	100
17	К	100/105~(95%)	92 (92%)	7 (7%)	1 (1%)	15	47
18	L	145/148 (98%)	131 (90%)	14 (10%)	0	100	100
19	М	84/97~(87%)	79 (94%)	5 (6%)	0	100	100
20	Ν	160/178~(90%)	146 (91%)	14 (9%)	0	100	100
21	Ο	66/70~(94%)	64 (97%)	2(3%)	0	100	100
22	Р	48/51~(94%)	45 (94%)	3 (6%)	0	100	100
23	Q	208/211~(99%)	188 (90%)	20 (10%)	0	100	100
24	S	132/215~(61%)	125~(95%)	7 (5%)	0	100	100
25	Т	105/125~(84%)	96 (91%)	9 (9%)	0	100	100
26	U	201/204~(98%)	190 (94%)	9 (4%)	2 (1%)	15	47
27	V	197/203~(97%)	189 (96%)	8 (4%)	0	100	100
28	W	103/106~(97%)	95 (92%)	8 (8%)	0	100	100
29	Х	89/92~(97%)	85 (96%)	4 (4%)	0	100	100
30	Y	151/184 (82%)	140 (93%)	11 (7%)	0	100	100
31	Z	185/188~(98%)	174 (94%)	11 (6%)	0	100	100
32	a	143/196~(73%)	136 (95%)	7 (5%)	0	100	100
33	b	173/176~(98%)	163 (94%)	10 (6%)	0	100	100
34	с	155/160~(97%)	145 (94%)	9 (6%)	1 (1%)	25	59
35	d	97/128 (76%)	87 (90%)	10 (10%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
36	е	127/140~(91%)	119 (94%)	8 (6%)	0	100	100
37	f	60/157~(38%)	57~(95%)	3~(5%)	0	100	100
38	g	115/156~(74%)	104 (90%)	11 (10%)	0	100	100
39	h	132/145~(91%)	123 (93%)	9~(7%)	0	100	100
40	i	133/136~(98%)	125~(94%)	7 (5%)	1 (1%)	19	53
41	1	123/137~(90%)	116 (94%)	6~(5%)	1 (1%)	19	53
42	m	246/257~(96%)	221 (90%)	24 (10%)	1 (0%)	34	67
43	r	273/297~(92%)	252 (92%)	21 (8%)	0	100	100
44	t	126/135~(93%)	115 (91%)	11 (9%)	0	100	100
45	u	107/110~(97%)	97~(91%)	8 (8%)	2(2%)	8	31
46	v	231/288~(80%)	206 (89%)	24 (10%)	1 (0%)	34	67
47	W	224/248~(90%)	211 (94%)	13 (6%)	0	100	100
48	Z	363/394~(92%)	354 (98%)	9 (2%)	0	100	100
All	All	7471/9370 (80%)	6893 (92%)	561 (8%)	17 (0%)	50	78

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
46	V	226	ARG
4	3	331	ALA
8	А	28	PHE
8	А	159	MET
8	А	169	VAL
8	А	173	LYS
17	K	24	PRO
41	1	21	ASN
34	с	136	ARG
40	i	125	GLY
45	u	80	ASN
11	D	232	VAL
45	u	107	PRO
26	U	84	PRO
26	U	83	LYS
42	m	55	GLY
1	0	245	PRO



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	165/404~(41%)	162 (98%)	3~(2%)	59	81
4	3	235/485~(48%)	229~(97%)	6 (3%)	46	73
6	6	194/213~(91%)	194 (100%)	0	100	100
8	А	191/196~(97%)	185 (97%)	6 (3%)	40	69
9	В	348/349~(100%)	344 (99%)	4 (1%)	73	88
10	С	77/126~(61%)	77 (100%)	0	100	100
11	D	298/348~(86%)	296 (99%)	2 (1%)	84	93
12	Е	79/97~(81%)	77 (98%)	2 (2%)	47	74
13	F	94/100~(94%)	92 (98%)	2 (2%)	53	78
14	G	195/223~(87%)	193 (99%)	2 (1%)	76	89
15	Н	109/110~(99%)	109 (100%)	0	100	100
16	Ι	169/171~(99%)	168 (99%)	1 (1%)	86	94
17	K	86/89~(97%)	84 (98%)	2 (2%)	50	75
18	L	120/121~(99%)	120 (100%)	0	100	100
19	М	73/80~(91%)	72 (99%)	1 (1%)	67	85
20	Ν	136/149~(91%)	134 (98%)	2(2%)	65	84
21	Ο	63/65~(97%)	63 (100%)	0	100	100
22	Р	47/48~(98%)	47 (100%)	0	100	100
23	Q	176/177~(99%)	175 (99%)	1 (1%)	86	94
24	S	114/161~(71%)	113 (99%)	1 (1%)	78	90
25	Т	98/110~(89%)	96 (98%)	2(2%)	55	79
26	U	171/172 (99%)	171 (100%)	0	100	100
27	V	171/174~(98%)	168 (98%)	3 (2%)	59	81
28	W	93/94~(99%)	93 (100%)	0	100	100
29	Х	74/75~(99%)	73 (99%)	1 (1%)	67	85
30	Y	134/163~(82%)	133 (99%)	1 (1%)	84	93



Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
31	Z	164/165~(99%)	164 (100%)	0	100	100
32	a	131/175~(75%)	131 (100%)	0	100	100
33	b	156/157~(99%)	154 (99%)	2(1%)	69	86
34	с	138/140~(99%)	138 (100%)	0	100	100
35	d	89/115~(77%)	89 (100%)	0	100	100
36	е	100/107~(94%)	100 (100%)	0	100	100
37	f	54/126~(43%)	54 (100%)	0	100	100
38	g	105/133~(79%)	105 (100%)	0	100	100
39	h	124/135~(92%)	123~(99%)	1 (1%)	81	92
40	i	117/118 (99%)	116 (99%)	1 (1%)	78	90
41	1	109/121 (90%)	108 (99%)	1 (1%)	78	90
42	m	190/199~(96%)	186 (98%)	4 (2%)	53	78
43	r	232/250~(93%)	230~(99%)	2(1%)	78	90
44	t	114/121 (94%)	114 (100%)	0	100	100
45	u	88/89~(99%)	86 (98%)	2(2%)	50	75
46	v	208/252~(82%)	205~(99%)	3 (1%)	67	85
47	W	195/215~(91%)	193~(99%)	2 (1%)	76	89
48	Z	316/336 (94%)	314 (99%)	2 (1%)	86	94
All	All	6340/7454~(85%)	6278 (99%)	62 (1%)	77	89

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	0	334	PHE
1	0	350	ARG
1	0	476	ARG
4	3	216	VAL
4	3	308	CYS
4	3	313	LEU
4	3	346	TRP
4	3	397	ARG
4	3	404	ILE
8	А	28	PHE
8	А	30	GLU
8	А	60	ARG
8	А	97	LYS



Mol	Chain	Res	Type
8	А	171	HIS
8	А	177	ASP
9	В	54	THR
9	В	300	LYS
9	В	347	LEU
9	В	370	THR
11	D	171	LEU
11	D	188	ARG
12	Е	23	LYS
12	Е	91	VAL
13	F	54	ARG
13	F	63	VAL
14	G	175	ARG
14	G	211	ASP
16	Ι	72	THR
17	К	18	THR
17	K	29	ARG
19	М	17	THR
20	N	95	ARG
20	N	114	ASP
23	Q	103	ARG
24	S	17	PHE
25	Т	100	ASN
25	Т	114	PHE
27	V	34	VAL
27	V	49	ARG
27	V	92	THR
29	Х	63	THR
30	Y	24	VAL
33	b	38	VAL
33	b	87	ARG
39	h	74	TYR
40	i	52	LYS
41	1	27	THR
42	m	45	VAL
42	m	143	THR
42	m	157	VAL
42	m	169	VAL
43	r	117	LYS
43	r	263	LYS
45	u	25	THR
45	u	109	ARG



Continued from previous page...

Mol	Chain	Res	Type
46	V	56	ARG
46	V	99	ASP
46	V	223	ARG
47	W	70[A]	ARG
47	W	70[B]	ARG
48	Z	274	ASP
48	Z	288	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (71) such sidechains are listed below:

Mol	Chain	Res	Type
1	0	233	GLN
1	0	393	HIS
4	3	270	GLN
4	3	358	GLN
4	3	364	HIS
4	3	382	ASN
4	3	391	ASN
6	6	68	HIS
6	6	106	ASN
6	6	145	GLN
6	6	157	GLN
6	6	162	HIS
8	А	171	HIS
8	А	200	ASN
9	В	167	GLN
9	В	204	GLN
9	В	281	ASN
10	С	49	HIS
10	С	60	ASN
11	D	38	ASN
11	D	61	GLN
11	D	119	GLN
13	F	3	GLN
14	G	195	HIS
14	G	208	ASN
14	G	227	ASN
15	Н	101	ASN
15	Н	108	GLN
16	Ι	39	ASN
16	Ι	42	ASN
20	N	46	GLN



Mol	Chain	Res	Type
20	N	104	ASN
21	0	58	GLN
24	S	66	HIS
24	S	125	ASN
25	Т	100	ASN
27	V	167	HIS
28	W	18	HIS
28	W	45	GLN
28	W	51	GLN
29	Х	56	HIS
30	Y	21	ASN
30	Y	34	GLN
30	Y	80	GLN
30	Y	116	HIS
30	Y	118	GLN
31	Z	44	ASN
31	Ζ	188	ASN
33	b	23	HIS
33	b	173	ASN
35	d	41	GLN
35	d	55	ASN
36	е	77	HIS
37	f	59	HIS
38	g	73	HIS
38	g	151	ASN
39	h	20	ASN
40	i	78	ASN
41	1	6	GLN
42	m	132	ASN
42	m	194	ASN
43	r	81	HIS
43	r	195	HIS
43	r	225	GLN
44	t	107	ASN
45	u	20	ASN
46	V	190	HIS
46	V	211	HIS
46	V	268	GLN
47	W	63	GLN
48	Z	242	GLN



Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	2	3436/5070~(67%)	902~(26%)	23~(0%)
5	5	119/120~(99%)	20 (16%)	0
7	8	153/156~(98%)	35~(22%)	0
All	All	3708/5346~(69%)	957~(25%)	23~(0%)

All (957) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
3	2	2	G
3	2	10	А
3	2	18	С
3	2	25	А
3	2	39	А
3	2	42	А
3	2	48	G
3	2	56	А
3	2	59	А
3	2	64	А
3	2	65	А
3	2	67	С
3	2	69	А
3	2	73	А
3	2	74	G
3	2	75	G
3	2	91	G
3	2	98	А
3	2	108	А
3	2	109	G
3	2	110	С
3	2	119	G
3	2	120	А
3	2	127	G
3	2	128	С
3	2	131	C
3	2	132	G
3	2	133	C
3	2	134	G
3	2	135	G
3	2	136	C
3	2	141	С
3	2	143	С
3	2	146	G
3	2	151	G



Mol	Chain	Res	Type
3	2	157	U
3	2	159	С
3	2	165	А
3	2	172	С
3	2	177	G
3	2	180	С
3	2	181	С
3	2	183	C
3	2	184	U
3	2	185	С
3	2	188	G
3	2	189	G
3	2	200	U
3	2	207	G
3	2	209	U
3	2	216	С
3	2	218	А
3	2	219	G
3	2	220	С
3	2	225	G
3	2	233	U
3	2	234	G
3	2	236	G
3	2	250	С
3	2	254	G
3	2	256	G
3	2	257	C
3	2	260	С
3	2	261	G
3	2	262	G
3	2	263	G
3	2	265	C
3	2	278	G
3	2	279	A
3	2	280	G
3	2	297	U
3	2	306	А
3	2	315	G
3	2	316	U
3	2	340	С
3	2	341	G
3	2	347	А



Mol	Chain	Res	Type
3	2	348	G
3	2	349	А
3	2	350	С
3	2	361	С
3	2	362	А
3	2	363	А
3	2	380	U
3	2	387	G
3	2	388	А
3	2	406	С
3	2	407	А
3	2	408	A
3	2	412	G
3	2	413	G
3	2	433	A
3	2	449	С
3	2	450	G
3	2	452	A
3	2	453	G
3	2	454	U
3	2	457	G
3	2	458	С
3	2	467	U
3	2	484	U
3	2	485	С
3	2	486	С
3	2	489	С
3	2	493	G
3	2	494	U
3	2	497	G
3	2	498	С
3	2	499	G
3	2	500	G
3	2	501	С
3	2	502	С
3	2	503	С
3	2	504	G
3	2	505	G
3	2	507	G
3	2	508	G
3	2	509	A
3	2	510	U



Mol	Chain	Res	Type
3	2	511	С
3	2	512	U
3	2	513	U
3	2	514	U
3	2	515	С
3	2	517	С
3	2	518	G
3	2	519	С
3	2	643	С
3	2	644	G
3	2	645	G
3	2	646	G
3	2	653	U
3	2	656	С
3	2	657	С
3	2	659	G
3	2	660	А
3	2	665	С
3	2	667	A
3	2	668	С
3	2	670	G
3	2	673	С
3	2	685	С
3	2	686	A
3	2	687	U
3	2	696	С
3	2	697	G
3	2	703	G
3	2	704	С
3	2	705	G
3	2	708	G
3	2	731	G
3	2	738	С
3	2	739	G
3	2	746	A
3	2	749	G
3	2	753	С
3	2	756	G
3	2	757	G
3	2	760	G
3	2	904	С
3	2	905	C
	1	L	



Mol	Chain	Res	Type
3	2	906	С
3	2	907	С
3	2	912	G
3	2	913	U
3	2	914	U
3	2	915	А
3	2	916	С
3	2	917	А
3	2	918	G
3	2	923	С
3	2	924	С
3	2	925	С
3	2	932	A
3	2	933	G
3	2	934	С
3	2	935	А
3	2	936	С
3	2	937	U
3	2	941	С
3	2	943	А
3	2	944	А
3	2	945	U
3	2	956	A
3	2	959	G
3	2	960	А
3	2	961	G
3	2	962	С
3	2	965	G
3	2	966	A
3	2	967	С
3	2	971	U
3	2	977	С
3	2	978	2MG
3	2	982	U
3	2	985	С
3	2	989	U
3	2	990	С
3	2	991	С
3	2	992	С
3	2	993	G
3	2	995	С
3	2	1048	G



Mol	Chain	Res	Type
3	2	1049	С
3	2	1051	G
3	2	1065	G
3	2	1068	G
3	2	1070	G
3	2	1071	С
3	2	1072	С
3	2	1075	G
3	2	1078	А
3	2	1080	С
3	2	1083	U
3	2	1084	С
3	2	1095	А
3	2	1098	G
3	2	1171	G
3	2	1172	С
3	2	1173	G
3	2	1174	G
3	2	1176	С
3	2	1178	G
3	2	1179	U
3	2	1180	С
3	2	1181	C
3	2	1182	С
3	2	1183	С
3	2	1185	G
3	2	1187	G
3	2	1189	G
3	2	1191	С
3	2	1199	G
3	2	1202	С
3	2	1203	G
3	2	1204	С
3	2	1210	С
3	2	1211	G
3	2	1214	С
3	2	1215	С
3	2	1217	G
3	2	1218	G
3	2	1222	A
3	2	1241	C
3	2	1242	G



Mol	Chain	Res	Type
3	2	1253	G
3	2	1254	А
3	2	1255	А
3	2	1259	G
3	2	1260	G
3	2	1261	G
3	2	1262	G
3	2	1263	А
3	2	1264	С
3	2	1265	G
3	2	1266	G
3	2	1267	С
3	2	1269	G
3	2	1270	A
3	2	1271	G
3	2	1272	С
3	2	1273	G
3	2	1274	А
3	2	1275	G
3	2	1280	С
3	2	1281	G
3	2	1284	G
3	2	1287	G
3	2	1289	С
3	2	1293	G
3	2	1294	А
3	2	1295	С
3	2	1296	G
3	2	1301	С
3	2	1302	U
3	2	1303	А
3	2	1314	С
3	2	1324	A
3	2	1326	A2M
3	2	1337	А
3	2	1354	A
3	2	1358	G
3	2	1359	G
3	2	1365	С
3	2	1366	G
3	2	1367	C
3	2	1370	G



Mol	Chain	Res	Type
3	2	1377	G
3	2	1378	С
3	2	1379	С
3	2	1387	А
3	2	1394	G
3	2	1397	А
3	2	1399	G
3	2	1403	G
3	2	1404	G
3	2	1405	С
3	2	1407	С
3	2	1408	G
3	2	1409	С
3	2	1410	U
3	2	1411	С
3	2	1412	G
3	2	1420	А
3	2	1425	G
3	2	1435	G
3	2	1437	С
3	2	1438	U
3	2	1439	С
3	2	1441	С
3	2	1443	А
3	2	1446	С
3	2	1447	С
3	2	1458	С
3	2	1459	А
3	2	1482	G
3	2	1483	С
3	2	1493	G
3	2	1497	A
3	2	1498	G
3	2	1502	G
3	2	1514	U
3	2	1515	A
3	2	1517	2MG
3	2	1518	A
3	2	1522	OMG
3	2	1525	A
3	2	1534	A2M
3	2	1547	A



Mol	Chain	Res	Type
3	2	1566	С
3	2	1578	U
3	2	1586	G
3	2	1591	U
3	2	1596	U
3	2	1597	G
3	2	1621	А
3	2	1624	G
3	2	1625	OMG
3	2	1626	G
3	2	1627	G
3	2	1631	А
3	2	1632	А
3	2	1633	G
3	2	1634	А
3	2	1638	А
3	2	1640	С
3	2	1641	G
3	2	1642	А
3	2	1651	G
3	2	1654	G
3	2	1655	С
3	2	1661	С
3	2	1676	С
3	2	1677	PSU
3	2	1678	С
3	2	1679	А
3	2	1681	G
3	2	1686	С
3	2	1694	С
3	2	1697	G
3	2	1699	А
3	2	1700	G
3	2	1701	А
3	2	1703	С
3	2	1704	С
3	2	1705	G
3	2	1706	А
3	2	1707	С
3	2	1708	G
3	2	1709	С
3	2	1715	С



Mol	Chain	Res	Type
3	2	1716	G
3	2	1719	А
3	2	1734	G
3	2	1763	С
3	2	1764	G
3	2	1765	А
3	2	1766	А
3	2	1768	С
3	2	1769	G
3	2	1772	С
3	2	1773	U
3	2	1774	С
3	2	1790	U
3	2	1804	А
3	2	1806	G
3	2	1809	С
3	2	1810	G
3	2	1815	G
3	2	1820	С
3	2	1821	G
3	2	1822	U
3	2	1829	G
3	2	1836	G
3	2	1837	А
3	2	1842	G
3	2	1855	G
3	2	1862	U
3	2	1863	U
3	2	1866	UR3
3	2	1867	А
3	2	1869	G
3	2	1872	G
3	2	1873	А
3	2	1881	С
3	2	1883	OMG
3	2	1891	А
3	2	1892	А
3	2	1893	С
3	2	1897	А
3	2	1918	U
3	2	1919	G
3	2	1920	С



Mol	Chain	Res	Type
3	2	1922	G
3	2	1925	G
3	2	1931	С
3	2	1932	А
3	2	1935	С
3	2	1940	G
3	2	1943	А
3	2	1948	G
3	2	1951	G
3	2	1952	G
3	2	1959	U
3	2	1960	А
3	2	1961	G
3	2	1962	А
3	2	1963	С
3	2	2024	G
3	2	2025	А
3	2	2026	А
3	2	2033	А
3	2	2034	G
3	2	2046	G
3	2	2048	U
3	2	2055	G
3	2	2056	G
3	2	2069	А
3	2	2070	U
3	2	2071	А
3	2	2084	С
3	2	2085	G
3	2	2089	G
3	2	2090	U
3	2	2091	С
3	2	2092	G
3	2	2093	А
3	2	2094	G
3	2	2095	А
3	2	2096	G
3	2	2097	U
3	2	2098	G
3	2	2100	А
3	2	2101	С
3	2	2103	G


Mol	Chain	Res	Type
3	2	2104	G
3	2	2106	G
3	2	2108	G
3	2	2111	G
3	2	2112	G
3	2	2251	G
3	2	2252	G
3	2	2253	А
3	2	2256	C
3	2	2259	G
3	2	2262	G
3	2	2263	А
3	2	2280	G
3	2	2289	С
3	2	2300	А
3	2	2301	G
3	2	2305	U
3	2	2313	А
3	2	2316	G
3	2	2331	G
3	2	2332	А
3	2	2333	G
3	2	2345	G
3	2	2348	G
3	2	2351	С
3	2	2357	G
3	2	2360	А
3	2	2364	OMG
3	2	2382	А
3	2	2395	А
3	2	2396	А
3	2	2397	G
3	2	2398	U
3	2	2402	G
3	2	2408	U
3	2	2417	А
3	2	2422	OMC
3	2	2424	OMG
3	2	2425	U
3	2	2437	С
3	2	2441	C
3	2	2447	U



Mol	Chain	Res	Type
3	2	2450	G
3	2	2453	А
3	2	2460	А
3	2	2465	С
3	2	2467	U
3	2	2471	G
3	2	2474	G
3	2	2475	G
3	2	2478	С
3	2	2480	G
3	2	2481	G
3	2	2483	G
3	2	2484	А
3	2	2485	U
3	2	2486	G
3	2	2487	G
3	2	2488	С
3	2	2489	С
3	2	2490	U
3	2	2491	С
3	2	2492	С
3	2	2494	U
3	2	2503	G
3	2	2504	С
3	2	2505	С
3	2	2506	G
3	2	2511	А
3	2	2512	А
3	2	2513	А
3	2	2514	G
3	2	2519	U
3	2	2520	С
3	2	2532	С
3	2	2537	A
3	2	2544	G
3	2	2546	G
3	2	$2\overline{547}$	G
3	2	2553	A
3	2	2554	U
3	2	2555	G
3	2	2562	G
3	2	2566	G



Mol	Chain	Res	Type
3	2	2569	G
3	2	2573	А
3	2	2583	С
3	2	2587	А
3	2	2589	С
3	2	2596	G
3	2	2618	G
3	2	2627	С
3	2	2638	G
3	2	2652	G
3	2	2653	С
3	2	2659	А
3	2	2661	U
3	2	2662	G
3	2	2663	G
3	2	2664	G
3	2	2669	С
3	2	2670	С
3	2	2673	G
3	2	2675	G
3	2	2676	А
3	2	2687	U
3	2	2694	G
3	2	2695	А
3	2	2696	А
3	2	2697	А
3	2	2705	G
3	2	2724	G
3	2	2726	G
3	2	2732	G
3	2	2739	С
3	2	2742	G
3	2	2743	A
3	2	2746	A
3	2	2756	G
3	2	2761	U
3	2	2763	U
3	2	2764	A
3	2	2769	U
3	2	2770	С
3	2	2773	OMG
3	2	2788	U



Mol	Chain	Res	Type
3	2	2790	U
3	2	2793	G
3	2	2794	С
3	2	2800	G
3	2	2814	С
3	2	2815	А
3	2	2822	G
3	2	2825	А
3	2	2826	U
3	2	2827	G
3	2	2829	U
3	2	2835	А
3	2	2838	G
3	2	2848	G
3	2	2850	А
3	2	2855	G
3	2	2870	А
3	2	2876	G
3	2	2877	G
3	2	2879	А
3	2	2886	U
3	2	2900	U
3	2	3604	А
3	2	3605	С
3	2	3615	G
3	2	3619	G
3	2	3626	G
3	2	3630	A
3	2	3635	А
3	2	3644	U
3	2	3662	А
3	2	3664	G
3	2	3670	C
3	2	3673	C
3	2	3674	G
3	2	3680	U
3	2	3691	G
3	2	3692	A
3	2	3706	С
3	2	3711	A
3	2	3713	U
3	2	3714	G



Mol	Chain	Res	Type
3	2	3728	А
3	2	3729	PSU
3	2	3735	G
3	2	3736	A
3	2	3748	А
3	2	3750	G
3	2	3776	G
3	2	3777	G
3	2	3784	А
3	2	3785	A2M
3	2	3789	С
3	2	3799	А
3	2	3802	U
3	2	3811	G
3	2	3812	С
3	2	3813	A
3	2	3814	U
3	2	3817	А
3	2	3818	U
3	2	3819	G
3	2	3823	G
3	2	3838	U
3	2	3839	G
3	2	3840	U
3	2	3851	U
3	2	3867	A2M
3	2	3876	А
3	2	3877	А
3	2	3878	С
3	2	3879	G
3	2	3881	G
3	2	3892	U
3	2	3898	G
3	2	3901	A
3	2	3902	A
3	2	3906	А
3	2	3907	G
3	2	3908	A
3	2	3910	С
3	2	3915	U
3	2	3922	G
3	2	3923	А



Mol	Chain	Res	Type
3	2	3925	U
3	2	3926	С
3	2	3938	G
3	2	3939	G
3	2	3941	G
3	2	3944	G
3	2	3946	G
3	2	4076	G
3	2	4084	G
3	2	4086	G
3	2	4088	С
3	2	4097	G
3	2	4098	А
3	2	4099	G
3	2	4101	С
3	2	4102	С
3	2	4103	С
3	2	4104	G
3	2	4105	А
3	2	4106	G
3	2	4107	G
3	2	4108	G
3	2	4111	U
3	2	4112	С
3	2	4113	U
3	2	4114	С
3	2	4115	G
3	2	4116	С
3	2	4117	U
3	2	4118	U
3	2	4119	С
3	2	4127	A
3	2	4133	С
3	2	4138	С
3	2	4139	G
3	2	4140	С
3	2	4141	G
3	2	4142	C
3	2	4143	G
3	2	4145	C
3	2	4146	G
3	2	4148	С



Mol	Chain	Res	Type
3	2	4157	А
3	2	4162	С
3	2	4163	U
3	2	4170	А
3	2	4177	С
3	2	4183	G
3	2	4184	G
3	2	4191	G
3	2	4195	G
3	2	4196	OMG
3	2	4206	С
3	2	4212	А
3	2	4224	А
3	2	4228	G
3	2	4229	U
3	2	4233	A
3	2	4234	А
3	2	4251	А
3	2	4254	G
3	2	4256	А
3	2	4257	А
3	2	4265	U
3	2	4268	А
3	2	4271	А
3	2	4272	G
3	2	4273	А
3	2	4281	А
3	2	4282	А
3	2	4291	G
3	2	4304	А
3	2	4305	G
3	2	4312	U
3	2	4313	A
3	2	4314	C
3	2	4319	С
3	2	4326	G
3	2	4329	G
3	2	4330	G
3	2	4332	С
3	2	4349	С
3	2	4354	U
3	2	4364	G



Mol	Chain	Res	Type
3	2	4372	U
3	2	4373	G
3	2	4374	U
3	2	4376	А
3	2	4377	G
3	2	4378	А
3	2	4379	А
3	2	4380	А
3	2	4387	С
3	2	4394	А
3	2	4398	С
3	2	4400	G
3	2	4403	PSU
3	2	4443	С
3	2	4444	С
3	2	4448	G
3	2	4450	PSU
3	2	4451	G
3	2	4453	С
3	2	4464	А
3	2	4466	С
3	2	4471	U
3	2	4476	С
3	2	4477	А
3	2	4482	U
3	2	4488	А
3	2	4500	PSU
3	2	4510	А
3	2	4512	U
3	2	4513	А
3	2	4518	А
3	2	4519	С
3	2	4523	A2M
3	2	4524	G
3	2	4532	U
3	2	4545	G
3	2	4548	А
3	2	4549	G
3	2	4560	С
3	2	4567	G
3	2	4570	G
3	2	4573	G



Mol	Chain	Res	Type
3	2	4575	G
3	2	4583	С
3	2	4584	А
3	2	4589	А
3	2	4590	А
3	2	4599	А
3	2	4600	G
3	2	4601	U
3	2	4606	G
3	2	4617	G
3	2	4636	PSU
3	2	4637	OMG
3	2	4647	G
3	2	4652	G
3	2	4656	А
3	2	4670	С
3	2	4693	С
3	2	4695	С
3	2	4700	А
3	2	4708	А
3	2	4709	U
3	2	4719	G
3	2	4722	G
3	2	4728	U
3	2	4731	G
3	2	4732	G
3	2	4733	С
3	2	4734	A
3	2	4740	G
3	2	4741	C
3	2	4743	G
3	2	4745	G
3	2	4746	С
3	2	4750	G
3	2	4751	G
3	2	4754	G
3	2	4757	С
3	2	4759	С
3	2	4761	G
3	2	4764	A
3	2	4765	G
3	2	4771	С



Mol	Chain	Res	Type
3	2	4772	С
3	2	4775	С
3	2	4776	G
3	2	4859	С
3	2	4860	G
3	2	4862	G
3	2	4864	U
3	2	4870	OMG
3	2	4871	С
3	2	4872	2MG
3	2	4874	А
3	2	4875	G
3	2	4877	G
3	2	4882	U
3	2	4883	С
3	2	4887	С
3	2	4889	G
3	2	4895	С
3	2	4896	G
3	2	4900	С
3	2	4901	G
3	2	4904	G
3	2	4910	G
3	2	4912	G
3	2	4914	С
3	2	4915	G
3	2	4925	U
3	2	4926	С
3	2	4927	G
3	2	4928	С
3	2	4935	С
3	2	4936	G
3	2	4937	С
3	2	4938	A
3	2	4941	G
3	2	4943	A
3	2	4945	G
3	2	4949	G
3	2	4950	U
3	2	4951	G
3	2	4955	A
3	2	4960	G



Mol	Chain	Res	Type
3	2	4966	А
3	2	4975	G
3	2	4976	U
3	2	4985	U
3	2	4988	U
3	2	4989	U
3	2	4991	U
3	2	5013	С
3	2	5014	А
3	2	5021	С
3	2	5022	U
3	2	5023	С
3	2	5024	C
3	2	5025	С
3	2	5026	U
3	2	5034	A
3	2	5041	G
3	2	5047	С
3	2	5050	С
3	2	5053	U
3	2	5054	С
3	2	5055	G
3	2	5058	А
3	2	5060	А
3	2	5061	А
3	2	5062	G
3	2	5069	U
5	5	4	U
5	5	5	А
5	5	11	А
5	5	13	А
5	5	22	А
5	5	24	С
5	5	38	U
5	5	42	A
5	5	53	U
5	5	54	A
5	5	61	G
5	5	62	U
5	5	63	С
5	5	64	G
5	5	70	G



Mol	Chain	Res	Type
5	5	71	G
5	5	74	А
5	5	100	А
5	5	106	G
5	5	110	G
7	8	2	G
7	8	3	А
7	8	23	С
7	8	25	G
7	8	34	U
7	8	35	С
7	8	38	U
7	8	48	A
7	8	59	А
7	8	60	G
7	8	62	A
7	8	63	U
7	8	68	G
7	8	75	G
7	8	80	A
7	8	82	A
7	8	83	С
7	8	84	A
7	8	85	U
7	8	87	G
7	8	103	A
7	8	105	C
7	8	106	G
7	8	110	U
7	8	111	U
7	8	114	G
7	8	123	U
7	8	124	U
7	8	125	C
7	8	126	C
7	8	127	U
7	8	150	C
7	8	151	G
7	8	153	С
7	8	156	U

Continued from previous page...

All (23) RNA pucker outliers are listed below:



Mol	Chain	Res	Type
3	2	406	С
3	2	504	G
3	2	914	U
3	2	955	G
3	2	1082	С
3	2	1517	2MG
3	2	1633	G
3	2	1763	С
3	2	1773	U
3	2	2033	А
3	2	2084	С
3	2	2416	G
3	2	2675	G
3	2	2760	G
3	2	3614	G
3	2	3673	С
3	2	3788	С
3	2	4378	А
3	2	4600	G
3	2	4699	U
3	2	4913	G
3	2	5022	U
3	2	5060	А

5.4 Non-standard residues in protein, DNA, RNA chains (i)

98 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type Chain	Turne	Chain	Dec	Tink	B	ond leng	gths	Bond angles		
	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
3	B8T	2	4483	3	$19,\!22,\!23$	3.47	8 (42%)	26,31,34	0.84	1 (3%)
3	B8T	2	4671	3	$19,\!22,\!23$	3.27	8 (42%)	26,31,34	1.12	1 (3%)
3	A2M	2	2363	49,3	$18,\!25,\!26$	4.13	7 (38%)	18,36,39	3.41	3 (16%)
3	OMC	2	2422	49,3,30	19,22,23	2.76	7 (36%)	26,31,34	1.43	3 (11%)
3	OMG	2	1522	3	18,26,27	2.31	7 (38%)	19,38,41	1.61	4 (21%)



Mol	Type	Chain	Dog	Link	B	ond leng	gths	Bond angles		
	Type	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
3	PSU	2	1677	3	18,21,22	1.31	3 (16%)	22,30,33	2.08	5 (22%)
3	PSU	2	4450	3	18,21,22	1.07	2 (11%)	22,30,33	2.02	5 (22%)
3	OMG	2	373	3	$18,\!26,\!27$	2.25	7 (38%)	19,38,41	1.53	4 (21%)
3	A2M	2	1524	3	$18,\!25,\!26$	4.14	7 (38%)	$18,\!36,\!39$	3.15	4 (22%)
3	OMC	2	4536	3	$19,\!22,\!23$	2.73	7 (36%)	26,31,34	0.75	0
3	6MZ	2	4220	3	18,25,26	1.84	3 (16%)	16,36,39	<mark>3.88</mark>	3 (18%)
3	5MU	2	4083	3	19,22,23	4.68	7 (36%)	28,32,35	<mark>3.85</mark>	10 (35%)
3	B9B	2	2754	3	21,28,29	5.58	8 (38%)	23,40,43	2.13	5 (21%)
3	PSU	2	4442	3	18,21,22	1.20	1 (5%)	22,30,33	1.65	4 (18%)
3	A2M	2	1871	3	18,25,26	4.31	6 (33%)	18,36,39	2.91	3 (16%)
3	B8H	2	4296	3	19,22,23	<mark>6.83</mark>	7 (36%)	22,32,35	2.40	5 (22%)
3	1MA	2	1322	49,3	16,25,26	<mark>3.69</mark>	4 (25%)	18,37,40	1.77	3 (16%)
3	5MC	2	4447	49,3	18,22,23	<mark>3.17</mark>	7 (38%)	26,32,35	1.67	2 (7%)
3	B8W	2	4185	3	18,26,27	<mark>6.19</mark>	7 (38%)	21,38,41	2.45	7 (33%)
3	OMG	2	4870	24,3,33	18,26,27	2.50	8 (44%)	19,38,41	1.47	<mark>6 (31%)</mark>
3	PSU	2	4403	3	18,21,22	1.07	1 (5%)	22,30,33	1.57	5 (22%)
3	A2M	2	4571	3	18,25,26	4.20	7 (38%)	18,36,39	3.02	4 (22%)
3	OMG	2	1625	49,3	18,26,27	2.27	7 (38%)	19,38,41	1.53	4 (21%)
3	UR3	2	1866	3	19,22,23	3.01	6 (31%)	26,32,35	1.65	4 (15%)
3	B8W	2	2380	3	18,26,27	<mark>6.11</mark>	7 (38%)	21,38,41	2.28	6 (28%)
3	OMU	2	4306	3	19,22,23	2.75	7 (36%)	26,31,34	1.74	5 (19%)
3	PSU	2	4531	3	18,21,22	1.04	1 (5%)	22,30,33	1.83	4 (18%)
3	A2M	2	2401	3	18,25,26	4.11	8 (44%)	18,36,39	3.06	3 (16%)
3	A2M	2	3723	3	18,25,26	4.25	7 (38%)	18,36,39	3.00	4 (22%)
3	7MG	2	2522	3	22,26,27	3.14	10 (45%)	29,39,42	2.01	7 (24%)
3	OMG	2	3792	3	18,26,27	2.32	7 (38%)	19,38,41	1.38	4 (21%)
3	A2M	2	3718	3	18,25,26	4.22	6 (33%)	18,36,39	<mark>3.18</mark>	3 (16%)
3	E7G	2	2297	3	24,27,28	3.43	11 (45%)	30,40,43	2.17	9 (30%)
3	B9B	2	237	3	21,28,29	5.59	9 (42%)	23,40,43	2.51	6 (26%)
3	I4U	2	4194	3	21,24,25	4.84	16 (76%)	27,34,37	1.60	6 (22%)
3	E6G	2	4355	3	20,27,28	<mark>5.90</mark>	9(45%)	22,39,42	2.70	9 (40%)
3	OMG	2	4623	3	18,26,27	2.31	8 (44%)	19,38,41	1.61	3 (15%)
3	B8W	2	4472	3	18,26,27	6.10	7 (38%)	21,38,41	2.18	5 (23%)
3	B9B	2	1574	3,32	21,28,29	5.73	8 (38%)	23,40,43	2.17	5 (21%)
3	A2M	2	4523	3	18,25,26	4.17	7 (38%)	18,36,39	<mark>3.19</mark>	5 (27%)



Mal	Trune	Chain	Dec	Tinle	B	ond leng	gths	Bond angles		
	туре	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
3	OMC	2	2861	3	$19,\!22,\!23$	2.76	7 (36%)	26,31,34	0.66	0
3	OMG	2	4370	3	$18,\!26,\!27$	2.27	8 (44%)	19,38,41	1.46	4 (21%)
3	OMC	2	2365	49,3	$19,\!22,\!23$	2.69	7 (36%)	26,31,34	0.72	0
3	A2M	2	3785	3	18,25,26	4.00	7 (38%)	18,36,39	<mark>3.09</mark>	3 (16%)
3	P7G	2	3880	3	24,28,29	4.22	11 (45%)	27,41,44	1.71	5 (18%)
3	A2M	2	3825	3	18,25,26	4.21	7 (38%)	18,36,39	<mark>3.15</mark>	3 (16%)
3	M7A	2	4564	3	20,25,26	1.90	4 (20%)	28,37,40	<mark>3.91</mark>	7 (25%)
3	UR3	2	4597	3	19,22,23	2.78	6 (31%)	26,32,35	1.24	2 (7%)
3	B8W	2	4529	4,3	18,26,27	6.22	9 (50%)	21,38,41	3.04	9 (42%)
3	7MG	2	4550	3	22,26,27	<mark>3.11</mark>	10 (45%)	29,39,42	2.05	10 (34%)
3	A2M	2	398	3	18,25,26	4.17	<mark>6 (33%)</mark>	18,36,39	<mark>3.19</mark>	3 (16%)
3	B8K	2	4690	3	24,28,29	4.33	16 (66%)	30,42,45	2.55	12 (40%)
3	B8Q	2	1456	3	17,22,23	2.85	4 (23%)	22,32,35	2.24	<mark>6 (27%)</mark>
3	OMG	2	1883	3	18,26,27	2.24	6 (33%)	19,38,41	1.53	5 (26%)
3	OMG	2	2050	3	18,26,27	2.26	7 (38%)	19,38,41	1.57	3 (15%)
3	I4U	2	1659	49,3	21,24,25	4.57	15 (71%)	27,34,37	1.31	3 (11%)
3	OMG	2	2424	49,3	18,26,27	2.39	7 (38%)	19,38,41	1.64	4 (21%)
3	PSU	2	4293	3	18,21,22	1.12	2 (11%)	22,30,33	1.76	4 (18%)
3	B8W	2	4129	3	18,26,27	6.18	7 (38%)	21,38,41	2.70	9 (42%)
3	UR3	2	4530	3	19,22,23	2.75	7 (36%)	26,32,35	1.45	5 (19%)
3	OMC	2	3909	3	19,22,23	2.96	8 (42%)	26,31,34	1.44	4 (15%)
3	7MG	2	1605	3	22,26,27	2.99	10 (45%)	29,39,42	2.04	9 (31%)
3	PSU	2	3715	3	18,21,22	1.04	1 (5%)	22,30,33	1.49	3 (13%)
3	A2M	2	1326	49,3	18,25,26	4.11	<mark>6 (33%)</mark>	18,36,39	3.00	3 (16%)
3	BGH	2	3899	3	25,29,30	4.17	16 (64%)	31,43,46	2.53	12 (38%)
3	B9H	2	2786	3	20,25,26	2.69	5 (25%)	22,35,38	2.62	7 (31%)
3	OMC	2	3869	3	19,22,23	2.74	7 (36%)	26,31,34	0.75	0
3	2MG	2	1517	3	18,26,27	2.36	7 (38%)	16,38,41	1.77	5 (31%)
3	2MG	2	4872	24,3,27	18,26,27	2.24	7 (38%)	16,38,41	1.45	3 (18%)
3	E7G	2	1797	3	24,27,28	<mark>3.54</mark>	11 (45%)	30,40,43	2.21	9 (30%)
3	OMG	2	4494	3	18,26,27	2.31	7 (38%)	19,38,41	1.57	4 (21%)
3	PSU	2	4628	3	18,21,22	0.99	1 (5%)	22,30,33	1.87	4 (18%)
3	OMC	2	3701	49,3	19,22,23	2.61	8 (42%)	26,31,34	0.95	1 (3%)
3	PSU	2	1582	3	18,21,22	1.07	1 (5%)	22,30,33	1.76	4 (18%)
3	PSU	2	4636	3	18,21,22	1.17	3 (16%)	22,30,33	1.95	4 (18%)



Mol	Tuno	Chain	Dog	Link	B	ond leng	gths	E	Bond ang	gles
WIOI	туре	Ullalli	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
3	$5 \mathrm{MC}$	2	4335	3	18,22,23	3.29	7 (38%)	26,32,35	1.16	2 (7%)
3	OMU	2	4620	$3,\!36$	19,22,23	2.82	8 (42%)	26,31,34	2.02	8 (30%)
3	A2M	2	3867	3	18,25,26	4.11	6 (33%)	18,36,39	2.81	3 (16%)
3	P4U	2	1348	$31,\!3$	21,24,25	<mark>3.50</mark>	8 (38%)	27,33,36	1.14	2 (7%)
3	B8H	2	1860	3	19,22,23	6.84	7 (36%)	22,32,35	2.50	5 (22%)
3	2MG	2	729	3	18,26,27	2.26	7 (38%)	16,38,41	1.44	3 (18%)
3	OMG	2	2773	3	18,26,27	2.44	8 (44%)	19,38,41	1.65	5 (26%)
3	PSU	2	3729	3	18,21,22	1.03	2 (11%)	22,30,33	1.74	4 (18%)
3	PSU	2	4500	3	18,21,22	1.09	3 (16%)	22,30,33	1.99	5 (22%)
3	OMG	2	1316	49,3	18,26,27	2.35	8 (44%)	19,38,41	1.78	5 (26%)
3	2MG	2	978	3	18,26,27	2.33	7 (38%)	16,38,41	1.61	4 (25%)
3	OMG	2	4196	3	18,26,27	2.48	8 (44%)	19,38,41	1.51	4 (21%)
3	B8K	2	3897	3	24,28,29	4.32	16 (66%)	30,42,45	2.51	12 (40%)
3	OMC	2	2804	3	19,22,23	2.64	7 (36%)	26,31,34	0.81	0
3	A2M	2	1534	49,3	18,25,26	4.18	7 (38%)	18,36,39	2.86	4 (22%)
3	PSU	2	1683	3	18,21,22	1.13	1 (5%)	22,30,33	1.84	3 (13%)
3	OMG	2	2364	3	18,26,27	2.20	7 (38%)	19,38,41	1.61	3 (15%)
3	OMC	2	3887	3	19,22,23	2.84	7 (36%)	26,31,34	1.00	1 (3%)
3	PSU	2	2508	3	18,21,22	1.03	1 (5%)	22,30,33	1.58	3 (13%)
3	MHG	2	4371	4,3	29,32,33	<mark>3.68</mark>	12 (41%)	34,46,49	2.20	10 (29%)
3	P7G	2	1909	3	24,28,29	4.26	11 (45%)	27,41,44	1.76	3 (11%)
3	5MC	2	3782	49,3	18,22,23	<mark>3.31</mark>	7 (38%)	26,32,35	1.15	3 (11%)
3	OMG	2	4637	3	18,26,27	2.33	7 (38%)	19,38,41	1.70	4 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	B8T	2	4483	3	-	0/7/27/28	0/2/2/2
3	B8T	2	4671	3	-	0/7/27/28	0/2/2/2
3	A2M	2	2363	49,3	-	0/5/27/28	0/3/3/3
3	OMC	2	2422	49,3,30	-	2/9/27/28	0/2/2/2
3	OMG	2	1522	3	-	0/5/27/28	0/3/3/3
3	PSU	2	1677	3	-	4/7/25/26	0/2/2/2
3	PSU	2	4450	3	-	5/7/25/26	0/2/2/2



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OMG	2	373	3	-	1/5/27/28	0/3/3/3
3	A2M	2	1524	3	-	2/5/27/28	0/3/3/3
3	OMC	2	4536	3	-	0/9/27/28	0/2/2/2
3	6MZ	2	4220	3	-	2/5/27/28	0/3/3/3
3	5MU	2	4083	3	-	0/7/25/26	0/2/2/2
3	B9B	2	2754	3	-	5/7/29/30	0/3/3/3
3	PSU	2	4442	3	-	0/7/25/26	0/2/2/2
3	A2M	2	1871	3	-	2/5/27/28	0/3/3/3
3	B8H	2	4296	3	-	2/7/25/26	0/2/2/2
3	1MA	2	1322	49,3	-	1/3/25/26	0/3/3/3
3	5MC	2	4447	49,3	-	4/7/25/26	0/2/2/2
3	B8W	2	4185	3	-	2/5/27/28	0/3/3/3
3	OMG	2	4870	24,3,33	-	3/5/27/28	0/3/3/3
3	PSU	2	4403	3	-	5/7/25/26	0/2/2/2
3	A2M	2	4571	3	-	0/5/27/28	0/3/3/3
3	OMG	2	1625	49,3	-	2/5/27/28	0/3/3/3
3	UR3	2	1866	3	-	2/7/25/26	0/2/2/2
3	B8W	2	2380	3	-	4/5/27/28	0/3/3/3
3	OMU	2	4306	3	-	1/9/27/28	0/2/2/2
3	PSU	2	4531	3	-	1/7/25/26	0/2/2/2
3	A2M	2	2401	3	-	2/5/27/28	0/3/3/3
3	A2M	2	3723	3	-	0/5/27/28	0/3/3/3
3	7MG	2	2522	3	-	0/7/37/38	0/3/3/3
3	OMG	2	3792	3	-	0/5/27/28	0/3/3/3
3	A2M	2	3718	3	-	0/5/27/28	0/3/3/3
3	E7G	2	2297	3	-	3/9/39/40	0/3/3/3
3	B9B	2	237	3	-	5/7/29/30	0/3/3/3
3	I4U	2	4194	3	-	0/9/29/30	0/2/2/2
3	E6G	2	4355	3	-	5/6/28/29	0/3/3/3
3	OMG	2	4623	3	-	0/5/27/28	0/3/3/3
3	B8W	2	4472	3	-	4/5/27/28	0/3/3/3
3	B9B	2	1574	3,32	-	3/7/29/30	0/3/3/3
3	A2M	2	4523	3	-	2/5/27/28	0/3/3/3
3	OMC	2	2861	3	-	0/9/27/28	0/2/2/2
3	OMG	2	4370	3	-	1/5/27/28	0/3/3/3
3	OMC	2	2365	49,3	-	0/9/27/28	0/2/2/2
3	A2M	2	3785	3	_	3/5/27/28	0/3/3/3



Mol	Type	Chain	\mathbf{Res}	Link	Chirals	Torsions	Rings
3	P7G	2	3880	3	-	4/10/40/41	0/3/3/3
3	A2M	2	3825	3	-	1/5/27/28	0/3/3/3
3	M7A	2	4564	3	-	0/7/37/38	0/3/3/3
3	UR3	2	4597	3	-	0/7/25/26	0/2/2/2
3	B8W	2	4529	4,3	-	2/5/27/28	0/3/3/3
3	$7 \mathrm{MG}$	2	4550	3	-	2/7/37/38	0/3/3/3
3	A2M	2	398	3	-	2/5/27/28	0/3/3/3
3	B8K	2	4690	3	-	0/11/41/42	0/3/3/3
3	B8Q	2	1456	3	-	0/7/42/43	0/2/2/2
3	OMG	2	1883	3	-	2/5/27/28	0/3/3/3
3	OMG	2	2050	3	-	0/5/27/28	0/3/3/3
3	I4U	2	1659	49,3	-	3/9/29/30	0/2/2/2
3	OMG	2	2424	49,3	-	2/5/27/28	0/3/3/3
3	PSU	2	4293	3	-	0/7/25/26	0/2/2/2
3	B8W	2	4129	3	-	2/5/27/28	0/3/3/3
3	UR3	2	4530	3	-	1/7/25/26	0/2/2/2
3	OMC	2	3909	3	-	2/9/27/28	0/2/2/2
3	7MG	2	1605	3	_	0/7/37/38	0/3/3/3
3	PSU	2	3715	3	-	0/7/25/26	0/2/2/2
3	A2M	2	1326	49,3	-	1/5/27/28	0/3/3/3
3	BGH	2	3899	3	-	0/13/43/44	0/3/3/3
3	B9H	2	2786	3	-	2/12/47/48	0/2/2/2
3	OMC	2	3869	3	-	0/9/27/28	0/2/2/2
3	2MG	2	1517	3	-	1/5/27/28	0/3/3/3
3	$2 \mathrm{MG}$	2	4872	24,3,27	-	2/5/27/28	0/3/3/3
3	E7G	2	1797	3	-	2/9/39/40	0/3/3/3
3	OMG	2	4494	3	-	1/5/27/28	0/3/3/3
3	PSU	2	4628	3	-	0/7/25/26	0/2/2/2
3	OMC	2	3701	49,3	-	4/9/27/28	0/2/2/2
3	PSU	2	1582	3	-	0/7/25/26	0/2/2/2
3	PSU	2	4636	3	-	4/7/25/26	0/2/2/2
3	5MC	2	4335	3	-	0/7/25/26	0/2/2/2
3	OMU	2	4620	3,36	-	1/9/27/28	0/2/2/2
3	A2M	2	3867	3	-	2/5/27/28	0/3/3/3
3	P4U	2	1348	31,3	-	1/10/29/30	0/2/2/2
3	B8H	2	1860	3	-	2/7/25/26	0/2/2/2
3	2MG	2	729	3	-	2/5/27/28	0/3/3/3
3	OMG	2	2773	3	-	2/5/27/28	0/3/3/3



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PSU	2	3729	3	-	2/7/25/26	0/2/2/2
3	PSU	2	4500	3	-	3/7/25/26	0/2/2/2
3	OMG	2	1316	49,3	-	0/5/27/28	0/3/3/3
3	2MG	2	978	3	-	2/5/27/28	0/3/3/3
3	OMG	2	4196	3	-	2/5/27/28	0/3/3/3
3	B8K	2	3897	3	-	3/11/41/42	0/3/3/3
3	OMC	2	2804	3	-	0/9/27/28	0/2/2/2
3	A2M	2	1534	49,3	-	2/5/27/28	0/3/3/3
3	PSU	2	1683	3	-	0/7/25/26	0/2/2/2
3	OMG	2	2364	3	-	2/5/27/28	0/3/3/3
3	OMC	2	3887	3	-	1/9/27/28	0/2/2/2
3	PSU	2	2508	3	-	0/7/25/26	0/2/2/2
3	MHG	2	4371	4,3	-	8/16/46/47	0/3/3/3
3	P7G	2	1909	3	-	3/10/40/41	0/3/3/3
3	5MC	2	3782	49,3	-	0/7/25/26	0/2/2/2
3	OMG	2	4637	3	-	2/5/27/28	0/3/3/3

All (683) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
3	2	4472	B8W	O4'-C1'	17.68	1.65	1.41
3	2	4129	B8W	O4'-C1'	17.62	1.65	1.41
3	2	2380	B8W	O4'-C1'	17.50	1.65	1.41
3	2	4529	B8W	O4'-C1'	17.37	1.65	1.41
3	2	4185	B8W	O4'-C1'	17.34	1.65	1.41
3	2	1860	B8H	C6-C5	-16.87	1.11	1.34
3	2	4296	B8H	C6-C5	-16.85	1.11	1.34
3	2	237	B9B	C2'-C1'	-16.77	1.28	1.53
3	2	1574	B9B	C2'-C1'	-16.70	1.28	1.53
3	2	4296	B8H	C4-N3	-16.48	1.08	1.38
3	2	4355	E6G	C2'-C1'	-16.37	1.28	1.53
3	2	1860	B8H	C4-N3	-16.25	1.08	1.38
3	2	4185	B8W	C2'-C1'	-15.89	1.29	1.53
3	2	2754	B9B	C2'-C1'	-15.72	1.29	1.53
3	2	4129	B8W	C2'-C1'	-15.43	1.30	1.53
3	2	4355	E6G	O4'-C1'	15.43	1.62	1.41
3	2	2380	B8W	C2'-C1'	-15.39	1.30	1.53
3	2	1871	A2M	O4'-C1'	15.34	1.62	1.41
3	2	1574	B9B	O4'-C1'	15.18	1.62	1.41
3	2	2754	B9B	O4'-C1'	15.16	1.62	1.41



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	4529	B8W	C2'-C1'	-15.02	1.31	1.53
3	2	3723	A2M	O4'-C1'	14.97	1.62	1.41
3	2	3718	A2M	O4'-C1'	14.97	1.62	1.41
3	2	398	A2M	O4'-C1'	14.78	1.61	1.41
3	2	4472	B8W	C2'-C1'	-14.76	1.31	1.53
3	2	3825	A2M	O4'-C1'	14.74	1.61	1.41
3	2	4523	A2M	O4'-C1'	14.62	1.61	1.41
3	2	1534	A2M	O4'-C1'	14.48	1.61	1.41
3	2	1524	A2M	O4'-C1'	14.48	1.61	1.41
3	2	1326	A2M	O4'-C1'	14.47	1.61	1.41
3	2	3867	A2M	O4'-C1'	14.43	1.61	1.41
3	2	4571	A2M	O4'-C1'	14.42	1.61	1.41
3	2	2401	A2M	O4'-C1'	14.40	1.61	1.41
3	2	237	B9B	O4'-C1'	14.24	1.60	1.41
3	2	2363	A2M	O4'-C1'	14.09	1.60	1.41
3	2	3785	A2M	O4'-C1'	13.64	1.60	1.41
3	2	1322	1MA	C2-N3	13.31	1.45	1.29
3	2	1860	B8H	C4-C5	12.98	1.81	1.44
3	2	4296	B8H	C4-C5	12.75	1.80	1.44
3	2	3880	P7G	C8-N9	12.14	1.52	1.46
3	2	1860	B8H	C6-N1	11.84	1.65	1.36
3	2	4296	B8H	C6-N1	11.72	1.65	1.36
3	2	1909	P7G	C8-N9	11.71	1.52	1.46
3	2	1659	I4U	C3'-C2'	-10.57	1.24	1.53
3	2	4194	I4U	C3'-C2'	-10.57	1.24	1.53
3	2	4083	5MU	C6-N1	10.49	1.55	1.38
3	2	4690	B8K	C3'-C4'	-10.47	1.26	1.53
3	2	3897	B8K	C3'-C4'	-10.10	1.27	1.53
3	2	1909	P7G	C5-N7	10.07	1.46	1.35
3	2	4083	5MU	C2-N1	10.05	1.54	1.38
3	2	4194	I4U	C4-N3	9.96	1.44	1.31
3	2	3899	BGH	C3'-C4'	-9.92	1.27	1.53
3	2	3897	B8K	O4'-C4'	9.87	1.67	1.45
3	2	1348	P4U	C4-N3	9.66	1.43	1.31
3	2	4690	B8K	O4'-C4'	9.48	1.66	1.45
3	2	4529	B8W	C2-N2	9.20	1.52	1.33
3	2	3899	BGH	O4'-C4'	9.11	1.65	1.45
3	2	3880	P7G	C5-N7	9.01	1.45	1.35
3	2	1659	I4U	C4-N3	8.92	1.42	1.31
3	2	4335	5MC	C6-C5	8.75	1.49	1.34
3	2	2297	E7G	C5-N7	8.70	1.45	1.35
3	2	4083	5MU	C4-C5	8.70	1.59	1.44



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	3782	5MC	C6-C5	8.63	1.48	1.34
3	2	4083	5MU	C4-N3	-8.46	1.23	1.38
3	2	1797	E7G	C8-N9	8.44	1.50	1.46
3	2	4371	MHG	C5-N7	8.36	1.45	1.35
3	2	4355	E6G	O4'-C4'	-8.36	1.26	1.45
3	2	1797	E7G	C5-N7	8.35	1.45	1.35
3	2	1456	B8Q	C6-C5	8.30	1.52	1.33
3	2	237	B9B	O4'-C4'	-8.29	1.26	1.45
3	2	2786	B9H	C2-N3	8.28	1.47	1.37
3	2	4447	5MC	C6-C5	8.23	1.48	1.34
3	2	1574	B9B	O4'-C4'	-8.21	1.26	1.45
3	2	4371	MHG	C8-N9	8.07	1.50	1.46
3	2	4129	B8W	C2-N2	8.07	1.50	1.33
3	2	2297	E7G	C8-N9	8.05	1.50	1.46
3	2	4472	B8W	C2-N2	8.03	1.50	1.33
3	2	2754	B9B	O4'-C4'	-7.72	1.27	1.45
3	2	1866	UR3	C2-N1	7.70	1.49	1.38
3	2	1659	I4U	O4'-C4'	-7.69	1.27	1.45
3	2	4185	B8W	C2-N2	7.60	1.49	1.33
3	2	2522	7MG	C5-N7	7.42	1.44	1.35
3	2	4571	A2M	O4'-C4'	-7.27	1.28	1.45
3	2	4194	I4U	O4'-C4'	-7.27	1.28	1.45
3	2	4550	7MG	C5-N7	7.25	1.44	1.35
3	2	2363	A2M	O4'-C4'	-7.23	1.28	1.45
3	2	2380	B8W	C2-N2	7.23	1.48	1.33
3	2	1605	7MG	C5-N7	7.14	1.43	1.35
3	2	4483	B8T	C2-N3	7.10	1.50	1.36
3	2	1524	A2M	O4'-C4'	-7.00	1.29	1.45
3	2	4371	MHG	C2-N3	7.00	1.45	1.31
3	2	4483	B8T	C4-N3	6.92	1.44	1.32
3	2	4530	UR3	C2-N1	6.82	1.48	1.38
3	2	1534	A2M	O4'-C4'	-6.80	1.29	1.45
3	2	1866	UR3	C6-C5	6.80	1.50	1.35
3	2	4523	A2M	O4'-C4'	-6.79	1.29	1.45
3	2	3723	A2M	O4'-C4'	-6.78	1.29	1.45
3	2	3825	A2M	O4'-C4'	-6.74	1.29	1.45
3	2	4483	B8T	C6-C5	6.73	1.50	1.35
3	2	4550	7MG	C8-N9	6.72	1.49	1.46
3	2	3718	A2M	O4'-C4'	-6.70	1.30	1.45
3	2	3880	P7G	C4-N3	6.69	1.49	1.37
3	2	4355	E6G	O6-C6	6.68	1.40	1.35
3	2	1456	B8Q	C2-N3	6.66	1.46	1.35



Mal	Chain	Pog	Tuno	Atoma	7	Observed(Å)	Ideal(Å)
	Onam	nes		Co No		1 40	$1 \frac{1}{2}$
ა ე	2	1348	P40 MUC	O2-N3	0.05	1.49	1.30
3	2	43/1	MHG	$\frac{\text{O8-N7}}{\text{O4}^2 \text{O4}^2}$	0.02	1.52	1.45
3	2	3780	A2M Dom	04-04	-0.00	1.30	1.45
3	2	4671	B8T	C6-C5	0.59	1.50	1.35
3	2	2754	R3R	06-C6	6.57	1.40	1.35
3	2	4597	UR3	C2-N1	6.57	1.48	1.38
3	2	398	A2M	04'-C4'	-6.55	1.30	1.45
3	2	1326	A2M	O4'-C4'	-6.51	1.30	1.45
3	2	4597	UR3	C6-C5	6.48	1.50	1.35
3	2	4671	B8T	C2-N3	6.44	1.49	1.36
3	2	2401	A2M	O4'-C4'	-6.44	1.30	1.45
3	2	4194	I4U	C6-C5	6.40	1.49	1.35
3	2	3867	A2M	O4'-C4'	-6.40	1.30	1.45
3	2	1871	A2M	O4'-C4'	-6.37	1.30	1.45
3	2	4530	UR3	C6-C5	6.34	1.49	1.35
3	2	4620	OMU	C2-N3	6.30	1.49	1.38
3	2	2522	7MG	C8-N9	6.28	1.49	1.46
3	2	1909	P7G	C4-N3	6.16	1.48	1.37
3	2	4306	OMU	C2-N3	6.16	1.48	1.38
3	2	4220	6MZ	C6-N6	6.15	1.45	1.35
3	2	4620	OMU	C2-N1	6.13	1.48	1.38
3	2	3909	OMC	C2-N3	6.11	1.48	1.36
3	2	1866	UR3	C2-N3	6.08	1.50	1.39
3	2	4194	I4U	C2-N3	6.07	1.48	1.36
3	2	4483	B8T	C4-N4	6.06	1.48	1.35
3	2	3887	OMC	C2-N3	6.04	1.48	1.36
3	2	3897	B8K	O4'-C1'	-6.01	1.27	1.42
3	2	4671	B8T	C4-N3	6.00	1.43	1.32
3	2	2861	OMC	C2-N3	5.99	1.48	1.36
3	2	1348	P4U	C6-C5	5.94	1.48	1.35
3	2	1574	B9B	O6-C6	5.94	1.40	1.35
3	2	4371	MHG	C2-N1	5.88	1.46	1.36
3	2	3887	OMC	C6-C5	5.85	1.48	1.35
3	2	2786	B9H	C6-C5	5.82	1.46	1.33
3	2	4536	OMC	C2-N3	5.79	1.48	1.36
3	2	4371	MHG	C2-N2	5.79	1 46	1.33
3	2	4671	B8T	C4-N4	5.77	1.47	1.35
3	2	2422	OMC	C6-C5	5.76	1.48	1.35
3	2	2365	OMC	C2-N3	5.76	1.48	1.36
3	2	3782	5MC	C4-N3	5.75	1 43	1.34
3	2	1659	I4U	C6-C5	5.74	1.10	1.31
3	2	4690	B8K	04'-C1'	-5.73	1.28	1.00



\mathbf{Mol}	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	2804	OMC	C2-N3	5.69	1.47	1.36
3	2	3701	OMC	C6-C5	5.69	1.48	1.35
3	2	3782	5MC	C2-N3	5.68	1.47	1.36
3	2	3869	OMC	C2-N3	5.67	1.47	1.36
3	2	2861	OMC	C6-C5	5.66	1.48	1.35
3	2	4690	B8K	C2-N3	5.65	1.46	1.33
3	2	3909	OMC	C6-C5	5.65	1.48	1.35
3	2	4529	B8W	O4'-C4'	-5.65	1.32	1.45
3	2	4536	OMC	C6-C5	5.64	1.48	1.35
3	2	3869	OMC	C6-C5	5.61	1.48	1.35
3	2	4690	B8K	C8-N9	5.60	1.49	1.46
3	2	4196	OMG	C2-N3	5.59	1.46	1.33
3	2	1909	P7G	C2-N2	5.58	1.47	1.34
3	2	4335	5MC	C4-N3	5.55	1.43	1.34
3	2	2365	OMC	C6-C5	5.54	1.47	1.35
3	2	4185	B8W	O4'-C4'	-5.54	1.32	1.45
3	2	4306	OMU	C2-N1	5.52	1.47	1.38
3	2	4083	5MU	C6-C5	5.51	1.43	1.34
3	2	4129	B8W	O4'-C4'	-5.48	1.32	1.45
3	2	1659	I4U	C2-N3	5.48	1.47	1.36
3	2	4870	OMG	C2-N3	5.48	1.46	1.33
3	2	1797	E7G	C2-N3	5.47	1.46	1.33
3	2	3897	B8K	C2-N3	5.47	1.46	1.33
3	2	2380	B8W	O4'-C4'	-5.46	1.32	1.45
3	2	2754	B9B	C2-N2	5.41	1.44	1.33
3	2	4597	UR3	C2-N3	5.40	1.49	1.39
3	2	4371	MHG	C4-N3	5.40	1.47	1.34
3	2	237	B9B	O6-C6	5.40	1.39	1.35
3	2	2804	OMC	C6-C5	5.39	1.47	1.35
3	2	1797	E7G	C4-N3	5.38	1.47	1.34
3	2	2422	OMC	C2-N3	5.38	1.47	1.36
3	2	1909	P7G	C2-N1	5.34	1.46	1.33
3	2	3701	OMC	C2-N3	5.34	1.47	1.36
3	2	237	B9B	C2-N2	5.33	1.44	1.33
3	2	4306	OMU	C6-C5	5.32	1.47	1.35
3	2	4447	5MC	C2-N3	5.32	1.47	1.36
3	2	4335	5MC	C2-N3	5.28	1.47	1.36
3	2	3880	P7G	C2-N2	5.28	1.46	1.34
3	2	3899	BGH	C4-N3	5.27	1.46	1.34
3	2	4472	B8W	O4'-C4'	-5.26	1.33	1.45
3	2	2522	7MG	C2-N3	5.25	1.45	1.33
3	2	4355	E6G	C2-N2	5 25	1 44	1 33



α \cdot \cdot \cdot	C	•	
Continued	from	previous	page

Mol	Chain	Res	Type	Atoms	Z	Observed(A)	Ideal(Å)
3	2	1605	7MG	C2-N3	5.24	1.45	1.33
3	2	4447	5MC	C4-N3	5.24	1.43	1.34
3	2	2424	OMG	C2-N3	5.23	1.45	1.33
3	2	2773	OMG	C2-N3	5.21	1.45	1.33
3	2	1574	B9B	C2-N2	5.20	1.44	1.33
3	2	4194	I4U	C3'-C4'	5.13	1.66	1.53
3	2	4620	OMU	C6-C5	5.12	1.47	1.35
3	2	4185	B8W	O3'-C3'	-5.11	1.30	1.43
3	2	1517	2MG	C2-N2	5.11	1.44	1.33
3	2	3909	OMC	C2-N1	5.08	1.51	1.40
3	2	2297	E7G	C2-N3	5.06	1.45	1.33
3	2	4530	UR3	C2-N3	5.05	1.48	1.39
3	2	3792	OMG	C2-N3	5.05	1.45	1.33
3	2	3899	BGH	O4'-C1'	-5.03	1.30	1.42
3	2	4637	OMG	C2-N3	5.01	1.45	1.33
3	2	1348	P4U	O4-C4	5.01	1.40	1.35
3	2	4494	OMG	C2-N3	5.00	1.45	1.33
3	2	3899	BGH	C8-N9	4.99	1.48	1.46
3	2	3899	BGH	C2-N3	4.98	1.45	1.33
3	2	1605	7MG	C4-N3	4.98	1.46	1.34
3	2	4370	OMG	C2-N3	4.96	1.45	1.33
3	2	2050	OMG	C2-N3	4.96	1.45	1.33
3	2	729	2MG	C2-N2	4.96	1.44	1.33
3	2	2297	E7G	C4-N3	4.95	1.46	1.34
3	2	4472	B8W	O3'-C3'	-4.94	1.31	1.43
3	2	3897	B8K	C8-N9	4.93	1.48	1.46
3	2	1625	OMG	C2-N3	4.93	1.45	1.33
3	2	4550	7MG	C4-N3	4.87	1.45	1.34
3	2	4690	B8K	C4-N3	4.85	1.45	1.34
3	2	4550	7MG	C2-N3	4.85	1.44	1.33
3	2	3880	P7G	C2-N1	4.84	1.44	1.33
3	2	2522	7MG	C4-N3	4.84	1.45	1.34
3	2	3909	OMC	C4-N4	4.82	1.45	1.33
3	2	4623	OMG	C2-N3	4.82	1.44	1.33
3	2	1348	P4U	C5-C4	4.80	1.49	1.43
3	2	978	2MG	C2-N2	4.79	1.44	1.33
3	2	1316	OMG	C2-N3	4.79	1.44	1.33
3	2	4564	M7A	C6-N6	4.76	1.46	1.34
3	2	4196	OMG	C4-N3	4.76	1.48	1.37
3	2	729	2MG	C4-N3	4.75	1.48	1.37
3	2	3897	B8K	C4-N3	4.74	1.45	1.34
3	2	1797	E7G	C2-N2	4.74	1.45	1.34



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	4194	I4U	C1'-N1	-4.73	1.33	1.47
3	2	4371	MHG	C4-N9	4.72	1.43	1.37
3	2	2364	OMG	C2-N3	4.72	1.44	1.33
3	2	3909	OMC	C4-N3	4.71	1.44	1.34
3	2	4529	B8W	O3'-C3'	-4.70	1.31	1.43
3	2	1522	OMG	C2-N3	4.70	1.44	1.33
3	2	4872	2MG	C2-N2	4.69	1.43	1.33
3	2	2422	OMC	C4-N4	4.65	1.44	1.33
3	2	4129	B8W	O3'-C3'	-4.64	1.32	1.43
3	2	2422	OMC	C2-N1	4.64	1.50	1.40
3	2	3897	B8K	O2'-C2'	-4.63	1.32	1.43
3	2	3792	OMG	C4-N3	4.63	1.48	1.37
3	2	4870	OMG	C4-N3	4.63	1.48	1.37
3	2	3880	P7G	C4-N9	4.60	1.42	1.35
3	2	3887	OMC	C4-N4	4.60	1.44	1.33
3	2	1517	2MG	C4-N3	4.59	1.48	1.37
3	2	1659	I4U	C1'-N1	-4.59	1.34	1.47
3	2	2297	E7G	C2-N2	4.58	1.45	1.34
3	2	978	2MG	C4-N3	4.56	1.48	1.37
3	2	2773	OMG	C4-N3	4.55	1.48	1.37
3	2	3887	OMC	C4-N3	4.55	1.43	1.34
3	2	1909	P7G	C6-N1	4.54	1.46	1.38
3	2	2861	OMC	C4-N4	4.54	1.44	1.33
3	2	1883	OMG	C2-N3	4.54	1.44	1.33
3	2	4690	B8K	O2'-C2'	-4.53	1.32	1.43
3	2	3869	OMC	C4-N4	4.53	1.44	1.33
3	2	3899	BGH	C2-N2	4.52	1.44	1.34
3	2	1605	7MG	C8-N9	4.50	1.48	1.46
3	2	373	OMG	C2-N3	4.50	1.44	1.33
3	2	1605	7MG	C2-N2	4.48	1.44	1.34
3	2	2050	OMG	C4-N3	4.46	1.48	1.37
3	2	2365	OMC	C4-N4	4.45	1.44	1.33
3	2	4370	OMG	C4-N3	4.43	1.48	1.37
3	2	2861	OMC	C4-N3	4.42	1.43	1.34
3	2	2380	B8W	O3'-C3'	-4.41	1.32	1.43
3	2	4494	OMG	C4-N3	4.40	1.48	1.37
3	2	2786	B9H	C2-N1	4.40	1.44	1.38
3	2	1797	E7G	C4-N9	4.39	1.42	1.37
3	2	2522	7MG	C2-N2	4.38	1.44	1.34
3	2	3869	OMC	C4-N3	4.38	1.43	1.34
3	2	4442	PSU	C6-C5	4.38	1.40	1.35
3	2	4550	7MG	C2-N2	4.37	1.44	1.34



001000	nucu jion	" preese	as page.	••			
Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	4536	OMC	C4-N4	4.37	1.44	1.33
3	2	3899	BGH	C71-N7	4.34	1.49	1.39
3	2	4623	OMG	C4-N3	4.34	1.47	1.37
3	2	4637	OMG	C4-N3	4.33	1.47	1.37
3	2	2804	OMC	C4-N4	4.33	1.44	1.33
3	2	3897	B8K	C4-N9	4.32	1.42	1.37
3	2	978	2MG	C2-N1	4.32	1.43	1.36
3	2	1625	OMG	C4-N3	4.30	1.47	1.37
3	2	3899	BGH	O2'-C2'	-4.29	1.31	1.42
3	2	2804	OMC	C4-N3	4.29	1.43	1.34
3	2	1522	OMG	C4-N3	4.27	1.47	1.37
3	2	2365	OMC	C4-N3	4.26	1.43	1.34
3	2	4872	2MG	C4-N3	4.25	1.47	1.37
3	2	4536	OMC	C4-N3	4.25	1.43	1.34
3	2	1909	P7G	C4-N9	4.23	1.41	1.35
3	2	4483	B8T	C2-N1	4.21	1.49	1.40
3	2	1650	IAII	$C_{2}, C_{4},$	4.91	1.62	1 5 2

3 2 4536 OMC C4-N4 4.37 1.44 1.33 3 2 3899 BGH C71-N7 4.34 1.47 1.37 3 2 4633 OMG C4-N3 4.33 1.47 1.37 3 2 2804 OMC C4-N4 4.33 1.44 1.33 3 2 2804 OMC C4-N4 4.33 1.44 1.33 3 2 3897 BKK C4-N9 4.32 1.42 1.37 3 2 978 2MG C2-N1 4.32 1.43 1.36 3 2 1625 OMG C4-N3 4.29 1.43 1.34 3 2 2804 OMC C4-N3 4.25 1.47 1.37 3 2 2365 OMC C4-N3 4.25 1.43 1.34 3 2 1909 P7G C4-N3 4.25 1.41 </th <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>								
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3	2	4536	OMC	C4-N4	4.37	1.44	1.33
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3	2	3899	BGH	C71-N7	4.34	1.49	1.39
3 2 4637 OMG C4-N3 4.33 1.47 1.37 3 2 2804 OMC C4-N4 4.33 1.44 1.33 3 2 987 2MG C2-N1 4.32 1.42 1.37 3 2 1625 OMG C4-N3 4.30 1.47 1.37 3 2 2804 OMC C4-N3 4.29 1.43 1.34 3 2 2804 OMC C4-N3 4.29 1.43 1.34 3 2 2865 OMC C4-N3 4.26 1.43 1.34 3 2 4872 2MG C4-N3 4.25 1.43 1.34 3 2 4536 OMC C4-N3 4.25 1.43 1.34 3 2 1659 IdU C3-C4' 4.21 1.63 1.53 3 2 1316 OMG C4-N3 4.19 1.47 1.37 3 2 1316 OMG C4-N3 4.19 <	3	2	4623	OMG	C4-N3	4.34	1.47	1.37
3 2 2804 OMC C4-N4 4.33 1.44 1.33 3 2 3897 B8K C4-N9 4.32 1.42 1.37 3 2 978 2MG C2-N1 4.32 1.43 1.33 3 2 1625 OMG C4-N3 4.29 1.43 1.34 3 2 2804 OMC C4-N3 4.29 1.43 1.34 3 2 1522 OMG C4-N3 4.27 1.47 1.37 3 2 2365 OMC C4-N3 4.25 1.43 1.34 3 2 4872 2MG C4-N3 4.25 1.43 1.34 3 2 4873 OMC C4-N3 4.25 1.43 1.34 3 2 1909 P7G C4-N9 4.23 1.41 1.35 3 2 1659 I4U C3-C4' 4.21 1.63 1.53 3 2 136 OMG C4-N3 4.19 <t< th=""><th>3</th><th>2</th><th>4637</th><th>OMG</th><th>C4-N3</th><th>4.33</th><th>1.47</th><th>1.37</th></t<>	3	2	4637	OMG	C4-N3	4.33	1.47	1.37
3 2 3897 B8K C4-N9 4.32 1.42 1.37 3 2 978 2MG C2-N1 4.32 1.43 1.36 3 2 1625 OMG C4-N3 4.30 1.47 1.37 3 2 3899 BGH O2'-C2' -4.29 1.43 1.34 3 2 2804 OMC C4-N3 4.27 1.47 1.37 3 2 2365 OMC C4-N3 4.25 1.43 1.34 3 2 4536 OMC C4-N3 4.25 1.47 1.37 3 2 4536 OMC C4-N3 4.25 1.43 1.34 3 2 1909 P7G C4-N9 4.23 1.41 1.35 3 2 1659 14U C3'-C4' 4.21 1.63 1.53 3 2 1316 OMG C4-N3 4.19 1.47 1.37 3 2 3701 OMC C4-N3 4.19	3	2	2804	OMC	C4-N4	4.33	1.44	1.33
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	3897	B8K	C4-N9	4.32	1.42	1.37
3 2 1625 OMG C4-N3 4.30 1.47 1.37 3 2 3899 BGH O2'-C2' -4.29 1.31 1.42 3 2 2804 OMC C4-N3 4.29 1.43 1.34 3 2 1522 OMG C4-N3 4.26 1.43 1.34 3 2 4872 2MG C4-N3 4.25 1.47 1.37 3 2 4536 OMC C4-N3 4.25 1.43 1.34 3 2 4536 OMC C4-N3 4.25 1.43 1.34 3 2 1909 P7G C4-N9 4.23 1.41 1.35 3 2 1659 I4U C3'-C4' 4.21 1.63 1.53 3 2 1797 F7G C8-N7 4.19 1.47 1.37 3 2 1883 OMG C4-N3 4.19 1.47 1.37 3 2 373 OMG C4-N4 4.18	3	2	978	2MG	C2-N1	4.32	1.43	1.36
323899BGH $02' \cdot C2'$ -4.29 1.31 1.42 322804OMCC4-N3 4.29 1.43 1.34 321522OMGC4-N3 4.27 1.47 1.37 322365OMCC4-N3 4.26 1.43 1.34 3248722MGC4-N3 4.25 1.47 1.37 324536OMCC4-N3 4.25 1.43 1.34 321659IUC3'-C4' 4.21 1.49 1.40 321659IUC3'-C4' 4.21 1.63 1.53 321797E7GC8-N7 4.19 1.47 1.37 321316OMGC4-N3 4.19 1.47 1.37 321883OMGC4-N3 4.19 1.47 1.37 321316OMGC4-N3 4.19 1.47 1.37 32373OMGC4-N3 4.19 1.47 1.37 32373OMGC4-N3 4.19 1.47 1.37 32373OMGC4-N3 4.19 1.47 1.37 324564M7AC4-N9 4.17 1.46 1.38 32469088KC5-N7 4.13 1.46 1.39 32469088KC5-N7 4.13 1.46 1.39 </th <th>3</th> <th>2</th> <th>1625</th> <th>OMG</th> <th>C4-N3</th> <th>4.30</th> <th>1.47</th> <th>1.37</th>	3	2	1625	OMG	C4-N3	4.30	1.47	1.37
3 2 2804 OMC C4-N3 4.29 1.43 1.34 3 2 1522 OMG C4-N3 4.27 1.47 1.37 3 2 2365 OMC C4-N3 4.26 1.43 1.34 3 2 4872 2MG C4-N3 4.25 1.47 1.37 3 2 4536 OMC C4-N3 4.25 1.43 1.34 3 2 1456 OMC C4-N3 4.25 1.41 1.35 3 2 1659 I4U C3'-C4' 4.21 1.63 1.53 3 2 1797 E7G C8-N7 4.19 1.47 1.37 3 2 1316 OMG C4-N3 4.19 1.47 1.37 3 2 1883 OMG C4-N3 4.19 1.47 1.37 3 2 373 OMC C4-N4 4.18 1.43 1.33 3 2 4564 M7A C4-N9 4.17	3	2	3899	BGH	O2'-C2'	-4.29	1.31	1.42
321522OMGC4-N34.271.471.37322365OMCC4-N34.261.431.343248722MGC4-N34.251.471.37324536OMCC4-N34.251.431.34321909P7GC4-N94.231.411.35324483B8TC2-N14.211.491.40321659I4UC3'-C4'4.211.631.53321797E7GC8-N74.191.491.45321316OMGC4-N34.191.471.37321883OMGC4-N34.191.471.37322424OMGC4-N34.191.471.3732373OMGC4-N34.191.471.37323701OMCC4-N44.181.431.33324564M7AC4-N94.171.461.38324690B8KC5-N74.131.461.3932380P7GO6-C6-4.111.171.23323880P7GC6-N14.101.441.3432387B8KC5-N74.081.461.39323887OMCC2-N14.061.441.34	3	2	2804	OMC	C4-N3	4.29	1.43	1.34
322365OMCC4-N34.261.431.343248722MGC4-N34.251.471.37324536OMCC4-N34.251.431.34321909P7GC4-N94.231.411.35324483B8TC2-N14.211.491.40321659I4UC3'-C4'4.211.631.53321797E7GC8-N74.191.471.37321316OMGC4-N34.191.471.37321383OMGC4-N34.191.471.37322424OMGC4-N34.191.471.3732373OMGC4-N34.191.471.37323701OMCC4-N34.191.471.37323701OMCC4-N44.181.431.33324664M7AC4-N94.171.461.38324690B8KC5-N74.131.461.3932380P7GO6-C6-4.111.171.23323897B8KC5-N74.081.461.39323897B8KC5-N74.081.461.39323825MCC4-N44.061.441.34	3	2	1522	OMG	C4-N3	4.27	1.47	1.37
3248722MGC4-N34.251.471.37324536OMCC4-N34.251.431.34321909P7GC4-N94.231.411.35324483B8TC2-N14.211.491.40321659I4UC3'-C4'4.211.631.53321797E7GC8-N74.191.491.45321316OMGC4-N34.191.471.37321883OMGC4-N34.191.471.37322424OMGC4-N34.191.471.3732370OMCC4-N34.191.471.37323701OMCC4-N44.181.431.33324564M7AC4-N94.171.511.42324690B8KC5-N74.131.461.3932380P7GO6-C6-4.111.171.23323880P7GC6-N14.101.451.38323825MCC6-N14.101.441.34323887OMCC2-N14.061.441.3432387OMCC2-N14.061.441.34323887OMCC2-N14.061.441.34<	3	2	2365	OMC	C4-N3	4.26	1.43	1.34
324536OMCC4-N34.251.431.34321909P7GC4-N94.231.411.35324483B8TC2-N14.211.491.40321659I4UC3'-C4'4.211.631.53321797E7GC8-N74.191.491.45321316OMGC4-N34.191.471.37321883OMGC4-N34.191.471.37322424OMGC4-N34.191.471.3732373OMGC4-N34.191.471.37323701OMCC4-N34.191.441.33324564M7AC4-N94.171.461.38324690B8KC5-N74.131.461.39324690B8KC5-N74.131.461.3932380P7GO6-C6-4.111.171.2332380P7GC6-N14.101.451.38323825MCC6-N14.101.441.34323825MCC4-N44.061.441.3432387OMCC2-N14.061.441.34323887OMCC2-N14.061.441.34 <td< td=""><th>3</th><th>2</th><td>4872</td><td>2MG</td><td>C4-N3</td><td>4.25</td><td>1.47</td><td>1.37</td></td<>	3	2	4872	2MG	C4-N3	4.25	1.47	1.37
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4536	OMC	C4-N3	4.25	1.43	1.34
3 2 4483 $B8T$ $C2-N1$ 4.21 1.49 1.40 3 2 1659 $I4U$ $C3^{2}-C4^{2}$ 4.21 1.63 1.53 3 2 1797 $E7G$ $C8-N7$ 4.19 1.49 1.45 3 2 1316 OMG $C4-N3$ 4.19 1.47 1.37 3 2 1883 OMG $C4-N3$ 4.19 1.47 1.37 3 2 2424 OMG $C4-N3$ 4.19 1.47 1.37 3 2 373 OMG $C4-N3$ 4.19 1.47 1.37 3 2 3701 OMC $C4-N4$ 4.18 1.43 1.33 3 2 3701 OMC $C4-N4$ 4.18 1.43 1.33 3 2 3701 OMC $C4-N4$ 4.18 1.43 1.33 3 2 4564 $M7A$ $C4-N9$ 4.17 1.46 1.38 3 2 4690 $B8K$ $C5-N7$ 4.13 1.46 1.39 3 2 4690 $B8K$ $C4-N9$ 4.13 1.42 1.37 3 2 380 $P7G$ $C6-N1$ 4.10 1.45 1.38 3 2 387 BK $C5-N7$ 4.08 1.46 1.39 3 2 387 BK $C5-N7$ 4.08 1.46 1.39 3 2 387 DMC $C2-N1$	3	2	1909	P7G	C4-N9	4.23	1.41	1.35
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4483	B8T	C2-N1	4.21	1.49	1.40
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	1659	I4U	C3'-C4'	4.21	1.63	1.53
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	1797	E7G	C8-N7	4.19	1.49	1.45
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	1316	OMG	C4-N3	4.19	1.47	1.37
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	1883	OMG	C4-N3	4.19	1.47	1.37
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	2424	OMG	C4-N3	4.19	1.47	1.37
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	373	OMG	C4-N3	4.19	1.47	1.37
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	3701	OMC	C4-N4	4.18	1.43	1.33
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4564	M7A	C4-N9	4.17	1.46	1.38
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4194	I4U	O4'-C1'	4.17	1.51	1.42
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4690	B8K	C5-N7	4.13	1.46	1.39
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4690	B8K	C4-N9	4.13	1.42	1.37
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	3880	P7G	O6-C6	-4.11	1.17	1.23
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	3880	P7G	C8-N7	4.11	1.49	1.45
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4335	5MC	C6-N1	4.10	1.45	1.38
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	3897	B8K	C5-N7	4.08	1.46	1.39
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	3782	5MC	C4-N4	4.07	1.44	1.34
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4447	5MC	C4-N4	4.06	1.44	1.34
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	3887	OMC	C2-N1	4.06	1.48	1.40
3 2 2364 OMG C4-N3 4.05 1.47 1.37 3 2 1659 I4U O4'-C1' 4.03 1.51 1.42 3 2 3701 OMC C4-N3 4.01 1.42 1.34 3 2 3701 OMC C4-N3 4.01 1.42 1.34 3 2 3880 P7G C6-N1 3.97 1.45 1.38 3 2 4870 OMG C6-N1 3.95 1.43 1.37 3 2 4564 M7A C5-N7 3.94 1.48 1.39 3 2 2297 E7G C8-N7 3.94 1.49 1.45	3	2	1605	7MG	C4-N9	4.06	1.42	1.37
3 2 1659 I4U O4'-C1' 4.03 1.51 1.42 3 2 3701 OMC C4-N3 4.01 1.42 1.34 3 2 3880 P7G C6-N1 3.97 1.45 1.38 3 2 4870 OMG C6-N1 3.95 1.43 1.37 3 2 4564 M7A C5-N7 3.94 1.48 1.39 3 2 2297 E7G C8-N7 3.94 1.49 1.45	3	2	2364	OMG	C4-N3	4.05	1.47	1.37
3 2 3701 OMC C4-N3 4.01 1.42 1.34 3 2 3880 P7G C6-N1 3.97 1.45 1.38 3 2 4870 OMG C6-N1 3.95 1.43 1.37 3 2 4564 M7A C5-N7 3.94 1.48 1.39 3 2 2297 E7G C8-N7 3.94 1.49 1.45	3	2	1659	I4U	O4'-C1'	4.03	1.51	1.42
3 2 3880 P7G C6-N1 3.97 1.45 1.38 3 2 4870 OMG C6-N1 3.95 1.43 1.37 3 2 4564 M7A C5-N7 3.94 1.48 1.39 3 2 2297 E7G C8-N7 3.94 1.49 1.45	3	2	3701	OMC	C4-N3	4.01	1.42	1.34
3 2 4870 OMG C6-N1 3.95 1.43 1.37 3 2 4564 M7A C5-N7 3.94 1.48 1.39 3 2 2297 E7G C8-N7 3.94 1.49 1.45	3	2	3880	P7G	C6-N1	3.97	1.45	1.38
3 2 4564 M7A C5-N7 3.94 1.48 1.39 3 2 2297 E7G C8-N7 3.94 1.49 1.45	3	2	4870	OMG	C6-N1	3.95	1.43	1.37
3 2 2297 E7G C8-N7 3.94 1.49 1.45	3	2	4564	M7A	C5-N7	3.94	1.48	1.39
	3	2	$2\overline{297}$	E7G	C8-N7	3.94	1.49	1.45



Mol	Chain	Res		Atoms	Z	Observed(Å)	Ideal(Å)
3	2	4196	OMG	C2-N2	3 93	1 43	1.34
3	2	1517	2MG	C2-N1	3.93	1.13	1.31
3	2	3899	BGH	C5-N7	3.92	1.46	1.39
3	2	4335	5MC	C4-N4	3.92	1.10	1.30
3	2	4671	B8T	C2-N1	3.91	1.11	1.01
3	2	2861	OMC	C2-N1	3.91	1.10	1.10
3	2	2422	OMC	C4-N3	3.89	1.10	1.10
3	2	2773	OMG	C6-N1	3.89	1.12	1.31
3	2	1659	I4U	C2-N1	3.89	1.13	1.01
3	2	1909	P7G	C5-C4	3.88	1.10	1.10
3	2	1909	P7G	06-C6	-3.87	1.13	1.01
3	2	4194	I I I G	C2-N1	3.86	1.11	1.20
3	2	729	2MG	C2-N1	3.84	1.10	1.10
3	2	4194	I4U	C5-C4	3.84	1.12	1.00
3	2	1348	P4U	C2-N1	3.84	1.10	1.10
3	2	2773	OMG	C2-N2	3.83	1.10	1.10
3	2	3782	5MC	C6-N1	3.82	1.13	1.31
3	2	3897	B8K	C2-N2	3.80	1.11	1.34
3	2	2424	OMG	C2-N2	3.79	1.43	1.34
3	2	4296	B8H	C2-N3	3.79	1.44	1.38
3	2	4447	5MC	C6-N1	3.77	1.44	1.38
3	2	1322	1MA	C2-N1	3.76	1.42	1.35
3	2	4196	OMG	C6-N1	3.76	1.43	1.37
3	2	4870	OMG	C2-N2	3.75	1.43	1.34
3	2	4637	OMG	C2-N2	3.74	1.43	1.34
3	2	4872	2MG	C2-N1	3.74	1.42	1.36
3	2	1860	B8H	C2-N3	3.73	1.44	1.38
3	2	1522	OMG	C2-N2	3.73	1.43	1.34
3	2	373	OMG	C2-N2	3.73	1.43	1.34
3	2	3782	5MC	C2-N1	3.72	1.48	1.40
3	2	2804	OMC	C2-N1	3.72	1.48	1.40
3	2	3899	BGH	C2-N1	3.70	1.46	1.37
3	2	1883	OMG	C2-N2	3.69	1.43	1.34
3	2	4403	PSU	C6-C5	3.69	1.39	1.35
3	2	4550	7MG	C4-N9	3.67	1.42	1.37
3	2	1348	P4U	C6-N1	3.67	1.46	1.38
3	2	4690	B8K	C2-N2	3.66	1.42	1.34
3	2	4494	OMG	C2-N2	3.66	1.42	1.34
3	2	4083	5MU	O4-C4	-3.64	1.16	1.23
3	2	4335	5MC	C2-N1	3.63	1.47	1.40
3	2	1625	OMG	C2-N2	3.63	1.42	1.34
3	2	2522	7MG	C4-N9	3.62	1.41	1.37



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	4690	B8K	C5-C6	3.62	1.52	1.43
3	2	3880	P7G	C2-N3	3.61	1.46	1.37
3	2	1522	OMG	C5-C4	-3.61	1.33	1.43
3	2	1797	E7G	C2-N1	3.61	1.46	1.37
3	2	2297	E7G	C4-N9	3.60	1.41	1.37
3	2	3792	OMG	C2-N2	3.60	1.42	1.34
3	2	4447	5MC	O2-C2	-3.59	1.17	1.23
3	2	4623	OMG	C2-N2	3.59	1.42	1.34
3	2	3701	OMC	C2-N1	3.59	1.47	1.40
3	2	1659	I4U	O2-C2	-3.59	1.17	1.23
3	2	4671	B8T	C5-C4	3.58	1.48	1.40
3	2	2365	OMC	C2-N1	3.58	1.47	1.40
3	2	3869	OMC	C2-N1	3.57	1.47	1.40
3	2	3880	P7G	C5-C4	3.56	1.44	1.37
3	2	4355	E6G	O3'-C3'	-3.55	1.34	1.43
3	2	3899	BGH	C6-N1	3.55	1.45	1.38
3	2	4620	OMU	C4-N3	3.54	1.44	1.38
3	2	4306	OMU	C4-N3	3.53	1.44	1.38
3	2	4371	MHG	C5-C6	3.52	1.52	1.43
3	2	4690	B8K	O6-C6	-3.51	1.16	1.23
3	2	3899	BGH	O6-C6	-3.50	1.16	1.23
3	2	4306	OMU	O4-C4	-3.50	1.17	1.24
3	2	1316	OMG	C2-N2	3.49	1.42	1.34
3	2	1909	P7G	C2-N3	3.49	1.46	1.37
3	2	4483	B8T	C5-C4	3.48	1.48	1.40
3	2	4536	OMC	O2-C2	-3.47	1.17	1.23
3	2	2364	OMG	C2-N2	3.46	1.42	1.34
3	2	1316	OMG	C5-C4	-3.46	1.34	1.43
3	2	1574	B9B	O2'-C2'	3.45	1.51	1.43
3	2	2297	E7G	C2-N1	3.45	1.46	1.37
3	2	4083	5MU	O2-C2	-3.44	1.16	1.23
3	2	3785	A2M	C5-C4	-3.44	1.31	1.40
3	2	4370	OMG	C2-N2	3.43	1.42	1.34
3	2	4447	5MC	C2-N1	3.43	1.47	1.40
3	2	4571	A2M	O3'-C3'	-3.43	1.34	1.43
3	2	2424	OMG	C6-N1	3.43	1.43	1.37
3	2	1322	1MA	C4-N3	3.43	1.48	1.37
3	2	1909	P7G	C8-N7	3.43	1.49	1.45
3	2	2364	OMG	C5-C4	-3.43	1.34	1.43
3	2	4597	UR3	C6-N1	3.41	1.46	1.38
3	2	3825	A2M	O3'-C3'	-3.40	1.35	1.43
3	2	3897	B8K	C2-N1	3.40	1.46	1.37



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	4194	I4U	O2-C2	-3.38	1.17	1.23
3	2	2754	B9B	O2'-C2'	3.38	1.50	1.43
3	2	373	OMG	C5-C4	-3.38	1.34	1.43
3	2	3897	B8K	C5-C6	3.38	1.52	1.43
3	2	1866	UR3	C6-N1	3.36	1.46	1.38
3	2	1574	B9B	C5-C4	-3.36	1.32	1.40
3	2	4536	OMC	C2-N1	3.35	1.47	1.40
3	2	1677	PSU	C6-C5	3.34	1.39	1.35
3	2	1574	B9B	O3'-C3'	-3.34	1.35	1.43
3	2	1517	2MG	C6-N1	3.33	1.42	1.37
3	2	2401	A2M	O3'-C3'	-3.33	1.35	1.43
3	2	4371	MHG	C6-N1	3.32	1.45	1.38
3	2	1883	OMG	C5-C4	-3.32	1.34	1.43
3	2	2050	OMG	C2-N2	3.32	1.42	1.34
3	2	237	B9B	O3'-C3'	-3.30	1.35	1.43
3	2	4620	OMU	O4-C4	-3.29	1.18	1.24
3	2	1871	A2M	O3'-C3'	-3.29	1.35	1.43
3	2	1625	OMG	C5-C4	-3.29	1.34	1.43
3	2	1534	A2M	C5-C4	-3.28	1.32	1.40
3	2	2363	A2M	C5-C4	-3.28	1.32	1.40
3	2	4637	OMG	C5-C4	-3.27	1.34	1.43
3	2	4636	PSU	C6-C5	3.27	1.39	1.35
3	2	4531	PSU	C6-C5	3.27	1.39	1.35
3	2	4623	OMG	C5-C4	-3.26	1.34	1.43
3	2	3869	OMC	O2-C2	-3.24	1.17	1.23
3	2	1524	A2M	O3'-C3'	-3.24	1.35	1.43
3	2	2050	OMG	C5-C4	-3.23	1.34	1.43
3	2	398	A2M	O3'-C3'	-3.22	1.35	1.43
3	2	3897	B8K	O6-C6	-3.22	1.17	1.23
3	2	4671	B8T	O2-C2	-3.21	1.17	1.23
3	2	2422	OMC	O2-C2	-3.21	1.17	1.23
3	2	4530	UR3	C6-N1	3.21	1.45	1.38
3	2	1326	A2M	O3'-C3'	-3.20	1.35	1.43
3	2	1871	A2M	C6-N6	3.20	1.45	1.34
3	2	2363	A2M	O3'-C3'	-3.19	1.35	1.43
3	2	3867	A2M	O3'-C3'	-3.19	1.35	1.43
3	2	4306	OMU	O2-C2	-3.18	1.17	1.23
3	2	3899	BGH	C4-N9	3.18	1.41	1.37
3	2	978	2MG	C6-N1	3.18	1.42	1.37
3	2	3909	OMC	O2-C2	-3.18	1.17	1.23
3	2	4494	OMG	C6-N1	3.18	1.42	1.37
3	2	3715	PSU	C6-C5	3.17	1.39	1.35



	5	1	1 0				
Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	1316	OMG	C6-N1	3.17	1.42	1.37
3	2	2424	OMG	C5-C4	-3.17	1.35	1.43
3	2	1517	2MG	C5-C4	-3.16	1.35	1.43
3	2	2522	7MG	C5-C6	3.16	1.51	1.43
3	2	4194	I4U	O4-C4	3.16	1.41	1.35
3	2	4550	7MG	O6-C6	-3.15	1.17	1.23
3	2	3718	A2M	C5-C4	-3.14	1.32	1.40
3	2	4450	PSU	C6-C5	3.14	1.39	1.35
3	2	2522	7MG	C2-N1	3.14	1.45	1.37
3	2	237	B9B	C5-C4	-3.14	1.32	1.40
3	2	4355	E6G	O2'-C2'	3.14	1.50	1.43
3	2	4335	5MC	O2-C2	-3.14	1.17	1.23
3	2	4872	2MG	C5-C6	3.12	1.53	1.47
3	2	3909	OMC	C6-N1	3.11	1.45	1.38
3	2	3792	OMG	C6-N1	3.11	1.42	1.37
3	2	4523	A2M	O3'-C3'	-3.11	1.35	1.43
3	2	2401	A2M	C5-C4	-3.10	1.32	1.40
3	2	1316	OMG	O6-C6	-3.09	1.17	1.23
3	2	1522	OMG	O6-C6	-3.09	1.17	1.23
3	2	2754	B9B	C5-C4	-3.09	1.32	1.40
3	2	3782	5MC	O2-C2	-3.08	1.18	1.23
3	2	3867	A2M	C5-C4	-3.08	1.32	1.40
3	2	3897	B8K	O3'-C3'	3.07	1.50	1.43
3	2	4571	A2M	C5-C4	-3.07	1.32	1.40
3	2	1871	A2M	C5-C4	-3.07	1.32	1.40
3	2	1605	7MG	C2-N1	3.07	1.45	1.37
3	2	1326	A2M	C5-C4	-3.07	1.32	1.40
3	2	3723	A2M	C6-N6	3.06	1.45	1.34
3	2	4194	I4U	O2'-C2'	3.06	1.50	1.43
3	2	237	B9B	O2'-C2'	3.06	1.50	1.43
3	2	2773	OMG	C5-C4	-3.06	1.35	1.43
3	2	3869	OMC	C6-N1	3.05	1.45	1.38
3	2	4494	OMG	C5-C4	-3.05	1.35	1.43
3	2	2365	OMC	O2-C2	-3.04	1.18	1.23
3	2	3723	A2M	O3'-C3'	-3.04	1.35	1.43
3	2	1605	7MG	C5-C6	3.04	1.51	1.43
3	2	4637	OMG	C6-N1	3.04	1.42	1.37
3	2	1524	A2M	C5-C4	-3.03	1.32	1.40
3	2	4220	6MZ	C5-C4	-3.03	1.32	1.40
3	2	398	A2M	C5-C4	-3.02	1.32	1.40
3	2	1582	PSU	C6-C5	3.02	1.38	1.35
3	2	4536	OMC	C6-N1	3.02	1.45	1.38



Continued	from	previous	page
Contentaca	<i>J</i> 10110	preciouo	page

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	1524	A2M	C6-N6	3.01	1.45	1.34
3	2	3899	BGH	C5-C6	3.01	1.51	1.43
3	2	4523	A2M	C5-C4	-3.00	1.33	1.40
3	2	4483	B8T	C6-N1	2.99	1.45	1.38
3	2	3825	A2M	C5-C4	-2.99	1.33	1.40
3	2	4371	MHG	C72-C71	2.99	1.58	1.52
3	2	4872	2MG	C6-N1	2.99	1.42	1.37
3	2	1456	B8Q	C2-N1	2.99	1.42	1.38
3	2	3718	A2M	O3'-C3'	-2.98	1.35	1.43
3	2	4620	OMU	O2-C2	-2.98	1.17	1.23
3	2	1625	OMG	C6-N1	2.98	1.42	1.37
3	2	2424	OMG	O6-C6	-2.98	1.17	1.23
3	2	4637	OMG	O6-C6	-2.98	1.17	1.23
3	2	4870	OMG	C5-C4	-2.98	1.35	1.43
3	2	4523	A2M	C6-N6	2.97	1.44	1.34
3	2	4370	OMG	C6-N1	2.97	1.42	1.37
3	2	373	OMG	C6-N1	2.97	1.42	1.37
3	2	3887	OMC	C6-N1	2.96	1.45	1.38
3	2	3825	A2M	C6-N6	2.96	1.44	1.34
3	2	1659	I4U	O4-C4	2.96	1.41	1.35
3	2	1534	A2M	O3'-C3'	-2.96	1.36	1.43
3	2	3723	A2M	C5-C4	-2.96	1.33	1.40
3	2	2804	OMC	O2-C2	-2.94	1.18	1.23
3	2	4355	E6G	C5-C4	-2.94	1.33	1.40
3	2	1871	A2M	O2'-C2'	2.94	1.50	1.42
3	2	4370	OMG	C5-C4	-2.94	1.35	1.43
3	2	978	2MG	C5-C6	2.93	1.53	1.47
3	2	2050	OMG	O6-C6	-2.93	1.17	1.23
3	2	3785	A2M	O3'-C3'	-2.93	1.36	1.43
3	2	1797	E7G	C5-C6	2.92	1.51	1.43
3	2	4623	OMG	O6-C6	-2.92	1.17	1.23
3	2	1883	OMG	O6-C6	-2.91	1.17	1.23
3	2	2754	B9B	O3'-C3'	-2.91	1.36	1.43
3	2	3785	A2M	O2'-C2'	2.90	1.50	1.42
3	2	2861	OMC	C6-N1	2.90	1.45	1.38
3	2	4690	B8K	C2-N1	2.89	1.44	1.37
3	2	3887	OMC	O2-C2	-2.89	1.18	1.23
3	2	2297	E7G	<u>06-C6</u>	-2.89	1.18	1.23
3	2	4872	2MG	C5-C4	-2.89	1.35	1.43
3	2	3718	A2M	C6-N6	2.88	1.44	1.34
3	2	3897	B8K	C6-N1	2.88	1.44	1.38
3	2	1322	1MA	C5-C4	-2.88	1.35	1.43



Continued	from	nrevious	naae
Communea	JIOM	previous	page

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	2522	7MG	O6-C6	-2.86	1.18	1.23
3	2	2297	E7G	C5-C6	2.86	1.50	1.43
3	2	978	2MG	C5-C4	-2.86	1.35	1.43
3	2	2365	OMC	C6-N1	2.85	1.44	1.38
3	2	2422	OMC	C6-N1	2.85	1.44	1.38
3	2	3867	A2M	C6-N6	2.84	1.44	1.34
3	2	1883	OMG	C6-N1	2.84	1.42	1.37
3	2	1605	7MG	O6-C6	-2.84	1.18	1.23
3	2	1797	E7G	O6-C6	-2.83	1.18	1.23
3	2	4571	A2M	C6-N6	2.82	1.44	1.34
3	2	1522	OMG	C6-N1	2.82	1.42	1.37
3	2	1534	A2M	C6-N6	2.81	1.44	1.34
3	2	2401	A2M	C6-N6	2.81	1.44	1.34
3	2	4483	B8T	O2-C2	-2.81	1.18	1.23
3	2	4293	PSU	C6-C5	2.81	1.38	1.35
3	2	2363	A2M	C6-N6	2.81	1.44	1.34
3	2	3723	A2M	O2'-C2'	2.80	1.49	1.42
3	2	3792	OMG	C5-C4	-2.80	1.35	1.43
3	2	3701	OMC	O2-C2	-2.79	1.18	1.23
3	2	2364	OMG	O6-C6	-2.78	1.17	1.23
3	2	4623	OMG	C6-N1	2.77	1.42	1.37
3	2	398	A2M	C6-N6	2.77	1.44	1.34
3	2	3701	OMC	C6-N1	2.76	1.44	1.38
3	2	3785	A2M	C6-N6	2.76	1.44	1.34
3	2	2861	OMC	O2-C2	-2.76	1.18	1.23
3	2	4185	B8W	C5-C4	-2.75	1.33	1.40
3	2	2786	B9H	C6-N1	2.73	1.44	1.38
3	2	729	2MG	C5-C4	-2.73	1.36	1.43
3	2	2522	7MG	C6-N1	2.72	1.43	1.38
3	2	4870	OMG	C2-N1	2.71	1.44	1.37
3	2	373	OMG	O6-C6	-2.70	1.17	1.23
3	2	4196	OMG	06-C6	-2.69	1.17	1.23
3	2	1659	I4U	C5-C4	2.69	1.46	1.43
3	2	4550	7MG	C5-C6	2.68	1.50	1.43
3	2	4529	B8W	O2'-C2'	2.67	1.49	1.43
3	2	4370	OMG	<u>06-C6</u>	-2.67	1.17	1.23
3	2	1517	2MG	<u>U6-C6</u>	-2.67	1.17	1.23
3	2	4550	7MG	C2-N1	2.67	1.44	1.37
3	2	3825	A2M	02'-C2'	2.67	1.49	1.42
3	2	4623	OMG	C5-C6	2.65	1.52	1.47
3	2	4129	B8W	O2'-C2'	2.65	1.49	1.43
3	2	1659	I4U	O2'-C2'	2.65	1.49	1.43



α \cdot \cdot \cdot	C		
Continued	trom	previous	page
0 0100010 0000	J. 01.0	proceed as	P ~ 9 ~

Mol	Chain	Res	Type	Atoms	Z	Observed(A)	Ideal(Å)
3	2	2380	B8W	C5-C4	-2.65	1.33	1.40
3	2	2297	E7G	C6-N1	2.64	1.43	1.38
3	2	1797	E7G	C6-N1	2.64	1.43	1.38
3	2	2380	B8W	O2'-C2'	2.64	1.49	1.43
3	2	4690	B8K	C71-N7	2.62	1.45	1.39
3	2	4671	B8T	C6-N1	2.62	1.44	1.38
3	2	2786	B9H	O2-C2	-2.62	1.17	1.22
3	2	1326	A2M	C6-N6	2.60	1.43	1.34
3	2	4494	OMG	C5-C6	2.60	1.52	1.47
3	2	729	2MG	C5-C6	2.60	1.52	1.47
3	2	3718	A2M	O2'-C2'	2.59	1.49	1.42
3	2	2363	A2M	O2'-C2'	2.59	1.49	1.42
3	2	3792	OMG	O6-C6	-2.59	1.18	1.23
3	2	1659	I4U	C6-N1	2.58	1.44	1.38
3	2	3897	B8K	C71-N7	2.57	1.45	1.39
3	2	1326	A2M	O2'-C2'	2.56	1.49	1.42
3	2	2804	OMC	C6-N1	2.56	1.44	1.38
3	2	4870	OMG	O6-C6	-2.55	1.18	1.23
3	2	4196	OMG	C2-N1	2.55	1.44	1.37
3	2	4494	OMG	O6-C6	-2.54	1.18	1.23
3	2	1456	B8Q	C6-N1	2.54	1.44	1.38
3	2	4196	OMG	C5-C4	-2.53	1.36	1.43
3	2	4529	B8W	C5-C4	-2.53	1.34	1.40
3	2	4194	I4U	C6-N1	2.53	1.44	1.38
3	2	1625	OMG	O6-C6	-2.52	1.18	1.23
3	2	4296	B8H	O4-C4	-2.52	1.18	1.23
3	2	398	A2M	O2'-C2'	2.52	1.49	1.42
3	2	4690	B8K	C6-N1	2.52	1.43	1.38
3	2	4550	7MG	C6-N1	2.52	1.43	1.38
3	2	2773	OMG	O6-C6	-2.51	1.18	1.23
3	2	4371	MHG	O6-C6	-2.50	1.18	1.23
3	2	4472	B8W	O2'-C2'	2.48	1.48	1.43
3	2	4690	B8K	O3'-C3'	2.48	1.48	1.43
3	2	2050	OMG	C6-N1	2.47	1.41	1.37
3	2	2364	OMG	C6-N1	2.47	1.41	1.37
3	2	3867	A2M	O2'-C2'	2.47	1.48	1.42
3	2	3825	A2M	O5'-C5'	-2.46	1.38	1.44
3	2	729	2MG	O6-C6	-2.46	1.18	1.23
3	2	2508	PSU	C6-C5	2.45	1.38	1.35
3	2	1860	B8H	O4-C4	-2.44	1.18	1.23
3	2	1534	A2M	O2'-C2'	2.43	1.48	1.42
3	2	4571	A2M	O2'-C2 [,]	2.43	1.48	1.42



3

2

4870

1.52

Ideal(Å)

1.47

1.38

1.47

1.23

1.44

1.44

1.31

1.44

1.38

1.44

1.47

1.47

1.44

1.47

mueu jion	i previo	rus page.	••		
Chain	Res	Type	Atoms	Z	Observed(Å)
2	3792	OMG	C5-C6	2.42	1.52
2	1605	7MG	C6-N1	2.42	1.43
2	4370	OMG	C5-C6	2.41	1.52
2	978	2MG	O6-C6	-2.41	1.18
2	237	B9B	O5'-C5'	-2.40	1.38
2	1534	A2M	O5'-C5'	-2.40	1.38
2	4529	B8W	C6-N1	2.40	1.35
2	3785	A2M	O5'-C5'	-2.40	1.38
2	4306	OMU	C6-N1	2.40	1.43
2	4355	E6G	O5'-C5'	-2.40	1.38
2	2050	OMG	C5-C6	2.40	1.52
2	4196	OMG	C5-C6	2.40	1.52
2	3899	BGH	O5'-C5'	-2.39	1.38
	Image Image <th< td=""><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>Res Type 2 3792 OMG 2 1605 7MG 2 1605 7MG 2 4370 OMG 2 978 2MG 2 237 B9B 2 1534 A2M 2 4529 B8W 2 3785 A2M 2 4306 OMU 2 4355 E6G 2 2050 OMG 2 3899 BGH</td><td>Chain Res Type Atoms 2 3792 OMG C5-C6 2 1605 7MG C6-N1 2 4370 OMG C5-C6 2 978 2MG O6-C6 2 978 2MG O6-C6 2 237 B9B O5'-C5' 2 1534 A2M O5'-C5' 2 4529 B8W C6-N1 2 3785 A2M O5'-C5' 2 4306 OMU C6-N1 2 3785 A2M O5'-C5' 2 4306 OMU C6-N1 2 4355 E6G O5'-C5' 2 2050 OMG C5-C6 2 4196 OMG C5-C6 2 3899 BGH O5'-C5'</td><td>Rate from previous pageChainResTypeAtomsZ2$3792$OMGC5-C6$2.42$2$1605$7MGC6-N1$2.42$2$4370$OMGC5-C6$2.41$2$978$2MGO6-C6$-2.41$2$237$B9BO5'-C5'$-2.40$2$1534$A2MO5'-C5'$-2.40$2$4529$B8WC6-N1$2.40$2$3785$A2MO5'-C5'$-2.40$2$4306$OMUC6-N1$2.40$2$4355$E6GO5'-C5'$-2.40$2$2050$OMGC5-C6$2.40$2$4196$OMGC5-C6$2.40$2$3899$BGHO5'-C5'-2.39</td></th<>	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Res Type 2 3792 OMG 2 1605 7MG 2 1605 7MG 2 4370 OMG 2 978 2MG 2 237 B9B 2 1534 A2M 2 4529 B8W 2 3785 A2M 2 4306 OMU 2 4355 E6G 2 2050 OMG 2 3899 BGH	Chain Res Type Atoms 2 3792 OMG C5-C6 2 1605 7MG C6-N1 2 4370 OMG C5-C6 2 978 2MG O6-C6 2 978 2MG O6-C6 2 237 B9B O5'-C5' 2 1534 A2M O5'-C5' 2 4529 B8W C6-N1 2 3785 A2M O5'-C5' 2 4306 OMU C6-N1 2 3785 A2M O5'-C5' 2 4306 OMU C6-N1 2 4355 E6G O5'-C5' 2 2050 OMG C5-C6 2 4196 OMG C5-C6 2 3899 BGH O5'-C5'	Rate from previous pageChainResTypeAtomsZ2 3792 OMGC5-C6 2.42 2 1605 7MGC6-N1 2.42 2 4370 OMGC5-C6 2.41 2 978 2MGO6-C6 -2.41 2 237 B9BO5'-C5' -2.40 2 1534 A2MO5'-C5' -2.40 2 4529 B8WC6-N1 2.40 2 3785 A2MO5'-C5' -2.40 2 4306 OMUC6-N1 2.40 2 4355 E6GO5'-C5' -2.40 2 2050 OMGC5-C6 2.40 2 4196 OMGC5-C6 2.40 2 3899 BGHO5'-C5' -2.39

OMG

C5-C6

2.38

Continued from previous page

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	2773	OMG	C2-N1	2.38	1.43	1.37
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4872	2MG	O6-C6	-2.38	1.18	1.23
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4185	B8W	O2'-C2'	2.36	1.48	1.43
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	2364	OMG	C5-C6	2.36	1.52	1.47
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	2401	A2M	O2'-C2'	2.36	1.48	1.42
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	373	OMG	C5-C6	2.35	1.52	1.47
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	3723	A2M	O5'-C5'	-2.34	1.39	1.44
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	2424	OMG	C2-N1	2.32	1.43	1.37
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4194	I4U	O5'-C5'	-2.31	1.39	1.44
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	1316	OMG	C5-C6	2.31	1.52	1.47
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	729	2MG	C6-N1	2.30	1.41	1.37
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	1866	UR3	C4-N3	2.30	1.45	1.40
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4620	OMU	C6-N1	2.28	1.43	1.38
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4472	B8W	C5-C4	-2.27	1.34	1.40
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	1625	OMG	C5-C6	2.26	1.52	1.47
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4500	PSU	C6-C5	2.26	1.38	1.35
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	2363	A2M	O5'-C5'	-2.25	1.39	1.44
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	2773	OMG	C5-C6	2.23	1.51	1.47
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4529	B8W	C8-N7	-2.23	1.30	1.34
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	1683	PSU	C4-C5	-2.22	1.37	1.44
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4523	A2M	O2'-C2'	2.22	1.48	1.42
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	2	4523	A2M	O5'-C5'	-2.21	1.39	1.44
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	3	2	3729	PSU	C6-C5	2.21	1.37	1.35
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	3	2	4571	A2M	O5'-C5'	-2.21	1.39	1.44
3 2 3729 PSU C4-C5 -2.20 1.37 1.44 3 2 1860 B8H C2-N1 -2.19 1.34 1.38 3 2 1348 P4U O2-C2 -2.19 1.19 1.23	3	2	1677	PSU	C4-C5	-2.20	1.37	1.44
3 2 1860 B8H C2-N1 -2.19 1.34 1.38 3 2 1348 P4U O2-C2 -2.19 1.19 1.23	3	2	3729	PSU	C4-C5	-2.20	1.37	1.44
3 2 1348 P4U O2-C2 -2.19 1.19 1.23	3	2	1860	B8H	C2-N1	-2.19	1.34	1.38
	3	2	1348	P4U	O2-C2	-2.19	1.19	1.23



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	2401	A2M	O5'-C5'	-2.19	1.39	1.44
3	2	4194	I4U	O3'-C3'	2.19	1.48	1.43
3	2	1677	PSU	O4'-C1'	-2.18	1.40	1.43
3	2	4597	UR3	C5-C4	2.17	1.49	1.43
3	2	4500	PSU	C4-C5	-2.17	1.38	1.44
3	2	1522	OMG	C5-C6	2.16	1.51	1.47
3	2	1517	2MG	C5-C6	2.15	1.51	1.47
3	2	4500	PSU	O4'-C1'	-2.15	1.40	1.43
3	2	1524	A2M	O5'-C5'	-2.15	1.39	1.44
3	2	4636	PSU	C4-C5	-2.14	1.38	1.44
3	2	4530	UR3	O2-C2	-2.14	1.18	1.22
3	2	4129	B8W	C5-C4	-2.13	1.35	1.40
3	2	1659	I4U	O5'-C5'	-2.12	1.39	1.44
3	2	4530	UR3	C4-N3	2.12	1.45	1.40
3	2	4564	M7A	C5-C6	-2.12	1.35	1.40
3	2	4450	PSU	C4-C5	-2.11	1.38	1.44
3	2	4220	6MZ	C2-N3	2.09	1.35	1.32
3	2	3701	OMC	C5-C4	2.08	1.47	1.42
3	2	4637	OMG	C5-C6	2.08	1.51	1.47
3	2	4628	PSU	O4'-C1'	-2.07	1.41	1.43
3	2	4636	PSU	O4'-C1'	-2.07	1.41	1.43
3	2	1316	OMG	C2-N1	2.07	1.42	1.37
3	2	1866	UR3	C5-C4	2.06	1.49	1.43
3	2	3909	OMC	C5-C4	2.06	1.47	1.42
3	2	4530	UR3	C5-C4	2.05	1.49	1.43
3	2	4597	UR3	O2-C2	-2.05	1.18	1.22
3	2	4370	OMG	C2-N1	2.04	1.42	1.37
3	2	4620	OMU	O3'-C3'	2.03	1.47	1.43
3	2	2401	A2M	C6-C5	-2.02	1.35	1.43
3	2	4296	B8H	C2-N1	-2.01	1.34	1.38
3	2	4293	PSU	C4-C5	-2.01	1.38	1.44
3	2	1524	A2M	O2'-C2'	2.01	1.47	1.42
3	2	4623	OMG	C2-N1	2.00	1.42	1.37

Continued from previous page...

All (444) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
3	2	4564	M7A	C5-C6-N6	13.91	147.49	123.74
3	2	4220	6MZ	C1'-N9-C4	-13.75	102.49	126.64
3	2	4083	5MU	C5-C4-N3	12.98	126.39	115.31
3	2	4564	M7A	N6-C6-N1	-11.44	93.29	118.35
3	2	2363	A2M	C5-C6-N6	10.30	136.01	120.35



Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	Ideal(°)
3	2	3718	A2M	C5-C6-N6	9.86	135.34	120.35
3	2	4523	A2M	C5-C6-N6	9.60	134.94	120.35
3	2	398	A2M	C5-C6-N6	9.59	134.92	120.35
3	2	4083	5MU	C5-C6-N1	-9.58	113.48	123.34
3	2	1524	A2M	C5-C6-N6	9.54	134.85	120.35
3	2	3825	A2M	C5-C6-N6	9.33	134.53	120.35
3	2	2401	A2M	C5-C6-N6	9.26	134.42	120.35
3	2	3785	A2M	C5-C6-N6	9.10	134.18	120.35
3	2	1326	A2M	C5-C6-N6	8.87	133.84	120.35
3	2	4571	A2M	C5-C6-N6	8.86	133.82	120.35
3	2	3723	A2M	C5-C6-N6	8.84	133.79	120.35
3	2	1871	A2M	C5-C6-N6	8.42	133.15	120.35
3	2	1534	A2M	C5-C6-N6	8.36	133.06	120.35
3	2	3867	A2M	C5-C6-N6	8.25	132.89	120.35
3	2	2786	B9H	C31-N3-C2	7.69	126.82	117.21
3	2	4529	B8W	N3-C2-N1	-7.41	117.33	127.22
3	2	2363	A2M	N6-C6-N1	-7.36	103.29	118.57
3	2	4529	B8W	C2-N3-C4	7.23	123.62	115.36
3	2	237	B9B	O6-C6-N1	-7.15	113.95	120.12
3	2	1860	B8H	C4-N3-C2	-6.99	118.30	127.35
3	2	3718	A2M	N6-C6-N1	-6.89	104.26	118.57
3	2	4296	B8H	C4-N3-C2	-6.89	118.43	127.35
3	2	398	A2M	N6-C6-N1	-6.73	104.60	118.57
3	2	3880	P7G	C4-C5-N7	6.72	110.22	106.67
3	2	3825	A2M	N6-C6-N1	-6.68	104.72	118.57
3	2	3785	A2M	N6-C6-N1	-6.64	104.79	118.57
3	2	1524	A2M	N6-C6-N1	-6.63	104.82	118.57
3	2	4523	A2M	N6-C6-N1	-6.55	104.98	118.57
3	2	1871	A2M	N3-C2-N1	-6.52	118.49	128.68
3	2	1860	B8H	N3-C2-N1	6.44	122.10	115.14
3	2	1326	A2M	N6-C6-N1	-6.38	105.34	118.57
3	2	4564	M7A	N3-C2-N1	-6.37	118.63	128.60
3	2	2401	A2M	N6-C6-N1	-6.26	105.57	118.57
3	2	4447	5MC	C5-C6-N1	-6.25	116.91	123.34
3	2	4355	E6G	N2-C2-N3	6.16	127.82	117.79
3	2	3867	A2M	N6-C6-N1	-6.14	105.83	118.57
3	2	2401	A2M	N3-C2-N1	-6.12	119.12	128.68
3	2	4220	6MZ	N3-C2-N1	-6.11	119.13	128.68
3	2	398	A2M	N3-C2-N1	-6.08	119.17	128.68
3	2	3723	A2M	N3-C2-N1	-6.08	119.18	128.68
3	2	2363	A2M	N3-C2-N1	-6.04	119.23	128.68
3	2	4690	B8K	C5-C6-N1	6.03	121.62	110.99


3

2

2522

 $7 \mathrm{MG}$

C5-C6-N1

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	4371	MHG	C2-N3-C4	6.03	119.51	112.04
3	2	1456	B8Q	C31-N3-C4	6.01	123.31	114.25
3	2	4571	A2M	N6-C6-N1	-5.99	106.13	118.57
3	2	1326	A2M	N3-C2-N1	-5.99	119.31	128.68
3	2	3897	B8K	C72-C71-N7	5.99	127.87	118.86
3	2	4571	A2M	N3-C2-N1	-5.92	119.42	128.68
3	2	3723	A2M	N6-C6-N1	-5.87	106.39	118.57
3	2	1534	A2M	N6-C6-N1	-5.85	106.42	118.57
3	2	3825	A2M	N3-C2-N1	-5.80	119.61	128.68
3	2	3785	A2M	N3-C2-N1	-5.77	119.66	128.68
3	2	4564	M7A	N3-C4-N9	5.74	134.12	126.87
3	2	4690	B8K	C72-C71-N7	5.71	127.44	118.86
3	2	1322	1MA	N1-C2-N3	-5.69	119.38	126.02
3	2	4083	5MU	O4-C4-C5	-5.68	118.31	124.90
3	2	4296	B8H	N3-C2-N1	5.68	121.28	115.14
3	2	237	B9B	N3-C2-N1	-5.65	119.68	127.22
3	2	1871	A2M	N6-C6-N1	-5.63	106.89	118.57
3	2	4129	B8W	N2-C2-N3	5.62	126.96	117.79
3	2	1524	A2M	N3-C2-N1	-5.62	119.90	128.68
3	2	2786	B9H	C6-N1-C2	-5.55	116.82	121.79
3	2	1534	A2M	N3-C2-N1	-5.54	120.02	128.68
3	2	4129	B8W	N3-C2-N1	-5.54	119.83	127.22
3	2	3899	BGH	C5-C6-N1	5.50	120.69	110.99
3	2	1797	E7G	C4-C5-N7	5.49	109.80	104.91
3	2	4083	5MU	C4-N3-C2	-5.48	120.25	127.35
3	2	1574	B9B	O6-C6-N1	-5.48	115.40	120.12
3	2	4083	5MU	N3-C2-N1	5.43	122.10	114.89
3	2	2297	E7G	C5-C6-N1	5.41	120.53	110.99
3	2	4620	OMU	C4-N3-C2	-5.41	119.44	126.58
3	2	4523	A2M	N3-C2-N1	-5.40	120.23	128.68
3	2	2297	E7G	C4-C5-N7	5.39	109.70	104.91
3	2	1456	B8Q	N3-C2-N1	5.38	123.46	117.13
3	2	2754	B9B	N3-C2-N1	-5.35	120.09	127.22
3	2	3718	A2M	N3-C2-N1	-5.33	120.35	128.68
3	2	1677	PSU	N1-C2-N3	5.33	121.17	115.13
3	2	3899	BGH	C4-C5-N7	5.30	109.63	104.91
3	2	4306	OMU	C4-N3-C2	-5.29	119.60	126.58
3	2	4450	PSU	N1-C2-N3	5.27	121.10	115.13
3	2	1574	B9B	N3-C2-N1	-5.26	120.21	127.22
3	2	4185	B8W	N3-C2-N1	-5.25	120.21	127.22
3	2	4355	E6G	N3-C2-N1	-5.25	120.22	127.22

Continued from previous page... D

Continued on next page...

110.99

120.24



5.25

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
3	2	4636	PSU	C4-N3-C2	-5.21	118.84	126.34
3	2	3867	A2M	N3-C2-N1	-5.20	120.55	128.68
3	2	4355	E6G	O6-C6-N1	5.18	124.60	120.12
3	2	1909	P7G	C4-C5-N7	5.16	109.39	106.67
3	2	4690	B8K	C4-C5-N7	5.16	109.50	104.91
3	2	4550	7MG	C5-C6-N1	5.16	120.09	110.99
3	2	3897	B8K	C5-C6-N1	5.13	120.03	110.99
3	2	1677	PSU	C4-N3-C2	-5.11	118.97	126.34
3	2	4185	B8W	C2-N3-C4	5.11	121.19	115.36
3	2	4529	B8W	C4-C5-N7	-5.11	104.08	109.40
3	2	1797	E7G	C5-C6-N1	5.10	119.97	110.99
3	2	2754	B9B	O6-C6-N1	-5.09	115.73	120.12
3	2	4472	B8W	N3-C2-N1	-5.09	120.43	127.22
3	2	4531	PSU	N1-C2-N3	5.04	120.84	115.13
3	2	4500	PSU	N1-C2-N3	5.03	120.83	115.13
3	2	4628	PSU	N1-C2-N3	4.98	120.78	115.13
3	2	4500	PSU	C4-N3-C2	-4.96	119.20	126.34
3	2	4450	PSU	C4-N3-C2	-4.93	119.24	126.34
3	2	1605	7MG	C5-C6-N1	4.93	119.67	110.99
3	2	4371	MHG	C5-C6-N1	4.91	119.65	110.99
3	2	4371	MHG	C4-C5-N7	4.90	109.27	104.91
3	2	1582	PSU	N1-C2-N3	4.88	120.66	115.13
3	2	3899	BGH	C72-C71-N7	4.88	126.19	118.86
3	2	4129	B8W	O6-C6-C5	4.84	122.92	116.01
3	2	4636	PSU	N1-C2-N3	4.83	120.61	115.13
3	2	237	B9B	C2-N3-C4	4.83	120.87	115.36
3	2	3897	B8K	C4-C5-N7	4.82	109.20	104.91
3	2	1683	PSU	C4-N3-C2	-4.77	119.47	126.34
3	2	1866	UR3	C1'-N1-C2	4.67	124.88	116.99
3	2	4550	7MG	C2-N3-C4	4.66	120.60	112.30
3	2	4628	PSU	C4-N3-C2	-4.62	119.69	126.34
3	2	1683	PSU	N1-C2-N3	4.59	120.33	115.13
3	2	4293	PSU	N1-C2-N3	4.59	120.33	115.13
3	2	2754	B9B	C2-N3-C4	4.58	120.58	115.36
3	2	4442	PSU	N1-C2-N3	4.58	120.31	115.13
3	2	2422	OMC	O2-C2-N3	-4.53	114.97	122.33
3	2	4530	UR3	C4-N3-C2	-4.50	120.32	124.56
3	2	1909	P7G	N9-C8-N7	4.49	109.79	103.38
3	2	4597	UR3	C4-N3-C2	-4.48	120.34	124.56
3	2	4690	B8K	C2-N3-C4	4.46	120.25	112.30
3	2	4531	PSU	C4-N3-C2	-4.46	119.91	126.34
3	2	4355	E6G	C2-N3-C4	4.46	120.45	115.36

Continued from previous page...



3

3

3

2

2

2

\mathbf{Mol}	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$ $ Ideal(o)
3	2	2380	B8W	C3'-C2'-C1'	4.45	107.69	100.98
3	2	3729	PSU	N1-C2-N3	4.45	120.17	115.13
3	2	4529	B8W	O6-C6-C5	4.44	122.36	116.01
3	2	2522	7MG	C2-N3-C4	4.44	120.21	112.30
3	2	2297	E7G	C2-N3-C4	4.43	120.20	112.30
3	2	3899	BGH	C2-N3-C4	4.41	120.15	112.30
3	2	4185	B8W	N2-C2-N3	4.41	124.97	117.79
3	2	1582	PSU	C4-N3-C2	-4.40	119.99	126.34
3	2	4620	OMU	N3-C2-N1	4.40	120.73	114.89
3	2	1797	E7G	C2-N3-C4	4.39	120.13	112.30
3	2	3897	B8K	C2-N3-C4	4.37	120.08	112.30
3	2	4472	B8W	C2-N3-C4	4.34	120.32	115.36
3	2	1517	2MG	C5-C6-N1	4.32	121.59	113.95
3	2	1456	B8Q	O2-C2-N3	-4.30	116.64	122.95
3	2	3899	BGH	N9-C8-N7	4.28	109.08	103.33
3	2	4293	PSU	C4-N3-C2	-4.27	120.19	126.34
3	2	1909	P7G	C71-N7-C5	4.26	134.62	124.52
3	2	4194	I4U	C5-C4-N3	-4.24	118.45	124.91
3	2	2380	B8W	N3-C2-N1	-4.17	121.66	127.22
3	2	1574	B9B	C2-N3-C4	4.12	120.07	115.36
3	2	4306	OMU	N3-C2-N1	4.11	120.34	114.89
3	2	4335	5MC	C5-C6-N1	-4.10	119.12	123.34
3	2	2380	B8W	O6-C6-N1	4.09	124.71	119.03
3	2	1605	7MG	C2-N3-C4	4.09	119.58	112.30
3	2	3729	PSU	C4-N3-C2	-4.08	120.46	126.34
3	2	4637	OMG	C5-C6-N1	4.07	121.13	113.95
3	2	4083	5MU	C5M-C5-C4	4.03	123.21	118.77
3	2	4442	PSU	C4-N3-C2	-4.03	120.54	126.34
3	2	1797	E7G	C5-C4-N3	-4.03	120.46	128.13
3	2	1866	UR3	C6-N1-C2	-4.03	118.18	121.79
3	2	2508	PSU	C4-N3-C2	-4.02	120.55	126.34
3	2	4129	B8W	C2-N3-C4	3.99	119.92	115.36
3	2	3909	OMC	O2-C2-N3	-3.99	115.83	122.33
3	2	2508	PSU	N1-C2-N3	3.93	119.59	115.13
3	2	4472	B8W	N2-C2-N3	3.93	124.19	117.79
3	2	4472	B8W	06-C6-N1	3.90	124.44	119.03
3	2	4083	5MU	C5M-C5-C6	-3.90	117.64	122.85
3	2	4403	PSU	N1-C2-N3	3.88	119.53	115.13
3	2	1522	OMG	C5-C6-N1	3.87	120.79	113.95

PSU

B8W

UR3

N1-C2-N3

N2-C2-N3

C4-N3-C2

3715

2380

1866

Continued from previous page...

Continued on next page...

115.13

117.79

124.56

119.46

124.02

121.00



3.83

3.82

-3.79

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	1316	OMG	C5-C6-N1	3.78	120.63	113.95
3	2	2050	OMG	C5-C6-N1	3.78	120.63	113.95
3	2	2364	OMG	C5-C6-N1	3.76	120.60	113.95
3	2	4129	B8W	C2-N1-C6	3.75	122.11	116.08
3	2	3897	B8K	N9-C8-N7	3.75	108.36	103.33
3	2	1605	7MG	C5-C4-N3	-3.73	121.02	128.13
3	2	1860	B8H	C5-C4-N3	3.68	124.91	116.58
3	2	4494	OMG	C5-C6-N1	3.68	120.45	113.95
3	2	2424	OMG	C5-C6-N1	3.68	120.44	113.95
3	2	2522	7MG	C5-C4-N9	3.66	111.10	106.35
3	2	1348	P4U	C5-C4-N3	-3.66	119.34	124.91
3	2	1659	I4U	C5-C4-N3	-3.66	119.35	124.91
3	2	1322	1MA	C5-C6-N1	3.65	119.34	113.90
3	2	4296	B8H	C5-C4-N3	3.65	124.84	116.58
3	2	2522	7MG	C5-C4-N3	-3.64	121.19	128.13
3	2	4185	B8W	O6-C6-N1	3.63	124.07	119.03
3	2	2773	OMG	C5-C6-N1	3.63	120.36	113.95
3	2	4690	B8K	C5-C4-N9	3.63	111.05	106.35
3	2	4371	MHG	C2-N1-C6	-3.62	120.32	124.48
3	2	1625	OMG	C5-C6-N1	3.62	120.34	113.95
3	2	1605	7MG	N9-C8-N7	3.61	108.55	103.38
3	2	2786	B9H	O3'-C3'-C2'	3.60	121.38	111.17
3	2	4371	MHG	C5-C4-N9	3.59	111.01	106.35
3	2	2786	B9H	C32-C31-N3	3.57	119.93	112.47
3	2	2786	B9H	O2-C2-N1	-3.57	114.37	122.72
3	2	978	2MG	C5-C6-N1	3.57	120.25	113.95
3	2	4623	OMG	C5-C6-N1	3.57	120.25	113.95
3	2	3715	PSU	C4-N3-C2	-3.56	121.20	126.34
3	2	4403	PSU	C4-N3-C2	-3.56	121.21	126.34
3	2	978	2MG	CM2-N2-C2	-3.56	116.00	123.86
3	2	4220	6MZ	C2-N1-C6	3.55	119.63	116.59
3	2	4872	2MG	C5-C6-N1	3.52	120.17	113.95
3	2	2297	E7G	C5-C4-N3	-3.52	121.42	128.13
3	2	3909	OMC	C1'-N1-C2	3.51	126.25	118.42
3	2	4447	5MC	CM5-C5-C6	-3.50	118.17	122.85
3	2	4550	7MG	C5-C4-N3	-3.50	121.46	128.13
3	2	1517	2MG	O6-C6-C5	-3.49	117.55	124.37
3	2	729	2MG	C5-C6-N1	3.48	120.09	113.95
3	2	2380	B8W	C2-N3-C4	3.47	119.32	115.36
3	2	3897	B8K	C5-C4-N9	3.46	110.83	106.35
3	2	4690	B8K	N9-C8-N7	3.43	107.93	103.33
3	2	1883	OMG	C5-C6-N1	3.42	119.99	113.95



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	1860	B8H	O2-C2-N1	-3.41	119.03	122.87
3	2	4355	E6G	N2-C2-N1	-3.41	111.95	117.25
3	2	373	OMG	C5-C6-N1	3.39	119.95	113.95
3	2	4296	B8H	O2-C2-N1	-3.36	119.08	122.87
3	2	4370	OMG	C5-C6-N1	3.36	119.88	113.95
3	2	4637	OMG	C2-N1-C6	-3.34	118.94	125.10
3	2	1316	OMG	C2-N1-C6	-3.33	118.96	125.10
3	2	4196	OMG	C5-C6-N1	3.33	119.83	113.95
3	2	4306	OMU	C5-C4-N3	3.32	119.81	114.84
3	2	237	B9B	C3'-C2'-C1'	3.32	105.98	100.98
3	2	2364	OMG	C2-N1-C6	-3.28	119.05	125.10
3	2	4690	B8K	C6-C5-C4	-3.28	115.85	122.62
3	2	2424	OMG	C2-N1-C6	-3.28	119.05	125.10
3	2	3899	BGH	C6-C5-C4	-3.27	115.88	122.62
3	2	4620	OMU	C5-C4-N3	3.26	119.72	114.84
3	2	2754	B9B	C3'-C2'-C1'	3.26	105.88	100.98
3	2	4371	MHG	C72-C71-N7	3.26	115.61	112.41
3	2	4529	B8W	C2-N1-C6	3.25	121.30	116.08
3	2	4450	PSU	C6-C5-C4	3.22	120.45	118.20
3	2	1625	OMG	C2-N1-C6	-3.21	119.19	125.10
3	2	2050	OMG	C2-N1-C6	-3.21	119.19	125.10
3	2	4371	MHG	C5-C4-N3	-3.17	122.09	128.13
3	2	1605	7MG	C4-C5-N7	3.17	109.93	105.53
3	2	3792	OMG	C5-C6-N1	3.17	119.54	113.95
3	2	3729	PSU	C6-N1-C2	-3.13	119.48	122.68
3	2	4531	PSU	C6-N1-C2	-3.13	119.48	122.68
3	2	1605	7MG	C5-C4-N9	3.13	110.41	106.35
3	2	4620	OMU	O4-C4-C5	-3.11	119.69	125.16
3	2	4196	OMG	C2-N1-C6	-3.11	119.37	125.10
3	2	1574	B9B	C1'-N9-C4	-3.09	121.21	126.64
3	2	4620	OMU	O3'-C3'-C4'	3.09	119.99	111.05
3	2	4564	M7A	C2-N3-C4	3.08	119.04	111.75
3	2	3899	BGH	C5-C4-N9	3.07	110.33	106.35
3	2	4494	OMG	C2-N1-C6	-3.07	119.44	125.10
3	2	4550	7MG	C4-C5-N7	3.07	109.79	105.53
3	2	2773	OMG	C2-N1-C6	-3.07	119.45	125.10
3	2	4083	5MU	O2-C2-N1	-3.06	118.71	122.79
3	2	1883	OMG	C2-N1-C6	-3.06	119.47	125.10
3	2	4623	OMG	C2-N1-C6	-3.06	119.47	125.10
3	2	4550	7MG	C5-C4-N9	3.05	110.31	106.35
3	2	4500	PSU	C6-C5-C4	3.04	120.32	118.20
3	2	3729	PSU	O2-C2-N1	-3.04	119.45	122.79

Continued from previous page...

 Mol
 Chain
 Res
 Type



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	4370	OMG	C2-N1-C6	-3.01	119.55	125.10
3	2	4628	PSU	O2-C2-N1	-3.01	119.48	122.79
3	2	4531	PSU	O2-C2-N1	-2.99	119.50	122.79
3	2	2773	OMG	O6-C6-C5	-2.97	118.58	124.37
3	2	1316	OMG	C8-N7-C5	2.97	108.64	102.99
3	2	1797	E7G	C5-C4-N9	2.96	110.19	106.35
3	2	2424	OMG	O6-C6-C5	-2.96	118.59	124.37
3	2	4671	B8T	C6-C5-C4	2.95	120.57	116.96
3	2	2297	E7G	C5-C4-N9	2.95	110.18	106.35
3	2	4293	PSU	O2-C2-N1	-2.94	119.55	122.79
3	2	4355	E6G	O4'-C4'-C3'	-2.92	99.34	105.11
3	2	4623	OMG	C8-N7-C5	2.91	108.53	102.99
3	2	2522	7MG	C2-N1-C6	-2.90	119.80	125.10
3	2	1683	PSU	O2-C2-N1	-2.89	119.61	122.79
3	2	1677	PSU	O2-C2-N1	-2.89	119.61	122.79
3	2	4194	I4U	C3'-C2'-C1'	2.88	106.91	101.43
3	2	4129	B8W	C4-C5-N7	-2.88	106.40	109.40
3	2	373	OMG	C2-N1-C6	-2.87	119.82	125.10
3	2	4870	OMG	N1-C2-N3	-2.86	117.97	123.32
3	2	4530	UR3	C1'-N1-C2	2.85	121.81	116.99
3	2	1860	B8H	O4-C4-N3	-2.85	114.65	120.12
3	2	2297	E7G	C2-N1-C6	-2.85	119.91	125.10
3	2	4690	B8K	C5-C4-N3	-2.84	122.72	128.13
3	2	3897	B8K	C6-C5-C4	-2.84	116.77	122.62
3	2	4870	OMG	C5-C6-N1	2.82	118.94	113.95
3	2	2364	OMG	C8-N7-C5	2.82	108.36	102.99
3	2	1522	OMG	C2-N1-C6	-2.80	119.94	125.10
3	2	2297	E7G	O6-C6-C5	-2.77	120.73	127.54
3	2	1582	PSU	C6-N1-C2	-2.77	119.85	122.68
3	2	4293	PSU	C6-N1-C2	-2.77	119.85	122.68
3	2	4628	PSU	C6-N1-C2	-2.77	119.85	122.68
3	2	373	OMG	C8-N7-C5	2.76	108.25	102.99
3	2	4637	OMG	O6-C6-C5	-2.74	119.02	124.37
3	2	1677	PSU	C6-N1-C2	-2.74	119.88	122.68
3	2	2786	B9H	O3'-C3'-C4'	2.74	118.96	111.05
3	2	1316	OMG	O6-C6-C5	-2.74	119.03	124.37
3	2	4355	E6G	C2-N1-C6	2.73	120.46	116.08
3	2	3897	B8K	C5-C4-N3	-2.71	122.96	128.13
3	2	1797	E7G	N9-C8-N7	2.69	107.23	103.38
3	2	2050	OMG	C8-N7-C5	2.68	108.10	102.99
3	2	3899	BGH	N1-C2-N3	-2.68	118.32	123.32
3	2	1456	B8Q	C31-N3-C2	2.68	121.68	117.79

Continued from previous page...



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	1456	B8Q	C1'-N1-C2	2.67	121.50	116.99
3	2	1677	PSU	C6-C5-C4	2.67	120.06	118.20
3	2	1456	B8Q	C6-N1-C2	-2.67	119.40	121.79
3	2	4306	OMU	O2-C2-N1	-2.66	119.26	122.79
3	2	3792	OMG	C2-N1-C6	-2.65	120.21	125.10
3	2	2773	OMG	C8-N7-C5	2.65	108.04	102.99
3	2	1522	OMG	C8-N7-C5	2.65	108.03	102.99
3	2	1883	OMG	O6-C6-C5	-2.64	119.21	124.37
3	2	4083	5MU	C6-N1-C2	-2.64	118.62	121.30
3	2	4129	B8W	C5-C6-N1	-2.64	118.23	123.26
3	2	4530	UR3	O2-C2-N3	-2.63	117.63	121.34
3	2	4196	OMG	O6-C6-C5	-2.63	119.23	124.37
3	2	3899	BGH	O6-C6-C5	-2.62	121.11	127.54
3	2	4370	OMG	C8-N7-C5	2.62	107.98	102.99
3	2	1797	E7G	C2-N1-C6	-2.61	120.33	125.10
3	2	4872	2MG	C8-N7-C5	2.61	107.97	102.99
3	2	1605	7MG	C2-N1-C6	-2.61	120.33	125.10
3	2	4129	B8W	N2-C2-N1	-2.60	113.21	117.25
3	2	1866	UR3	O2-C2-N3	-2.60	117.68	121.34
3	2	1797	E7G	N9-C4-N3	2.60	129.35	125.47
3	2	2522	7MG	C4-C5-N7	2.59	109.13	105.53
3	2	4450	PSU	C6-N1-C2	-2.58	120.05	122.68
3	2	2422	OMC	O2-C2-N1	2.58	124.21	118.89
3	2	3899	BGH	N2-C2-N1	2.57	122.19	116.71
3	2	4442	PSU	C6-N1-C2	-2.57	120.05	122.68
3	2	4403	PSU	C6-N1-C2	-2.57	120.06	122.68
3	2	4494	OMG	C8-N7-C5	2.57	107.88	102.99
3	2	3897	B8K	N1-C2-N3	-2.56	118.54	123.32
3	2	4296	B8H	O4-C4-N3	-2.54	115.24	120.12
3	2	978	2MG	C8-N7-C5	2.54	107.83	102.99
3	2	4690	B8K	C2-N1-C6	-2.53	120.49	125.10
3	2	3792	OMG	C8-N7-C5	2.53	107.80	102.99
3	2	1797	E7G	O6-C6-C5	-2.53	121.35	127.54
3	2	1524	A2M	O4'-C4'-C3'	-2.52	100.12	105.11
3	2	4450	PSU	02-C2-N1	-2.52	120.02	122.79
3	2	3887	OMC	02-C2-N3	-2.52	118.23	122.33
3	2	4083	5MU	04-C4-N3	-2.52	115.29	120.12
3	2	4637	OMG	C8-N7-C5	2.51	107.77	102.99
3	2	4550	7MG	O6-C6-C5	-2.49	121.44	127.54
3	2	3897	B8K	O6-C6-C5	-2.49	121.44	127.54
3	2	$24\overline{22}$	OMC	C1'-N1-C2	$2.\overline{48}$	123.95	118.42
3	2	4306	OMU	O4-C4-C5	-2.47	120.81	125.16



α \cdot \cdot \cdot	C	•	
Continued	trom	previous	page
• • • • • • • • • • • •	J	P · · · · · · · · · · · · · · · · · · ·	r ~g ~ · · ·

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^{o})$	$Ideal(^{o})$
3	2	1574	B9B	C3'-C2'-C1'	2.47	104.69	100.98
3	2	2786	B9H	C1'-N1-C6	2.46	126.20	120.84
3	2	4529	B8W	C3'-C2'-C1'	2.45	104.67	100.98
3	2	4529	B8W	N2-C2-N1	2.45	121.07	117.25
3	2	3897	B8K	N2-C2-N1	2.45	121.93	116.71
3	2	4620	OMU	O2-C2-N1	-2.45	119.53	122.79
3	2	3899	BGH	C5-C4-N3	-2.44	123.49	128.13
3	2	4196	OMG	C8-N7-C5	2.42	107.60	102.99
3	2	4870	OMG	C8-N7-C5	2.41	107.59	102.99
3	2	4185	B8W	C1'-N9-C4	-2.41	122.40	126.64
3	2	4371	MHG	O6-C6-C5	-2.41	121.63	127.54
3	2	2424	OMG	C8-N7-C5	2.41	107.58	102.99
3	2	1625	OMG	O6-C6-C5	-2.41	119.67	124.37
3	2	1625	OMG	C8-N7-C5	2.40	107.57	102.99
3	2	4550	7MG	N1-C2-N3	-2.40	118.84	123.32
3	2	2380	B8W	C1'-N9-C4	-2.40	122.42	126.64
3	2	1517	2MG	CM2-N2-C2	-2.40	118.57	123.86
3	2	4472	B8W	C2-N1-C6	2.40	119.93	116.08
3	2	2522	7MG	O6-C6-C5	-2.39	121.67	127.54
3	2	4194	I4U	C5'-C4'-C3'	-2.39	106.22	115.18
3	2	1883	OMG	C8-N7-C5	2.39	107.54	102.99
3	2	4403	PSU	O2-C2-N1	-2.39	120.16	122.79
3	2	3880	P7G	N2-C2-N3	2.38	121.78	116.71
3	2	3715	PSU	C6-N1-C2	-2.38	120.25	122.68
3	2	3880	P7G	N9-C8-N7	2.38	106.78	103.38
3	2	4636	PSU	C6-C5-C4	2.37	119.86	118.20
3	2	729	2MG	C8-N7-C5	2.37	107.50	102.99
3	2	4371	MHG	N1-C2-N3	-2.36	120.30	123.95
3	2	4530	UR3	C6-N1-C2	-2.36	119.67	121.79
3	2	3897	B8K	O4'-C1'-C2'	-2.36	101.50	106.64
3	2	4597	UR3	C6-N1-C2	-2.35	119.69	121.79
3	2	3909	OMC	O2-C2-N1	2.33	123.71	118.89
3	2	1605	7MG	O6-C6-C5	-2.33	121.82	127.54
3	2	4529	B8W	N2-C2-N3	2.33	121.59	117.79
3	2	3880	P7G	C71-N7-C5	2.32	130.01	124.52
3	2	1522	OMG	N1-C2-N3	-2.31	119.00	123.32
3	2	4530	UR3	C3U-N3-C4	2.31	121.18	117.89
3	2	4550	7MG	<u>C6-C5-C4</u>	-2.30	117.88	122.62
3	2	1316	OMG	N2-C2-N1	2.30	121.61	116.71
3	2	4690	B8K	N1-C2-N3	-2.28	119.06	123.32
3	2	4500	PSU	O2-C2-N1	-2.28	120.28	122.79
3	2	3782	5MC	C5-C4-N3	-2.27	119.22	121.67



α $\cdot \cdot$ \cdot	C		
Continued	from	previous	page
		1	1 0

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	4870	OMG	C2-N1-C6	-2.26	120.93	125.10
3	2	4500	PSU	C6-N1-C2	-2.26	120.38	122.68
3	2	1348	P4U	O2-C2-N3	-2.25	118.67	122.33
3	2	4194	I4U	C2'-C3'-C4'	2.25	107.01	102.64
3	2	3899	BGH	O4'-C4'-C3'	-2.25	100.67	105.11
3	2	4194	I4U	O4-C41-C43	2.23	113.08	107.14
3	2	3782	5MC	O2-C2-N3	-2.23	118.71	122.33
3	2	1322	1MA	C8-N7-C5	2.23	107.23	102.99
3	2	3782	5MC	C5-C6-N1	-2.21	121.06	123.34
3	2	4872	2MG	CM2-N2-C2	-2.20	119.00	123.86
3	2	1582	PSU	O2-C2-N1	-2.20	120.37	122.79
3	2	4494	OMG	O6-C6-C5	-2.20	120.08	124.37
3	2	1517	2MG	C3'-C2'-C1'	2.19	104.27	100.98
3	2	1517	2MG	C8-N7-C5	2.19	107.16	102.99
3	2	4185	B8W	C2-N1-C6	2.19	119.59	116.08
3	2	3909	OMC	C1'-N1-C6	-2.18	116.08	120.84
3	2	4550	7MG	C2-N1-C6	-2.18	121.13	125.10
3	2	1534	A2M	O3'-C3'-C4'	-2.18	104.76	111.05
3	2	4371	MHG	C6-C5-C4	-2.18	118.14	122.62
3	2	237	B9B	C1'-N9-C4	-2.17	122.82	126.64
3	2	978	2MG	O6-C6-C5	-2.17	120.13	124.37
3	2	237	B9B	C2-N1-C6	2.16	119.55	116.08
3	2	4355	E6G	C2'-C3'-C4'	-2.15	98.46	102.64
3	2	4523	A2M	O4'-C4'-C3'	-2.15	100.85	105.11
3	2	4690	B8K	O6-C6-C5	-2.15	122.27	127.54
3	2	4403	PSU	O4-C4-N3	-2.15	116.00	120.12
3	2	4335	5MC	O2-C2-N3	-2.14	118.85	122.33
3	2	1659	I4U	O2-C2-N3	-2.14	118.86	122.33
3	2	4194	I4U	O4'-C4'-C3'	2.14	109.34	105.11
3	2	373	OMG	O6-C6-C5	-2.13	120.22	124.37
3	2	2297	E7G	C6-C5-C4	-2.13	118.24	122.62
3	2	4355	E6G	C5-C6-N1	-2.13	119.21	123.26
3	2	3792	OMG	O6-C6-C5	-2.13	120.22	124.37
3	2	4129	B8W	C3'-C2'-C1'	2.12	104.17	100.98
3	2	4529	B8W	C5-C6-N1	-2.11	119.24	123.26
3	2	2297	E7G	N9-C8-N7	2.11	106.40	103.38
3	2	4564	M7A	C2-N1-C6	2.11	122.39	118.77
3	2	4620	OMU	O3'-C3'-C2'	2.11	117.16	111.17
3	2	4690	B8K	O6-C6-N1	-2.09	116.11	120.12
3	2	4620	OMU	C6-N1-C2	-2.09	118.32	120.99
3	2	1883	OMG	N2-C2-N1	2.08	121.14	116.71
3	2	4564	M7A	C5-C4-N3	-2.08	121.74	126.62



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	2	4442	PSU	O2-C2-N1	-2.08	120.50	122.79
3	2	1605	7MG	N9-C4-N3	2.08	128.57	125.47
3	2	4370	OMG	O6-C6-C5	-2.07	120.32	124.37
3	2	4550	7MG	N9-C8-N7	2.07	106.34	103.38
3	2	2754	B9B	N2-C2-N3	2.05	121.13	117.79
3	2	4870	OMG	N2-C2-N1	2.05	121.08	116.71
3	2	4185	B8W	C3'-C2'-C1'	2.04	104.06	100.98
3	2	4571	A2M	C5'-C4'-C3'	-2.04	107.53	115.18
3	2	3701	OMC	C5-C6-N1	-2.04	118.39	121.81
3	2	1659	I4U	O4'-C4'-C3'	-2.04	101.08	105.11
3	2	4870	OMG	O6-C6-C5	-2.03	120.40	124.37
3	2	4483	B8T	C6-C5-C4	2.03	119.45	116.96
3	2	2773	OMG	N2-C2-N1	2.03	121.04	116.71
3	2	2508	PSU	O2-C2-N1	-2.02	120.56	122.79
3	2	3723	A2M	O4'-C4'-C3'	-2.02	101.12	105.11
3	2	4523	A2M	C1'-N9-C4	-2.02	123.09	126.64
3	2	3880	P7G	N3-C2-N1	-2.02	119.56	123.32
3	2	4636	PSU	O4'-C1'-C2'	2.02	107.99	105.14
3	2	729	2MG	CM2-N2-C2	-2.01	119.43	123.86

Continued from previous page...

There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
3	2	237	B9B	C5-C6-O6-C61
3	2	237	B9B	N1-C6-O6-C61
3	2	237	B9B	O4'-C4'-C5'-O5'
3	2	1348	P4U	N3-C4-O4-C41
3	2	1574	B9B	C5-C6-O6-C61
3	2	1574	B9B	N1-C6-O6-C61
3	2	1625	OMG	C3'-C4'-C5'-O5'
3	2	1677	PSU	C3'-C4'-C5'-O5'
3	2	1797	E7G	O4'-C4'-C5'-O5'
3	2	1883	OMG	O4'-C4'-C5'-O5'
3	2	1883	OMG	C3'-C4'-C5'-O5'
3	2	1909	P7G	C72-C71-N7-C5
3	2	2297	E7G	C3'-C4'-C5'-O5'
3	2	2297	E7G	O4'-C4'-C5'-O5'
3	2	2364	OMG	O4'-C4'-C5'-O5'
3	2	2380	B8W	C5-C6-O6-C61
3	2	2424	OMG	C3'-C4'-C5'-O5'
3	2	2754	B9B	C5-C6-O6-C61

All (158) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	2	2754	B9B	N1-C6-O6-C61
3	2	2786	B9H	C32-C31-N3-C2
3	2	2786	B9H	C32-C31-N3-C4
3	2	3701	OMC	C2'-C1'-N1-C2
3	2	3701	OMC	C2'-C1'-N1-C6
3	2	3867	A2M	O4'-C4'-C5'-O5'
3	2	3867	A2M	C3'-C4'-C5'-O5'
3	2	3880	P7G	O4'-C4'-C5'-O5'
3	2	3897	B8K	O4'-C4'-C5'-O5'
3	2	4129	B8W	C5-C6-O6-C61
3	2	4129	B8W	N1-C6-O6-C61
3	2	4185	B8W	C5-C6-O6-C61
3	2	4185	B8W	N1-C6-O6-C61
3	2	4196	OMG	O4'-C4'-C5'-O5'
3	2	4196	OMG	C3'-C4'-C5'-O5'
3	2	4306	OMU	C1'-C2'-O2'-CM2
3	2	4355	E6G	C3'-C4'-C5'-O5'
3	2	4355	E6G	O4'-C4'-C5'-O5'
3	2	4355	E6G	C5-C6-O6-C61
3	2	4355	E6G	N1-C6-O6-C61
3	2	4371	MHG	O4'-C4'-C5'-O5'
3	2	4371	MHG	C71-C72-C73-C75
3	2	4403	PSU	C2'-C1'-C5-C4
3	2	4403	PSU	O4'-C1'-C5-C4
3	2	4403	PSU	O4'-C1'-C5-C6
3	2	4403	PSU	C3'-C4'-C5'-O5'
3	2	4403	PSU	O4'-C4'-C5'-O5'
3	2	4450	PSU	C2'-C1'-C5-C4
3	2	4472	B8W	C5-C6-O6-C61
3	2	4472	B8W	N1-C6-O6-C61
3	2	4472	B8W	C3'-C4'-C5'-O5'
3	2	4472	B8W	O4'-C4'-C5'-O5'
3	2	4500	PSU	C3'-C4'-C5'-O5'
3	2	4523	A2M	O4'-C4'-C5'-O5'
3	2	4529	B8W	C5-C6-O6-C61
3	2	4529	B8W	N1-C6-O6-C61
3	2	4620	OMU	C1'-C2'-O2'-CM2
3	2	4636	PSU	C2'-C1'-C5-C6
3	2	4636	PSU	O4'-C1'-C5-C6
3	2	4636	PSU	C3'-C4'-C5'-O5'
3	2	4636	PSU	O4'-C4'-C5'-O5'
3	2	4637	OMG	O4'-C4'-C5'-O5'

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	2	4870	OMG	C3'-C4'-C5'-O5'
3	2	237	B9B	C3'-C4'-C5'-O5'
3	2	398	A2M	O4'-C4'-C5'-O5'
3	2	1677	PSU	O4'-C4'-C5'-O5'
3	2	1797	E7G	C3'-C4'-C5'-O5'
3	2	1866	UR3	O4'-C4'-C5'-O5'
3	2	2364	OMG	C3'-C4'-C5'-O5'
3	2	2424	OMG	O4'-C4'-C5'-O5'
3	2	2773	OMG	O4'-C4'-C5'-O5'
3	2	3729	PSU	O4'-C4'-C5'-O5'
3	2	3785	A2M	O4'-C4'-C5'-O5'
3	2	3785	A2M	C3'-C4'-C5'-O5'
3	2	3897	B8K	C3'-C4'-C5'-O5'
3	2	4450	PSU	O4'-C4'-C5'-O5'
3	2	4500	PSU	O4'-C4'-C5'-O5'
3	2	4523	A2M	C3'-C4'-C5'-O5'
3	2	4637	OMG	C3'-C4'-C5'-O5'
3	2	4870	OMG	O4'-C4'-C5'-O5'
3	2	4872	2MG	O4'-C4'-C5'-O5'
3	2	978	2MG	C3'-C4'-C5'-O5'
3	2	1860	B8H	O4'-C4'-C5'-O5'
3	2	1866	UR3	C3'-C4'-C5'-O5'
3	2	2773	OMG	C3'-C4'-C5'-O5'
3	2	3880	P7G	C3'-C4'-C5'-O5'
3	2	4450	PSU	C3'-C4'-C5'-O5'
3	2	4872	2MG	C3'-C4'-C5'-O5'
3	2	3880	P7G	N7-C71-C72-C73
3	2	1909	P7G	C72-C71-N7-C8
3	2	4355	E6G	C62-C61-O6-C6
3	2	3729	PSU	C3'-C4'-C5'-O5'
3	2	4371	MHG	C71-C72-C73-C74
3	2	237	B9B	O6-C61-C62-C63
3	2	729	2MG	O4'-C4'-C5'-O5'
3	2	4220	6MZ	C3'-C4'-C5'-O5'
3	2	398	A2M	C3'-C4'-C5'-O5'
3	2	978	2MG	O4'-C4'-C5'-O5'
3	2	1625	OMG	O4'-C4'-C5'-O5'
3	2	1659	I4U	O4'-C4'-C5'-O5'
3	2	1871	A2M	O4'-C4'-C5'-O5'
3	2	4220	6MZ	O4'-C4'-C5'-O5'
3	2	4296	B8H	O4'-C4'-C5'-O5'
3	2	1909	P7G	N7-C71-C72-C73

Continued from previous page...

P7G N7-C71-C72-C73 Continued on next page...



EMD-0963, 61

Mol	Chain	Res	Type	Atoms
3	2	4371	MHG	C75-C73-C74-C76
3	2	729	2MG	C3'-C4'-C5'-O5'
3	2	4296	B8H	C3'-C4'-C5'-O5'
3	2	4371	MHG	C2'-C1'-N9-C8
3	2	1574	B9B	O6-C61-C62-C63
3	2	1860	B8H	C3'-C4'-C5'-O5'
3	2	4447	5MC	C2'-C1'-N1-C6
3	2	2754	B9B	O4'-C4'-C5'-O5'
3	2	2297	E7G	C72-C71-N7-C8
3	2	2401	A2M	C3'-C2'-O2'-CM'
3	2	3897	B8K	C4'-C5'-O5'-P
3	2	2754	B9B	C3'-C4'-C5'-O5'
3	2	2754	B9B	O6-C61-C62-C63
3	2	4447	5MC	O4'-C1'-N1-C6
3	2	4371	MHG	C72-C71-N7-C5
3	2	2380	B8W	N1-C6-O6-C61
3	2	373	OMG	C4'-C5'-O5'-P
3	2	2380	B8W	O4'-C4'-C5'-O5'
3	2	4530	UR3	O4'-C4'-C5'-O5'
3	2	4550	7MG	O4'-C4'-C5'-O5'
3	2	4447	5MC	C2'-C1'-N1-C2
3	2	1517	2MG	C4'-C5'-O5'-P
3	2	4500	PSU	C4'-C5'-O5'-P
3	2	4870	OMG	C4'-C5'-O5'-P
3	2	3701	OMC	O4'-C1'-N1-C6
3	2	1524	A2M	C3'-C2'-O2'-CM'
3	2	3825	A2M	C3'-C2'-O2'-CM'
3	2	3701	OMC	O4'-C1'-N1-C2
3	2	4447	5MC	O4'-C1'-N1-C2
3	2	1534	A2M	C4'-C5'-O5'-P
3	2	2422	OMC	O4'-C4'-C5'-O5'
3	2	3880	P7G	C72-C71-N7-C8
3	2	4371	MHG	C72-C71-N7-C8
3	2	1677	PSU	O4'-C1'-C5-C4
3	2	4450	PSU	O4'-C1'-C5-C4
3	2	4531	PSU	04'-C1'-C5-C4
3	2	4370	OMG	C3'-C2'-O2'-CM2
3	2	4494	OMG	C3'-C2'-O2'-CM2
3	2	1326	A2M	C4'-C5'-O5'-P
3	2	3887	OMC	C4'-C5'-O5'-P
3	2	1534	A2M	O4'-C4'-C5'-O5'
3	2	4371	MHG	O4'-C1'-N9-C8

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	2	3909	OMC	C2'-C1'-N1-C6
3	2	1871	A2M	C3'-C4'-C5'-O5'
3	2	1524	A2M	C1'-C2'-O2'-CM'
3	2	2401	A2M	C1'-C2'-O2'-CM'
3	2	1322	1MA	O4'-C4'-C5'-O5'
3	2	1677	PSU	O4'-C1'-C5-C6
3	2	4450	PSU	O4'-C1'-C5-C6
3	2	3909	OMC	C2'-C1'-N1-C2
3	2	1659	I4U	C42-C41-O4-C4
3	2	1659	I4U	C43-C41-O4-C4
3	2	3785	A2M	C3'-C2'-O2'-CM'
3	2	2380	B8W	C3'-C4'-C5'-O5'
3	2	4550	7MG	C3'-C4'-C5'-O5'
3	2	2422	OMC	C2'-C1'-N1-C2

Continued from previous page...

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 246 ligands modelled in this entry, 246 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-0963. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

Orthogonal projections (i) 6.1

Primary map 6.1.1



The images above show the map projected in three orthogonal directions.

Central slices (i) 6.2

6.2.1Primary map



X Index: 240

Y Index: 240



The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 253

Y Index: 201

Z Index: 251

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views (i)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.07. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.



6.5 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 1084 $\rm nm^3;$ this corresponds to an approximate mass of 979 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.319 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-0963 and PDB model 6LSR. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.07 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.07).



9.4 Atom inclusion (i)



At the recommended contour level, 82% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.07) and Q-score for the entire model and for each chain.

\mathbf{Chain}	Atom inclusion	$\mathbf{Q} extsf{-score}$
All	0.8376	0.5310
0	0.5017	0.4460
1	0.3128	0.2480
2	0.8731	0.5340
3	0.8295	0.5350
5	0.9430	0.5660
6	0.6738	0.4860
8	0.9208	0.5590
А	0.3865	0.3470
В	0.8707	0.5770
С	0.8137	0.5190
D	0.9145	0.5890
E	0.8014	0.5350
F	0.8954	0.5820
G	0.8060	0.5430
Н	0.8471	0.5710
Ι	0.8081	0.5500
К	0.8296	0.5470
L	0.9336	0.6080
М	0.9524	0.6010
Ν	0.6780	0.4610
О	0.7514	0.5350
Р	0.9291	0.5950
Q	0.8433	0.5670
S	0.8769	0.5680
Т	0.8436	0.5730
U	0.9586	0.6120
V	0.9133	0.5880
W	0.8445	0.5550
X	0.8474	0.5610
Y	0.9104	0.5940
Z	0.9316	0.5970
a	0.8979	0.5770
b	0.9208	0.5870
c	0.8712	0.5710



Continued from previous page...

Chain	Atom inclusion	Q-score
d	0.7215	0.4980
е	0.8807	0.5780
f	0.8120	0.5590
g	0.8690	0.5640
h	0.8766	0.5760
i	0.8155	0.5560
1	0.8993	0.5810
m	0.9320	0.5970
r	0.7867	0.5330
t	0.9351	0.5980
u	0.9525	0.6020
V	0.7759	0.5240
W	0.9043	0.5830
Z	0.0121	0.0190

