

# Full wwPDB X-ray Structure Validation Report (i)

#### Aug 21, 2020 - 03:26 AM BST

PDB ID	:	$5 \mathrm{LTQ}$
Title	:	Structure of the Yellow Fluorescent Protein lanYFP from Branchiostoma
		lanceolatum at pH 7.5
Authors	:	Clavel, D.; Gotthard, G.; Royant, A.
Deposited on	:	2016-09-07
Resolution	:	2.05  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.13.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
$\operatorname{Refmac}$	:	5.8.0158
$\operatorname{CCP4}$	:	7.0.044  (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${igstyle {1.5cm} { m Similar resolution} \ (\#{ m Entries, resolution range(Å)})}$	
R <sub>free</sub>	130704	1692 (2.04-2.04)	
Clashscore	141614	1773 (2.04-2.04)	
Ramachandran outliers	138981	1752 (2.04-2.04)	
Sidechain outliers	138945	1752 (2.04-2.04)	
RSRZ outliers	127900	1672(2.04-2.04)	

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	267	% <b>7</b> 9%	•	18%
1	В	267	% • 78%	•	19%
1	С	267	77%	•	19%
1	D	267	80%	•	18%
1	Е	267	78%	•	19%
1	F	267	80%	•	17%



Mol	Chain	Length	Quality of chain		
1	G	267	79%	·	19%
1	Н	267	75%	5%	19%
1	Ι	267	% 	•	19%
1	J	267	81%		• 17%
1	K	267	3% 	·	19%
1	L	267	% 	•	19%
1	М	267	6% 75%	•	22%
1	Ν	267	2% <b>80</b> %	•	19%
1	0	267	20%	•	21%
1	Р	267	4%	•	19%



## 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 28364 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	А	218	Total 1746	C 1120	N 287	0 328	S 11	0	1	0
1	D	219	Total 1763	C 1130	N 290	0 331	S 12	0	3	0
1	В	217	Total 1748	C 1122	N 288	0 327	S 11	0	3	0
1	С	217	Total 1754	C 1126	N 290	O 327	S 11	0	3	0
1	Е	215	Total 1732	C 1113	N 285	O 323	S 11	0	2	0
1	Н	215	Total 1728	C 1109	N 285	O 323	S 11	0	2	0
1	F	222	Total 1784	C 1146	N 292	0 334	S 12	0	1	0
1	G	216	Total 1732	C 1112	N 285	O 324	S 11	0	1	0
1	Ι	215	Total 1725	C 1108	N 284	O 322	S 11	0	1	0
1	L	217	Total 1733	C 1112	N 285	$O \\ 325$	S 11	0	1	1
1	J	222	Total 1781	C 1143	N 291	O 335	${ m S}$ 12	0	1	0
1	K	215	Total 1731	C 1112	N 285	O 323	S 11	0	2	0
1	М	208	Total 1676	C 1078	N 277	0 311	S 10	0	1	0
1	Р	217	Total 1736	C 1114	N 286	O 325	S 11	0	1	0
1	N	217	Total 1733	C 1110	N 285	O 326	S 12	0	1	0
1	Ο	211	Total 1693	C 1087	N 280	O 316	S 10	0	1	0

• Molecule 1 is a protein called Green fluorescent protein blFP-Y3.



Chain	Residue	Modelled	Actual	Comment	Reference
A	-42	MET	-	initiating methionine	UNP B1PNC0
A	-41	ARG	-	expression tag	UNP B1PNC0
A	-40	GLY	-	expression tag	UNP B1PNC0
A	-39	SER	-	expression tag	UNP B1PNC0
A	-38	HIS	_	expression tag	UNP B1PNC0
A	-37	HIS	-	expression tag	UNP B1PNC0
A	-36	HIS	-	expression tag	UNP B1PNC0
A	-35	HIS	-	expression tag	UNP B1PNC0
А	-34	HIS	-	expression tag	UNP B1PNC0
А	-33	HIS	-	expression tag	UNP B1PNC0
А	-32	GLY	_	expression tag	UNP B1PNC0
А	-31	MET	-	expression tag	UNP B1PNC0
A	-30	ALA	-	expression tag	UNP B1PNC0
A	-29	SER	-	expression tag	UNP B1PNC0
A	-28	MET	-	expression tag	UNP B1PNC0
А	-27	THR	-	expression tag	UNP B1PNC0
А	-26	GLY	-	expression tag	UNP B1PNC0
A	-25	GLY	-	expression tag	UNP B1PNC0
A	-24	GLN	-	expression tag	UNP B1PNC0
А	-23	GLN	-	expression tag	UNP B1PNC0
A	-22	MET	-	expression tag	UNP B1PNC0
A	-21	GLY	-	expression tag	UNP B1PNC0
A	-20	ARG	-	expression tag	UNP B1PNC0
A	-19	ASP	_	expression tag	UNP B1PNC0
A	-18	LEU	-	expression tag	UNP B1PNC0
A	-17	TYR	-	expression tag	UNP B1PNC0
A	-16	ASP	-	expression tag	UNP B1PNC0
A	-15	ASP	-	expression tag	UNP B1PNC0
A	-14	ASP	-	expression tag	UNP B1PNC0
A	-13	ASP	-	expression tag	UNP B1PNC0
A	-12	LYS	-	expression tag	UNP B1PNC0
A	-11	ASP	-	expression tag	UNP B1PNC0
A	-10	PRO	-	expression tag	UNP B1PNC0
A	-9	MET	-	expression tag	UNP B1PNC0
A	-8	VAL	-	expression tag	UNP B1PNC0
A	-7	SER	-	expression tag	UNP B1PNC0
A	-6	LYS	-	expression tag	UNP B1PNC0
A	-5	GLY	-	expression tag	UNP B1PNC0
A	-4	GLU	-	expression tag	UNP B1PNC0
A	-3	GLU	-	expression tag	UNP B1PNC0
A	-2	ASP	-	expression tag	UNP B1PNC0
A	-1	ASN	-	expression tag	UNP B1PNC0

There are 896 discrepancies between the modelled and reference sequences:



$5 \mathrm{LTQ}$
------------------

	Residue	Modelled	Actual Comment		Reference	
A	0	MET	_	expression tag	UNP B1PNC0	
A	1	ALA	_	expression tag	UNP B1PNC0	
A	59	CR2	GLY	chromophore	UNP B1PNC0	
A	59	CR2	TYR	chromophore	UNP B1PNC0	
A	59	CR2	GLY	chromophore	UNP B1PNC0	
A	171	ALA	VAL	variant	UNP B1PNC0	
A	174	THR	ASN	variant	UNP B1PNC0	
A	220	GLY	-	expression tag	UNP B1PNC0	
A	221	MET	-	expression tag	UNP B1PNC0	
A	222	ASP	-	expression tag	UNP B1PNC0	
A	223	GLU	-	expression tag	UNP B1PNC0	
A	224	LEU	-	expression tag	UNP B1PNC0	
А	225	TYR	-	expression tag	UNP B1PNC0	
А	226	LYS	-	expression tag	UNP B1PNC0	
D	-42	MET	_	initiating methionine	UNP B1PNC0	
D	-41	ARG	-	expression tag	UNP B1PNC0	
D	-40	GLY	-	expression tag	UNP B1PNC0	
D	-39	SER	-	expression tag	UNP B1PNC0	
D	-38	HIS	-	expression tag	UNP B1PNC0	
D	-37	HIS	-	expression tag	UNP B1PNC0	
D	-36	HIS	-	expression tag	UNP B1PNC0	
D	-35	HIS	-	expression tag	UNP B1PNC0	
D	-34	HIS	-	expression tag	UNP B1PNC0	
D	-33	HIS	-	expression tag	UNP B1PNC0	
D	-32	GLY	-	expression tag	UNP B1PNC0	
D	-31	MET	-	expression tag	UNP B1PNC0	
D	-30	ALA	_	expression tag	UNP B1PNC0	
D	-29	SER	_	expression tag	UNP B1PNC0	
D	-28	MET	-	expression tag	UNP B1PNC0	
D	-27	THR	-	expression tag	UNP B1PNC0	
D	-26	GLY	-	expression tag	UNP B1PNC0	
D	-25	GLY	_	expression tag	UNP B1PNC0	
D	-24	GLN	-	expression tag	UNP B1PNC0	
D	-23	GLN	-	expression tag	UNP B1PNC0	
D	-22	MET	-	expression tag	UNP B1PNC0	
D	-21	GLY	-	expression tag	UNP B1PNC0	
D	-20	ARG	-	expression tag	UNP B1PNC0	
D	-19	ASP	-	expression tag	UNP B1PNC0	
D	-18	LEU	-	expression tag	UNP B1PNC0	
D	-17	TYR	-	expression tag	UNP B1PNC0	
D	-16	ASP	-	expression tag	UNP B1PNC0	
D	-15	ASP	_	expression tag	UNP B1PNC0	



5LTQ

Chain	Residue	Modelled	Actual	Comment	Reference
D	-14	ASP	_	expression tag	UNP B1PNC0
D	-13	ASP	_	expression tag	UNP B1PNC0
D	-12	LYS	_	expression tag	UNP B1PNC0
D	-11	ASP	_	expression tag	UNP B1PNC0
D	-10	PRO	-	expression tag	UNP B1PNC0
D	-9	MET	_	expression tag	UNP B1PNC0
D	-8	VAL	_	expression tag	UNP B1PNC0
D	-7	SER	_	expression tag	UNP B1PNC0
D	-6	LYS	_	expression tag	UNP B1PNC0
D	-5	GLY	-	expression tag	UNP B1PNC0
D	-4	GLU	-	expression tag	UNP B1PNC0
D	-3	GLU	-	expression tag	UNP B1PNC0
D	-2	ASP	-	expression tag	UNP B1PNC0
D	-1	ASN	-	expression tag	UNP B1PNC0
D	0	MET	-	expression tag	UNP B1PNC0
D	1	ALA	-	expression tag	UNP B1PNC0
D	59	CR2	GLY	chromophore	UNP B1PNC0
D	59	CR2	TYR	chromophore	UNP B1PNC0
D	59	CR2	GLY	chromophore	UNP B1PNC0
D	171	ALA	VAL	variant	UNP B1PNC0
D	174	THR	ASN	variant	UNP B1PNC0
D	220	GLY	-	expression tag	UNP B1PNC0
D	221	MET	-	expression tag	UNP B1PNC0
D	222	ASP	_	expression tag	UNP B1PNC0
D	223	GLU	-	expression tag	UNP B1PNC0
D	224	LEU	-	expression tag	UNP B1PNC0
D	225	TYR	-	expression tag	UNP B1PNC0
D	226	LYS	-	expression tag	UNP B1PNC0
В	-42	MET	-	initiating methionine	UNP B1PNC0
В	-41	ARG	-	expression tag	UNP B1PNC0
В	-40	GLY	-	expression tag	UNP B1PNC0
В	-39	SER	-	expression tag	UNP B1PNC0
В	-38	HIS	-	expression tag	UNP B1PNC0
В	-37	HIS	-	expression tag	UNP B1PNC0
В	-36	HIS	-	expression tag	UNP B1PNC0
В	-35	HIS	-	expression tag	UNP B1PNC0
В	-34	HIS	-	expression tag	UNP B1PNC0
В	-33	HIS	_	expression tag	UNP B1PNC0
В	-32	GLY	-	expression tag	UNP B1PNC0
В	-31	MET		expression tag	UNP B1PNC0
В	-30	ALA	-	expression tag	UNP B1PNC0
B	-29	SER	-	expression tag	UNP B1PNC0



Chain	Residue	Modelled	Actual	Comment	Reference
В	-28	MET	_	expression tag	UNP B1PNC0
В	-27	THR	_	expression tag	UNP B1PNC0
В	-26	GLY	_	expression tag	UNP B1PNC0
В	-25	GLY	_	expression tag	UNP B1PNC0
В	-24	GLN	-	expression tag	UNP B1PNC0
В	-23	GLN	-	expression tag	UNP B1PNC0
В	-22	MET	-	expression tag	UNP B1PNC0
В	-21	GLY	-	expression tag	UNP B1PNC0
В	-20	ARG	-	expression tag	UNP B1PNC0
В	-19	ASP	-	expression tag	UNP B1PNC0
В	-18	LEU	-	expression tag	UNP B1PNC0
В	-17	TYR	-	expression tag	UNP B1PNC0
В	-16	ASP	-	expression tag	UNP B1PNC0
В	-15	ASP	-	expression tag	UNP B1PNC0
В	-14	ASP	_	expression tag	UNP B1PNC0
В	-13	ASP	-	expression tag	UNP B1PNC0
В	-12	LYS	-	expression tag	UNP B1PNC0
В	-11	ASP	-	expression tag	UNP B1PNC0
В	-10	PRO	-	expression tag	UNP B1PNC0
В	-9	MET	_	expression tag	UNP B1PNC0
В	-8	VAL	-	expression tag	UNP B1PNC0
В	-7	SER	_	expression tag	UNP B1PNC0
В	-6	LYS	_	expression tag	UNP B1PNC0
В	-5	GLY	-	expression tag	UNP B1PNC0
В	-4	GLU	-	expression tag	UNP B1PNC0
В	-3	GLU	-	expression tag	UNP B1PNC0
B	-2	ASP	-	expression tag	UNP B1PNC0
B	-1	ASN	-	expression tag	UNP B1PNC0
B	0	MET	-	expression tag	UNP B1PNC0
B	1	ALA	-	expression tag	UNP B1PNC0
B	59	CR2	GLY	chromophore	UNP B1PNC0
B	59	CR2	TYR	chromophore	UNP B1PNC0
B	59	CR2	GLY	chromophore	UNP B1PNC0
B	171	ALA	VAL	variant	UNP B1PNC0
B	174	THR	ASN	variant	UNP B1PNC0
B	220	GLY	-	expression tag	UNP B1PNC0
B	221	MET	-	expression tag	UNP B1PNC0
B	222	ASP	-	expression tag	UNP B1PNC0
B	223	GLU	-	expression tag	UNP B1PNC0
B	224	LEU	_	expression tag	UNP B1PNC0
B	225	TYR	-	expression tag	UNP B1PNC0
B	226	LYS	-	expression tag	UNP B1PNC0



Chain	Residue	Modelled	Actual	$\mathbf{Comment}$	Reference
С	-42	MET	-	initiating methionine	UNP B1PNC0
С	-41	ARG	_	expression tag	UNP B1PNC0
С	-40	GLY	_	expression tag	UNP B1PNC0
С	-39	SER	_	expression tag	UNP B1PNC0
С	-38	HIS	_	expression tag	UNP B1PNC0
С	-37	HIS	_	expression tag	UNP B1PNC0
С	-36	HIS	-	expression tag	UNP B1PNC0
С	-35	HIS	-	expression tag	UNP B1PNC0
С	-34	HIS	-	expression tag	UNP B1PNC0
С	-33	HIS	-	expression tag	UNP B1PNC0
С	-32	GLY	-	expression tag	UNP B1PNC0
C	-31	MET	-	expression tag	UNP B1PNC0
C	-30	ALA	-	expression tag	UNP B1PNC0
С	-29	SER	-	expression tag	UNP B1PNC0
C	-28	MET	-	expression tag	UNP B1PNC0
С	-27	THR	-	expression tag	UNP B1PNC0
С	-26	GLY	-	expression tag	UNP B1PNC0
С	-25	GLY	-	expression tag	UNP B1PNC0
С	-24	GLN	-	expression tag	UNP B1PNC0
С	-23	GLN	-	expression tag	UNP B1PNC0
С	-22	MET	-	expression tag	UNP B1PNC0
С	-21	GLY	_	expression tag	UNP B1PNC0
С	-20	ARG	-	expression tag	UNP B1PNC0
C	-19	ASP	_	expression tag	UNP B1PNC0
C	-18	LEU	_	expression tag	UNP B1PNC0
C	-17	TYR	_	expression tag	UNP B1PNC0
C	-16	ASP	-	expression tag	UNP B1PNC0
C	-15	ASP	-	expression tag	UNP B1PNC0
C	-14	ASP	-	expression tag	UNP B1PNC0
C	-13	ASP	-	expression tag	UNP B1PNC0
C	-12	LYS	-	expression tag	UNP B1PNC0
C	-11	ASP	-	expression tag	UNP B1PNC0
C	-10	PRO	-	expression tag	UNP B1PNC0
C	-9	MET	-	expression tag	UNP B1PNC0
C	-8	VAL	-	expression tag	UNP B1PNC0
C	-7	SER	-	expression tag	UNP B1PNC0
C	-6	LYS	-	expression tag	UNP B1PNC0
C	-5	GLY	-	expression tag	UNP B1PNC0
C	-4	GLU	-	expression tag	UNP B1PNC0
C	-3	GLU	-	expression tag	UNP B1PNC0
C	-2	ASP	-	expression tag	UNP B1PNC0
C	-1	ASN	-	expression tag	UNP B1PNC0



5LT	ΓQ.
-----	-----

	<b>Residue</b>	Modelled	Actual	Comment	Reference
C	0	MET	-	expression tag	UNP B1PNC0
C	1			expression tag	UNP B1PNC0
	50	CR2	GLY	chromophore	UNP B1PNC0
C	50	CR2	TVR	chromophore	UNP B1PNC0
C	59	CR2	GLV	chromophore	UNP B1PNC0
C	171		VAL	variant	UNP B1PNC0
	171	THR		variant	UNP B1PNC0
	220	GLY		expression tag	UNP B1PNC0
C	220	MET		expression tag	UNP B1PNC0
	221	ASP		expression tag	UNP B1PNC0
C	222	GLU		expression tag	UNP B1PNC0
C	223	LEII	_	expression tag	UNP B1PNC0
	224	TVR	_	ovpression tag	UNP B1PNC0
	220		_	ovpression tag	UNP B1PNC0
E E	42	MET	-	initiating mothioning	UNP B1PNC0
E E	-42	ARC	-		UNP B1PNC0
E E	40	CLV	-	expression tag	UNP B1PNC0
E E	-40	SEB	-	expression tag	UNP B1PNC0
E E	-09		-	expression tag	UNP B1PNC0
E E	-38	HIS		expression tag	UNP B1PNC0
	-51		-	expression tag	UNI BILINCO
E F	-30	HIS	-	expression tag	UNP B1PNC0
E E	-55	HIS	-	expression tag	UNP B1PNC0
E E	-04	HIS	-	expression tag	UNP B1PNC0
E E	-00	CLV	-	expression tag	UNP B1PNC0
E E	-52	MET	-	expression tag	UNP B1PNC0
E E	-51		-	expression tag	UNP B1PNC0
E E	-30	SER	-	expression tag	UNP B1PNC0
E E	-23	MET	-	expression tag	UNP B1PNC0
E E	-20	THR	_	ovpression tag	UNP B1PNC0
E E	-21	CLV	-	expression tag	UNP B1PNC0
E E	-20	GLY	_	expression tag	UNP B1PNC0
E E	-20	CLN	-	expression tag	UNP B1PNC0
E E	-24	GLN	-	expression tag	UNP B1PNC0
E E	-20	MET	-	expression tag	UNP B1PNC0
E E	-22	CLV	-	expression tag	UNP B1PNC0
E E		ARC	_	expression tag	UNP R1PNC0
			-	expression tag	UNP B1PNC0
E E	_13	LEII	-	expression tag	UNP B1PNC0
	17	TVP	-	expression tag	UNP R1PNC0
			-	expression tag	UNP B1PNC0
	-10		-	ovpression tag	UNP R1PNC0
L L L	-10		-	expression tag	UNI DI NOU



Chain	Residue	Modelled	Actual	Comment	Reference
Е	-14	ASP	_	expression tag	UNP B1PNC0
Е	-13	ASP	_	expression tag	UNP B1PNC0
Е	-12	LYS	_	expression tag	UNP B1PNC0
E	-11	ASP	_	expression tag	UNP B1PNC0
Е	-10	PRO	_	expression tag	UNP B1PNC0
Е	-9	MET	-	expression tag	UNP B1PNC0
E	-8	VAL	-	expression tag	UNP B1PNC0
Е	-7	SER	_	expression tag	UNP B1PNC0
Е	-6	LYS	_	expression tag	UNP B1PNC0
Е	-5	GLY	-	expression tag	UNP B1PNC0
Е	-4	GLU	-	expression tag	UNP B1PNC0
Е	-3	GLU	-	expression tag	UNP B1PNC0
Е	-2	ASP	-	expression tag	UNP B1PNC0
Е	-1	ASN	-	expression tag	UNP B1PNC0
Е	0	MET	-	expression tag	UNP B1PNC0
Е	1	ALA	-	expression tag	UNP B1PNC0
Е	59	CR2	GLY	$\operatorname{chromophore}$	UNP B1PNC0
Е	59	CR2	TYR	$\operatorname{chromophore}$	UNP B1PNC0
Е	59	CR2	GLY	$\operatorname{chromophore}$	UNP B1PNC0
Е	171	ALA	VAL	variant	UNP B1PNC0
Е	174	THR	ASN	variant	UNP B1PNC0
Е	220	GLY	_	expression tag	UNP B1PNC0
E	221	MET	-	expression tag	UNP B1PNC0
E	222	ASP	-	expression tag	UNP B1PNC0
E	223	GLU	_	expression tag	UNP B1PNC0
E	224	LEU	-	expression tag	UNP B1PNC0
E	225	TYR	-	expression tag	UNP B1PNC0
E	226	LYS	-	expression tag	UNP B1PNC0
H	-42	MET	-	initiating methionine	UNP B1PNC0
<u> </u>	-41	ARG	-	expression tag	UNP B1PNC0
H	-40	GLY	-	expression tag	UNP B1PNC0
<u> </u>	-39	SER	-	expression tag	UNP B1PNC0
<u> </u>	-38	HIS	-	expression tag	UNP B1PNC0
H	-37	HIS	-	expression tag	UNP B1PNC0
H	-36	HIS	-	expression tag	UNP B1PNC0
H	-35	HIS	-	expression tag	UNP B1PNC0
H	-34	HIS	-	expression tag	UNP B1PNC0
H	-33	HIS	-	expression tag	UNP B1PNC0
H	-32	GLY	-	expression tag	UNP B1PNC0
<u>H</u>	-31	MET	-	expression tag	UNP B1PNC0
H	-30	ALA	-	expression tag	UNP B1PNC0
H	-29	SER	-	expression tag	UNP B1PNC0



Chain	Residue	Modelled	Actual	Comment	Reference
Н	-28	MET	_	expression tag	UNP B1PNC0
Н	-27	THR	_	expression tag	UNP B1PNC0
Н	-26	GLY	-	expression tag	UNP B1PNC0
Н	-25	GLY	_	expression tag	UNP B1PNC0
Н	-24	GLN	-	expression tag	UNP B1PNC0
Н	-23	GLN	-	expression tag	UNP B1PNC0
Н	-22	MET	-	expression tag	UNP B1PNC0
Н	-21	GLY	-	expression tag	UNP B1PNC0
Н	-20	ARG	-	expression tag	UNP B1PNC0
Н	-19	ASP	-	expression tag	UNP B1PNC0
Н	-18	LEU	-	expression tag	UNP B1PNC0
Н	-17	TYR	-	expression tag	UNP B1PNC0
Н	-16	ASP	-	expression tag	UNP B1PNC0
Н	-15	ASP	-	expression tag	UNP B1PNC0
Н	-14	ASP	_	expression tag	UNP B1PNC0
Н	-13	ASP	-	expression tag	UNP B1PNC0
Н	-12	LYS	-	expression tag	UNP B1PNC0
Н	-11	ASP	-	expression tag	UNP B1PNC0
Н	-10	PRO	-	expression tag	UNP B1PNC0
Н	-9	MET	-	expression tag	UNP B1PNC0
Н	-8	VAL	-	expression tag	UNP B1PNC0
Н	-7	SER	-	expression tag	UNP B1PNC0
Н	-6	LYS	-	expression tag	UNP B1PNC0
Н	-5	GLY	-	expression tag	UNP B1PNC0
Н	-4	GLU	-	expression tag	UNP B1PNC0
Н	-3	GLU	-	expression tag	UNP B1PNC0
Н	-2	ASP	-	expression tag	UNP B1PNC0
Н	-1	ASN	-	expression tag	UNP B1PNC0
Н	0	MET	-	expression tag	UNP B1PNC0
Н	1	ALA	-	expression tag	UNP B1PNC0
Н	59	CR2	GLY	$\operatorname{chromophore}$	UNP B1PNC0
Н	59	CR2	TYR	$\operatorname{chromophore}$	UNP B1PNC0
Н	59	CR2	GLY	$\operatorname{chromophore}$	UNP B1PNC0
Н	171	ALA	VAL	variant	UNP B1PNC0
Н	174	THR	ASN	variant	UNP B1PNC0
Н	220	GLY	-	expression tag	UNP B1PNC0
Н	221	MET	-	expression tag	UNP B1PNC0
Н	222	ASP	_	expression tag	UNP B1PNC0
Н	223	GLU	-	expression tag	UNP B1PNC0
Н	224	LEU	-	expression tag	UNP B1PNC0
Н	225	TYR	-	expression tag	UNP B1PNC0
Н	226	LYS	-	expression tag	UNP B1PNC0



Chain	Residue	Modelled	Actual	Comment	Reference
F	-42	MET	_	initiating methionine	UNP B1PNC0
F	-41	ARG	_	expression tag	UNP B1PNC0
F	-40	GLY	-	expression tag	UNP B1PNC0
F	-39	SER	-	expression tag	UNP B1PNC0
F	-38	HIS	_	expression tag	UNP B1PNC0
F	-37	HIS	_	expression tag	UNP B1PNC0
F	-36	HIS	_	expression tag	UNP B1PNC0
F	-35	HIS	-	expression tag	UNP B1PNC0
F	-34	HIS	-	expression tag	UNP B1PNC0
F	-33	HIS	-	expression tag	UNP B1PNC0
F	-32	GLY	-	expression tag	UNP B1PNC0
F	-31	MET	-	expression tag	UNP B1PNC0
F	-30	ALA	-	expression tag	UNP B1PNC0
F	-29	SER	-	expression tag	UNP B1PNC0
F	-28	MET	-	expression tag	UNP B1PNC0
F	-27	THR	-	expression tag	UNP B1PNC0
F	-26	GLY	-	expression tag	UNP B1PNC0
F	-25	GLY	-	expression tag	UNP B1PNC0
F	-24	GLN	-	expression tag	UNP B1PNC0
F	-23	GLN	-	expression tag	UNP B1PNC0
F	-22	MET	-	expression tag	UNP B1PNC0
F	-21	GLY	-	expression tag	UNP B1PNC0
F	-20	ARG	-	expression tag	UNP B1PNC0
F	-19	ASP	l	expression tag	UNP B1PNC0
F	-18	LEU	_	expression tag	UNP B1PNC0
F	-17	TYR	_	expression tag	UNP B1PNC0
F	-16	ASP	_	expression tag	UNP B1PNC0
F	-15	ASP	_	expression tag	UNP B1PNC0
F	-14	ASP	-	expression tag	UNP B1PNC0
F	-13	ASP	-	expression tag	UNP B1PNC0
F	-12	LYS	_	expression tag	UNP B1PNC0
F	-11	ASP	_	expression tag	UNP B1PNC0
F	-10	PRO	-	expression tag	UNP B1PNC0
F	-9	MET	-	expression tag	UNP B1PNC0
F	-8	VAL	-	expression tag	UNP B1PNC0
F	-7	SER	-	expression tag	UNP B1PNC0
F	-6	LYS	-	expression tag	UNP B1PNC0
F	-5	GLY	-	expression tag	UNP B1PNC0
F	-4	GLU	-	expression tag	UNP B1PNC0
F	-3	GLU	-	expression tag	UNP B1PNC0
F	-2	ASP	-	expression tag	UNP B1PNC0
F	-1	ASN	-	expression tag	UNP B1PNC0



Chain	Residue	Modelled	Actual	Comment	Reference
F	0	MET	_	expression tag	UNP B1PNC0
F	1	ALA	_	expression tag	UNP B1PNC0
F	59	CR2	GLY	chromophore	UNP B1PNC0
F	59	CR2	TYR	chromophore	UNP B1PNC0
F	59	CR2	GLY	chromophore	UNP B1PNC0
F	171	ALA	VAL	variant	UNP B1PNC0
F	174	THR	ASN	variant	UNP B1PNC0
F	220	GLY	-	expression tag	UNP B1PNC0
F	221	MET	-	expression tag	UNP B1PNC0
F	222	ASP	_	expression tag	UNP B1PNC0
F	223	GLU	-	expression tag	UNP B1PNC0
F	224	LEU	_	expression tag	UNP B1PNC0
F	225	TYR	_	expression tag	UNP B1PNC0
F	226	LYS	_	expression tag	UNP B1PNC0
G	-42	MET	-	initiating methionine	UNP B1PNC0
G	-41	ARG	-	expression tag	UNP B1PNC0
G	-40	GLY	-	expression tag	UNP B1PNC0
G	-39	SER	-	expression tag	UNP B1PNC0
G	-38	HIS	-	expression tag	UNP B1PNC0
G	-37	HIS	-	expression tag	UNP B1PNC0
G	-36	HIS	-	expression tag	UNP B1PNC0
G	-35	HIS	-	expression tag	UNP B1PNC0
G	-34	HIS	-	expression tag	UNP B1PNC0
G	-33	HIS	_	expression tag	UNP B1PNC0
G	-32	GLY	_	expression tag	UNP B1PNC0
G	-31	MET	_	expression tag	UNP B1PNC0
G	-30	ALA	_	expression tag	UNP B1PNC0
G	-29	SER	-	expression tag	UNP B1PNC0
G	-28	MET	-	expression tag	UNP B1PNC0
G	-27	THR	-	expression tag	UNP B1PNC0
G	-26	GLY	-	expression tag	UNP B1PNC0
G	-25	GLY	-	expression tag	UNP B1PNC0
G	-24	GLN	-	expression tag	UNP B1PNC0
G	-23	GLN	-	expression tag	UNP B1PNC0
G	-22	MET	-	expression tag	UNP B1PNC0
G	-21	GLY	_	expression tag	UNP B1PNC0
G	-20	ARG	-	expression tag	UNP B1PNC0
G	-19	ASP	-	expression tag	UNP B1PNC0
G	-18	LEU	-	expression tag	UNP B1PNC0
G	-17	TYR	-	expression tag	UNP B1PNC0
G	-16	ASP	-	expression tag	UNP B1PNC0
G	-15	ASP	_	expression tag	UNP B1PNC0



5I	Л	Q

Chain	Residue	Modelled	Actual	Comment	Reference
G	-14	ASP	-	expression tag	UNP B1PNC0
G	-13	ASP	-	expression tag	UNP B1PNC0
G	-12	LYS	-	expression tag	UNP B1PNC0
G	-11	ASP	-	expression tag	UNP B1PNC0
G	-10	PRO	-	expression tag	UNP B1PNC0
G	-9	MET	-	expression tag	UNP B1PNC0
G	-8	VAL	-	expression tag	UNP B1PNC0
G	-7	SER	-	expression tag	UNP B1PNC0
G	-6	LYS	-	expression tag	UNP B1PNC0
G	-5	GLY	_	expression tag	UNP B1PNC0
G	-4	GLU	-	expression tag	UNP B1PNC0
G	-3	GLU	-	expression tag	UNP B1PNC0
G	-2	ASP	-	expression tag	UNP B1PNC0
G	-1	ASN	-	expression tag	UNP B1PNC0
G	0	MET	_	expression tag	UNP B1PNC0
G	1	ALA	-	expression tag	UNP B1PNC0
G	59	CR2	GLY	chromophore	UNP B1PNC0
G	59	CR2	TYR	chromophore	UNP B1PNC0
G	59	CR2	GLY	chromophore	UNP B1PNC0
G	171	ALA	VAL	variant	UNP B1PNC0
G	174	THR	ASN	variant	UNP B1PNC0
G	220	GLY	-	expression tag	UNP B1PNC0
G	221	MET	-	expression tag	UNP B1PNC0
G	222	ASP	-	expression tag	UNP B1PNC0
G	223	GLU	-	expression tag	UNP B1PNC0
G	224	LEU	-	expression tag	UNP B1PNC0
G	225	TYR	-	expression tag	UNP B1PNC0
G	226	LYS	-	expression tag	UNP B1PNC0
Ι	-42	MET	-	initiating methionine	UNP B1PNC0
Ι	-41	ARG	-	expression tag	UNP B1PNC0
Ι	-40	GLY	-	expression tag	UNP B1PNC0
Ι	-39	SER	-	expression tag	UNP B1PNC0
Ι	-38	HIS	-	expression tag	UNP B1PNC0
I	-37	HIS	-	expression tag	UNP B1PNC0
I	-36	HIS	-	expression tag	UNP B1PNC0
I	-35	HIS	_	expression tag	UNP B1PNC0
I	-34	HIS	_	expression tag	UNP B1PNC0
Ι	-33	HIS	-	expression tag	UNP B1PNC0
I	-32	GLY	-	expression tag	UNP B1PNC0
I	-31	MET	-	expression tag	UNP B1PNC0
I	-30	ALA	-	expression tag	UNP B1PNC0
I	-29	SER	-	expression tag	UNP B1PNC0



$5 \mathrm{LTQ}$
------------------

	Residue	Modelled	Actual	Comment	Reference
T	-28	MET	_	expression tag	UNP B1PNC0
I	-27	THR	_	expression tag	UNP B1PNC0
I	-26	GLY	_	expression tag	UNP B1PNC0
T	-25	GLY	_	expression tag	UNP B1PNC0
I	-24	GLN	_	expression tag	UNP B1PNC0
Ι	-23	GLN		expression tag	UNP B1PNC0
Ι	-22	MET		expression tag	UNP B1PNC0
Ι	-21	GLY		expression tag	UNP B1PNC0
Ι	-20	ARG	-	expression tag	UNP B1PNC0
Ι	-19	ASP	_	expression tag	UNP B1PNC0
Ι	-18	LEU	_	expression tag	UNP B1PNC0
Ι	-17	TYR	-	expression tag	UNP B1PNC0
Ι	-16	ASP	-	expression tag	UNP B1PNC0
Ι	-15	ASP	-	expression tag	UNP B1PNC0
Ι	-14	ASP	_	expression tag	UNP B1PNC0
Ι	-13	ASP	_	expression tag	UNP B1PNC0
Ι	-12	LYS	-	expression tag	UNP B1PNC0
Ι	-11	ASP	-	expression tag	UNP B1PNC0
Ι	-10	PRO	-	expression tag	UNP B1PNC0
Ι	-9	MET	-	expression tag	UNP B1PNC0
Ι	-8	VAL	-	expression tag	UNP B1PNC0
Ι	-7	SER	_	expression tag	UNP B1PNC0
I	-6	LYS	_	expression tag	UNP B1PNC0
I	-5	GLY	-	expression tag	UNP B1PNC0
I	-4	GLU	-	expression tag	UNP B1PNC0
I	-3	GLU	-	expression tag	UNP B1PNC0
I	-2	ASP	_	expression tag	UNP B1PNC0
I	-1	ASN	-	expression tag	UNP B1PNC0
l	0	MET	-	expression tag	UNP B1PNC0
	1	ALA	-	expression tag	UNP B1PNC0
	59	CR2	GLY	chromophore	UNP B1PNC0
	59	CR2	TYR	chromophore	UNP BIPNC0
	59	CR2	GLY	chromophore	UNP BIPNC0
I	171	ALA	VAL	variant	UNP BIPNC0
I I	174	THR	ASN	variant	UNP BIPNCO
<u>І</u> т	220		-	expression tag	UNF BIFNCU
<u>І</u> т	221		-	expression tag	UNP DIPNCU
1 T	222		-	expression tag	UNF DIFNCU
1 T	220 		-	expression tag	UND BIDNCO
I T	$\frac{224}{225}$	TVR	-	expression tag	UNP R1PNC0
I	220		-	expression tag	UND BIDNCO
		<u>с 11</u>	_	expression tag	UNI DIFINOU



Chain	Residue	Modelled	Actual	Comment	Reference
L	-42	MET	-	initiating methionine	UNP B1PNC0
L	-41	ARG	-	expression tag	UNP B1PNC0
L	-40	GLY	-	expression tag	UNP B1PNC0
L	-39	SER	-	expression tag	UNP B1PNC0
L	-38	HIS	-	expression tag	UNP B1PNC0
L	-37	HIS	-	expression tag	UNP B1PNC0
L	-36	HIS	-	expression tag	UNP B1PNC0
L	-35	HIS	-	expression tag	UNP B1PNC0
L	-34	HIS	-	expression tag	UNP B1PNC0
L	-33	HIS	-	expression tag	UNP B1PNC0
L	-32	GLY	-	expression tag	UNP B1PNC0
L	-31	MET	-	expression tag	UNP B1PNC0
L	-30	ALA	-	expression tag	UNP B1PNC0
L	-29	SER	-	expression tag	UNP B1PNC0
L	-28	MET	-	expression tag	UNP B1PNC0
L	-27	THR	-	expression tag	UNP B1PNC0
L	-26	GLY	-	expression tag	UNP B1PNC0
L	-25	GLY	-	expression tag	UNP B1PNC0
L	-24	GLN	-	expression tag	UNP B1PNC0
L	-23	GLN	-	expression tag	UNP B1PNC0
L	-22	MET	-	expression tag	UNP B1PNC0
L	-21	GLY	-	expression tag	UNP B1PNC0
L	-20	ARG	-	expression tag	UNP B1PNC0
L	-19	ASP	-	expression tag	UNP B1PNC0
L	-18	LEU	-	expression tag	UNP B1PNC0
L	-17	TYR	-	expression tag	UNP B1PNC0
L	-16	ASP	-	expression tag	UNP B1PNC0
L	-15	ASP	-	expression tag	UNP B1PNC0
L	-14	ASP	-	expression tag	UNP B1PNC0
L	-13	ASP	-	expression tag	UNP B1PNC0
L	-12	LYS	-	expression tag	UNP B1PNC0
L	-11	ASP	-	expression tag	UNP B1PNC0
L	-10	PRO		expression tag	UNP B1PNC0
L	-9	MET	-	expression tag	UNP B1PNC0
L	-8	VAL	-	expression tag	UNP B1PNC0
L	-7	SER	-	expression tag	UNP B1PNC0
L	-6	LYS	-	expression tag	UNP B1PNC0
L	-5	GLY	-	expression tag	UNP B1PNC0
L	-4	GLU	-	expression tag	UNP B1PNC0
L	-3	GLU	-	expression tag	UNP B1PNC0
L	-2	ASP	-	expression tag	UNP B1PNC0
L	-1	ASN	-	expression tag	UNP B1PNC0



	Residue	Modelled	Actual	Comment	Reference
T.	0	MET	_	expression tag	UNP B1PNC0
L	1	ALA	_	expression tag	UNP B1PNC0
L	59	CB2	GLY	chromophore	UNP B1PNC0
L	59	CR2	TYR	chromophore	UNP B1PNC0
L	59	CR2	GLY	chromophore	UNP B1PNC0
L	171	ALA	VAL	variant	UNP B1PNC0
L	174	THR	ASN	variant	UNP B1PNC0
L	220	GLY	_	expression tag	UNP B1PNC0
L	221	MET		expression tag	UNP B1PNC0
L	222	ASP		expression tag	UNP B1PNC0
L	223	GLU		expression tag	UNP B1PNC0
L	224	LEU		expression tag	UNP B1PNC0
L	225	TYR	_	expression tag	UNP B1PNC0
L	226	LYS		expression tag	UNP B1PNC0
J	-42	MET	_	initiating methionine	UNP B1PNC0
J	-41	ARG	_	expression tag	UNP B1PNC0
J	-40	GLY	-	expression tag	UNP B1PNC0
J	-39	SER	_	expression tag	UNP B1PNC0
J	-38	HIS	-	expression tag	UNP B1PNC0
J	-37	HIS	-	expression tag	UNP B1PNC0
J	-36	HIS	-	expression tag	UNP B1PNC0
J	-35	HIS	-	expression tag	UNP B1PNC0
J	-34	HIS	-	expression tag	UNP B1PNC0
J	-33	HIS	-	expression tag	UNP B1PNC0
J	-32	GLY	-	expression tag	UNP B1PNC0
J	-31	MET	-	expression tag	UNP B1PNC0
J	-30	ALA	-	expression tag	UNP B1PNC0
J	-29	SER	-	expression tag	UNP B1PNC0
J	-28	MET	-	expression tag	UNP B1PNC0
J	-27	THR	-	expression tag	UNP B1PNC0
J	-26	GLY	-	expression tag	UNP B1PNC0
J	-25	GLY		expression tag	UNP B1PNC0
J	-24	GLN	_	expression tag	UNP B1PNC0
J	-23	GLN	-	expression tag	UNP B1PNC0
J	-22	MET	_	expression tag	UNP B1PNC0
J	-21	GLY	_	expression tag	UNP B1PNC0
J	-20	ARG	_	expression tag	UNP B1PNC0
J	-19	ASP	_	expression tag	UNP B1PNC0
J	-18	LEU	-	expression tag	UNP B1PNC0
J	-17	TYR	-	expression tag	UNP B1PNC0
J	-16	ASP	-	expression tag	UNP B1PNC0
J	-15	ASP	-	expression tag	UNP B1PNC0



5L	ΓQ
	-

Chain	Residue	Modelled	Actual	Comment	Reference
J	-14	ASP	_	expression tag	UNP B1PNC0
J	-13	ASP		expression tag	UNP B1PNC0
J	-12	LYS		expression tag	UNP B1PNC0
J	-11	ASP		expression tag	UNP B1PNC0
J	-10	PRO	_	expression tag	UNP B1PNC0
J	-9	MET	-	expression tag	UNP B1PNC0
J	-8	VAL	_	expression tag	UNP B1PNC0
J	-7	SER	_	expression tag	UNP B1PNC0
J	-6	LYS	_	expression tag	UNP B1PNC0
J	-5	GLY	_	expression tag	UNP B1PNC0
J	-4	GLU	_	expression tag	UNP B1PNC0
J	-3	GLU	_	expression tag	UNP B1PNC0
J	-2	ASP	_	expression tag	UNP B1PNC0
J	-1	ASN	_	expression tag	UNP B1PNC0
J	0	MET	-	expression tag	UNP B1PNC0
J	1	ALA	-	expression tag	UNP B1PNC0
J	59	CR2	GLY	chromophore	UNP B1PNC0
J	59	CR2	TYR	chromophore	UNP B1PNC0
J	59	CR2	GLY	chromophore	UNP B1PNC0
J	171	ALA	VAL	variant	UNP B1PNC0
J	174	THR	ASN	variant	UNP B1PNC0
J	220	GLY	-	expression tag	UNP B1PNC0
J	221	MET	-	expression tag	UNP B1PNC0
J	222	ASP	-	expression tag	UNP B1PNC0
J	223	GLU	-	expression tag	UNP B1PNC0
J	224	LEU	-	expression tag	UNP B1PNC0
J	225	TYR	-	expression tag	UNP B1PNC0
J	226	LYS	_	expression tag	UNP B1PNC0
K	-42	MET	-	initiating methionine	UNP B1PNC0
K	-41	ARG	_	expression tag	UNP B1PNC0
K	-40	GLY	_	expression tag	UNP B1PNC0
K	-39	SER	_	expression tag	UNP B1PNC0
K	-38	HIS	_	expression tag	UNP B1PNC0
K	-37	HIS	-	expression tag	UNP B1PNC0
K	-36	HIS	_	expression tag	UNP B1PNC0
K	-35	HIS	-	expression tag	UNP B1PNC0
K	-34	HIS	-	expression tag	UNP B1PNC0
K	-33	HIS	-	expression tag	UNP B1PNC0
K	-32	GLY	-	expression tag	UNP B1PNC0
K	-31	MET	-	expression tag	UNP B1PNC0
K	-30	ALA	-	expression tag	UNP B1PNC0
K	-29	SER	_	expression tag	UNP B1PNC0



Chain	Residue	Modelled	Actual	Comment	Reference
K	-28	MET	_	expression tag	UNP B1PNC0
K	-27	THR	-	expression tag	UNP B1PNC0
K	-26	GLY	_	expression tag	UNP B1PNC0
K	-25	GLY	-	expression tag	UNP B1PNC0
K	-24	GLN	_	expression tag	UNP B1PNC0
K	-23	GLN	_	expression tag	UNP B1PNC0
K	-22	MET	-	expression tag	UNP B1PNC0
K	-21	GLY	-	expression tag	UNP B1PNC0
K	-20	ARG	-	expression tag	UNP B1PNC0
K	-19	ASP	-	expression tag	UNP B1PNC0
K	-18	LEU	-	expression tag	UNP B1PNC0
K	-17	TYR	-	expression tag	UNP B1PNC0
K	-16	ASP	-	expression tag	UNP B1PNC0
K	-15	ASP	-	expression tag	UNP B1PNC0
K	-14	ASP	-	expression tag	UNP B1PNC0
K	-13	ASP	-	expression tag	UNP B1PNC0
K	-12	LYS	-	expression tag	UNP B1PNC0
K	-11	ASP	-	expression tag	UNP B1PNC0
K	-10	PRO	-	expression tag	UNP B1PNC0
K	-9	MET	-	expression tag	UNP B1PNC0
K	-8	VAL	-	expression tag	UNP B1PNC0
K	-7	SER	_	expression tag	UNP B1PNC0
K	-6	LYS	_	expression tag	UNP B1PNC0
K	-5	GLY	-	expression tag	UNP B1PNC0
K	-4	GLU	-	expression tag	UNP B1PNC0
K	-3	GLU	-	expression tag	UNP B1PNC0
K	-2	ASP	-	expression tag	UNP B1PNC0
K	-1	ASN	-	expression tag	UNP B1PNC0
K	0	MET	-	expression tag	UNP B1PNC0
K	1	ALA	-	expression tag	UNP B1PNC0
K	59	CR2	GLY	chromophore	UNP B1PNC0
K	59	CR2	TYR	chromophore	UNP B1PNC0
K	59	CR2	GLY	chromophore	UNP B1PNC0
K	171	ALA	VAL	variant	UNP B1PNC0
K	174	THR	ASN	variant	UNP B1PNC0
K	220	GLY	-	expression tag	UNP B1PNC0
K	221	MET	-	expression tag	UNP B1PNC0
K	222	ASP	-	expression tag	UNP B1PNC0
K	223	GLU	-	expression tag	UNP B1PNC0
K	224	LEU	-	expression tag	UNP B1PNC0
K	225	TYR	-	expression tag	UNP B1PNC0
K	226	LYS	-	expression tag	UNP B1PNC0



Chain	Residue	Modelled	Actual	Comment	Reference
М	-42	MET	_	initiating methionine	UNP B1PNC0
М	-41	ARG	_	expression tag	UNP B1PNC0
М	-40	GLY	_	expression tag	UNP B1PNC0
М	-39	SER	_	expression tag	UNP B1PNC0
М	-38	HIS	_	expression tag	UNP B1PNC0
М	-37	HIS	_	expression tag	UNP B1PNC0
М	-36	HIS	_	expression tag	UNP B1PNC0
М	-35	HIS	-	expression tag	UNP B1PNC0
М	-34	HIS	-	expression tag	UNP B1PNC0
М	-33	HIS	-	expression tag	UNP B1PNC0
М	-32	GLY	-	expression tag	UNP B1PNC0
М	-31	MET	-	expression tag	UNP B1PNC0
М	-30	ALA	-	expression tag	UNP B1PNC0
М	-29	SER	-	expression tag	UNP B1PNC0
М	-28	MET	-	expression tag	UNP B1PNC0
М	-27	THR	-	expression tag	UNP B1PNC0
М	-26	GLY	-	expression tag	UNP B1PNC0
М	-25	GLY	-	expression tag	UNP B1PNC0
М	-24	GLN	-	expression tag	UNP B1PNC0
М	-23	GLN	-	expression tag	UNP B1PNC0
М	-22	MET	-	expression tag	UNP B1PNC0
М	-21	GLY	-	expression tag	UNP B1PNC0
М	-20	ARG	-	expression tag	UNP B1PNC0
М	-19	ASP	-	expression tag	UNP B1PNC0
М	-18	LEU	-	expression tag	UNP B1PNC0
M	-17	TYR	-	expression tag	UNP B1PNC0
М	-16	ASP	-	expression tag	UNP B1PNC0
М	-15	ASP	-	expression tag	UNP B1PNC0
М	-14	ASP	-	expression tag	UNP B1PNC0
М	-13	ASP	_	expression tag	UNP B1PNC0
М	-12	LYS	_	expression tag	UNP B1PNC0
М	-11	ASP	_	expression tag	UNP B1PNC0
М	-10	PRO	-	expression tag	UNP B1PNC0
М	-9	MET	-	expression tag	UNP B1PNC0
M	-8	VAL	-	expression tag	UNP B1PNC0
M	-7	SER	-	expression tag	UNP B1PNC0
M	-6	LYS	-	expression tag	UNP B1PNC0
M	-5	GLY	_	expression tag	UNP B1PNC0
M	-4	GLU		expression tag	UNP B1PNC0
M	-3	GLU	-	expression tag	UNP B1PNC0
M	-2	ASP	_	expression tag	UNP B1PNC0
M	-1	ASN	-	expression tag	UNP B1PNC0



5L1	ГQ
	•

	Residue	Modelled	Actual	Comment	Reference
M	0	MET	_	expression tag	UNP B1PNC0
M	1	ALA		expression tag	UNP B1PNC0
M	59	CB2	GLY	chromophore	UNP B1PNC0
M	59	CR2	TYR	chromophore	UNP B1PNC0
M	59	CR2	GLY	chromophore	UNP B1PNC0
M	171	ALA	VAL	variant	UNP B1PNC0
M	174	THR	ASN	variant	UNP B1PNC0
M	220	GLY	_	expression tag	UNP B1PNC0
M	221	MET	_	expression tag	UNP B1PNC0
M	222	ASP		expression tag	UNP B1PNC0
M	223	GLU	_	expression tag	UNP B1PNC0
M	224	LEU		expression tag	UNP B1PNC0
M	225	TYR		expression tag	UNP B1PNC0
M	226	LYS	_	expression tag	UNP B1PNC0
Р	-42	MET	_	initiating methionine	UNP B1PNC0
Р	-41	ARG	_	expression tag	UNP B1PNC0
Р	-40	GLY	_	expression tag	UNP B1PNC0
Р	-39	SER	_	expression tag	UNP B1PNC0
Р	-38	HIS	_	expression tag	UNP B1PNC0
Р	-37	HIS	-	expression tag	UNP B1PNC0
Р	-36	HIS	-	expression tag	UNP B1PNC0
Р	-35	HIS	-	expression tag	UNP B1PNC0
Р	-34	HIS	-	expression tag	UNP B1PNC0
Р	-33	HIS	_	expression tag	UNP B1PNC0
Р	-32	GLY	_	expression tag	UNP B1PNC0
Р	-31	MET	_	expression tag	UNP B1PNC0
Р	-30	ALA	-	expression tag	UNP B1PNC0
Р	-29	SER	-	expression tag	UNP B1PNC0
Р	-28	MET	-	expression tag	UNP B1PNC0
P	-27	THR	-	expression tag	UNP B1PNC0
P	-26	GLY	-	expression tag	UNP B1PNC0
Р	-25	GLY	-	expression tag	UNP B1PNC0
P	-24	GLN	-	expression tag	UNP B1PNC0
P	-23	GLN	-	expression tag	UNP B1PNC0
Р	-22	MET	-	expression tag	UNP B1PNC0
P	-21	GLY	-	expression tag	UNP B1PNC0
Р	-20	ARG	-	expression tag	UNP B1PNC0
Р	-19	ASP	-	expression tag	UNP B1PNC0
P	-18	LEU	-	expression tag	UNP B1PNC0
Р	-17	TYR	-	expression tag	UNP B1PNC0
Р	-16	ASP	-	expression tag	UNP B1PNC0
P	-15	ASP	-	expression tag	UNP B1PNC0



5LTQ
------

Chain	Residue	Modelled	Actual	Comment	Reference
Р	-14	ASP	_	expression tag	UNP B1PNC0
P	-13	ASP	_	expression tag	UNP B1PNC0
P	-12	LYS	_	expression tag	UNP B1PNC0
P	-11	ASP	_	expression tag	UNP B1PNC0
P	-10	PRO	_	expression tag	UNP B1PNC0
Р	-9	MET	_	expression tag	UNP B1PNC0
Р	-8	VAL	_	expression tag	UNP B1PNC0
Р	-7	SER	-	expression tag	UNP B1PNC0
Р	-6	LYS	-	expression tag	UNP B1PNC0
Р	-5	GLY	-	expression tag	UNP B1PNC0
Р	-4	GLU	-	expression tag	UNP B1PNC0
Р	-3	GLU	-	expression tag	UNP B1PNC0
Р	-2	ASP	-	expression tag	UNP B1PNC0
Р	-1	ASN	-	expression tag	UNP B1PNC0
Р	0	MET	-	expression tag	UNP B1PNC0
Р	1	ALA	-	expression tag	UNP B1PNC0
Р	59	CR2	GLY	chromophore	UNP B1PNC0
Р	59	CR2	TYR	chromophore	UNP B1PNC0
Р	59	CR2	GLY	chromophore	UNP B1PNC0
Р	171	ALA	VAL	variant	UNP B1PNC0
Р	174	THR	ASN	variant	UNP B1PNC0
Р	220	GLY	_	expression tag	UNP B1PNC0
Р	221	MET	_	expression tag	UNP B1PNC0
Р	222	ASP	-	expression tag	UNP B1PNC0
Р	223	GLU	-	expression tag	UNP B1PNC0
Р	224	LEU	-	expression tag	UNP B1PNC0
Р	225	TYR	-	expression tag	UNP B1PNC0
Р	226	LYS	-	expression tag	UNP B1PNC0
N	-42	MET	-	initiating methionine	UNP B1PNC0
N	-41	ARG	-	expression tag	UNP B1PNC0
N	-40	GLY	-	expression tag	UNP B1PNC0
N	-39	SER	_	expression tag	UNP B1PNC0
N	-38	HIS	-	expression tag	UNP B1PNC0
N	-37	HIS	-	expression tag	UNP B1PNC0
N	-36	HIS	-	expression tag	UNP B1PNC0
N	-35	HIS	-	expression tag	UNP B1PNC0
N	-34	HIS	_	expression tag	UNP B1PNC0
N	-33	HIS	-	expression tag	UNP B1PNC0
N	-32	GLY	-	expression tag	UNP B1PNC0
N	-31	MET	-	expression tag	UNP B1PNC0
N	-30	ALA	_	expression tag	UNP B1PNC0
N	-29	SER	-	expression tag	UNP B1PNC0



Chain	Residue	Modelled	Actual	Comment	Reference
N	-28	MET	-	expression tag	UNP B1PNC0
N	-27	THR	_	expression tag	UNP B1PNC0
N	-26	GLY	_	expression tag	UNP B1PNC0
N	-25	GLY	_	expression tag	UNP B1PNC0
N	-24	GLN	-	expression tag	UNP B1PNC0
N	-23	GLN	-	expression tag	UNP B1PNC0
N	-22	MET	-	expression tag	UNP B1PNC0
N	-21	GLY	-	expression tag	UNP B1PNC0
N	-20	ARG	-	expression tag	UNP B1PNC0
N	-19	ASP	-	expression tag	UNP B1PNC0
N	-18	LEU	-	expression tag	UNP B1PNC0
N	-17	TYR	_	expression tag	UNP B1PNC0
N	-16	ASP	-	expression tag	UNP B1PNC0
N	-15	ASP	-	expression tag	UNP B1PNC0
N	-14	ASP	-	expression tag	UNP B1PNC0
N	-13	ASP	-	expression tag	UNP B1PNC0
N	-12	LYS	_	expression tag	UNP B1PNC0
N	-11	ASP	-	expression tag	UNP B1PNC0
N	-10	PRO	-	expression tag	UNP B1PNC0
N	-9	MET	-	expression tag	UNP B1PNC0
N	-8	VAL	-	expression tag	UNP B1PNC0
N	-7	SER	_	expression tag	UNP B1PNC0
N	-6	LYS	-	expression tag	UNP B1PNC0
N	-5	GLY	-	expression tag	UNP B1PNC0
N	-4	GLU	-	expression tag	UNP B1PNC0
N	-3	GLU	-	expression tag	UNP B1PNC0
N	-2	ASP	-	expression tag	UNP B1PNC0
N	-1	ASN	-	expression tag	UNP B1PNC0
N	0	MET	-	expression tag	UNP B1PNC0
N	1	ALA	-	expression tag	UNP B1PNC0
N	59	CR2	GLY	chromophore	UNP B1PNC0
N	59	CR2	TYR	chromophore	UNP B1PNC0
N	59	CR2	GLY	chromophore	UNP B1PNC0
N	171	ALA	VAL	variant	UNP B1PNC0
N	174	THR	ASN	variant	UNP B1PNC0
N	220	GLY	-	expression tag	UNP B1PNC0
N	221	MET	-	expression tag	UNP B1PNC0
N	222	ASP	-	expression tag	UNP B1PNC0
N	223	GLU	-	expression tag	UNP B1PNC0
N	224	LEU	-	expression tag	UNP B1PNC0
N	225	TYR	-	expression tag	UNP B1PNC0
N	226	LYS	-	expression tag	UNP B1PNC0



Chain	Residue	Modelled	Actual	Comment	Reference
0	-42	MET	-	initiating methionine	UNP B1PNC0
0	-41	ARG	_	expression tag	UNP B1PNC0
0	-40	GLY	_	expression tag	UNP B1PNC0
0	-39	SER	_	expression tag	UNP B1PNC0
0	-38	HIS	_	expression tag	UNP B1PNC0
0	-37	HIS	_	expression tag	UNP B1PNC0
0	-36	HIS	-	expression tag	UNP B1PNC0
0	-35	HIS	_	expression tag	UNP B1PNC0
0	-34	HIS	_	expression tag	UNP B1PNC0
0	-33	HIS	_	expression tag	UNP B1PNC0
0	-32	GLY	_	expression tag	UNP B1PNC0
0	-31	MET	-	expression tag	UNP B1PNC0
0	-30	ALA	_	expression tag	UNP B1PNC0
0	-29	SER	_	expression tag	UNP B1PNC0
0	-28	MET	-	expression tag	UNP B1PNC0
0	-27	THR	_	expression tag	UNP B1PNC0
0	-26	GLY	-	expression tag	UNP B1PNC0
0	-25	GLY	_	expression tag	UNP B1PNC0
0	-24	GLN	-	expression tag	UNP B1PNC0
0	-23	GLN	-	expression tag	UNP B1PNC0
0	-22	MET	-	expression tag	UNP B1PNC0
0	-21	GLY	-	expression tag	UNP B1PNC0
0	-20	ARG	-	expression tag	UNP B1PNC0
0	-19	ASP	-	expression tag	UNP B1PNC0
0	-18	LEU	-	expression tag	UNP B1PNC0
0	-17	TYR	-	expression tag	UNP B1PNC0
0	-16	ASP	-	expression tag	UNP B1PNC0
0	-15	ASP	-	expression tag	UNP B1PNC0
0	-14	ASP	_	expression tag	UNP B1PNC0
0	-13	ASP	-	expression tag	UNP B1PNC0
0	-12	LYS	-	expression tag	UNP B1PNC0
0	-11	ASP	_	expression tag	UNP B1PNC0
0	-10	PRO	-	expression tag	UNP B1PNC0
0	-9	MET	-	expression tag	UNP B1PNC0
0	-8	VAL	-	expression tag	UNP B1PNC0
0	-7	SER	-	expression tag	UNP B1PNC0
0	-6	LYS	_	expression tag	UNP B1PNC0
0	-5	GLY	-	expression tag	UNP B1PNC0
0	-4	GLU	-	expression tag	UNP B1PNC0
0	-3	GLU	-	expression tag	UNP B1PNC0
0	-2	ASP	-	expression tag	UNP B1PNC0
0	-1	ASN	-	expression tag	UNP B1PNC0



5Ľ.	$\Gamma Q$

Chain	Residue	Modelled	Actual	Comment	Reference
0	0	MET	-	expression tag	UNP B1PNC0
0	1	ALA	-	expression tag	UNP B1PNC0
0	59	CR2	GLY	$\operatorname{chromophore}$	UNP B1PNC0
0	59	CR2	TYR	$\operatorname{chromophore}$	UNP B1PNC0
0	59	CR2	GLY	$\operatorname{chromophore}$	UNP B1PNC0
0	171	ALA	VAL	variant	UNP B1PNC0
0	174	THR	ASN	variant	UNP B1PNC0
0	220	GLY	-	expression tag	UNP B1PNC0
0	221	MET	-	expression tag	UNP B1PNC0
0	222	ASP	_	expression tag	UNP B1PNC0
0	223	GLU	-	expression tag	UNP B1PNC0
0	224	LEU	-	expression tag	UNP B1PNC0
0	225	TYR	-	expression tag	UNP B1PNC0
0	226	LYS	-	expression tag	UNP B1PNC0

• Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	Р	1	Total Cl 1 1	0	0
2	G	1	Total Cl 1 1	0	0
2	J	1	Total Cl 1 1	0	0
2	D	1	Total Cl 1 1	0	0
2	K	1	Total Cl 1 1	0	0
2	Е	1	Total Cl 1 1	0	0
2	Н	1	Total Cl 1 1	0	0
2	В	1	Total Cl 1 1	0	0
2	Ι	1	Total Cl 1 1	0	0
2	С	1	Total Cl 1 1	0	0
2	А	1	Total Cl 1 1	0	0
2	Ν	1	Total Cl 1 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	Ο	1	Total Cl 1 1	0	0
2	L	1	Total Cl 1 1	0	0
2	F	1	Total Cl 1 1	0	0
2	М	1	Total Cl 1 1	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	53	Total         O           53         53	0	0
3	D	53	Total         O           53         53	0	0
3	В	31	Total O 31 31	0	0
3	С	65	Total O 65 65	0	0
3	Ε	42	$\begin{array}{cc} \text{Total} & \text{O} \\ 42 & 42 \end{array}$	0	0
3	Н	31	$\begin{array}{cc} \text{Total} & \text{O} \\ 31 & 31 \end{array}$	0	0
3	F	26	$\begin{array}{cc} \text{Total} & \text{O} \\ 26 & 26 \end{array}$	0	0
3	G	48	$\begin{array}{cc} \text{Total} & \text{O} \\ 48 & 48 \end{array}$	0	0
3	Ι	13	Total O 13 13	0	0
3	L	60	Total O 60 60	0	0
3	J	43	$\begin{array}{cc} \text{Total} & \text{O} \\ 43 & 43 \end{array}$	0	0
3	К	25	$\begin{array}{cc} \text{Total} & \text{O} \\ 25 & 25 \end{array}$	0	0
3	М	9	Total O 9 9	0	0
3	Р	25	$\begin{array}{cc} \text{Total} & \text{O} \\ 25 & 25 \end{array}$	0	0
3	N	27	$\begin{array}{c c} \hline \text{Total} & \text{O} \\ \hline 27 & 27 \\ \end{array}$	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	О	2	Total O 2 2	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Green fluorescent protein blFP-Y3





• Molecule 1: Green fluorescent protein blFP-Y3

Chain E:	78% •	19%	
MET ARG GLY SER HIS HIS HIS	HIS HIS ALA MET MET MET MET MET GLN GLN GLN MET ASP ASP ASP ASP ASP ASP ASP ASP ASP ASP	M38 139 67 (59 091	r92 C139 S169
K200 M219 GLY MET ASP GLU LEU	TIR		
• Molecule	e 1: Green fluorescent protein blFP-Y3		
Chain H:	75% 5%	19%	
MET ARG GLY SER HIS HIS HIS	HIS GLIV GLIV GLIV GLIV GLIV GLIV GLIV GLIV	Lo T6 GYG59 D69	M90 Q91 F92 L98
q116 W157 Q168 S169	1134 R195 Q212 Q212 Q212 Q212 CLY CLY CLU LYS LYS		
• Molecule	e 1: Green fluorescent protein blFP-Y3		
Chain F:	80%	• 17%	
MET ARG GLY SER HIS HIS HIS HIS	HIS HIS ALA MET MET MET MET GLN GLN GLN GLN MET MET MET MET MET MET MET MET MET MET	14 145 145 1727 127 127	CT C
1111 4168 K226			
• Molecule	e 1: Green fluorescent protein blFP-Y3		
Chain G:	79%	• 19%	•
MET ARG GLY GLY SER HTS HTS HTS HTS	HIS HIS RITA ALA MET MET MET MET MET MET MET MET MET MET	N38 CYG59 L98 Q116 Q116	M104 M219 GLY MET ASP
GLU LEU TYR LYS			
• Molecule	e 1: Green fluorescent protein blFP-Y3		
Chain I:	77% .	19%	



ARC ARC GLY GLY GLY HIS HIS HIS HIS GLY GLY	ALET ALET SER SER SER ALET GLIN GLIN GLIN ASP ASP ASP ASP ASP	LYS ASP ASP ASP ASP CLV GLV GLV GLV ASP ASP MET	ALA ALA SER 5 ER 14 14 624 624 139 139 139 139 139 139 139 139 139 139	069 F92 I111
V140 1161 8169 8205 8205 8205 8205	MET MET ASP GLU LLU LLYS LYS			
• Molecule 1: (	Green fluorescent protein	blFP-Y3		
Chain L:	79%		• 19%	-
MET ARG GLY GLY SER HIS HIS HIS HIS HIS HIS GLY	MET AMET SER SER SER MET TTR GLY GLY MET ARG ASP ASP ASP ASP ASP	L 155 ASP ASP ASP ASP C 117 C	A1 N38 GYG59 F92 L98 V140	S169 K187 R195
K203 ● Q212 M219 GLY MET GLU LLEU	TX1			
• Molecule 1: (	Green fluorescent protein	blFP-Y3		
Chain J:	81%		• 17%	
MET ANG GLY GLY SER HIS HIS HIS HIS HIS HIS GLY	MET ALLA SER.A SER.A SER.A SER.A GLY GLY GLN GLN GLN MET ARG ASP ASP ASP ASP	LYS LYS ASP ASP PRO NET VAL LYS GLY GLY GLU ASP MET	ALA ALA 22 292 792 7140 7140 8169	4195 Q212 Y225 LYS
• Molecule 1: 0	Green fluorescent protein	blFP-Y3		
Chain K:	78%		• 19%	
NET ARG CLY CLY CLY CLY CLY HIS HIS HIS HIS HIS CLY CLY CLY	ALA ALA NET NET NET NET THR GLY GLY GLY GLY GLY ASP ASP ASP ASP	NEW NEW NEW NES NES NES NES NES NES NES NES NES NES	ATA SER SER 13 13 13 13 13 13 13 13 13 13 13 13 13	M71 83 198 198
1106 E107 V140 M184 M188 M188	1216 M219 GLY ASP ASP ASP LU TEU LYS LYS			
• Molecule 1: C	Green fluorescent protein	blFP-Y3		
Chain M:	75%		• 22%	-
NET ARG GLY GLY HIS HIS HIS HIS HIS GLY GLY	ARET ARET NET NET NET THR GLY GLY GLY GLY GLY GLY ASP ASP ASP ASP	LINS LINS ASP ASP ASP STI STI STI STI STA ASP TTAM	ALA SER LEU LEU R40 A45 L46 L46 L46 A45	152 152 152 152 152 162 162
F67 PR0 ASP ASP ASP ASP ASP 1 AP 19 19 19 19	V128 V128 V138 V140 V140 V140 V146 V146 V146 V146 V196 K195 K195 I199	2202 K203 ASP ASP MET MET ASP ASP ASP ASP ASP TYR	SXT	

• Molecule 1: Green fluorescent protein blFP-Y3



4%		
Chain P:	79%	• 19%
MET ARG ARG ARG ARG ARA HIS ALA ALA ALA	ASER ASER ASE ASE ASE ASE ASE ASE ASE ASE ASE ASE	V18 R25 445 047 047 P92 P92 F92 E107
K112 4116 V117 6164 8169 8169 N184	E205 M219 GL7 MET ASP GLU LVS LVS LVS	
• Molecule 1: Gre	een fluorescent protein blFP-Y3	
2%		
Chain N:	80%	• 19%
MET ARG ARG SELY SELY HIS HIS HIS HIS HIS MLA MLA	SER NET THR CLAN CLAN CLAN CLAN CLAN CLAN CLAN CLAN	SER LEU R61 R61 R61 R61 R61 R69 R79 R79
V117 V117 D222 C1U C1U L1U L1V L1V L1V		
• Molecule 1: Gre	een fluorescent protein blFP-Y3	
20%	<u>6</u>	
Chain U:	75%	• 21%
MET ARG CLY SER HIS HIS HIS CLY ALA ALA	ASER ASER ASE ASE ASE ASE ASE ASE ASE ASE ASE ASE	SER LEU A5 A5 L19 H11 H10 H11 C24 C24 C24 C24
926 177 628 833 633 633 633 633 147 140	Q47         Q47           GYG59         E65           F67         F67           F67         F74           F74         F74           F93         F105           F105         F105           F105         F105           F105         F105           F105         F105           F105         F105	K112 G113 G113 F140 F146 N147 D148 D148 D148 D148 S151 S163 S163
C164 C168 C168 C168 C168 M181 1185 L185 K187 N138 0183 0183	P1450 P1450 P1450 P1450 P1450 P1206 P1206 P1206 P1206 P1215	



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	78.66Å 197.16Å 115.09Å	Deperitor
$\mathrm{a,b,c,\alpha,\beta,\gamma}$	$90.00^{\circ}$ $90.45^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{D}$ and $\mathbf{D}$	49.29 - 2.05	Depositor
Resolution (A)	49.29 - 2.05	EDS
% Data completeness	99.4 (49.29-2.05)	Depositor
(in resolution range)	97.1 (49.29-2.05)	EDS
R <sub>merge</sub>	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.27 (at 2.05 \text{\AA})$	Xtriage
Refinement program	REFMAC $5.8.0135$	Depositor
D D	0.225 , $0.254$	Depositor
$\mathbf{n},  \mathbf{n}_{free}$	0.228 , $0.254$	DCC
$R_{free}$ test set	10864 reflections $(5.00%)$	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	28.5	Xtriage
Anisotropy	0.308	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , 19.5	EDS
L-test for $twinning^2$	$<  L  > = 0.43, < L^2 > = 0.26$	Xtriage
Estimated twinning fraction	0.089 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	28364	wwPDB-VP
Average B, all atoms $(Å^2)$	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 11.26% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CR2, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
	Cham	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.36	0/1780	0.60	0/2411
1	В	0.36	0/1788	0.58	0/2422
1	С	0.36	0/1794	0.58	0/2428
1	D	0.37	0/1803	0.60	0/2442
1	Е	0.36	0/1769	0.57	0/2396
1	F	0.35	0/1819	0.57	0/2462
1	G	0.35	0/1766	0.57	0/2392
1	Н	0.35	0/1765	0.57	0/2391
1	Ι	0.36	0/1759	0.55	0/2383
1	J	0.36	0/1816	0.57	0/2459
1	К	0.36	0/1768	0.54	0/2395
1	L	0.36	0/1767	0.56	0/2393
1	М	0.36	0/1708	0.53	0/2310
1	Ν	0.36	0/1767	0.55	0/2393
1	0	0.37	0/1727	0.53	0/2338
1	Р	0.36	0/1770	0.54	0/2398
All	All	0.36	0/28366	0.56	0/38413

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1746	0	1660	2	0
1	В	1748	0	1668	5	0
1	С	1754	0	1682	4	0
1	D	1763	0	1679	2	0
1	Е	1732	0	1649	4	0
1	F	1784	0	1696	3	0
1	G	1732	0	1646	1	0
1	Н	1728	0	1638	6	0
1	Ι	1725	0	1639	4	0
1	J	1781	0	1688	3	0
1	К	1731	0	1647	2	0
1	L	1733	0	1645	3	0
1	М	1676	0	1594	1	0
1	Ν	1733	0	1634	1	0
1	0	1693	0	1606	3	0
1	Р	1736	0	1652	1	0
2	А	1	0	0	0	0
2	В	1	0	0	0	0
2	С	1	0	0	0	0
2	D	1	0	0	0	0
2	Е	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	Н	1	0	0	0	0
2	Ι	1	0	0	0	0
2	J	1	0	0	0	0
2	Κ	1	0	0	0	0
2	L	1	0	0	0	0
2	М	1	0	0	0	0
2	Ν	1	0	0	0	0
2	0	1	0	0	0	0
2	Р	1	0	0	0	0
3	A	53	0	0	0	0
3	В	31	0	0	0	0
3	C	65	0	0	0	0
3	D	53	0	0	0	0
3	E	42	0	0	0	0
3	F	26	0	0	0	0
3	G	48	0	0	0	0
3	Н	31	0	0	0	0
3	I	13	0	0	0	0
3	J	43	0	0	0	0
3	K	25	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes	
3	L	60	0	0	0	0	
3	М	9	0	0	0	0	
3	Ν	27	0	0	0	0	
3	0	2	0	0	0	0	
3	Р	25	0	0	0	0	
All	All	28364	0	26423	40	0	

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (40) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:91[B]:GLN:HE21	1:E:91[B]:GLN:HA	1.55	0.72
1:B:91[B]:GLN:HA	1:B:91[B]:GLN:HE21	1.64	0.63
1:H:116:GLN:HE22	1:G:116:GLN:HE22	1.49	0.59
1:E:91[A]:GLN:HE21	1:E:91[A]:GLN:HA	1.70	0.56
1:A:195:ARG:HE	1:A:212:GLN:HE21	1.57	0.53
1:F:6:THR:HG22	1:F:27:THR:HG22	1.90	0.53
1:H:6:THR:HG22	1:H:27:THR:HG22	1.94	0.50
1:E:91[B]:GLN:NE2	1:E:91[B]:GLN:HA	2.24	0.50
1:L:195:ARG:HE	1:L:212:GLN:HE21	1.61	0.49
1:B:4:PRO:HB3	1:B:111:ILE:HD11	1.96	0.48
1:C:92:PHE:CD2	1:C:169:SER:HB3	2.48	0.48
1:F:4:PRO:HB3	1:F:111:ILE:HD11	1.94	0.48
1:D:140:VAL:HG11	1:B:140:VAL:HG11	1.95	0.47
1:J:92:PHE:CD2	1:J:169:SER:HB3	2.50	0.47
1:O:6:THR:HG22	1:O:27:THR:HG22	1.97	0.47
1:O:92:PHE:CD2	1:O:169:SER:HB3	2.51	0.46
1:C:148:ASP:HA	1:C:186:LEU:HD21	1.98	0.46
1:H:90[B]:MET:HE1	1:H:157:TRP:CD1	2.50	0.46
1:M:140:VAL:HG11	1:O:140:VAL:HG11	1.97	0.46
1:B:91[B]:GLN:CA	1:B:91[B]:GLN:HE21	2.28	0.46
1:H:195:ARG:HE	1:H:212:GLN:HE21	1.65	0.44
1:B:195:ARG:HE	1:B:212:GLN:HE21	1.66	0.44
1:N:98:LEU:HD21	1:N:117:VAL:HG13	2.00	0.43
1:L:140:VAL:HG11	1:J:140:VAL:HG11	1.99	0.43
1:L:92:PHE:CD2	1:L:169:SER:HB3	2.54	0.43
1:E:92:PHE:CD2	1:E:169:SER:HB3	2.54	0.43
1:H:91[B]:GLN:HA	1:H:91[B]:GLN:OE1	2.19	0.42
1:A:195:ARG:HE	1:A:212:GLN:NE2	2.18	0.42



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:195:ARG:HE	1:J:212:GLN:HE21	1.67	0.42
1:I:24:GLY:HA3	1:I:39:LEU:HD23	2.02	0.42
1:I:4:PRO:HB3	1:I:111:ILE:HD11	2.02	0.41
1:I:140:VAL:HG11	1:K:140:VAL:HG11	2.01	0.41
1:K:188:ASN:ND2	1:K:216:THR:HG21	2.36	0.41
1:H:92:PHE:CD2	1:H:169:SER:HB3	2.56	0.41
1:C:195:ARG:HE	1:C:212:GLN:HE21	1.69	0.41
1:I:92:PHE:CD2	1:I:169:SER:HB3	2.56	0.41
1:P:92:PHE:CD2	1:P:169:SER:HB3	2.55	0.41
1:F:49:SER:O	1:F:52:ILE:HG22	2.21	0.40
1:C:98:LEU:HD11	1:C:117:VAL:CG1	2.51	0.40
1:D:195:ARG:HE	1:D:212:GLN:HE21	1.67	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	214/267~(80%)	214 (100%)	0	0	100	100
1	В	215/267~(80%)	214 (100%)	1 (0%)	0	100	100
1	С	215/267~(80%)	214 (100%)	1 (0%)	0	100	100
1	D	217/267~(81%)	216 (100%)	1 (0%)	0	100	100
1	Ε	212/267~(79%)	211 (100%)	1 (0%)	0	100	100
1	F	218/267~(82%)	217 (100%)	1 (0%)	0	100	100
1	G	212/267~(79%)	212 (100%)	0	0	100	100
1	Н	212/267~(79%)	210 (99%)	2 (1%)	0	100	100
1	Ι	211/267~(79%)	206 (98%)	5 (2%)	0	100	100
1	J	218/267~(82%)	218 (100%)	0	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	K	212/267~(79%)	207~(98%)	5 (2%)	0	100	100
1	L	213/267~(80%)	212~(100%)	1 (0%)	0	100	100
1	М	202/267~(76%)	196 (97%)	5 (2%)	1 (0%)	29	18
1	Ν	213/267~(80%)	212~(100%)	1 (0%)	0	100	100
1	Ο	207/267~(78%)	$201 \ (97\%)$	6 (3%)	0	100	100
1	Р	213/267~(80%)	211 (99%)	2(1%)	0	100	100
All	All	3404/4272~(80%)	3371 (99%)	32 (1%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	М	203	LYS

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	185/226~(82%)	181 (98%)	4 (2%)	52	46
1	В	186/226~(82%)	183 (98%)	3(2%)	62	59
1	С	187/226~(83%)	185~(99%)	2(1%)	73	73
1	D	188/226~(83%)	186 (99%)	2(1%)	73	73
1	Ε	184/226~(81%)	178 (97%)	6 (3%)	38	31
1	F	189/226~(84%)	187~(99%)	2(1%)	73	73
1	G	184/226~(81%)	181 (98%)	3(2%)	62	59
1	Н	183/226~(81%)	180 (98%)	3(2%)	62	59
1	Ι	183/226~(81%)	182 (100%)	1 (0%)	88	89
1	J	189/226~(84%)	189~(100%)	0	100	100
1	K	184/226 (81%)	182 (99%)	2 (1%)	73	73
1	L	184/226~(81%)	183 (100%)	1 (0%)	88	89



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	М	177/226~(78%)	171~(97%)	6 (3%)	37 30
1	Ν	183/226~(81%)	182~(100%)	1 (0%)	88 89
1	Ο	179/226~(79%)	175~(98%)	4 (2%)	52 46
1	Р	184/226~(81%)	181~(98%)	3(2%)	62 59
All	All	2949/3616~(82%)	2906~(98%)	43 (2%)	67 63

Continued from previous page...

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	31	ASN
1	А	91	GLN
1	А	98	LEU
1	А	188	ASN
1	D	31	ASN
1	D	98	LEU
1	В	31	ASN
1	В	98	LEU
1	В	168	GLN
1	С	153	SER
1	С	170	THR
1	Е	38	ASN
1	Е	40	LYS
1	Ε	91[A]	GLN
1	Ε	91[B]	GLN
1	Ε	139	CYS
1	Ε	200	LYS
1	Н	98	LEU
1	Н	168	GLN
1	Н	184	ASN
1	F	98	LEU
1	F	168	GLN
1	G	38	ASN
1	G	98	LEU
1	G	184	ASN
1	Ι	25	ARG
1	L	98	LEU
1	Κ	38	ASN
1	K	98	LEU
1	М	62	HIS
1	М	91	GLN
1	М	98	LEU



Mal	Chain		Tuno
IVIOI	Chain	nes	rybe
1	М	139	CYS
1	М	165	LYS
1	М	196	LYS
1	Р	98	LEU
1	Р	168	GLN
1	Р	184	ASN
1	Ν	62	HIS
1	0	19	ASP
1	0	91	GLN
1	0	98	LEU
1	0	168	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (71) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	31	ASN
1	А	38	ASN
1	А	47	GLN
1	А	87	HIS
1	А	189	GLN
1	А	207	ASN
1	А	212	GLN
1	D	31	ASN
1	D	189	GLN
1	D	207	ASN
1	D	212	GLN
1	В	31	ASN
1	В	38	ASN
1	В	87	HIS
1	В	168	GLN
1	В	189	GLN
1	В	207	ASN
1	В	212	GLN
1	С	38	ASN
1	С	87	HIS
1	С	189	GLN
1	С	207	ASN
1	С	212	GLN
1	Е	87	HIS
1	Е	212	GLN
1	Н	38	ASN
1	Н	87	HIS



Mol	Chain	Res	Type
1	Н	116	GLN
1	Н	168	GLN
1	Н	207	ASN
1	Н	212	GLN
1	F	38	ASN
1	F	47	GLN
1	F	116	GLN
1	F	189	GLN
1	F	207	ASN
1	F	212	GLN
1	G	87	HIS
1	G	184	ASN
1	G	212	GLN
1	Ι	87	HIS
1	Ι	116	GLN
1	Ι	189	GLN
1	Ι	212	GLN
1	L	87	HIS
1	L	91	GLN
1	L	131	ASN
1	L	212	GLN
1	J	38	ASN
1	J	47	GLN
1	J	207	ASN
1	J	212	GLN
1	K	38	ASN
1	K	87	HIS
1	K	184	ASN
1	K	207	ASN
1	K	212	GLN
1	M	87	HIS
1	М	116	GLN
1	M	189	GLN
1	М	207	ASN
1	P	87	HIS
1	P	168	GLN
1	Р	184	ASN
1	P	212	GLN
1	N	131	ASN
1	N	212	GLN
1	Ō	38	ASN
1	Ō	47	GLN



Continued from previous page...

Mol	Chain	Res	Type
1	0	189	GLN
1	Ο	207	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

16 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tune	Chain	Dec	Tink	Bond lengths			Bond angles		
	туре	Ullalli	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	CR2	D	59	1	20,20,21	3.94	5 (25%)	25,27,29	4.28	7 (28%)
1	CR2	В	59	1	20,20,21	4.02	5 (25%)	25,27,29	4.48	6 (24%)
1	CR2	Ν	59	1	20,20,21	4.06	5 (25%)	25,27,29	4.49	6 (24%)
1	CR2	L	59	1	20,20,21	4.00	5 (25%)	25,27,29	4.49	6 (24%)
1	CR2	J	59	1	20,20,21	4.06	5 (25%)	25,27,29	4.37	6 (24%)
1	CR2	Η	59	1	20,20,21	4.19	5 (25%)	25,27,29	4.40	6 (24%)
1	CR2	G	59	1	20,20,21	4.00	5 (25%)	25,27,29	4.49	7 (28%)
1	CR2	Е	59	1	20,20,21	4.10	5 (25%)	25,27,29	4.41	6 (24%)
1	CR2	С	59	1	20,20,21	4.01	5 (25%)	25,27,29	4.32	6 (24%)
1	CR2	Р	59	1	20,20,21	4.09	4 (20%)	25,27,29	<mark>3.99</mark>	7 (28%)
1	CR2	А	59	1	20,20,21	<mark>3.92</mark>	5 (25%)	25,27,29	4.39	7 (28%)
1	CR2	Ο	59	1	20,20,21	4.21	4 (20%)	25,27,29	4.08	9 (36%)
1	CR2	М	59	1	20, 20, 21	4.08	<mark>5 (25%)</mark>	25,27,29	4.33	6 (24%)
1	CR2	K	59	1	20,20,21	4.11	<mark>5 (25%)</mark>	25,27,29	4.06	6 (24%)
1	CR2	Ι	59	1	20,20,21	4.10	5 (25%)	25,27,29	4.17	6 (24%)
1	CR2	F	59	1	20,20,21	4.08	5 (25%)	25,27,29	4.31	6 (24%)



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CR2	D	59	1	-	0/6/25/26	0/2/2/2
1	CR2	В	59	1	-	0/6/25/26	0/2/2/2
1	CR2	N	59	1	-	0/6/25/26	0/2/2/2
1	CR2	L	59	1	-	0/6/25/26	0/2/2/2
1	CR2	J	59	1	-	0/6/25/26	0/2/2/2
1	CR2	Н	59	1	-	0/6/25/26	0/2/2/2
1	CR2	G	59	1	-	0/6/25/26	0/2/2/2
1	CR2	Е	59	1	-	0/6/25/26	0/2/2/2
1	CR2	С	59	1	-	0/6/25/26	0/2/2/2
1	CR2	Р	59	1	-	1/6/25/26	0/2/2/2
1	CR2	А	59	1	-	0/6/25/26	0/2/2/2
1	CR2	0	59	1	-	0/6/25/26	0/2/2/2
1	CR2	М	59	1	-	0/6/25/26	0/2/2/2
1	CR2	K	59	1	-	0/6/25/26	0/2/2/2
1	CR2	Ι	59	1	-	0/6/25/26	0/2/2/2
1	CR2	F	59	1	-	0/6/25/26	0/2/2/2

All (78) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
1	0	59	CR2	CB2-CA2	17.82	1.50	1.35
1	Н	59	CR2	CB2-CA2	17.64	1.49	1.35
1	К	59	CR2	CB2-CA2	17.30	1.49	1.35
1	Р	59	CR2	CB2-CA2	17.26	1.49	1.35
1	Ι	59	CR2	CB2-CA2	17.22	1.49	1.35
1	Е	59	CR2	CB2-CA2	17.22	1.49	1.35
1	М	59	CR2	CB2-CA2	17.07	1.49	1.35
1	F	59	CR2	CB2-CA2	17.04	1.49	1.35
1	Ν	59	CR2	CB2-CA2	16.97	1.49	1.35
1	J	59	CR2	CB2-CA2	16.95	1.49	1.35
1	В	59	CR2	CB2-CA2	16.79	1.49	1.35
1	L	59	CR2	CB2-CA2	16.70	1.49	1.35
1	С	59	CR2	CB2-CA2	16.67	1.49	1.35
1	G	59	CR2	CB2-CA2	16.66	1.49	1.35
1	D	59	CR2	CB2-CA2	16.34	1.48	1.35
1	А	59	CR2	CB2-CA2	16.31	1.48	1.35
1	Ν	59	CR2	C1-N2	3.32	1.38	1.32
1	Е	59	CR2	C1-N2	3.25	1.38	1.32
1	В	59	CR2	C1-N2	3.20	1.38	1.32



Continued from previous page								
Mol	Chain	Res	Type	Atoms	Z	Observed(A)	Ideal(Å)	
1	С	59	CR2	C1-N2	3.18	1.38	1.32	
1	J	59	CR2	C1-N2	3.17	1.38	1.32	
1	D	59	CR2	C1-N2	3.16	1.38	1.32	
1	М	59	CR2	C1-N2	3.15	1.38	1.32	
1	Н	59	CR2	C1-N2	3.14	1.38	1.32	
1	F	59	CR2	C1-N2	3.14	1.38	1.32	
1	G	59	CR2	C2-N3	-3.09	1.32	1.39	
1	Ι	59	CR2	C1-N2	3.08	1.38	1.32	
1	N	59	CR2	C2-N3	-3.08	1.32	1.39	
1	Н	59	CR2	C2-N3	-3.07	1.32	1.39	
1	С	59	CR2	CA2-C2	-3.07	1.45	1.48	
1	А	59	CR2	C2-N3	-3.05	1.32	1.39	
1	С	59	CR2	C2-N3	-3.04	1.32	1.39	
1	K	59	CR2	C2-N3	-3.04	1.32	1.39	
1	В	59	CR2	C2-N3	-3.03	1.32	1.39	
1	А	59	CR2	CA2-C2	-3.03	1.45	1.48	
1	J	59	CR2	CA2-C2	-3.03	1.45	1.48	
1	F	59	CR2	C2-N3	-3.02	1.32	1.39	
1	D	59	CR2	C2-N3	-3.02	1.32	1.39	
1	Е	59	CR2	C2-N3	-3.01	1.32	1.39	
1	G	59	CR2	C1-N2	3.00	1.38	1.32	
1	L	59	CR2	C1-N2	3.00	1.38	1.32	
1	K	59	CR2	C1-N2	2.99	1.38	1.32	
1	D	59	CR2	CA2-C2	-2.99	1.45	1.48	
1	L	59	CR2	C2-N3	-2.98	1.32	1.39	
1	A	59	CR2	C1-N2	2.97	1.37	1.32	
1	J	59	CR2	C2-N3	-2.97	1.32	1.39	
1	Ι	59	CR2	C2-N3	-2.95	1.32	1.39	
1	F	59	CR2	CA2-C2	-2.91	1.45	1.48	
1	М	59	CR2	C2-N3	-2.91	1.33	1.39	
1	Р	59	CR2	O2-C2	2.91	1.29	1.23	
1	В	59	CR2	CA2-C2	-2.90	1.45	1.48	
1	0	59	CR2	C2-N3	-2.82	1.33	1.39	
1	0	59	CR2	C1-N2	2.81	1.37	1.32	
1	Р	59	CR2	C1-N2	2.81	1.37	1.32	
1	0	59	CR2	O2-C2	2.80	1.29	1.23	
1	N	59	CR2	CA2-C2	-2.79	1.45	1.48	
1	L	59	CR2	CA2-C2	-2.77	1.45	1.48	
1	K	59	CR2	O2-C2	2.76	1.28	1.23	
1	Р	59	CR2	C2-N3	-2.75	1.33	1.39	
1	D	59	CR2	O2-C2	2.75	1.28	1.23	
1	G	59	CR2	CA2-C2	-2.74	1.45	1.48	



Mol	Chain	Res	Type	Atoms	Z	Observed(A)	Ideal(Å)
1	Ι	59	CR2	O2-C2	2.70	1.28	1.23
1	М	59	CR2	O2-C2	2.68	1.28	1.23
1	С	59	CR2	O2-C2	2.63	1.28	1.23
1	J	59	CR2	O2-C2	2.56	1.28	1.23
1	F	59	CR2	O2-C2	2.56	1.28	1.23
1	G	59	CR2	O2-C2	2.55	1.28	1.23
1	Ν	59	CR2	O2-C2	2.52	1.28	1.23
1	Ε	59	CR2	O2-C2	2.51	1.28	1.23
1	А	59	CR2	O2-C2	2.51	1.28	1.23
1	Н	59	CR2	CA2-C2	-2.46	1.46	1.48
1	Η	59	CR2	O2-C2	2.43	1.28	1.23
1	В	59	CR2	O2-C2	2.42	1.28	1.23
1	М	59	CR2	CA2-C2	-2.39	1.46	1.48
1	Ε	59	CR2	CA2-C2	-2.38	1.46	1.48
1	L	59	CR2	O2-C2	2.37	1.28	1.23
1	Ι	59	CR2	CA2-C2	-2.32	1.46	1.48
1	Κ	59	CR2	CA2-C2	-2.26	1.46	1.48

All (103) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	Н	59	CR2	CA2-C2-N3	15.08	110.50	103.37
1	Ν	59	CR2	CA2-C2-N3	14.94	110.43	103.37
1	L	59	CR2	CA2-C2-N3	14.77	110.35	103.37
1	В	59	CR2	CA2-C2-N3	14.76	110.35	103.37
1	Е	59	CR2	CA2-C2-N3	14.67	110.31	103.37
1	G	59	CR2	CA2-C2-N3	14.65	110.30	103.37
1	М	59	CR2	CA2-C2-N3	14.43	110.19	103.37
1	J	59	CR2	CA2-C2-N3	14.31	110.14	103.37
1	F	59	CR2	CA2-C2-N3	14.31	110.14	103.37
1	А	59	CR2	CA2-C2-N3	14.11	110.04	103.37
1	С	59	CR2	CA2-C2-N3	14.02	110.00	103.37
1	Ι	59	CR2	CA2-C2-N3	14.00	109.99	103.37
1	0	59	CR2	CA2-C2-N3	13.81	109.90	103.37
1	D	59	CR2	CA2-C2-N3	13.74	109.87	103.37
1	В	59	CR2	O2-C2-CA2	-13.65	123.30	130.96
1	К	59	CR2	CA2-C2-N3	13.63	109.82	103.37
1	А	59	CR2	O2-C2-CA2	-13.60	123.33	130.96
1	Ν	59	CR2	O2-C2-CA2	-13.49	123.38	130.96
1	G	59	CR2	O2-C2-CA2	-13.40	123.44	130.96
1	С	59	CR2	O2-C2-CA2	-13.36	123.46	130.96
1	J	59	CR2	O2-C2-CA2	-13.25	123.52	130.96



5LT	'Q
-----	----

Conti	Continued from previous page						
Mol	Chain	$\mathbf{Res}$	Type	$\mathbf{Atoms}$		$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	D	59	CR2	O2-C2-CA2	-13.09	123.61	130.96
1	Е	59	CR2	O2-C2-CA2	-13.00	123.66	130.96
1	Р	59	CR2	CA2-C2-N3	12.97	109.51	103.37
1	L	59	CR2	O2-C2-CA2	-12.90	123.72	130.96
1	F	59	CR2	O2-C2-CA2	-12.69	123.83	130.96
1	М	59	CR2	O2-C2-CA2	-12.56	123.91	130.96
1	Н	59	CR2	O2-C2-CA2	-11.99	124.23	130.96
1	Ι	59	CR2	O2-C2-CA2	-11.76	124.35	130.96
1	K	59	CR2	O2-C2-CA2	-11.36	124.58	130.96
1	Р	59	CR2	O2-C2-CA2	-11.05	124.76	130.96
1	0	59	CR2	O2-C2-CA2	-10.42	125.11	130.96
1	G	59	CR2	C2-N3-C1	-6.08	105.02	107.99
1	L	59	CR2	C2-N3-C1	-6.03	105.04	107.99
1	N	59	CR2	C2-N3-C1	-5.65	105.23	107.99
1	А	59	CR2	C2-N3-C1	-5.64	105.23	107.99
1	Н	59	CR2	C2-CA2-N2	-5.59	105.02	108.93
1	0	59	CR2	CB2-CA2-C2	5.57	128.93	122.28
1	Н	59	CR2	C2-N3-C1	-5.57	105.27	107.99
1	В	59	CR2	C2-N3-C1	-5.48	105.31	107.99
1	0	59	CR2	C2-CA2-N2	-5.45	105.11	108.93
1	Ι	59	CR2	C2-CA2-N2	-5.45	105.11	108.93
1	М	59	CR2	C2-N3-C1	-5.44	105.33	107.99
1	Е	59	CR2	C2-N3-C1	-5.43	105.33	107.99
1	С	59	CR2	C2-N3-C1	-5.37	105.37	107.99
1	J	59	CR2	C2-N3-C1	-5.29	105.41	107.99
1	Р	59	CR2	CB2-CA2-C2	5.22	128.51	122.28
1	М	59	CR2	C2-CA2-N2	-5.22	105.28	108.93
1	Е	59	CR2	C2-CA2-N2	-5.14	105.33	108.93
1	L	59	CR2	C2-CA2-N2	-5.14	105.33	108.93
1	0	59	CR2	C2-N3-C1	-5.12	105.49	107.99
1	D	59	CR2	C2-N3-C1	-5.08	105.51	107.99
1	F	59	CR2	C2-N3-C1	-5.07	105.51	107.99
1	K	59	CR2	C2-CA2-N2	-5.06	105.39	108.93
1	В	59	CR2	C2-CA2-N2	-4.96	105.46	108.93
1	N	59	CR2	C2-CA2-N2	-4.93	105.48	108.93
1	F	59	CR2	C2-CA2-N2	-4.92	105.49	108.93
1	Р	59	CR2	C2-CA2-N2	-4.92	105.49	108.93
1	D	59	CR2	O3-C3-CA3	-4.92	111.54	126.39
1	С	59	CR2	O3-C3-CA3	-4.78	111.95	126.39
1	Р	59	CR2	C2-N3-C1	-4.76	105.67	107.99
1	G	59	CR2	C2-CA2-N2	-4.73	105.62	108.93
1	J	59	CR2	C2-CA2-N2	-4.71	105.63	108.93

\_



SDT Q	5	Ľ	[](	Q	
-------	---	---	-----	---	--

Continued from previous page							
NIOL	Chain	Kes	Type	Atoms	Z	Ubserved( <sup>8</sup> )	Ideal(°)
1	J	59	CR2	O3-C3-CA3	-4.65	112.35	126.39
1	F	59	CR2	O3-C3-CA3	-4.64	112.37	126.39
1	I	59	CR2	C2-N3-C1	-4.54	105.77	107.99
1	E	59	CR2	O3-C3-CA3	-4.43	113.00	126.39
1	K	59	CR2	C2-N3-C1	-4.43	105.83	107.99
1	G	59	CR2	O3-C3-CA3	-4.39	113.14	126.39
1	Н	59	CR2	O3-C3-CA3	-4.39	113.15	126.39
1	М	59	CR2	O3-C3-CA3	-4.37	113.20	126.39
1	K	59	CR2	O3-C3-CA3	-4.37	113.20	126.39
1	А	59	CR2	C2-CA2-N2	-4.36	105.88	108.93
1	N	59	CR2	O3-C3-CA3	-4.36	113.24	126.39
1	K	59	CR2	CB2-CA2-C2	4.34	127.46	122.28
1	L	59	CR2	O3-C3-CA3	-4.33	113.33	126.39
1	Ι	59	CR2	O3-C3-CA3	-4.33	113.33	126.39
1	Н	59	CR2	CB2-CA2-C2	4.32	127.43	122.28
1	Ι	59	CR2	CB2-CA2-C2	4.28	127.39	122.28
1	A	59	CR2	O3-C3-CA3	-4.27	113.51	126.39
1	D	59	CR2	C2-CA2-N2	-4.26	105.95	108.93
1	L	59	CR2	CB2-CA2-C2	4.24	127.34	122.28
1	В	59	CR2	O3-C3-CA3	-4.23	113.62	126.39
1	С	59	CR2	C2-CA2-N2	-4.23	105.97	108.93
1	М	59	CR2	CB2-CA2-C2	3.85	126.87	122.28
1	G	59	CR2	CB2-CA2-C2	3.60	126.57	122.28
1	Р	59	CR2	O3-C3-CA3	-3.45	115.96	126.39
1	Е	59	CR2	CB2-CA2-C2	3.45	126.39	122.28
1	F	59	CR2	CB2-CA2-C2	3.43	126.37	122.28
1	N	59	CR2	CB2-CA2-C2	3.21	126.11	122.28
1	J	59	CR2	CB2-CA2-C2	3.12	126.00	122.28
1	В	59	CR2	CB2-CA2-C2	3.07	125.94	122.28
1	0	59	CR2	O3-C3-CA3	-2.93	117.55	126.39
1	A	59	CR2	CB2-CA2-C2	2.91	125.75	122.28
1	D	59	CR2	CB2-CA2-C2	2.86	125.69	122.28
1	D	59	CR2	C1-CA1-N1	-2.57	107.16	112.85
1	С	59	CR2	CB2-CA2-C2	2.55	125.32	122.28
1	0	59	CR2	CG2-CB2-CA2	-2.33	127.09	129.94
1	A	59	CR2	C1-CA1-N1	-2.27	107.83	112.85
1	G	59	CR2	C1-CA1-N1	-2.24	107.89	112.85
1	0	59	CR2	CB2-CA2-N2	-2.07	125.96	128.83
1	P	59	CR2	CB2-CA2-N2	-2.04	126.00	128.83
1	0	59	CR2	CA1-C1-N3	2.01	125.21	122.52

ntia  $d f_{2}$ .....  $\alpha$ 

There are no chirality outliers.



All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	Р	59	CR2	C3-CA3-N3-C2

There are no ring outliers.

No monomer is involved in short contacts.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 16 ligands modelled in this entry, 16 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers (i)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ $>$ 2	$\mathbf{OWAB}(\mathbf{A}^2)$	Q<0.9
1	А	217/267~(81%)	-0.18	3 (1%) 75 78	21, 25, 31, 34	0
1	В	216/267~(80%)	-0.08	3 (1%) 75 78	22, 29, 39, 47	0
1	С	216/267~(80%)	-0.18	0 100 100	20, 26, 33, 37	0
1	D	218/267~(81%)	-0.21	0 100 100	20, 24, 32, 38	0
1	Ε	214/267~(80%)	-0.06	0 100 100	23,  33,  44,  47	0
1	F	221/267~(82%)	-0.02	0 100 100	22, 32, 42, 48	0
1	G	215/267~(80%)	-0.10	0 100 100	22, 31, 41, 45	0
1	Н	214/267~(80%)	-0.07	1 (0%) 91 92	22, 33, 45, 53	0
1	Ι	214/267~(80%)	0.37	4 (1%) 66 71	32, 49, 66, 72	0
1	J	221/267~(82%)	-0.06	0 100 100	23, 32, 41, 45	0
1	Κ	214/267~(80%)	0.42	8 (3%) 41 45	30,  48,  69,  74	0
1	L	216/267~(80%)	0.04	3 (1%) 75 78	24, 36, 53, 61	0
1	М	207/267~(77%)	0.66	15 (7%) 15 17	34, 53, 74, 80	0
1	Ν	216/267~(80%)	0.31	5 (2%) 60 64	27, 41, 66, 72	0
1	Ο	210/267~(78%)	1.44	54~(25%) 0 0	36,67,92,98	0
1	Р	$21\overline{6/267}\ (80\%)$	0.46	12 (5%) 24 26	26, 48, 65, 68	0
All	All	3445/4272 (80%)	0.17	108 (3%) 49 53	20, 35, 67, 98	0

#### All (108) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	0	71	MET	7.7
1	0	112	LYS	6.0
1	0	74	PHE	5.6
1	0	214	ALA	4.9
1	0	31	ASN	4.8



5LTQ	
------	--

Mol	Chain	Res	Type	RSRZ
1	Ο	27	THR	4.7
1	М	138	TRP	4.7
1	0	81	GLY	4.6
1	0	23	VAL	4.2
1	0	70	GLY	4.1
1	0	191	MET	4.0
1	K	83	GLY	3.9
1	0	213	LYS	3.8
1	0	206	LEU	3.8
1	0	111	ILE	3.8
1	K	184	ASN	3.7
1	K	107	GLU	3.6
1	0	108	GLY	3.6
1	А	184	ASN	3.5
1	М	166	ARG	3.5
1	0	216	THR	3.4
1	0	24	GLY	3.3
1	N	69	ASP	3.3
1	N	79	LYS	3.3
1	K	71	MET	3.3
1	0	9	LEU	3.3
1	N	184	ASN	3.2
1	K	31	ASN	3.2
1	0	47	GLN	3.1
1	0	25	ARG	3.1
1	0	189	GLN	3.1
1	0	200	LYS	3.1
1	0	106	TYR	3.0
1	Р	18	VAL	3.0
1	0	67	PHE	2.9
1	В	1	ALA	2.9
1	М	128	VAL	2.9
1	0	65	LEU	2.9
1	0	181	MET	2.8
1	K	106	TYR	2.8
1	0	151	ILE	2.8
1	Ο	164	GLY	2.7
1	L	38	ASN	2.7
1	Ο	28	GLY	2.7
1	0	162	GLY	2.7
1	Р	47	GLN	2.7
1	М	40	LYS	2.6



5LTQ
------

Mol	Chain	Res	Type	RSRZ
1	0	36	GLU	2.6
1	0	7	HIS	2.6
1	0	204	THR	2.5
1	0	163	SER	2.5
1	Р	45	ALA	2.5
1	0	211	TRP	2.5
1	В	69	ASP	2.5
1	М	47	GLN	2.5
1	0	32	ASP	2.5
1	Р	1	ALA	2.5
1	Ι	161	THR	2.4
1	N	4	PRO	2.4
1	N	25	ARG	2.4
1	0	113	GLY	2.4
1	0	80	ASP	2.4
1	0	184	ASN	2.4
1	K	25	ARG	2.4
1	Н	69	ASP	2.4
1	Р	116	GLN	2.3
1	0	66	PRO	2.3
1	М	45	ALA	2.3
1	Ι	69	ASP	2.3
1	М	203	LYS	2.3
1	М	67	PHE	2.3
1	Р	117	VAL	2.3
1	Р	205	GLU	2.3
1	А	187	LYS	2.3
1	М	194	PHE	2.3
1	0	33	GLY	2.3
1	Р	46	LEU	2.3
1	L	187	LYS	2.3
1	Р	112	LYS	2.3
1	В	184	ASN	2.3
1	М	199	LEU	2.2
1	М	52	ILE	2.2
1	0	118	ILE	2.2
1	0	152	ILE	2.2
1	0	104	TYR	2.2
1	Ο	105	THR	2.2
1	0	186	LEU	2.2
1	0	188	ASN	2.2
1	0	102	TYR	2.2



Mol	Chain	Res	Type	RSRZ
1	Ι	205	GLU	2.2
1	0	40	LYS	2.2
1	Ι	206	LEU	2.1
1	0	37	LEU	2.1
1	0	208	PHE	2.1
1	М	168	GLN	2.1
1	М	202	SER	2.1
1	0	148	ASP	2.1
1	L	203	LYS	2.1
1	0	146	PRO	2.1
1	М	107	GLU	2.1
1	Р	107	GLU	2.1
1	0	11	ILE	2.1
1	K	187	LYS	2.1
1	0	79	LYS	2.1
1	М	51	TRP	2.1
1	А	69	ASP	2.0
1	Р	25	ARG	2.0
1	Р	164	GLY	2.0

Continued from previous page...

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CR2	0	59	19/20	0.82	0.17	$61,\!63,\!69,\!69$	0
1	CR2	Р	59	19/20	0.85	0.14	40,41,44,44	0
1	CR2	K	59	19/20	0.87	0.14	41,43,46,46	0
1	CR2	М	59	19/20	0.90	0.15	44,47,51,52	0
1	CR2	Е	59	19/20	0.90	0.12	27,29,31,31	0
1	CR2	L	59	19/20	0.91	0.12	28,29,31,31	0
1	CR2	N	59	19/20	0.91	0.11	36,38,42,42	0
1	CR2	F	59	19/20	0.91	0.11	25,26,27,28	0
1	CR2	D	59	19/20	0.92	0.14	21,21,22,22	0
1	CR2	В	59	19/20	0.92	0.11	27,27,28,28	0
1	CR2	Н	59	19/20	0.92	0.13	27,28,31,32	0
1	CR2	Ι	59	19/20	0.93	0.13	43,45,48,48	0
1	CR2	J	59	19/20	0.93	0.11	25,27,28,29	0
1	CR2	А	59	19/20	0.94	0.10	21,21,22,22	0



0 0 1100	naca jio	n procioc	Page					
$\mathbf{Mol}$	Type	Chain	$\mathbf{Res}$	Atoms	RSCC	$\mathbf{RSR}$	${f B} ext{-factors}({ m \AA}^2)$	$Q{<}0.9$
1	CR2	С	59	19/20	0.94	0.11	$22,\!22,\!23,\!23$	0
1	CR2	G	59	19/20	0.94	0.10	$26,\!27,\!28,\!28$	0

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B} ext{-factors}({ m \AA}^2)$	Q<0.9
2	CL	0	301	1/1	0.78	0.18	$68,\!68,\!68,\!68$	0
2	CL	М	301	1/1	0.92	0.17	$52,\!52,\!52,\!52$	0
2	CL	N	301	1/1	0.94	0.09	$55,\!55,\!55,\!55$	0
2	CL	L	301	1/1	0.95	0.07	40,40,40,40	0
2	CL	Ι	301	1/1	0.95	0.08	49,49,49,49	0
2	CL	G	301	1/1	0.95	0.08	$33,\!33,\!33,\!33$	0
2	CL	Р	301	1/1	0.96	0.07	43,43,43,43	0
2	CL	D	301	1/1	0.97	0.11	33,33,33,33	0
2	CL	J	301	1/1	0.97	0.08	$35,\!35,\!35,\!35$	0
2	CL	В	301	1/1	0.97	0.06	34,34,34,34	0
2	CL	K	301	1/1	0.97	0.07	49,49,49,49	0
2	CL	F	301	1/1	0.98	0.06	32,32,32,32	0
2	CL	А	301	1/1	0.98	0.05	29,29,29,29	0
2	CL	С	301	1/1	0.99	0.06	33,33,33,33	0
2	CL	Н	301	1/1	0.99	0.05	39,39,39,39	0
2	CL	Ē	301	1/1	0.99	0.08	36,36,36,36	0

### 6.5 Other polymers (i)

There are no such residues in this entry.

