



Full wwPDB NMR Structure Validation Report ⓘ

Apr 21, 2024 – 01:55 AM EDT

PDB ID : 2LVU
BMRB ID : 18586
Title : Solution structure of Miz-1 zinc finger 10
Authors : Bedard, M.; Maltais, L.; Beaulieu, M.; Bernard, D.; Lavigne, P.
Deposited on : 2012-07-11

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 77%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	83	 19% 8% . 69%

2 Ensemble composition and analysis

This entry contains 20 models. Model 17 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:60-A:82 (23)	0.34	17

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters. No single-model clusters were found.

Cluster number	Models
1	3, 6, 9, 11, 13, 15, 18
2	5, 8, 10, 12, 14, 17
3	4, 7, 19, 20
4	1, 2, 16

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 429 atoms, of which 210 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Zinc finger and BTB domain-containing protein 17.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	26	428	133	210	46	37	2	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP Q13105

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	
			Total	Zn
2	A	1	1	1

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Zinc finger and BTB domain-containing protein 17




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: Zinc finger and BTB domain-containing protein 17



4.2.2 Score per residue for model 2



- Molecule 1: Zinc finger and BTB domain-containing protein 17






4.2.3 Score per residue for model 3

- Molecule 1: Zinc finger and BTB domain-containing protein 17




4.2.4 Score per residue for model 4

- Molecule 1: Zinc finger and BTB domain-containing protein 17



4.2.5 Score per residue for model 5

- Molecule 1: Zinc finger and BTB domain-containing protein 17



4.2.6 Score per residue for model 6

- Molecule 1: Zinc finger and BTB domain-containing protein 17

Chain A: 20% 7% . 69%

MET LYS PRO TYR VAL CYS HIS CYS ARG GLN PHE ALA ASP PRO PRO GLY LEU LEU GLN ARG HIS VAL ARG ARG ILE HIS THR GLY GLU LYS LYS CYS GLN VAL MET MET CYS GLY LYS PHE THR THR GLN ALA SER SER LEU LEU ILE ILE ALA HIS VAL ARG GLN HIS THR THR GLY GLU K58 P59 Y60

V61 C62 E63 R64 R68 A76 R80 D83

4.2.7 Score per residue for model 7

- Molecule 1: Zinc finger and BTB domain-containing protein 17

Chain A: 19% 8% . 69%

MET LYS PRO TYR VAL CYS HIS CYS ARG GLN PHE ALA ASP PRO PRO GLY LEU LEU GLN ARG HIS VAL ARG ARG ILE HIS THR GLY GLU LYS LYS CYS GLN VAL MET MET CYS GLY LYS PHE THR THR GLN ALA SER SER LEU LEU ILE ILE ALA HIS VAL ARG GLN HIS THR THR GLY GLU K58 P59 Y60

V61 C62 R68 L75 H78 I79 H82 D83

4.2.8 Score per residue for model 8

- Molecule 1: Zinc finger and BTB domain-containing protein 17

Chain A: 12% 14% . . 69%

MET LYS PRO TYR VAL CYS HIS CYS ARG GLN PHE ALA ASP PRO PRO GLY LEU LEU GLN ARG HIS VAL ARG ARG ILE HIS THR GLY GLU LYS LYS CYS GLN VAL MET MET CYS GLY LYS PHE THR THR GLN ALA SER SER LEU LEU ILE ILE ALA HIS VAL ARG GLN HIS THR THR GLY GLU K58 P59 Y60

V61 C62 E63 K67 R68 F69 V70 S72 L75 H78 I79 H82 D83

4.2.9 Score per residue for model 9

- Molecule 1: Zinc finger and BTB domain-containing protein 17


Chain A: 19% 8% . 69%

MET LYS PRO TYR VAL CYS HIS CYS ARG GLN PHE ALA ASP PRO PRO GLY LEU LEU GLN ARG HIS VAL ARG ARG ILE HIS THR GLY GLU LYS LYS CYS GLN VAL MET MET CYS GLY LYS PHE THR THR GLN ALA SER SER LEU LEU ILE ILE ALA HIS VAL ARG GLN HIS THR THR GLY GLU K58 P59 Y60

V61 C62 R68 F69 V70 Q71 Q74 I79 D83


4.2.10 Score per residue for model 10

- Molecule 1: Zinc finger and BTB domain-containing protein 17




4.2.11 Score per residue for model 11

- Molecule 1: Zinc finger and BTB domain-containing protein 17




4.2.12 Score per residue for model 12

- Molecule 1: Zinc finger and BTB domain-containing protein 17




4.2.13 Score per residue for model 13

- Molecule 1: Zinc finger and BTB domain-containing protein 17




4.2.14 Score per residue for model 14

- Molecule 1: Zinc finger and BTB domain-containing protein 17




4.2.15 Score per residue for model 15

- Molecule 1: Zinc finger and BTB domain-containing protein 17




4.2.16 Score per residue for model 16

- Molecule 1: Zinc finger and BTB domain-containing protein 17




4.2.17 Score per residue for model 17 (medoid)

- Molecule 1: Zinc finger and BTB domain-containing protein 17




4.2.18 Score per residue for model 18

- Molecule 1: Zinc finger and BTB domain-containing protein 17




4.2.19 Score per residue for model 19

- Molecule 1: Zinc finger and BTB domain-containing protein 17



4.2.20 Score per residue for model 20

- Molecule 1: Zinc finger and BTB domain-containing protein 17



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 300 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
ARIA	structure calculation	2.2
ARIA	refinement	2.2
CNS	structure calculation	1.21
CNS	refinement	1.21

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	877
Number of shifts mapped to atoms	283
Number of unparsed shifts	0
Number of shifts with mapping errors	594
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	77%

6 Model quality i

6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	193	186	185	5±2
All	All	3880	3720	3700	106

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:60:TYR:HB3	1:A:75:LEU:HG	0.88	1.42	11	6
1:A:61:VAL:HG22	1:A:68:ARG:HG2	0.76	1.54	12	5
1:A:62:CYS:HA	1:A:79:ILE:HD11	0.73	1.61	9	8
1:A:62:CYS:SG	1:A:79:ILE:HG12	0.64	2.32	19	3
1:A:75:LEU:O	1:A:78:HIS:HB3	0.63	1.93	14	11
1:A:61:VAL:HG22	1:A:68:ARG:HB3	0.57	1.75	1	7
1:A:62:CYS:SG	1:A:64:ARG:HB2	0.57	2.40	12	4
1:A:69:PHE:CE2	1:A:78:HIS:HB2	0.56	2.35	8	3
1:A:79:ILE:O	1:A:82:HIS:HB2	0.55	2.01	8	10
1:A:75:LEU:O	1:A:79:ILE:HG12	0.55	2.02	5	5
1:A:61:VAL:HB	1:A:68:ARG:HG2	0.54	1.78	18	2
1:A:71:GLN:HB2	1:A:74:GLN:CB	0.52	2.34	13	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:71:GLN:HB2	1:A:74:GLN:HB3	0.52	1.81	13	2
1:A:67:LYS:HB2	1:A:78:HIS:CE1	0.50	2.41	8	4
1:A:60:TYR:HB2	1:A:69:PHE:O	0.49	2.07	10	2
1:A:69:PHE:HE2	1:A:78:HIS:ND1	0.47	2.06	2	2
1:A:76:ALA:O	1:A:80:ARG:HB3	0.47	2.10	6	1
1:A:69:PHE:CE1	1:A:78:HIS:HB2	0.47	2.45	12	1
1:A:71:GLN:HE21	1:A:71:GLN:HA	0.47	1.70	8	1
1:A:61:VAL:HA	1:A:68:ARG:HA	0.45	1.86	19	3
1:A:71:GLN:NE2	1:A:74:GLN:HG3	0.44	2.28	17	1
1:A:75:LEU:O	1:A:75:LEU:HD13	0.44	2.11	14	6
1:A:64:ARG:HB2	1:A:82:HIS:CD2	0.44	2.48	13	1
1:A:65:CYS:SG	1:A:67:LYS:HG2	0.43	2.53	15	1
1:A:64:ARG:HD3	1:A:79:ILE:HG23	0.43	1.91	18	1
1:A:76:ALA:O	1:A:80:ARG:HG3	0.43	2.14	14	3
1:A:62:CYS:HB2	1:A:78:HIS:CD2	0.43	2.48	7	2
1:A:61:VAL:CB	1:A:68:ARG:HG2	0.42	2.43	18	1
1:A:61:VAL:HG22	1:A:68:ARG:CB	0.42	2.44	5	2
1:A:60:TYR:CE1	1:A:72:SER:HB3	0.42	2.49	8	1
1:A:69:PHE:CD1	1:A:74:GLN:HB3	0.42	2.50	10	1
1:A:65:CYS:SG	1:A:67:LYS:HD2	0.42	2.54	3	1
1:A:71:GLN:HB2	1:A:74:GLN:HB2	0.41	1.93	1	2
1:A:69:PHE:HB2	1:A:75:LEU:HB2	0.40	1.94	2	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	23/83 (28%)	22±1 (97±3%)	1±1 (3±3%)	0±0 (0±0%)	100	100
All	All	460/1660 (28%)	447 (97%)	13 (3%)	0 (0%)	100	100

There are no Ramachandran outliers.

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	21/72 (29%)	20±1 (97±4%)	1±1 (3±4%)	49 91
All	All	420/1440 (29%)	409 (97%)	11 (3%)	49 91

All 6 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	71	GLN	3
1	A	82	HIS	3
1	A	63	GLU	2
1	A	74	GLN	1
1	A	80	ARG	1
1	A	81	HIS	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues

There are no chain breaks in this entry.

7 Chemical shift validation i

The completeness of assignment taking into account all chemical shift lists is 77% for the well-defined parts and 76% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list*

7.1.1 Bookkeeping i

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	877
Number of shifts mapped to atoms	283
Number of unparsed shifts	0
Number of shifts with mapping errors	594
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- No matching atom found in the structure. All 594 occurrences are reported below.

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	23	VAL	H	8.27	0.007	1
1	A	23	VAL	N	114.222	0.038	1
1	A	23	VAL	CA	65.99	0.054	1
1	A	23	VAL	CB	31.834	0.06	1
1	A	24	ARG	H	6.764	0.01	1
1	A	24	ARG	N	118.135	0.046	1
1	A	24	ARG	CA	57.94	0.0	1
1	A	24	ARG	CB	29.865	0.005	1
1	A	25	ILE	H	7.682	0.009	1
1	A	25	ILE	N	115.964	0.027	1
1	A	25	ILE	CA	62.939	0.017	1
1	A	25	ILE	CB	37.491	0.025	1
1	A	26	HIS	H	7.282	0.009	1
1	A	26	HIS	N	117.871	0.051	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	26	HIS	CA	55.107	0.077	1
1	A	26	HIS	CB	27.955	0.062	1
1	A	27	THR	H	7.534	0.014	1
1	A	27	THR	N	112.24	0.029	1
1	A	27	THR	CA	62.725	0.038	1
1	A	27	THR	CB	69.495	0.054	1
1	A	18	ALA	H	8.022	0.008	1
1	A	18	ALA	N	125.453	0.028	1
1	A	18	ALA	CA	54.562	0.027	1
1	A	18	ALA	CB	18.794	0.027	1
1	A	19	LEU	H	6.804	0.006	1
1	A	19	LEU	N	118.428	0.012	1
1	A	19	LEU	CA	57.723	0.029	1
1	A	19	LEU	CB	40.447	0.06	1
1	A	20	GLN	H	7.931	0.008	1
1	A	20	GLN	N	118.513	0.023	1
1	A	20	GLN	CA	58.675	0.009	1
1	A	20	GLN	CB	27.969	0.006	1
1	A	21	ARG	H	7.727	0.004	1
1	A	21	ARG	N	116.497	0.045	1
1	A	21	ARG	CA	58.956	0.09	1
1	A	21	ARG	CB	30.353	0.003	1
1	A	46	SER	H	6.932	0.011	1
1	A	46	SER	N	118.211	0.025	1
1	A	46	SER	CA	60.656	0.059	1
1	A	46	SER	CB	62.578	0.085	1
1	A	47	LEU	H	7.132	0.008	1
1	A	47	LEU	N	124.822	0.038	1
1	A	47	LEU	CA	57.883	0.074	1
1	A	47	LEU	CB	40.99	0.067	1
1	A	48	ILE	H	8.152	0.007	1
1	A	48	ILE	N	118.672	0.05	1
1	A	48	ILE	CA	64.674	0.051	1
1	A	48	ILE	CB	37.786	0.039	1
1	A	49	ALA	H	7.237	0.006	1
1	A	49	ALA	N	120.061	0.041	1
1	A	49	ALA	CA	54.762	0.041	1
1	A	49	ALA	CB	18.004	0.051	1
1	A	50	HIS	H	7.429	0.009	1
1	A	50	HIS	N	117.236	0.063	1
1	A	50	HIS	CA	59.262	0.025	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	50	HIS	CB	28.579	0.049	1
1	A	51	VAL	H	8.581	0.007	1
1	A	51	VAL	N	119.094	0.02	1
1	A	51	VAL	CA	66.744	0.029	1
1	A	51	VAL	CB	31.657	0.046	1
1	A	4	TYR	H	7.733	0.008	1
1	A	4	TYR	N	118.693	0.043	1
1	A	4	TYR	CA	57.954	0.034	1
1	A	4	TYR	CB	38.475	0.034	1
1	A	3	PRO	CA	63.467	0.033	1
1	A	3	PRO	CB	32.306	0.069	1
1	A	5	VAL	H	8.42	0.008	1
1	A	5	VAL	N	123.592	0.033	1
1	A	5	VAL	CA	60.269	0.012	1
1	A	5	VAL	CB	34.83	0.027	1
1	A	6	CYS	H	9.004	0.005	1
1	A	6	CYS	N	128.449	0.031	1
1	A	6	CYS	CA	59.271	0.045	1
1	A	6	CYS	CB	29.754	0.045	1
1	A	7	ILE	H	8.658	0.006	1
1	A	7	ILE	N	128.379	0.044	1
1	A	7	ILE	CA	63.258	0.023	1
1	A	7	ILE	CB	37.975	0.06	1
1	A	8	HIS	H	8.502	0.011	1
1	A	8	HIS	N	121.674	0.03	1
1	A	8	HIS	CA	57.836	0.054	1
1	A	8	HIS	CB	29.345	0.03	1
1	A	17	GLY	H	8.254	0.006	1
1	A	17	GLY	N	110.007	0.066	1
1	A	17	GLY	CA	46.69	0.027	1
1	A	16	PRO	CA	64.165	0.026	1
1	A	16	PRO	CB	31.085	0.022	1
1	A	9	CYS	H	7.942	0.007	1
1	A	9	CYS	N	115.764	0.035	1
1	A	9	CYS	CA	58.494	0.016	1
1	A	9	CYS	CB	32.209	0.03	1
1	A	10	GLN	H	8.191	0.006	1
1	A	10	GLN	N	116.329	0.021	1
1	A	10	GLN	CA	58.438	0.035	1
1	A	10	GLN	CB	25.356	0.013	1
1	A	11	ARG	H	7.844	0.007	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	11	ARG	N	121.213	0.028	1
1	A	11	ARG	CA	57.912	0.025	1
1	A	11	ARG	CB	31.307	0.048	1
1	A	12	GLN	H	7.86	0.007	1
1	A	12	GLN	N	119.072	0.031	1
1	A	12	GLN	CA	54.345	0.059	1
1	A	12	GLN	CB	31.148	0.069	1
1	A	13	PHE	H	8.888	0.011	1
1	A	13	PHE	N	119.084	0.026	1
1	A	13	PHE	CA	57.278	0.019	1
1	A	14	ALA	H	8.962	0.003	1
1	A	14	ALA	N	121.775	0.047	1
1	A	14	ALA	CA	53.149	0.044	1
1	A	14	ALA	CB	19.805	0.029	1
1	A	15	ASP	H	7.351	0.006	1
1	A	15	ASP	N	114.226	0.019	1
1	A	15	ASP	CA	51.23	0.058	1
1	A	15	ASP	CB	42.66	0.014	1
1	A	42	THR	H	8.732	0.005	1
1	A	42	THR	N	108.612	0.056	1
1	A	42	THR	CB	69.488	0.083	1
1	A	42	THR	CA	62.005	0.074	1
1	A	39	LYS	H	7.877	0.005	1
1	A	39	LYS	N	123.49	0.03	1
1	A	39	LYS	CA	58.248	0.036	1
1	A	39	LYS	CB	33.551	0.002	1
1	A	40	ALA	H	7.89	0.005	1
1	A	40	ALA	N	125.467	0.039	1
1	A	40	ALA	CA	50.845	0.053	1
1	A	40	ALA	CB	21.18	0.063	1
1	A	41	PHE	H	8.342	0.006	1
1	A	41	PHE	N	117.232	0.03	1
1	A	41	PHE	CA	57.395	0.015	1
1	A	41	PHE	CB	44.113	0.039	1
1	A	43	GLN	H	7.257	0.006	1
1	A	43	GLN	N	118.161	0.025	1
1	A	43	GLN	CA	54.332	.	1
1	A	43	GLN	CB	31.631	.	1
1	A	22	HIS	H	7.374	0.008	1
1	A	22	HIS	N	118.228	0.022	1
1	A	22	HIS	CA	59.068	0.032	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	22	HIS	CB	28.49	0.025	1
1	A	13	PHE	CB	43.35	0.034	1
1	A	52	ARG	H	7.397	0.01	1
1	A	52	ARG	N	118.214	0.022	1
1	A	52	ARG	CA	58.801	.	1
1	A	52	ARG	CB	29.78	0.008	1
1	A	53	GLN	H	7.525	0.009	1
1	A	53	GLN	N	116.882	0.018	1
1	A	53	GLN	CA	57.204	0.019	1
1	A	53	GLN	CB	27.94	0.015	1
1	A	54	HIS	N	116.588	0.026	1
1	A	54	HIS	H	7.325	0.01	1
1	A	54	HIS	CA	56.657	0.056	1
1	A	54	HIS	CB	28.544	0.017	1
1	A	55	THR	H	7.707	0.004	1
1	A	55	THR	N	112.615	0.017	1
1	A	55	THR	CA	62.768	0.041	1
1	A	55	THR	CB	69.576	0.052	1
1	A	56	GLY	H	8.22	0.01	1
1	A	56	GLY	N	111.071	0.044	1
1	A	56	GLY	CA	45.302	0.018	1
1	A	57	GLU	H	7.9	0.004	1
1	A	57	GLU	N	120.313	0.005	1
1	A	57	GLU	CA	56.455	0.087	1
1	A	57	GLU	CB	30.322	0.026	1
1	A	29	GLU	H	7.885	0.003	1
1	A	29	GLU	N	119.771	0.041	1
1	A	29	GLU	CA	56.901	0.02	1
1	A	29	GLU	CB	30.255	0.05	1
1	A	28	GLY	H	8.112	0.011	1
1	A	28	GLY	N	110.227	0.029	1
1	A	28	GLY	CA	45.243	0.046	1
1	A	30	LYS	H	8.075	0.003	1
1	A	30	LYS	N	120.594	0.045	1
1	A	30	LYS	CA	53.768	.	1
1	A	30	LYS	CB	33.52	.	1
1	A	32	CYS	H	8.356	0.007	1
1	A	32	CYS	N	117.577	0.046	1
1	A	32	CYS	CA	57.325	0.07	1
1	A	32	CYS	CB	35.049	.	1
1	A	31	PRO	CA	63.434	0.063	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	31	PRO	CB	32.293	0.025	1
1	A	33	GLN	H	8.372	0.01	1
1	A	33	GLN	N	120.137	0.023	1
1	A	33	GLN	CA	54.101	0.038	1
1	A	33	GLN	CB	32.361	0.05	1
1	A	34	CYS	H	8.993	0.008	1
1	A	34	CYS	N	126.003	0.054	1
1	A	34	CYS	CA	59.22	0.045	1
1	A	34	CYS	CB	29.956	0.033	1
1	A	35	VAL	H	9.01	0.013	1
1	A	35	VAL	N	129.398	0.04	1
1	A	35	VAL	CA	64.03	0.051	1
1	A	35	VAL	CB	31.734	0.068	1
1	A	36	MET	N	120.946	0.056	1
1	A	36	MET	H	8.726	0.007	1
1	A	36	MET	CA	57.631	0.057	1
1	A	36	MET	CB	32.113	0.066	1
1	A	37	CYS	H	8.038	0.012	1
1	A	37	CYS	N	115.594	0.05	1
1	A	37	CYS	CA	58.484	0.023	1
1	A	37	CYS	CB	32.235	0.053	1
1	A	38	GLY	H	8.119	0.007	1
1	A	38	GLY	N	113.363	0.031	1
1	A	38	GLY	CA	45.994	0.03	1
1	A	45	SER	H	8.744	0.001	1
1	A	45	SER	N	111.824	0.018	1
1	A	45	SER	CA	61.015	0.053	1
1	A	45	SER	CB	61.493	0.038	1
1	A	44	ALA	CA	55.569	0.055	1
1	A	44	ALA	CB	17.913	0.04	1
1	A	3	PRO	C	176.021	.	1
1	A	4	TYR	C	174.332	.	1
1	A	5	VAL	C	174.141	.	1
1	A	6	CYS	C	177.123	.	1
1	A	7	ILE	C	175.653	.	1
1	A	8	HIS	C	176.78	.	1
1	A	9	CYS	C	174.989	.	1
1	A	10	GLN	C	174.724	.	1
1	A	11	ARG	C	174.125	.	1
1	A	12	GLN	C	175.08	.	1
1	A	13	PHE	C	174.976	.	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	14	ALA	C	176.59	.	1
1	A	16	PRO	C	178.827	.	1
1	A	17	GLY	C	175.863	.	1
1	A	18	ALA	C	180.54	.	1
1	A	19	LEU	C	176.841	.	1
1	A	20	GLN	C	178.29	.	1
1	A	21	ARG	C	178.324	.	1
1	A	22	HIS	C	176.672	.	1
1	A	23	VAL	C	176.856	.	1
1	A	24	ARG	C	178.102	.	1
1	A	25	ILE	C	177.015	.	1
1	A	26	HIS	C	175.472	.	1
1	A	27	THR	C	175.062	.	1
1	A	28	GLY	C	173.918	.	1
1	A	29	GLU	C	176.166	.	1
1	A	31	PRO	C	176.585	.	1
1	A	32	CYS	C	173.747	.	1
1	A	33	GLN	C	175.002	.	1
1	A	34	CYS	C	178.038	.	1
1	A	35	VAL	C	176.03	.	1
1	A	36	MET	C	176.951	.	1
1	A	37	CYS	C	175.989	.	1
1	A	38	GLY	C	173.535	.	1
1	A	39	LYS	C	173.961	.	1
1	A	40	ALA	C	176.533	.	1
1	A	41	PHE	C	174.934	.	1
1	A	42	THR	C	174.386	.	1
1	A	44	ALA	C	179.325	.	1
1	A	45	SER	C	177.517	.	1
1	A	46	SER	C	175.729	.	1
1	A	47	LEU	C	177.273	.	1
1	A	48	ILE	C	178.059	.	1
1	A	49	ALA	C	179.603	.	1
1	A	50	HIS	C	177.439	.	1
1	A	51	VAL	C	178.46	.	1
1	A	52	ARG	C	178.13	.	1
1	A	53	GLN	C	177.537	.	1
1	A	54	HIS	C	175.986	.	1
1	A	55	THR	C	175.14	.	1
1	A	56	GLY	C	173.958	.	1
1	A	57	GLU	C	176.139	.	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	3	PRO	CD	49.929	0.034	1
1	A	3	PRO	CG	26.582	0.016	1
1	A	7	ILE	CG1	26.684	0.059	1
1	A	7	ILE	CG2	17.445	0.056	1
1	A	7	ILE	CD1	13.836	0.09	1
1	A	10	GLN	CG	34.322	0.035	1
1	A	11	ARG	CD	43.622	.	1
1	A	11	ARG	CG	28.383	.	1
1	A	12	GLN	CG	33.754	0.048	1
1	A	16	PRO	CG	26.784	.	1
1	A	16	PRO	CD	49.894	0.036	1
1	A	19	LEU	CD1	23.328	.	1
1	A	20	GLN	CG	33.427	0.022	1
1	A	21	ARG	CD	43.232	0.012	1
1	A	21	ARG	CG	28.086	0.0	1
1	A	24	ARG	CD	43.555	.	1
1	A	24	ARG	CG	27.154	0.0	1
1	A	25	ILE	CG1	26.244	0.058	1
1	A	25	ILE	CG2	16.211	0.044	1
1	A	25	ILE	CD1	14.433	0.014	1
1	A	29	GLU	CG	36.152	0.019	1
1	A	31	PRO	CG	26.643	0.002	1
1	A	33	GLN	CG	33.837	.	1
1	A	35	VAL	CG2	20.386	0.007	1
1	A	35	VAL	CG1	20.386	0.007	1
1	A	36	MET	CG	30.113	.	1
1	A	39	LYS	CE	42.282	0.0	1
1	A	39	LYS	CD	29.114	0.0	1
1	A	39	LYS	CG	25.737	.	1
1	A	42	THR	CG2	22.213	.	1
1	A	48	ILE	CG1	29.124	0.065	1
1	A	48	ILE	CG2	16.934	0.044	1
1	A	48	ILE	CD1	12.592	0.021	1
1	A	52	ARG	CD	43.414	.	1
1	A	52	ARG	CG	27.738	.	1
1	A	53	GLN	CG	33.51	0.015	1
1	A	57	GLU	CG	36.063	0.005	1
1	A	4	TYR	HA	4.5	0.011	1
1	A	5	VAL	HA	4.634	0.009	1
1	A	6	CYS	HA	4.486	0.015	1
1	A	7	ILE	HA	3.929	0.015	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	8	HIS	HA	4.238	0.017	1
1	A	9	CYS	HA	5.041	0.018	1
1	A	10	GLN	HA	3.88	0.015	1
1	A	11	ARG	HA	3.935	0.013	1
1	A	12	GLN	HA	4.856	0.014	1
1	A	13	PHE	HA	4.487	0.003	1
1	A	15	ASP	HA	4.737	0.02	1
1	A	17	GLY	HA2	3.639	0.019	1
1	A	17	GLY	HA3	3.639	0.019	1
1	A	18	ALA	HA	3.841	0.022	1
1	A	19	LEU	HA	3.013	0.013	1
1	A	20	GLN	HA	3.79	0.014	1
1	A	21	ARG	HA	3.822	0.011	1
1	A	22	HIS	HA	4.131	0.016	1
1	A	24	ARG	HA	3.974	0.005	1
1	A	25	ILE	HA	3.844	0.011	1
1	A	26	HIS	HA	4.551	0.01	1
1	A	27	THR	HA	4.125	0.018	1
1	A	29	GLU	HA	4.048	0.015	1
1	A	30	LYS	HA	4.455	0.021	1
1	A	32	CYS	HA	4.514	.	1
1	A	34	CYS	HA	4.425	0.007	1
1	A	36	MET	HA	4.215	0.031	1
1	A	37	CYS	HA	5.064	0.008	1
1	A	38	GLY	HA3	4.156	0.016	2
1	A	39	LYS	HA	3.831	0.006	1
1	A	40	ALA	HA	4.868	0.023	1
1	A	41	PHE	HA	4.538	0.012	1
1	A	46	SER	HA	4.185	0.017	1
1	A	47	LEU	HA	2.801	0.01	1
1	A	48	ILE	HA	3.457	0.012	1
1	A	49	ALA	HA	3.902	0.01	1
1	A	50	HIS	HA	4.078	0.017	1
1	A	51	VAL	HA	3.484	0.017	1
1	A	52	ARG	HA	4.086	0.01	1
1	A	53	GLN	HA	3.992	0.013	1
1	A	54	HIS	HA	4.585	0.004	1
1	A	55	THR	HA	4.138	0.006	1
1	A	57	GLU	HA	4.141	0.016	1
1	A	43	GLN	HA	4.623	0.008	1
1	A	7	ILE	HB	1.71	0.009	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	7	ILE	HG21	0.658	0.007	1
1	A	7	ILE	HG22	0.658	0.007	1
1	A	7	ILE	HG23	0.658	0.007	1
1	A	7	ILE	HD11	0.597	0.004	1
1	A	7	ILE	HD12	0.597	0.004	1
1	A	7	ILE	HD13	0.597	0.004	1
1	A	7	ILE	HG13	0.968	0.007	1
1	A	7	ILE	HG12	0.968	0.007	1
1	A	16	PRO	HA	3.446	0.005	1
1	A	48	ILE	HB	1.647	0.016	1
1	A	48	ILE	HG12	1.472	0.015	2
1	A	48	ILE	HG13	1.041	0.008	2
1	A	48	ILE	HG21	0.748	0.017	1
1	A	48	ILE	HG22	0.748	0.017	1
1	A	48	ILE	HG23	0.748	0.017	1
1	A	48	ILE	HD11	0.67	0.009	1
1	A	48	ILE	HD12	0.67	0.009	1
1	A	48	ILE	HD13	0.67	0.009	1
1	A	51	VAL	HB	2.112	0.014	1
1	A	51	VAL	HG21	1.213	0.015	1
1	A	51	VAL	HG22	1.213	0.015	1
1	A	51	VAL	HG23	1.213	0.015	1
1	A	51	VAL	HG11	0.989	0.019	1
1	A	51	VAL	HG12	0.989	0.019	1
1	A	51	VAL	HG13	0.989	0.019	1
1	A	51	VAL	CG1	22.318	0.082	1
1	A	51	VAL	CG2	22.318	0.082	1
1	A	12	GLN	HG3	2.255	0.016	2
1	A	12	GLN	HG2	2.031	0.01	2
1	A	12	GLN	HB3	1.758	0.005	2
1	A	12	GLN	HB2	1.63	0.013	2
1	A	40	ALA	HB1	1.116	0.009	1
1	A	40	ALA	HB2	1.116	0.009	1
1	A	40	ALA	HB3	1.116	0.009	1
1	A	15	ASP	HB3	2.69	0.013	2
1	A	15	ASP	HB2	2.565	0.014	2
1	A	25	ILE	HB	1.589	0.009	1
1	A	25	ILE	HG13	0.763	0.018	1
1	A	25	ILE	HG12	0.763	0.018	1
1	A	25	ILE	HG21	0.455	0.005	1
1	A	25	ILE	HG22	0.455	0.005	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	25	ILE	HG23	0.455	0.005	1
1	A	25	ILE	HD11	0.544	0.006	1
1	A	25	ILE	HD12	0.544	0.006	1
1	A	25	ILE	HD13	0.544	0.006	1
1	A	18	ALA	HB1	1.497	0.011	1
1	A	18	ALA	HB2	1.497	0.011	1
1	A	18	ALA	HB3	1.497	0.011	1
1	A	14	ALA	HA	4.432	0.014	1
1	A	14	ALA	HB1	1.444	0.01	1
1	A	14	ALA	HB2	1.444	0.01	1
1	A	14	ALA	HB3	1.444	0.01	1
1	A	45	SER	HA	2.864	0.01	1
1	A	42	THR	HA	4.42	0.004	1
1	A	45	SER	HB3	3.217	0.011	2
1	A	45	SER	HB2	3.409	0.014	2
1	A	42	THR	HB	4.331	0.009	1
1	A	42	THR	HG21	1.079	0.011	1
1	A	42	THR	HG22	1.079	0.011	1
1	A	42	THR	HG23	1.079	0.011	1
1	A	55	THR	HG21	1.078	0.016	1
1	A	55	THR	HG22	1.078	0.016	1
1	A	55	THR	HG23	1.078	0.016	1
1	A	27	THR	HB	4.156	0.007	1
1	A	55	THR	HB	4.17	0.006	1
1	A	27	THR	HG21	1.069	0.019	1
1	A	27	THR	HG22	1.069	0.019	1
1	A	27	THR	HG23	1.069	0.019	1
1	A	4	TYR	HB3	2.861	0.004	2
1	A	4	TYR	HB2	2.734	0.011	2
1	A	5	VAL	HB	1.712	0.011	1
1	A	5	VAL	HG21	0.653	0.012	2
1	A	5	VAL	HG22	0.653	0.012	2
1	A	5	VAL	HG23	0.653	0.012	2
1	A	5	VAL	HG11	0.64	0.011	2
1	A	5	VAL	HG12	0.64	0.011	2
1	A	5	VAL	HG13	0.64	0.011	2
1	A	8	HIS	HB3	2.231	0.015	1
1	A	8	HIS	HB2	1.802	0.011	1
1	A	10	GLN	HG2	2.115	0.013	1
1	A	10	GLN	HG3	2.115	0.013	1
1	A	10	GLN	HB3	2.333	0.003	2

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	10	GLN	HB2	2.189	0.003	2
1	A	11	ARG	HD3	3.001	0.011	2
1	A	11	ARG	HB3	1.383	0.008	2
1	A	11	ARG	HB2	1.219	0.015	2
1	A	38	GLY	HA2	3.68	0.017	2
1	A	19	LEU	CD2	23.328	.	1
1	A	19	LEU	HB3	1.731	0.011	1
1	A	19	LEU	HB2	1.039	0.006	1
1	A	20	GLN	HG3	2.288	0.004	2
1	A	20	GLN	HG2	2.21	0.002	2
1	A	20	GLN	HB3	2.045	0.013	2
1	A	20	GLN	HB2	2.027	0.014	2
1	A	22	HIS	HB3	2.911	0.011	1
1	A	22	HIS	HB2	2.723	0.014	1
1	A	23	VAL	CG1	21.94	0.03	1
1	A	23	VAL	CG2	21.94	0.03	1
1	A	23	VAL	HA	3.494	0.018	1
1	A	23	VAL	HB	2.243	0.012	1
1	A	23	VAL	HG21	1.232	0.009	1
1	A	23	VAL	HG22	1.232	0.009	1
1	A	23	VAL	HG23	1.232	0.009	1
1	A	23	VAL	HG11	1.232	0.009	1
1	A	23	VAL	HG12	1.232	0.009	1
1	A	23	VAL	HG13	1.232	0.009	1
1	A	26	HIS	HB3	2.624	0.011	2
1	A	26	HIS	HB2	2.524	0.007	2
1	A	29	GLU	HB3	1.893	0.004	2
1	A	29	GLU	HB2	1.842	0.018	2
1	A	29	GLU	HG3	2.115	0.01	2
1	A	29	GLU	HG2	2.169	0.006	2
1	A	33	GLN	HA	5.021	0.011	1
1	A	33	GLN	HB3	1.714	0.006	2
1	A	33	GLN	HG2	1.912	0.016	1
1	A	33	GLN	HG3	1.912	0.016	1
1	A	33	GLN	HB2	1.656	0.008	2
1	A	34	CYS	HB3	3.272	0.013	1
1	A	34	CYS	HB2	2.783	0.014	1
1	A	37	CYS	HB3	3.348	0.013	1
1	A	9	CYS	HB3	3.346	0.014	2
1	A	9	CYS	HB2	2.745	0.012	2
1	A	37	CYS	HB2	2.756	0.011	1

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	44	ALA	HA	3.864	0.01	1
1	A	44	ALA	HB1	1.353	0.016	1
1	A	44	ALA	HB2	1.353	0.016	1
1	A	44	ALA	HB3	1.353	0.016	1
1	A	47	LEU	HB3	1.848	0.012	1
1	A	47	LEU	HB2	0.992	0.013	1
1	A	47	LEU	HG	1.311	0.009	1
1	A	47	LEU	HD21	0.78	0.007	2
1	A	47	LEU	HD22	0.78	0.007	2
1	A	47	LEU	HD23	0.78	0.007	2
1	A	47	LEU	HD11	0.641	0.014	2
1	A	47	LEU	HD12	0.641	0.014	2
1	A	47	LEU	HD13	0.641	0.014	2
1	A	49	ALA	HB1	1.326	0.013	1
1	A	49	ALA	HB2	1.326	0.013	1
1	A	49	ALA	HB3	1.326	0.013	1
1	A	50	HIS	HB3	3.05	0.015	1
1	A	50	HIS	HB2	2.868	0.01	1
1	A	5	VAL	CG1	20.921	.	1
1	A	5	VAL	CG2	20.921	.	1
1	A	6	CYS	HB3	3.281	0.015	1
1	A	6	CYS	HB2	2.747	0.016	1
1	A	53	GLN	HG3	2.231	0.011	2
1	A	53	GLN	HG2	2.145	0.006	2
1	A	53	GLN	HB3	1.836	0.01	2
1	A	53	GLN	HB2	1.791	0.012	2
1	A	28	GLY	HA3	3.813	0.003	2
1	A	28	GLY	HA2	3.879	0.007	2
1	A	56	GLY	HA3	3.875	0.008	2
1	A	56	GLY	HA2	3.816	0.002	2
1	A	57	GLU	HG3	2.133	0.008	2
1	A	57	GLU	HG2	2.091	0.004	2
1	A	57	GLU	HB3	1.905	0.006	2
1	A	57	GLU	HB2	1.814	0.008	2
1	A	3	PRO	HA	4.187	0.013	1
1	A	3	PRO	HD3	3.667	0.022	2
1	A	3	PRO	HD2	3.596	0.006	2
1	A	3	PRO	HG3	1.743	0.028	2
1	A	3	PRO	HG2	1.551	0.009	2
1	A	31	PRO	HA	4.401	0.008	1
1	A	31	PRO	HD3	3.62	0.022	2

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	31	PRO	HD2	3.568	0.013	2
1	A	31	PRO	HB3	2.081	0.009	2
1	A	31	PRO	HB2	2.123	0.006	2
1	A	31	PRO	HG3	1.901	0.01	2
1	A	31	PRO	HG2	1.839	0.004	2
1	A	3	PRO	HB3	1.904	0.011	2
1	A	3	PRO	HB2	1.233	0.003	2
1	A	11	ARG	HD2	2.789	0.007	2
1	A	13	PHE	HB3	3.133	0.012	1
1	A	13	PHE	HB2	2.566	0.015	1
1	A	16	PRO	HD3	3.614	0.063	2
1	A	16	PRO	HD2	3.075	0.01	2
1	A	21	ARG	HD3	3.154	0.004	2
1	A	21	ARG	HD2	3.01	0.003	2
1	A	21	ARG	HB3	1.72	0.004	2
1	A	21	ARG	HB2	1.661	0.006	2
1	A	39	LYS	HE3	2.796	0.021	2
1	A	41	PHE	HB3	3.11	0.017	1
1	A	41	PHE	HB2	2.497	0.014	1
1	A	54	HIS	HB3	3.24	0.012	1
1	A	54	HIS	HB2	3.05	0.014	1
1	A	35	VAL	HA	3.971	0.02	1
1	A	35	VAL	HB	2.185	0.025	1
1	A	35	VAL	HG21	0.928	0.012	1
1	A	35	VAL	HG22	0.928	0.012	1
1	A	35	VAL	HG23	0.928	0.012	1
1	A	35	VAL	HG11	0.925	0.014	1
1	A	35	VAL	HG12	0.925	0.014	1
1	A	35	VAL	HG13	0.925	0.014	1
1	A	54	HIS	CE1	142.684	.	1
1	A	54	HIS	HE1	7.926	0.007	1
1	A	26	HIS	CE1	142.684	.	1
1	A	26	HIS	HE1	7.93	0.006	1
1	A	22	HIS	CD2	130.313	0.0	1
1	A	22	HIS	HD2	6.848	0.008	1
1	A	50	HIS	CD2	130.313	0.0	1
1	A	50	HIS	HD2	6.889	0.005	1
1	A	19	LEU	HD21	0.879	0.023	2
1	A	19	LEU	HD22	0.879	0.023	2
1	A	19	LEU	HD23	0.879	0.023	2
1	A	19	LEU	HD11	0.791	0.011	2

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	19	LEU	HD12	0.791	0.011	2
1	A	19	LEU	HD13	0.791	0.011	2
1	A	10	GLN	HE22	7.092	0.003	1
1	A	10	GLN	HE21	6.363	0.004	1
1	A	10	GLN	NE2	111.99	0.022	1
1	A	12	GLN	HE22	7.488	0.003	1
1	A	12	GLN	HE21	6.637	0.008	1
1	A	12	GLN	NE2	111.271	0.003	1
1	A	54	HIS	CD2	130.312	0.0	1
1	A	54	HIS	HD2	6.562	0.008	1
1	A	26	HIS	CD2	131.261	0.018	1
1	A	26	HIS	HD2	6.57	0.006	1
1	A	4	TYR	HD1	6.878	0.009	3
1	A	4	TYR	HD2	6.878	0.009	3
1	A	13	PHE	HD1	7.031	0.002	3
1	A	13	PHE	HD2	7.031	0.002	3
1	A	41	PHE	HD1	7.032	0.003	3
1	A	41	PHE	HD2	7.032	0.003	3
1	A	13	PHE	CD1	135.106	0.013	3
1	A	13	PHE	CD2	135.106	0.013	3
1	A	41	PHE	CD1	135.325	0.029	3
1	A	41	PHE	CD2	135.325	0.029	3
1	A	4	TYR	CD1	136.107	0.009	3
1	A	4	TYR	CD2	136.107	0.009	3
1	A	11	ARG	HG2	1.724	0.011	1
1	A	11	ARG	HG3	1.724	0.011	1
1	A	21	ARG	HG3	1.36	0.008	1
1	A	21	ARG	HG2	1.36	0.008	1
1	A	24	ARG	HD2	3.061	0.006	1
1	A	24	ARG	HD3	3.067	0.002	1
1	A	24	ARG	HB2	1.741	0.0	1
1	A	24	ARG	HB3	1.741	0.0	1
1	A	24	ARG	HG3	1.655	0.003	2
1	A	24	ARG	HG2	1.55	0.003	2
1	A	36	MET	HB2	2.17	0.015	1
1	A	36	MET	HB3	2.17	0.015	1
1	A	36	MET	HG2	2.208	0.001	1
1	A	36	MET	HG3	2.208	0.001	1
1	A	39	LYS	HG3	1.208	0.002	2
1	A	39	LYS	HG2	0.835	0.007	2
1	A	39	LYS	HE2	2.709	0.002	2

Continued on next page...

Continued from previous page...

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	39	LYS	HB3	1.482	0.003	2
1	A	39	LYS	HB2	1.13	0.005	2
1	A	39	LYS	HD3	1.395	0.01	2
1	A	39	LYS	HD2	1.243	0.003	2
1	A	46	SER	HB3	3.974	.	2
1	A	46	SER	HB2	4.231	.	2

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	80	-0.27 ± 0.21	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	75	0.27 ± 0.39	None needed (< 0.5 ppm)
$^{13}\text{C}'$	74	0.09 ± 0.22	None needed (< 0.5 ppm)
^{15}N	74	-0.60 ± 1.18	None needed (imprecise)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 77%, i.e. 259 atoms were assigned a chemical shift out of a possible 335. 0 out of 3 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	108/116 (93%)	44/47 (94%)	43/46 (93%)	21/23 (91%)
Sidechain	137/178 (77%)	93/114 (82%)	43/51 (84%)	1/13 (8%)
Aromatic	14/41 (34%)	7/21 (33%)	7/16 (44%)	0/4 (0%)
Overall	259/335 (77%)	144/182 (79%)	93/113 (82%)	22/40 (55%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 76%, i.e. 283 atoms were assigned a chemical shift out of a possible 374. 0 out of 3 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	119/129 (92%)	49/52 (94%)	47/52 (90%)	23/25 (92%)
Sidechain	150/204 (74%)	101/130 (78%)	48/60 (80%)	1/14 (7%)
Aromatic	14/41 (34%)	7/21 (33%)	7/16 (44%)	0/4 (0%)
Overall	283/374 (76%)	157/203 (77%)	102/128 (80%)	24/43 (56%)

7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:

