



# Full wwPDB NMR Structure Validation Report ⓘ

May 28, 2020 – 11:21 pm BST

PDB ID : 2LXM  
Title : Lip5-chmp5  
Authors : Skalicky, J.J.; Sundquist, W.I.  
Deposited on : 2012-08-29

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : 2.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 71%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	168	
2	B	59	

## 2 Ensemble composition and analysis

This entry contains 10 models. Model 8 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *fewest violations*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:4-A:163, B:154-B:176, B:182-B:186 (188)	0.57	8

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 1 single-model cluster was found.

Cluster number	Models
1	1, 3, 5, 8, 10
2	2, 9
3	4, 7
Single-model clusters	6

### 3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3132 atoms, of which 1548 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Vacuolar protein sorting-associated protein VTA1 homolog.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	163	2642	839	1323	232	238	10	0


- Molecule 2 is a protein called Charged multivesicular body protein 5.

Mol	Chain	Residues	Atoms					Trace
			Total	C	H	N	O	
2	B	36	490	158	225	36	71	0

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	137	GLY	-	EXPRESSION TAG	UNP Q9NZZ3
B	138	HIS	-	EXPRESSION TAG	UNP Q9NZZ3






#### 4.2.2 Score per residue for model 2

- Molecule 1: Vacuolar protein sorting-associated protein VTA1 homolog




- Molecule 2: Charged multivesicular body protein 5




#### 4.2.3 Score per residue for model 3

- Molecule 1: Vacuolar protein sorting-associated protein VTA1 homolog




- Molecule 2: Charged multivesicular body protein 5




#### 4.2.4 Score per residue for model 4

- Molecule 1: Vacuolar protein sorting-associated protein VTA1 homolog




- Molecule 2: Charged multivesicular body protein 5




#### 4.2.5 Score per residue for model 5

- Molecule 1: Vacuolar protein sorting-associated protein VTA1 homolog




- Molecule 2: Charged multivesicular body protein 5




#### 4.2.6 Score per residue for model 6

- Molecule 1: Vacuolar protein sorting-associated protein VTA1 homolog




- Molecule 2: Charged multivesicular body protein 5




#### 4.2.7 Score per residue for model 7

- Molecule 1: Vacuolar protein sorting-associated protein VTA1 homolog




- Molecule 2: Charged multivesicular body protein 5




#### 4.2.8 Score per residue for model 8 (medoid)

- Molecule 1: Vacuolar protein sorting-associated protein VTA1 homolog




- Molecule 2: Charged multivesicular body protein 5




#### 4.2.9 Score per residue for model 9

- Molecule 1: Vacuolar protein sorting-associated protein VTA1 homolog






- Molecule 2: Charged multivesicular body protein 5




#### 4.2.10 Score per residue for model 10

- Molecule 1: Vacuolar protein sorting-associated protein VTA1 homolog



- Molecule 2: Charged multivesicular body protein 5



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 500 calculated structures, 10 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
XPLOR-NIH	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	input_cs.cif
Number of chemical shift lists	1
Total number of shifts	2276
Number of shifts mapped to atoms	2276
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	71%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality i

### 6.1 Standard geometry i

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1301	1305	1305	29±5
2	B	212	186	185	4±3
All	All	15130	14910	14900	317

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:127:VAL:O	1:A:130:VAL:HG22	0.71	1.85	1	10
1:A:129:THR:HG22	1:A:134:LEU:HD13	0.68	1.62	6	1
1:A:153:HIS:ND1	1:A:154:ASN:N	0.67	2.42	7	1
1:A:86:GLY:O	1:A:89:HIS:ND1	0.65	2.28	9	3
1:A:113:ASN:ND2	2:B:182:TYR:CE1	0.64	2.66	4	1
2:B:158:LEU:N	2:B:158:LEU:HD22	0.63	2.07	10	1
1:A:98:PHE:CG	1:A:141:HIS:NE2	0.62	2.66	8	2
1:A:20:HIS:ND1	1:A:38:CYS:SG	0.62	2.73	7	1
1:A:135:THR:N	1:A:138:ASN:HD22	0.61	1.92	10	2
1:A:47:MET:SD	1:A:48:LYS:N	0.61	2.73	4	3
1:A:52:LYS:O	1:A:53:THR:O	0.61	2.18	1	2
1:A:156:LEU:C	1:A:156:LEU:HD23	0.61	2.16	6	1
1:A:87:CYS:SG	1:A:88:ALA:N	0.60	2.74	5	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:87:CYS:SG	1:A:131:PHE:CE1	0.60	2.94	8	1
1:A:155:CYS:O	1:A:158:ASN:OD1	0.60	2.20	5	1
1:A:87:CYS:SG	1:A:131:PHE:CZ	0.60	2.94	3	2
2:B:175:LEU:HD12	2:B:175:LEU:O	0.60	1.97	3	1
1:A:126:ASP:O	1:A:129:THR:OG1	0.59	2.20	5	6
1:A:4:LEU:HD22	1:A:4:LEU:N	0.59	2.13	5	2
1:A:156:LEU:HD12	1:A:156:LEU:O	0.59	1.98	10	2
1:A:156:LEU:C	1:A:156:LEU:HD12	0.58	2.19	10	1
1:A:110:PHE:CD1	1:A:110:PHE:N	0.58	2.71	3	1
1:A:100:TYR:CE2	1:A:104:GLU:OE1	0.58	2.56	9	1
1:A:156:LEU:O	1:A:156:LEU:HD12	0.58	1.99	9	1
2:B:175:LEU:C	2:B:175:LEU:HD23	0.58	2.19	9	1
1:A:113:ASN:ND2	2:B:182:TYR:CD1	0.58	2.72	4	1
1:A:134:LEU:HD23	1:A:134:LEU:O	0.58	1.98	2	1
1:A:50:ASP:O	1:A:51:SER:CB	0.57	2.51	5	2
1:A:56:CYS:SG	1:A:57:ARG:N	0.57	2.78	9	1
1:A:109:ARG:O	1:A:114:MET:SD	0.57	2.62	7	4
1:A:27:HIS:O	1:A:31:ASP:N	0.57	2.38	8	10
1:A:110:PHE:CZ	1:A:162:PRO:O	0.57	2.58	9	1
1:A:47:MET:O	1:A:50:ASP:O	0.56	2.23	1	6
1:A:158:ASN:OD1	1:A:159:GLY:N	0.56	2.39	5	1
1:A:74:LEU:O	1:A:76:ASP:N	0.56	2.39	4	2
1:A:50:ASP:OD2	1:A:56:CYS:SG	0.56	2.63	1	2
1:A:50:ASP:OD2	1:A:53:THR:HG22	0.56	2.00	5	1
2:B:175:LEU:HD12	2:B:175:LEU:C	0.56	2.21	3	1
1:A:135:THR:O	1:A:138:ASN:ND2	0.56	2.39	10	2
1:A:146:ARG:O	1:A:150:THR:HG23	0.56	2.01	6	1
1:A:100:TYR:O	1:A:103:ASN:ND2	0.55	2.39	3	1
1:A:36:TYR:CD2	1:A:80:ILE:CD1	0.55	2.89	1	1
1:A:156:LEU:O	1:A:156:LEU:HD13	0.55	2.01	7	1
1:A:88:ALA:O	1:A:92:ASN:ND2	0.55	2.39	9	4
1:A:129:THR:HG22	1:A:134:LEU:HD11	0.55	1.78	5	2
1:A:98:PHE:CE2	1:A:102:ASP:OD2	0.55	2.59	1	1
1:A:20:HIS:NE2	1:A:127:VAL:CG2	0.55	2.70	4	2
2:B:158:LEU:N	2:B:158:LEU:CD2	0.54	2.69	10	1
1:A:89:HIS:CG	1:A:90:LEU:N	0.54	2.75	9	2
1:A:96:LYS:NZ	2:B:186:ALA:O	0.54	2.40	3	2
1:A:101:ALA:HB1	1:A:118:PHE:CE2	0.54	2.37	1	1
1:A:41:TYR:CE1	1:A:126:ASP:OD1	0.54	2.60	1	1
1:A:83:GLU:CD	1:A:83:GLU:H	0.54	2.04	1	2
1:A:113:ASN:OD1	2:B:182:TYR:CD1	0.54	2.60	9	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:157:GLU:OE1	2:B:157:GLU:N	0.54	2.41	5	1
1:A:30:ARG:NH1	2:B:184:ASP:OD1	0.54	2.41	5	1
1:A:4:LEU:N	1:A:4:LEU:CD2	0.54	2.71	5	2
2:B:183:LEU:O	2:B:183:LEU:HD23	0.54	2.02	1	1
1:A:129:THR:HG22	1:A:134:LEU:HD21	0.54	1.80	5	2
1:A:24:ALA:O	1:A:28:ASP:N	0.53	2.41	8	6
1:A:154:ASN:ND2	2:B:166:GLU:OE1	0.53	2.40	9	2
2:B:174:LEU:C	2:B:174:LEU:HD23	0.53	2.23	5	1
1:A:91:GLU:OE1	1:A:91:GLU:N	0.53	2.41	10	1
1:A:105:ASP:OD2	1:A:148:LYS:NZ	0.53	2.42	4	2
1:A:70:LEU:HD13	1:A:70:LEU:O	0.53	2.04	4	3
1:A:129:THR:O	1:A:131:PHE:N	0.53	2.41	8	3
1:A:133:GLU:N	1:A:133:GLU:OE1	0.53	2.42	8	1
1:A:50:ASP:O	1:A:51:SER:OG	0.52	2.27	5	1
2:B:175:LEU:O	2:B:175:LEU:HD13	0.52	2.03	10	2
1:A:110:PHE:O	1:A:111:HIS:CD2	0.52	2.62	3	1
1:A:78:GLU:CD	1:A:78:GLU:H	0.52	2.08	3	1
1:A:87:CYS:SG	1:A:131:PHE:CE2	0.52	3.00	3	1
1:A:83:GLU:O	1:A:87:CYS:SG	0.52	2.68	8	1
1:A:4:LEU:HD12	1:A:4:LEU:N	0.52	2.18	8	2
1:A:156:LEU:O	1:A:156:LEU:HD23	0.52	2.06	6	1
2:B:160:GLU:H	2:B:160:GLU:CD	0.51	2.07	5	1
1:A:156:LEU:HD23	1:A:156:LEU:O	0.51	2.06	3	1
1:A:110:PHE:O	1:A:111:HIS:CG	0.51	2.64	2	4
1:A:76:ASP:O	1:A:77:ASN:CB	0.51	2.58	6	1
1:A:135:THR:N	1:A:138:ASN:ND2	0.51	2.58	10	2
1:A:80:ILE:HD12	1:A:80:ILE:N	0.51	2.21	6	1
1:A:46:GLY:O	1:A:50:ASP:OD1	0.51	2.29	9	1
2:B:182:TYR:CG	2:B:183:LEU:N	0.50	2.79	9	1
1:A:49:ILE:O	1:A:50:ASP:O	0.50	2.28	3	2
1:A:161:THR:O	1:A:161:THR:HG23	0.50	2.07	1	1
1:A:80:ILE:N	1:A:80:ILE:CD1	0.50	2.74	6	1
1:A:76:ASP:O	1:A:77:ASN:O	0.50	2.29	1	4
1:A:47:MET:HG2	1:A:48:LYS:N	0.50	2.21	7	1
1:A:142:ARG:NH1	1:A:146:ARG:CZ	0.50	2.75	8	1
1:A:151:TYR:O	1:A:155:CYS:SG	0.50	2.68	7	2
1:A:34:VAL:O	1:A:38:CYS:SG	0.49	2.67	5	3
1:A:161:THR:HG23	1:A:161:THR:O	0.49	2.07	4	2
1:A:98:PHE:CE2	1:A:141:HIS:NE2	0.49	2.81	8	1
1:A:156:LEU:HD12	1:A:157:LYS:N	0.49	2.22	8	1
1:A:158:ASN:OD1	1:A:160:GLU:N	0.49	2.46	5	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:70:LEU:O	1:A:70:LEU:HD13	0.49	2.08	1	5
1:A:26:GLU:N	1:A:26:GLU:OE1	0.49	2.46	4	1
1:A:71:LYS:NZ	1:A:75:GLY:O	0.49	2.45	10	1
1:A:75:GLY:O	1:A:76:ASP:CB	0.49	2.60	6	1
2:B:157:GLU:N	2:B:157:GLU:CD	0.49	2.67	7	1
1:A:138:ASN:CG	1:A:139:VAL:N	0.48	2.66	5	2
1:A:156:LEU:C	1:A:156:LEU:HD13	0.48	2.29	7	1
1:A:98:PHE:CD2	1:A:102:ASP:OD2	0.48	2.67	5	2
1:A:56:CYS:SG	1:A:60:LEU:HD13	0.48	2.48	2	1
1:A:158:ASN:ND2	1:A:160:GLU:OE1	0.48	2.46	5	1
1:A:14:PHE:O	1:A:16:SER:N	0.48	2.47	6	1
1:A:129:THR:C	1:A:131:PHE:N	0.48	2.67	8	2
1:A:8:PRO:O	1:A:9:PRO:O	0.47	2.32	6	1
1:A:78:GLU:O	1:A:82:GLN:N	0.47	2.46	3	1
1:A:19:HIS:O	1:A:19:HIS:ND1	0.47	2.46	5	1
1:A:41:TYR:CD1	1:A:41:TYR:C	0.47	2.88	3	2
1:A:39:ARG:NH2	1:A:70:LEU:CB	0.47	2.78	10	1
1:A:123:LEU:O	1:A:127:VAL:HG13	0.47	2.09	8	1
1:A:56:CYS:O	1:A:60:LEU:N	0.47	2.39	9	1
1:A:43:MET:SD	1:A:47:MET:SD	0.47	3.13	8	1
1:A:4:LEU:N	1:A:4:LEU:CD1	0.47	2.78	8	2
1:A:158:ASN:OD1	1:A:158:ASN:C	0.47	2.54	5	1
1:A:156:LEU:HD23	1:A:156:LEU:C	0.47	2.30	3	1
1:A:134:LEU:HD21	1:A:139:VAL:CG1	0.46	2.40	2	1
1:A:39:ARG:HH22	1:A:70:LEU:CB	0.46	2.23	10	1
1:A:14:PHE:C	1:A:16:SER:N	0.46	2.67	6	1
1:A:43:MET:C	1:A:43:MET:SD	0.46	2.93	6	2
1:A:75:GLY:O	1:A:76:ASP:OD2	0.46	2.33	6	1
2:B:157:GLU:H	2:B:157:GLU:CD	0.46	2.12	7	1
1:A:113:ASN:OD1	1:A:114:MET:N	0.46	2.48	1	1
1:A:153:HIS:CE1	2:B:173:GLU:OE2	0.46	2.69	4	1
1:A:133:GLU:O	1:A:134:LEU:CB	0.46	2.64	1	1
1:A:98:PHE:CD1	1:A:141:HIS:NE2	0.46	2.83	8	1
1:A:20:HIS:HD1	1:A:38:CYS:HG	0.46	1.45	6	1
1:A:156:LEU:C	1:A:156:LEU:CD1	0.46	2.84	10	1
1:A:43:MET:SD	1:A:43:MET:C	0.46	2.95	7	1
1:A:99:LEU:O	1:A:103:ASN:ND2	0.45	2.49	2	2
1:A:98:PHE:CD2	1:A:141:HIS:NE2	0.45	2.65	8	1
2:B:171:GLY:O	2:B:175:LEU:N	0.45	2.47	5	1
2:B:171:GLY:O	2:B:175:LEU:CB	0.45	2.65	5	1
1:A:129:THR:O	1:A:132:GLY:N	0.45	2.48	2	3

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:170:LEU:O	2:B:174:LEU:N	0.45	2.40	5	1
1:A:77:ASN:O	1:A:80:ILE:N	0.45	2.48	3	3
1:A:47:MET:O	1:A:50:ASP:OD1	0.45	2.34	2	1
1:A:53:THR:CG2	1:A:56:CYS:SG	0.45	3.05	4	1
1:A:156:LEU:HG	1:A:157:LYS:N	0.45	2.27	10	2
2:B:157:GLU:CD	2:B:157:GLU:N	0.44	2.71	2	1
1:A:127:VAL:O	1:A:130:VAL:CG2	0.44	2.65	4	5
1:A:97:MET:SD	1:A:124:LEU:CD1	0.44	3.05	10	1
1:A:47:MET:SD	1:A:47:MET:C	0.44	2.96	1	1
1:A:64:MET:C	1:A:64:MET:SD	0.44	2.96	2	1
2:B:163:LEU:HD23	2:B:163:LEU:O	0.44	2.12	4	1
1:A:144:TYR:OH	2:B:155:THR:OG1	0.44	2.31	8	1
1:A:13:GLN:N	1:A:13:GLN:OE1	0.44	2.50	3	1
1:A:64:MET:SD	1:A:68:GLU:OE2	0.44	2.75	4	1
1:A:75:GLY:O	1:A:76:ASP:HB2	0.43	2.13	6	1
1:A:110:PHE:CE2	1:A:162:PRO:O	0.43	2.71	9	1
1:A:27:HIS:O	1:A:31:ASP:O	0.43	2.36	1	2
1:A:117:SER:OG	1:A:118:PHE:N	0.43	2.50	8	2
2:B:159:ASP:OD1	2:B:160:GLU:N	0.43	2.52	6	1
2:B:162:ASP:OD1	2:B:162:ASP:N	0.43	2.50	1	1
1:A:100:TYR:CZ	1:A:104:GLU:OE2	0.43	2.71	5	1
1:A:156:LEU:C	1:A:156:LEU:CD2	0.43	2.86	6	1
1:A:112:LYS:HA	1:A:115:ILE:HD12	0.43	1.90	1	1
1:A:47:MET:C	1:A:47:MET:SD	0.43	2.97	4	1
1:A:134:LEU:HD23	1:A:134:LEU:C	0.43	2.33	2	1
1:A:19:HIS:CD2	1:A:119:TYR:CE1	0.43	3.07	5	1
1:A:134:LEU:HD11	1:A:138:ASN:CB	0.43	2.44	9	1
1:A:58:LYS:O	1:A:61:SER:OG	0.43	2.34	6	2
1:A:84:ILE:O	1:A:87:CYS:SG	0.43	2.72	5	1
1:A:20:HIS:CE1	1:A:38:CYS:HG	0.43	2.26	6	1
1:A:154:ASN:O	1:A:158:ASN:OD1	0.43	2.37	9	1
1:A:161:THR:O	1:A:161:THR:CG2	0.43	2.67	1	2
1:A:19:HIS:HD1	1:A:19:HIS:C	0.43	2.16	5	1
1:A:146:ARG:HG3	1:A:147:TRP:N	0.43	2.29	3	1
1:A:63:LEU:HD13	1:A:63:LEU:O	0.42	2.13	6	1
1:A:75:GLY:O	1:A:76:ASP:OD1	0.42	2.37	8	1
1:A:53:THR:O	1:A:55:GLU:N	0.42	2.51	1	1
1:A:19:HIS:ND1	1:A:19:HIS:C	0.42	2.72	5	1
1:A:24:ALA:O	1:A:28:ASP:OD2	0.42	2.36	5	1
1:A:98:PHE:CD1	1:A:141:HIS:CE1	0.42	3.06	8	1
1:A:19:HIS:CD2	1:A:22:ARG:HH21	0.42	2.32	9	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:19:HIS:N	1:A:19:HIS:CD2	0.42	2.85	4	1
1:A:100:TYR:CE2	1:A:104:GLU:OE2	0.42	2.73	2	1
1:A:90:LEU:HD13	1:A:90:LEU:O	0.42	2.13	7	1
1:A:113:ASN:OD1	1:A:113:ASN:O	0.42	2.37	9	1
1:A:15:LYS:NZ	1:A:19:HIS:NE2	0.42	2.68	9	1
1:A:136:ASP:O	1:A:139:VAL:HG22	0.42	2.15	2	1
1:A:53:THR:HG23	1:A:56:CYS:H	0.42	1.74	5	1
2:B:162:ASP:O	2:B:166:GLU:CG	0.42	2.68	6	1
1:A:125:ILE:O	1:A:129:THR:HG23	0.42	2.15	8	1
2:B:182:TYR:CD1	2:B:182:TYR:C	0.42	2.91	9	1
1:A:134:LEU:HD21	1:A:139:VAL:HG13	0.42	1.90	2	1
1:A:30:ARG:NH1	2:B:184:ASP:CG	0.42	2.73	5	1
1:A:28:ASP:OD1	1:A:28:ASP:O	0.41	2.38	6	1
1:A:86:GLY:O	1:A:89:HIS:CE1	0.41	2.73	9	1
1:A:78:GLU:H	1:A:78:GLU:CD	0.41	2.18	2	1
1:A:111:HIS:N	1:A:111:HIS:ND1	0.41	2.66	6	1
1:A:30:ARG:HH12	2:B:184:ASP:CG	0.41	2.18	5	1
1:A:103:ASN:CG	1:A:104:GLU:N	0.41	2.73	3	1
2:B:157:GLU:O	2:B:157:GLU:CG	0.41	2.68	9	1
1:A:56:CYS:SG	1:A:60:LEU:CD1	0.41	3.09	5	1
1:A:153:HIS:NE2	1:A:157:LYS:CE	0.41	2.84	10	1
1:A:41:TYR:O	1:A:45:THR:OG1	0.41	2.34	9	1
1:A:42:ALA:O	1:A:46:GLY:N	0.41	2.42	9	1
1:A:47:MET:CG	1:A:48:LYS:N	0.41	2.83	9	1
1:A:47:MET:HG3	1:A:48:LYS:N	0.41	2.31	2	1
2:B:162:ASP:O	2:B:165:ALA:N	0.41	2.54	5	1
1:A:153:HIS:NE2	2:B:173:GLU:OE1	0.41	2.54	3	1
1:A:51:SER:OG	1:A:51:SER:O	0.41	2.34	9	1
1:A:116:LYS:HD3	2:B:174:LEU:HD21	0.41	1.92	5	1
1:A:41:TYR:CE1	1:A:45:THR:OG1	0.40	2.72	7	1
1:A:129:THR:HG22	1:A:134:LEU:HD22	0.40	1.94	9	1
1:A:136:ASP:O	1:A:137:GLU:C	0.40	2.59	2	1
1:A:18:GLN:OE1	1:A:19:HIS:N	0.40	2.54	7	1
1:A:78:GLU:C	1:A:80:ILE:H	0.40	2.20	7	1
1:A:52:LYS:C	1:A:53:THR:HG22	0.40	2.37	8	1
1:A:41:TYR:CE2	1:A:126:ASP:OD2	0.40	2.74	10	1



## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	159/168 (95%)	148±2 (93±2%)	8±2 (5±1%)	3±2 (2±1%)	13	56
2	B	27/59 (46%)	26±0 (97±1%)	0±0 (1±2%)	1±0 (2±2%)	10	49
All	All	1860/2270 (82%)	1745 (94%)	82 (4%)	33 (2%)	12	54

All 15 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	B	156	PRO	6
1	A	77	ASN	5
1	A	51	SER	4
1	A	52	LYS	3
1	A	130	VAL	2
1	A	53	THR	2
1	A	50	ASP	2
1	A	75	GLY	2
1	A	162	PRO	1
1	A	133	GLU	1
1	A	76	ASP	1
1	A	49	ILE	1
1	A	15	LYS	1
1	A	9	PRO	1
1	A	134	LEU	1

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	140/143 (98%)	128±2 (91±2%)	13±2 (9±2%)	13	60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	22/46 (48%)	18±1 (81±4%)	4±1 (19±4%)	4	36
All	All	1620/1890 (86%)	1453 (90%)	167 (10%)	11	55

All 75 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	B	167	LEU	10
2	B	166	GLU	10
1	A	70	LEU	10
1	A	53	THR	6
1	A	90	LEU	5
2	B	155	THR	5
1	A	76	ASP	4
1	A	27	HIS	4
1	A	58	LYS	4
1	A	81	THR	4
1	A	22	ARG	3
1	A	50	ASP	3
1	A	99	LEU	3
1	A	106	ARG	3
2	B	182	TYR	3
1	A	134	LEU	3
1	A	89	HIS	3
1	A	156	LEU	3
2	B	158	LEU	3
1	A	47	MET	3
1	A	83	GLU	3
1	A	111	HIS	3
1	A	10	LEU	3
1	A	155	CYS	2
1	A	56	CYS	2
1	A	55	GLU	2
1	A	85	VAL	2
1	A	39	ARG	2
1	A	43	MET	2
1	A	142	ARG	2
2	B	175	LEU	2
1	A	20	HIS	2
2	B	185	GLU	2
1	A	135	THR	2
1	A	163	GLN	2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
2	B	164	GLU	2
1	A	140	LYS	2
1	A	28	ASP	1
1	A	113	ASN	1
1	A	154	ASN	1
1	A	18	GLN	1
1	A	62	LYS	1
1	A	102	ASP	1
1	A	109	ARG	1
1	A	64	MET	1
1	A	87	CYS	1
1	A	104	GLU	1
1	A	63	LEU	1
1	A	136	ASP	1
1	A	114	MET	1
1	A	93	TYR	1
1	A	13	GLN	1
1	A	26	GLU	1
1	A	29	LYS	1
1	A	91	GLU	1
1	A	112	LYS	1
1	A	110	PHE	1
2	B	162	ASP	1
1	A	72	LYS	1
1	A	17	ILE	1
1	A	71	LYS	1
2	B	163	LEU	1
1	A	153	HIS	1
2	B	160	GLU	1
1	A	48	LYS	1
2	B	159	ASP	1
1	A	73	GLN	1
1	A	127	VAL	1
1	A	138	ASN	1
1	A	126	ASP	1
2	B	168	ASP	1
1	A	103	ASN	1
1	A	7	LEU	1
1	A	51	SER	1
1	A	116	LYS	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 6.7 Other polymers [i](#)

There are no such molecules in this entry.

### 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 71% for the well-defined parts and 72% for the entire structure.

### 7.1 Chemical shift list 1

File name: input\_cs.cif

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2276
Number of shifts mapped to atoms	2276
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

#### 7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	223	$-0.82 \pm 0.12$	Should be applied
$^{13}\text{C}_\beta$	200	$0.25 \pm 0.07$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
$^{15}\text{N}$	211	$0.06 \pm 0.17$	None needed ( $< 0.5$ ppm)

#### 7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 71%, i.e. 1676 atoms were assigned a chemical shift out of a possible 2359. 30 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	722/924 (78%)	361/368 (98%)	184/376 (49%)	177/180 (98%)
Sidechain	854/1248 (68%)	523/731 (72%)	317/463 (68%)	14/54 (26%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	100/187 (53%)	64/100 (64%)	35/79 (44%)	1/8 (12%)
Overall	1676/2359 (71%)	948/1199 (79%)	536/918 (58%)	192/242 (79%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 72%, i.e. 1757 atoms were assigned a chemical shift out of a possible 2454. 30 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	766/979 (78%)	383/390 (98%)	195/398 (49%)	188/191 (98%)
Sidechain	891/1288 (69%)	546/754 (72%)	331/480 (69%)	14/54 (26%)
Aromatic	100/187 (53%)	64/100 (64%)	35/79 (44%)	1/8 (12%)
Overall	1757/2454 (72%)	993/1244 (80%)	561/957 (59%)	203/253 (80%)

#### 7.1.4 Statistically unusual chemical shifts [i](#)


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	148	LYS	HB2	0.47	3.03 – 0.53	-5.2

#### 7.1.5 Random Coil Index (RCI) plots [i](#)

The images below report *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



Random coil index (RCI) for chain B:

