



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 20, 2024 – 01:35 PM EST

PDB ID : 4LY9  
Title : Human GKRP complexed to AMG-1694 [(2R)-1,1,1-trifluoro-2-{4-[(2S)-2-[(3S)-3-methylmorpholin-4-yl]methyl]-4-(thiophen-2-ylsulfonyl)piperazin-1-yl]phenyl}propan-2-ol] and sorbitol-6-phosphate  
Authors : Jordan, S.R.  
Deposited on : 2013-07-30  
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	637	 4% 72% 16% 8%
1	B	637	 3% 80% 11% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	IOD	A	711	-	-	X	-
2	IOD	B	710	-	-	X	-
5	GOL	B	717	-	-	X	-

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9364 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucokinase regulatory protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	585	4521	2882	774	841	24	0	0	0
1	B	590	4554	2901	781	848	24	0	0	0


There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	expression tag	UNP Q14397
A	-10	ALA	-	expression tag	UNP Q14397
A	-9	HIS	-	expression tag	UNP Q14397
A	-8	HIS	-	expression tag	UNP Q14397
A	-7	HIS	-	expression tag	UNP Q14397
A	-6	HIS	-	expression tag	UNP Q14397
A	-5	HIS	-	expression tag	UNP Q14397
A	-4	HIS	-	expression tag	UNP Q14397
A	-3	ASP	-	expression tag	UNP Q14397
A	-2	GLU	-	expression tag	UNP Q14397
A	-1	VAL	-	expression tag	UNP Q14397
A	0	ASP	-	expression tag	UNP Q14397
B	-11	MET	-	expression tag	UNP Q14397
B	-10	ALA	-	expression tag	UNP Q14397
B	-9	HIS	-	expression tag	UNP Q14397
B	-8	HIS	-	expression tag	UNP Q14397
B	-7	HIS	-	expression tag	UNP Q14397
B	-6	HIS	-	expression tag	UNP Q14397
B	-5	HIS	-	expression tag	UNP Q14397
B	-4	HIS	-	expression tag	UNP Q14397
B	-3	ASP	-	expression tag	UNP Q14397
B	-2	GLU	-	expression tag	UNP Q14397
B	-1	VAL	-	expression tag	UNP Q14397
B	0	ASP	-	expression tag	UNP Q14397

- Molecule 2 is IODIDE ION (three-letter code: IOD) (formula: I).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	12	Total I 12 12	0	0
2	B	14	Total I 14 14	0	0

- Molecule 3 is D-SORBITOL-6-PHOSPHATE (three-letter code: S6P) (formula: C<sub>6</sub>H<sub>15</sub>O<sub>9</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O P 16 6 9 1	0	0
3	B	1	Total C O P 16 6 9 1	0	0

- Molecule 4 is (2R)-1,1,1-trifluoro-2-{4-[(2S)-2-[(3S)-3-methylmorpholin-4-yl]methyl]-4-(thiophen-2-ylsulfonyl)piperazin-1-yl]phenyl}propan-2-ol (three-letter code: 1YY) (formula: C<sub>23</sub>H<sub>30</sub>F<sub>3</sub>N<sub>3</sub>O<sub>4</sub>S<sub>2</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf		
			Total	C	F	N	O			S	
4	A	1	Total	35	23	3	3	4	2	0	0
4	B	1	Total	35	23	3	3	4	2	0	0

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	C O		
5	A	1	Total	6 3 3	0	0
5	B	1	Total	6 3 3	0	0

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	56	Total	O	0	0
			56	56		
7	B	83	Total	O	0	0
			83	83		





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	148.87Å 148.87Å 132.40Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	28.87 – 2.35 28.87 – 2.35	Depositor EDS
% Data completeness (in resolution range)	98.8 (28.87-2.35) 98.9 (28.87-2.35)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.50 (at 2.36Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, $R_{free}$	0.214 , 0.270 0.216 , 0.267	Depositor DCC
$R_{free}$ test set	3430 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	41.0	Xtrriage
Anisotropy	0.089	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 36.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	0.025 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9364	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.45% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1YY, GOL, IOD, S6P, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.79	0/4603	0.90	9/6228 (0.1%)
1	B	0.82	0/4637	0.94	10/6274 (0.2%)
All	All	0.81	0/9240	0.92	19/12502 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
All	All	0	3

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	259	ARG	NE-CZ-NH2	-17.17	111.71	120.30
1	B	259	ARG	NE-CZ-NH1	13.78	127.19	120.30
1	A	227	ARG	NE-CZ-NH1	8.84	124.72	120.30
1	A	227	ARG	NE-CZ-NH2	-7.27	116.67	120.30
1	B	301	ARG	NE-CZ-NH2	-6.89	116.85	120.30
1	A	478	ARG	NE-CZ-NH1	6.79	123.69	120.30
1	A	273	LEU	CA-CB-CG	6.73	130.79	115.30
1	A	260	MET	CG-SD-CE	-6.48	89.83	100.20
1	B	507	ASP	CB-CG-OD2	-6.00	112.91	118.30
1	B	507	ASP	CB-CG-OD1	5.88	123.59	118.30
1	B	45	ASP	CB-CG-OD1	5.56	123.30	118.30
1	A	478	ARG	NE-CZ-NH2	-5.51	117.55	120.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	361	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	A	6	ARG	NE-CZ-NH1	5.39	123.00	120.30
1	A	236	MET	CG-SD-CE	5.26	108.62	100.20
1	B	273	LEU	CA-CB-CG	5.21	127.29	115.30
1	B	317	MET	CG-SD-CE	-5.21	91.86	100.20
1	B	6	ARG	NE-CZ-NH1	5.21	122.90	120.30
1	B	227	ARG	NE-CZ-NH2	-5.08	117.76	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	451	LYS	Peptide
1	A	69	SER	Peptide
1	B	448	PRO	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4521	0	4618	77	0
1	B	4554	0	4647	41	0
2	A	12	0	0	5	0
2	B	14	0	0	4	0
3	A	16	0	13	1	0
3	B	16	0	13	0	0
4	A	35	0	30	1	0
4	B	35	0	30	0	0
5	A	6	0	8	2	0
5	B	6	0	8	4	0
6	B	10	0	0	0	0
7	A	56	0	0	1	0
7	B	83	0	0	1	0
All	All	9364	0	9367	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:458:SER:OG	2:A:712:IOD:I	2.47	1.03
1:B:216:ASN:OD1	1:B:225:THR:HG21	1.81	0.78
1:B:508:LEU:C	1:B:508:LEU:HD12	2.11	0.71
1:B:122:ASN:HD22	5:B:717:GOL:H31	1.56	0.70
1:B:122:ASN:HD22	5:B:717:GOL:C3	2.05	0.70
1:A:245:LEU:HD13	1:A:269:LEU:HD21	1.73	0.68
1:A:317:MET:HE2	1:A:496:LEU:HD11	1.76	0.67
1:B:447:ILE:HB	1:B:448:PRO:HD2	1.77	0.66
1:B:337:THR:HG21	1:B:479:GLU:OE1	1.96	0.66
1:A:447:ILE:HG22	1:A:449:LEU:C	2.18	0.64
1:B:6:ARG:HD3	1:B:555:ALA:O	1.97	0.64
1:A:7:PHE:HB2	5:A:715:GOL:H32	1.80	0.63
1:A:468:TYR:HB2	2:A:701:IOD:I	2.68	0.63
1:A:6:ARG:HD3	1:A:555:ALA:O	2.00	0.62
1:A:474:GLN:HA	1:A:477:GLN:HE21	1.64	0.61
1:B:419:VAL:O	1:B:423:VAL:HG12	2.01	0.61
1:A:447:ILE:HG22	1:A:450:LYS:N	2.15	0.61
1:B:6:ARG:HD2	1:B:554:ALA:O	2.01	0.59
1:A:411:THR:HG21	1:A:478:ARG:NH2	2.17	0.59
1:A:6:ARG:HD2	1:A:554:ALA:O	2.03	0.58
1:B:74:LEU:HD21	1:B:296:LEU:HD22	1.84	0.58
1:A:433:ILE:O	1:A:434:GLN:O	2.22	0.58
1:A:236:MET:HE2	1:A:242:ALA:HB2	1.85	0.57
1:B:480:LEU:HD21	1:B:484:TRP:CH2	2.40	0.57
1:A:245:LEU:HD13	1:A:269:LEU:CD2	2.35	0.56
1:A:104:LEU:HD23	1:A:176:ILE:HB	1.89	0.55
1:A:411:THR:CG2	1:A:478:ARG:NH2	2.69	0.55
1:A:412:LEU:HD12	1:A:443:GLN:HB3	1.89	0.55
1:A:444:THR:O	1:A:446:PRO:HD3	2.06	0.54
1:A:207:GLY:O	1:A:246:ASN:HA	2.07	0.54
1:A:44:ALA:HB1	1:A:48:ASN:HB3	1.89	0.54
1:A:246:ASN:N	1:A:246:ASN:HD22	2.06	0.53
1:B:309:GLN:HE21	1:B:309:GLN:HA	1.74	0.53
1:A:430:THR:HG22	1:A:431:ASN:N	2.24	0.53
1:A:5:LYS:HB3	2:A:707:IOD:I	2.79	0.53
1:A:339:GLY:O	1:A:342:ALA:HB3	2.09	0.53
1:B:112:ARG:HD3	1:B:344:MET:HG2	1.89	0.53
1:A:512:ASN:C	1:A:512:ASN:HD22	2.12	0.53
1:A:228:GLN:HE22	1:B:228:GLN:HE22	1.56	0.52
1:B:286:ALA:HA	1:B:289:GLN:HE21	1.73	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:393:LEU:O	1:A:397:LEU:HB3	2.10	0.52
1:B:420:GLN:HA	1:B:423:VAL:CG1	2.40	0.52
1:A:416:LEU:N	1:A:416:LEU:HD12	2.25	0.51
1:B:246:ASN:HD22	1:B:246:ASN:N	2.07	0.51
1:B:159:GLY:HA2	1:B:186:PHE:CE1	2.46	0.51
1:A:317:MET:SD	1:A:492:GLY:HA3	2.51	0.51
1:A:431:ASN:H	1:A:431:ASN:HD22	1.57	0.51
1:A:447:ILE:HG23	1:A:449:LEU:HD23	1.92	0.51
1:A:18:LYS:HE3	2:A:711:IOD:I	2.81	0.51
1:A:236:MET:HB2	1:A:242:ALA:HB3	1.94	0.50
1:B:220:GLU:OE1	1:B:558:SER:OG	2.27	0.49
1:A:449:LEU:C	1:A:451:LYS:H	2.16	0.49
1:A:316:LEU:HD13	1:A:489:VAL:HG21	1.95	0.49
1:B:414:ASP:O	1:B:416:LEU:N	2.46	0.49
1:A:159:GLY:HA2	1:A:186:PHE:CE1	2.48	0.49
1:B:122:ASN:HD22	5:B:717:GOL:H32	1.77	0.49
1:A:332:LEU:HB3	1:A:342:ALA:HB1	1.95	0.48
1:B:458:SER:HB3	2:B:710:IOD:I	2.84	0.48
1:A:53:LEU:HD12	1:A:488:THR:HG23	1.94	0.48
1:A:46:ALA:HA	1:A:317:MET:CE	2.43	0.48
1:B:140:GLY:O	1:B:149:ARG:NH2	2.46	0.48
1:B:451:LYS:HA	1:B:451:LYS:HE3	1.97	0.47
1:A:146:VAL:CG1	1:A:146:VAL:O	2.62	0.47
1:A:416:LEU:O	1:A:420:GLN:HG3	2.14	0.47
1:A:252:GLU:OE1	1:A:260:MET:HB2	2.14	0.47
1:A:283:GLN:HB2	1:A:285:ILE:HG22	1.96	0.47
1:A:414:ASP:O	1:A:415:ASN:CB	2.63	0.47
1:A:272:THR:HA	1:A:295:ILE:HG21	1.96	0.46
1:B:529:GLN:HE22	1:B:533:ARG:HH21	1.63	0.46
1:A:512:ASN:ND2	1:A:515:LEU:H	2.14	0.46
1:B:448:PRO:HA	1:B:451:LYS:H	1.80	0.46
1:A:101:LEU:HD21	1:A:166:VAL:HG13	1.97	0.46
1:A:180:VAL:HG11	1:A:258:SER:HB2	1.98	0.46
1:A:280:THR:HB	1:A:285:ILE:HG23	1.97	0.46
1:B:309:GLN:HA	1:B:309:GLN:NE2	2.30	0.46
1:B:136:TYR:HD1	5:B:717:GOL:H12	1.81	0.46
1:B:225:THR:H	1:B:228:GLN:HE21	1.64	0.46
1:A:422:ILE:O	1:A:426:VAL:HG23	2.16	0.45
1:A:419:VAL:O	1:A:423:VAL:HG23	2.17	0.45
1:A:46:ALA:HA	1:A:317:MET:HE1	1.99	0.45
1:A:18:LYS:HD2	2:A:711:IOD:I	2.86	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:427:LYS:HA	1:A:430:THR:O	2.17	0.44
1:A:361:ARG:CG	1:A:361:ARG:HH11	2.30	0.44
1:A:529:GLN:HE21	1:A:533:ARG:HE	1.65	0.44
1:A:35:ASN:C	1:A:35:ASN:HD22	2.21	0.44
1:A:529:GLN:HE22	1:A:533:ARG:HH21	1.66	0.44
1:A:7:PHE:HB2	5:A:715:GOL:C3	2.46	0.43
1:A:91:GLN:HG2	1:A:281:VAL:HG13	2.00	0.43
1:B:529:GLN:NE2	1:B:533:ARG:HE	2.17	0.43
1:A:278:HIS:O	1:A:281:VAL:HG22	2.19	0.43
1:A:14:PRO:HG2	1:A:19:TRP:CD2	2.52	0.43
1:B:412:LEU:HD12	1:B:443:GLN:HB3	1.98	0.43
1:A:124:LEU:O	1:A:128:LEU:HG	2.19	0.43
1:B:475:LYS:HE2	1:B:479:GLU:OE1	2.19	0.43
1:B:477:GLN:NE2	7:B:831:HOH:O	2.52	0.43
1:B:106:GLY:O	1:B:138:ILE:HA	2.19	0.43
1:A:310:SER:HB2	1:A:311:PRO:HD3	2.01	0.43
1:B:571:ILE:HB	1:B:572:PRO:HD3	2.00	0.43
1:A:228:GLN:HE22	1:B:228:GLN:NE2	2.15	0.42
1:A:283:GLN:CB	1:A:285:ILE:HG22	2.49	0.42
1:A:447:ILE:O	1:A:450:LYS:HB2	2.19	0.42
1:B:5:LYS:HB2	2:B:708:IOD:I	2.89	0.42
1:A:414:ASP:O	1:A:415:ASN:HB2	2.19	0.42
1:A:121:PHE:HB3	1:A:134:TYR:CE2	2.55	0.42
1:B:444:THR:O	1:B:446:PRO:HD3	2.20	0.42
1:A:466:PHE:O	1:A:466:PHE:CD1	2.73	0.41
3:A:713:S6P:O1P	7:A:825:HOH:O	2.21	0.41
4:A:714:1YY:H25	4:A:714:1YY:H30	1.81	0.41
1:B:164:LYS:HG2	2:B:712:IOD:I	2.91	0.41
1:B:480:LEU:CD2	1:B:484:TRP:CH2	3.03	0.41
1:A:317:MET:CE	1:A:496:LEU:HD11	2.46	0.41
1:B:445:LEU:HG	2:B:710:IOD:I	2.91	0.41
1:A:112:ARG:HD3	1:A:344:MET:HG2	2.02	0.41
1:A:343:ILE:HA	1:A:362:GLY:HA3	2.02	0.41
1:A:438:HIS:CG	1:A:478:ARG:HG2	2.56	0.41
1:A:124:LEU:HD12	1:A:472:PHE:CD2	2.56	0.40
1:A:246:ASN:HD22	1:A:246:ASN:H	1.69	0.40
1:A:137:LEU:HD23	1:A:137:LEU:HA	1.88	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	579/637 (91%)	537 (93%)	33 (6%)	9 (2%)	9	8
1	B	584/637 (92%)	562 (96%)	17 (3%)	5 (1%)	17	17
All	All	1163/1274 (91%)	1099 (94%)	50 (4%)	14 (1%)	13	11

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	415	ASN
1	A	434	GLN
1	B	415	ASN
1	B	448	PRO
1	A	326	LYS
1	A	456	ILE
1	B	127	GLY
1	A	260	MET
1	A	336	GLN
1	B	446	PRO
1	A	168	ALA
1	B	260	MET
1	A	462	PRO
1	A	447	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	498/542 (92%)	458 (92%)	40 (8%)	12	12
1	B	501/542 (92%)	472 (94%)	29 (6%)	20	22
All	All	999/1084 (92%)	930 (93%)	69 (7%)	15	15

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LYS
1	A	6	ARG
1	A	25	GLU
1	A	35	ASN
1	A	131	LYS
1	A	170	LYS
1	A	172	ARG
1	A	227	ARG
1	A	246	ASN
1	A	273	LEU
1	A	285	ILE
1	A	316	LEU
1	A	322	THR
1	A	327	LYS
1	A	332	LEU
1	A	341	ILE
1	A	358	ARG
1	A	361	ARG
1	A	388	SER
1	A	394	THR
1	A	395	SER
1	A	402	GLU
1	A	415	ASN
1	A	420	GLN
1	A	427	LYS
1	A	431	ASN
1	A	440	THR
1	A	444	THR
1	A	445	LEU
1	A	449	LEU
1	A	450	LYS
1	A	458	SER
1	A	463	LEU
1	A	467	GLU
1	A	471	ASN

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	473	ILE
1	A	503	ASN
1	A	512	ASN
1	A	559	CYS
1	A	605	LEU
1	B	6	ARG
1	B	9	HIS
1	B	47	GLU
1	B	69	SER
1	B	72	GLN
1	B	143	ARG
1	B	166	VAL
1	B	197	ASN
1	B	225	THR
1	B	227	ARG
1	B	246	ASN
1	B	285	ILE
1	B	304	GLN
1	B	337	THR
1	B	347	VAL
1	B	415	ASN
1	B	423	VAL
1	B	434	GLN
1	B	445	LEU
1	B	448	PRO
1	B	449	LEU
1	B	450	LYS
1	B	451	LYS
1	B	455	SER
1	B	463	LEU
1	B	471	ASN
1	B	499	LYS
1	B	503	ASN
1	B	562	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	9	HIS
1	A	35	ASN
1	A	91	GLN
1	A	123	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	190	GLN
1	A	196	ASN
1	A	246	ASN
1	A	309	GLN
1	A	415	ASN
1	A	431	ASN
1	A	471	ASN
1	A	477	GLN
1	A	503	ASN
1	A	512	ASN
1	A	529	GLN
1	B	9	HIS
1	B	39	GLN
1	B	48	ASN
1	B	55	GLN
1	B	196	ASN
1	B	197	ASN
1	B	228	GLN
1	B	246	ASN
1	B	289	GLN
1	B	309	GLN
1	B	384	GLN
1	B	389	GLN
1	B	425	GLN
1	B	431	ASN
1	B	434	GLN
1	B	471	ASN
1	B	474	GLN
1	B	503	ASN
1	B	529	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 34 ligands modelled in this entry, 26 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	SO4	B	718	-	4,4,4	0.64	0	6,6,6	0.49	0
4	1YY	A	714	-	37,38,38	1.94	8 (21%)	43,58,58	2.63	14 (32%)
5	GOL	A	715	-	5,5,5	0.77	0	5,5,5	0.87	0
3	S6P	B	715	-	15,15,15	1.38	2 (13%)	21,21,21	1.06	1 (4%)
5	GOL	B	717	-	5,5,5	0.58	0	5,5,5	0.78	0
4	1YY	B	716	-	37,38,38	1.73	7 (18%)	43,58,58	2.11	9 (20%)
6	SO4	B	719	-	4,4,4	0.66	0	6,6,6	0.65	0
3	S6P	A	713	-	15,15,15	1.27	2 (13%)	21,21,21	1.38	5 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	1YY	A	714	-	-	6/29/59/59	0/4/4/4
5	GOL	A	715	-	-	2/4/4/4	-
3	S6P	B	715	-	-	0/20/20/20	-
5	GOL	B	717	-	-	4/4/4/4	-
4	1YY	B	716	-	-	4/29/59/59	0/4/4/4
3	S6P	A	713	-	-	0/20/20/20	-

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	714	1YY	O2-S1	5.27	1.49	1.43
4	A	714	1YY	C3-N2	-5.05	1.42	1.47
4	A	714	1YY	O1-S1	4.94	1.49	1.43
4	B	716	1YY	O1-S1	4.61	1.48	1.43
4	B	716	1YY	O2-S1	4.41	1.48	1.43
4	B	716	1YY	S1-N1	4.10	1.69	1.63
3	A	713	S6P	C2-C3	-3.19	1.47	1.53
4	A	714	1YY	C1-N1	-3.14	1.44	1.47
3	B	715	S6P	P-O3P	3.06	1.60	1.50
4	A	714	1YY	C2-C3	2.93	1.57	1.52
3	B	715	S6P	C2-C3	-2.90	1.48	1.53
4	B	716	1YY	C3-N2	-2.74	1.44	1.47
4	A	714	1YY	C23-C16	-2.62	1.50	1.53
4	A	714	1YY	C6-S2	-2.60	1.67	1.72
3	A	713	S6P	P-O3P	2.54	1.58	1.50
4	B	716	1YY	C18-N3	2.52	1.52	1.47
4	B	716	1YY	C6-S1	-2.36	1.73	1.76
4	B	716	1YY	C1-N1	-2.30	1.45	1.47
4	A	714	1YY	C16-C13	-2.21	1.50	1.53

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	714	1YY	C8-C9-S2	-8.71	105.91	112.98
4	A	714	1YY	C1-N1-C2	-8.36	103.39	112.70
4	B	716	1YY	C1-N1-C2	-7.52	104.32	112.70
4	B	716	1YY	C4-C1-N1	5.87	113.41	108.91
4	B	716	1YY	C8-C9-S2	-4.89	109.01	112.98
4	A	714	1YY	C19-O4-C20	4.42	116.10	109.97
4	A	714	1YY	C4-C1-N1	4.30	112.20	108.91
4	B	716	1YY	C1-N1-S1	-4.24	109.35	117.05
4	A	714	1YY	C17-C16-C13	-3.64	104.34	110.65
4	A	714	1YY	C1-N1-S1	-3.40	110.87	117.05
4	A	714	1YY	C4-N2-C3	3.18	119.70	115.28
4	A	714	1YY	C2-N1-S1	-3.11	111.63	117.26
4	A	714	1YY	C1-C4-N2	3.07	118.44	111.05
4	A	714	1YY	O1-S1-N1	2.94	109.37	106.69
3	A	713	S6P	O6-P-O3P	2.88	114.55	106.47
4	B	716	1YY	C19-O4-C20	-2.58	106.40	109.97
3	A	713	S6P	O2P-P-O3P	-2.56	100.68	110.68
4	B	716	1YY	O2-S1-O1	-2.52	115.44	119.52
4	A	714	1YY	C6-S1-N1	2.42	111.27	106.81
4	A	714	1YY	O3-C16-C23	2.40	109.74	106.18

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	713	S6P	O2P-P-O1P	2.36	116.65	107.64
4	B	716	1YY	C18-N3-C21	2.34	115.69	110.52
4	A	714	1YY	F1-C23-F3	2.30	114.55	107.53
4	A	714	1YY	C14-C13-C16	-2.23	119.01	121.46
4	B	716	1YY	O4-C20-C21	2.18	117.64	111.48
3	B	715	S6P	O2P-P-O6	2.10	112.32	106.73
3	A	713	S6P	C1-C2-C3	-2.07	107.93	112.41
3	A	713	S6P	C5-C4-C3	-2.04	109.27	112.47
4	B	716	1YY	O1-S1-C6	2.03	111.30	107.36

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	714	1YY	C2-C3-C5-N3
4	B	716	1YY	C2-C3-C5-N3
4	B	716	1YY	C2-N1-S1-C6
4	B	716	1YY	C2-N1-S1-O2
4	A	714	1YY	C2-N1-S1-O2
5	A	715	GOL	O2-C2-C3-O3
5	B	717	GOL	O1-C1-C2-O2
5	A	715	GOL	C1-C2-C3-O3
5	B	717	GOL	O1-C1-C2-C3
4	A	714	1YY	C2-N1-S1-C6
5	B	717	GOL	O2-C2-C3-O3
4	B	716	1YY	C3-C5-N3-C21
5	B	717	GOL	C1-C2-C3-O3
4	A	714	1YY	C3-C5-N3-C18
4	A	714	1YY	N2-C3-C5-N3
4	A	714	1YY	C17-C16-C23-F2


There are no ring outliers.


4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	714	1YY	1	0
5	A	715	GOL	2	0
5	B	717	GOL	4	0
3	A	713	S6P	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	585/637 (91%)	0.16	26 (4%) 34 46	23, 45, 80, 128	0
1	B	590/637 (92%)	0.04	21 (3%) 42 55	21, 40, 70, 121	0
All	All	1175/1274 (92%)	0.10	47 (4%) 38 51	21, 42, 77, 128	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	449	LEU	11.8
1	B	448	PRO	8.1
1	A	465	PHE	5.5
1	A	357	PHE	4.7
1	A	466	PHE	4.6
1	B	1	MET	4.4
1	B	2	PRO	4.0
1	B	381	GLN	4.0
1	A	387	PHE	3.9
1	B	4	THR	3.8
1	A	385	PHE	3.7
1	B	465	PHE	3.7
1	A	448	PRO	3.5
1	B	447	ILE	3.4
1	A	407	VAL	3.2
1	B	469	GLU	3.2
1	A	21	LEU	3.2
1	B	69	SER	3.2
1	A	69	SER	3.0
1	B	285	ILE	3.0
1	A	593	ALA	2.9
1	B	21	LEU	2.9
1	B	286	ALA	2.7
1	A	358	ARG	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	131	LYS	2.6
1	A	469	GLU	2.5
1	B	206	VAL	2.5
1	A	467	GLU	2.5
1	A	451	LYS	2.5
1	A	442	GLY	2.5
1	B	463	LEU	2.4
1	A	399	SER	2.4
1	B	66	GLN	2.4
1	A	129	GLY	2.3
1	A	447	ILE	2.3
1	A	386	THR	2.3
1	B	444	THR	2.3
1	A	143	ARG	2.3
1	A	388	SER	2.2
1	A	445	LEU	2.2
1	B	593	ALA	2.2
1	A	470	GLY	2.1
1	B	143	ARG	2.1
1	B	142	ASP	2.1
1	A	444	THR	2.0
1	B	407	VAL	2.0
1	A	428	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

*Continued on next page...*




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	IOD	A	708	1/1	0.76	0.09	82,82,82,82	1
6	SO4	B	719	5/5	0.77	0.23	63,65,68,95	0
2	IOD	B	714	1/1	0.78	0.15	85,85,85,85	1
6	SO4	B	718	5/5	0.79	0.19	57,57,65,80	5
2	IOD	A	711	1/1	0.81	0.13	82,82,82,82	1
2	IOD	B	709	1/1	0.86	0.07	74,74,74,74	1
5	GOL	B	717	6/6	0.88	0.21	48,52,54,55	0
5	GOL	A	715	6/6	0.90	0.13	44,48,50,54	0
2	IOD	B	710	1/1	0.92	0.06	78,78,78,78	1
2	IOD	A	701	1/1	0.92	0.04	70,70,70,70	0
2	IOD	A	712	1/1	0.93	0.06	63,63,63,63	1
2	IOD	A	707	1/1	0.94	0.07	82,82,82,82	1
2	IOD	B	701	1/1	0.95	0.06	53,53,53,53	0
2	IOD	B	706	1/1	0.95	0.05	47,47,47,47	1
2	IOD	A	704	1/1	0.95	0.04	72,72,72,72	1
2	IOD	A	710	1/1	0.95	0.04	62,62,62,62	1
2	IOD	B	711	1/1	0.95	0.16	81,81,81,81	1
2	IOD	A	705	1/1	0.96	0.09	46,46,46,46	1
4	1YY	A	714	35/35	0.97	0.12	28,32,36,37	0
4	1YY	B	716	35/35	0.97	0.11	25,29,35,36	0
2	IOD	B	704	1/1	0.97	0.05	51,51,51,51	0
2	IOD	B	712	1/1	0.97	0.09	75,75,75,75	1
2	IOD	B	713	1/1	0.97	0.03	78,78,78,78	1
2	IOD	A	709	1/1	0.97	0.07	78,78,78,78	1
2	IOD	B	708	1/1	0.98	0.12	78,78,78,78	1
2	IOD	B	705	1/1	0.98	0.03	68,68,68,68	0
2	IOD	A	706	1/1	0.98	0.04	53,53,53,53	1
3	S6P	B	715	16/16	0.98	0.13	20,23,26,26	0
2	IOD	B	707	1/1	0.98	0.07	70,70,70,70	1
3	S6P	A	713	16/16	0.99	0.14	24,27,30,31	0
2	IOD	B	703	1/1	0.99	0.06	39,39,39,39	1
2	IOD	A	702	1/1	0.99	0.05	50,50,50,50	0
2	IOD	B	702	1/1	0.99	0.04	49,49,49,49	0
2	IOD	A	703	1/1	1.00	0.05	39,39,39,39	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around 1YY A 714:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 1YY B 716:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around S6P B 715:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around S6P A 713:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.