



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 20, 2024 – 05:34 AM EST

PDB ID : 4LZZ  
Title : Nucleotide-induced asymmetry within atpase activator ring drives s54-RNAP interaction and ATP hydrolysis  
Authors : Sysoeva, T.A.; Chowdhury, S.; Guo, L.; Nixon, B.T.  
Deposited on : 2013-08-01  
Resolution : 3.21 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1335 (3.24-3.20)
Clashscore	141614	1460 (3.24-3.20)
Ramachandran outliers	138981	1437 (3.24-3.20)
Sidechain outliers	138945	1436 (3.24-3.20)
RSRZ outliers	127900	1291 (3.24-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	268	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 84%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 40px;">4%      84%      9%      8%</p>
1	B	268	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 84%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 40px;">%      84%      7%      8%</p>
1	C	268	<div style="display: flex; align-items: center;"> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 40px;">85%      7%      8%</p>
1	D	268	<div style="display: flex; align-items: center;"> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 40px;">85%      7%      8%</p>
1	E	268	<div style="display: flex; align-items: center;"> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 40px;">85%      10%      .</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	268	<p>3% 84% 8% 8%</p>
1	G	268	<p>13% 83% 9% 8%</p>
1	H	268	<p>1% 79% 13% 8%</p>
1	I	268	<p>84% 8% 7%</p>
1	J	268	<p>87% 5% 8%</p>
1	K	268	<p>84% 8% 8%</p>
1	L	268	<p>7% 82% 9% 8%</p>
1	M	268	<p>12% 82% 10% 8%</p>
1	N	268	<p>81% 10% 8%</p>
1	O	268	<p>82% 9% 8%</p>
1	P	268	<p>87% 5% 8%</p>
1	Q	268	<p>85% 6% 8%</p>
1	R	268	<p>5% 78% 14% 8%</p>
1	S	268	<p>2% 84% 8% 8%</p>
1	T	268	<p>1% 82% 9% 8%</p>
1	U	268	<p>82% 10% 8%</p>
1	V	268	<p>83% 8% 8%</p>
1	W	268	<p>85% 7% 7%</p>
1	X	268	<p>3% 79% 10% 8%</p>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 97749 atoms, of which 49378 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcriptional regulator (NtrC family).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	247	4020	1278	2041	333	364	4	0	0	0
1	B	247	4020	1278	2041	333	364	4	0	0	0
1	C	247	4021	1278	2042	333	364	4	0	0	0
1	D	247	4018	1278	2039	333	364	4	0	0	0
1	E	258	4227	1339	2149	352	383	4	0	0	0
1	F	247	4021	1278	2042	333	364	4	0	0	0
1	G	247	4020	1278	2041	333	364	4	0	0	0
1	H	247	4020	1278	2041	333	364	4	0	0	0
1	I	248	4036	1283	2048	334	367	4	0	0	0
1	J	247	4021	1278	2042	333	364	4	0	0	0
1	K	247	4019	1278	2040	333	364	4	0	0	0
1	L	246	4006	1273	2036	332	361	4	0	0	0
1	M	247	4021	1278	2042	333	364	4	0	0	0
1	N	247	4020	1278	2041	333	364	4	0	0	0
1	O	247	4021	1278	2042	333	364	4	0	0	0
1	P	247	4020	1278	2041	333	364	4	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	Q	247	Total	C	H	N	O	S	0	0	0
			4020	1278	2041	333	364	4			
1	R	247	Total	C	H	N	O	S	0	0	0
			4021	1278	2042	333	364	4			
1	S	247	Total	C	H	N	O	S	0	0	0
			4020	1278	2041	333	364	4			
1	T	247	Total	C	H	N	O	S	0	0	0
			4021	1278	2042	333	364	4			
1	U	247	Total	C	H	N	O	S	0	0	0
			4021	1278	2042	333	364	4			
1	V	247	Total	C	H	N	O	S	0	0	0
			4021	1278	2042	333	364	4			
1	W	250	Total	C	H	N	O	S	0	0	0
			4065	1292	2060	337	372	4			
1	X	246	Total	C	H	N	O	S	0	0	0
			4006	1273	2036	332	361	4			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	120	MET	-	initiating methionine	UNP O67198
B	120	MET	-	initiating methionine	UNP O67198
C	120	MET	-	initiating methionine	UNP O67198
D	120	MET	-	initiating methionine	UNP O67198
E	120	MET	-	initiating methionine	UNP O67198
F	120	MET	-	initiating methionine	UNP O67198
G	120	MET	-	initiating methionine	UNP O67198
H	120	MET	-	initiating methionine	UNP O67198
I	120	MET	-	initiating methionine	UNP O67198
J	120	MET	-	initiating methionine	UNP O67198
K	120	MET	-	initiating methionine	UNP O67198
L	120	MET	-	initiating methionine	UNP O67198
M	120	MET	-	initiating methionine	UNP O67198
N	120	MET	-	initiating methionine	UNP O67198
O	120	MET	-	initiating methionine	UNP O67198
P	120	MET	-	initiating methionine	UNP O67198
Q	120	MET	-	initiating methionine	UNP O67198
R	120	MET	-	initiating methionine	UNP O67198
S	120	MET	-	initiating methionine	UNP O67198
T	120	MET	-	initiating methionine	UNP O67198
U	120	MET	-	initiating methionine	UNP O67198
V	120	MET	-	initiating methionine	UNP O67198
W	120	MET	-	initiating methionine	UNP O67198

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
X	120	MET	-	initiating methionine	UNP O67198

- Molecule 2 is [[[(2R,3S,4R,5R)-5-(6-aminopurin-9-yl)-3,4-bis(oxidanyl)oxolan-2-yl]methoxy-y-oxidanyl-phosphoryl]oxy-oxidanyl-phosphoryl]oxy-tris(fluoranyl)beryllium (three-letter code: 08T) (formula: C<sub>10</sub>H<sub>14</sub>BeF<sub>3</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms								ZeroOcc	AltConf
			Total	Be	C	F	H	N	O	P		
2	A	1	42	1	10	3	11	5	10	2	0	0
2	B	1	42	1	10	3	11	5	10	2	0	0
2	C	1	42	1	10	3	11	5	10	2	0	0
2	D	1	42	1	10	3	11	5	10	2	0	0
2	E	1	42	1	10	3	11	5	10	2	0	0
2	G	1	42	1	10	3	11	5	10	2	0	0
2	H	1	42	1	10	3	11	5	10	2	0	0
2	I	1	42	1	10	3	11	5	10	2	0	0
2	J	1	42	1	10	3	11	5	10	2	0	0
2	K	1	42	1	10	3	11	5	10	2	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms									ZeroOcc	AltConf
2	M	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			
2	N	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			
2	O	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			
2	P	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			
2	Q	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			
2	R	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			
2	S	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			
2	T	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			
2	U	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			
2	V	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			
2	W	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			
2	X	1	Total	Be	C	F	H	N	O	P	0	0	
			42	1	10	3	11	5	10	2			

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		
3	F	1	Total	Mg	0	0
			1	1		
3	G	1	Total	Mg	0	0
			1	1		


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	H	1	Total Mg 1 1	0	0
3	I	1	Total Mg 1 1	0	0
3	J	1	Total Mg 1 1	0	0
3	K	1	Total Mg 1 1	0	0
3	L	1	Total Mg 1 1	0	0
3	N	1	Total Mg 1 1	0	0
3	O	1	Total Mg 1 1	0	0
3	P	1	Total Mg 1 1	0	0
3	Q	1	Total Mg 1 1	0	0
3	R	1	Total Mg 1 1	0	0
3	S	1	Total Mg 1 1	0	0
3	T	1	Total Mg 1 1	0	0
3	U	1	Total Mg 1 1	0	0
3	V	1	Total Mg 1 1	0	0
3	W	1	Total Mg 1 1	0	0
3	X	1	Total Mg 1 1	0	0

- Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).






Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
4	F	1	38	10	11	5	10	2	0	0
4	L	1	38	10	11	5	10	2	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Transcriptional regulator (NtrC family)




- Molecule 1: Transcriptional regulator (NtrC family)





- Molecule 1: Transcriptional regulator (NtrC family)





- Molecule 1: Transcriptional regulator (NtrC family)





- Molecule 1: Transcriptional regulator (NtrC family)

Chain E:  85% 10%



- Molecule 1: Transcriptional regulator (NtrC family)

Chain F:  84% 8% 8% 3%



- Molecule 1: Transcriptional regulator (NtrC family)

Chain G:  83% 9% 8% 13%

- Molecule 1: Transcriptional regulator (NtrC family)


Chain H:  79% 13% 8%

- Molecule 1: Transcriptional regulator (NtrC family)

Chain I:  84% 8% 7%


V384  
ASN  
SER  
LYS

- Molecule 1: Transcriptional regulator (NtrC family)

Chain J:  87% 5% 8%

MET LEU ARG LYS GLU ASN ASN LEU LEU ARG ARG ARG ARG LYS ASP LEU LEU LEU LEU E138 C161 P162 S169 S186 P200 I203 E207 F216 R266 N272 Y297 E304 R357 V384 ASN SER LYS


- Molecule 1: Transcriptional regulator (NtrC family)

Chain K:  84% 8% 8%

MET LEU ARG LYS GLU ASN ASN LEU LEU ARG ARG ARG ARG LYS ASP LEU LEU LEU LEU E138 E160 S169 G170 V171 E174 R178 R186 E189 P190 E212 K213 F216 V220 S221 R266 Y297 E304 P308 R313 W352 V356 L359 V384

ASN  
SER  
LYS


- Molecule 1: Transcriptional regulator (NtrC family)

Chain L:  7% 82% 9% 8%

MET LEU ARG LYS GLU ASN ASN LEU LEU ARG ARG ARG ARG LYS ASP LEU LEU LEU LEU Y139 M146 A159 L164 S184 S187 K188 E189 P190 V196 A197 E205 T217 E239 K250 R274 I275 N280 I283 D295 R299 L300 P308 P309

R313 K314 I318 P319 L320 F324 F328 K327 F328 V332 A333 E337 L346 L347 L348 S349 P351 W352 R357 N361 L368 V384 ASN SER LYS

- Molecule 1: Transcriptional regulator (NtrC family)


Chain M:  12% 82% 10% 8%

MET LEU ARG LYS GLU ASN ASN LEU LEU ARG ARG ARG ARG LYS ASP LEU LEU LEU LEU E138 Y139 K145 M146 L149 I153 C158 L164 G170 K173 V176 R186 V192 A193 V196 A197 S198 R201 D202 I203 E207 E212 A219 V220 S221 L235

F236 L237 D238 E239 E242 E246 L251 L252 L255 E256 G264 N272 A278 F292 R293 Y297 G301 V302 P308 P309 L310 R311 E312 R313 E337 L347 V352 R357 R365 V367 L368 F369 S370 E371 G372 I375 C382 L383 V384 ASN SER



LYS

- Molecule 1: Transcriptional regulator (NtrC family)


Chain N:  81% 10% 8%



• Molecule 1: Transcriptional regulator (NtrC family)





• Molecule 1: Transcriptional regulator (NtrC family)




• Molecule 1: Transcriptional regulator (NtrC family)




• Molecule 1: Transcriptional regulator (NtrC family)




• Molecule 1: Transcriptional regulator (NtrC family)







- Molecule 1: Transcriptional regulator (NtrC family)




- Molecule 1: Transcriptional regulator (NtrC family)




- Molecule 1: Transcriptional regulator (NtrC family)




- Molecule 1: Transcriptional regulator (NtrC family)



- Molecule 1: Transcriptional regulator (NtrC family)





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	119.97Å 130.83Å 208.23Å 90.01° 90.01° 89.85°	Depositor
Resolution (Å)	44.27 – 3.21 44.27 – 3.21	Depositor EDS
% Data completeness (in resolution range)	50.5 (44.27-3.21) 50.5 (44.27-3.21)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.73 (at 3.19Å)	Xtrriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, $R_{free}$	0.267 , 0.322 0.268 , 0.324	Depositor DCC
$R_{free}$ test set	1107 reflections (1.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	67.5	Xtrriage
Anisotropy	0.215	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 18.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.236 for h,-k,-l 0.359 for -h,k,-l 0.229 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	97749	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	95.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.78% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 08T, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/2013	0.48	0/2700
1	B	0.28	0/2013	0.49	0/2700
1	C	0.28	0/2013	0.49	0/2700
1	D	0.30	0/2013	0.52	0/2700
1	E	0.29	0/2112	0.52	0/2830
1	F	0.28	0/2013	0.54	0/2700
1	G	0.27	0/2013	0.48	0/2700
1	H	0.28	0/2013	0.48	0/2700
1	I	0.29	0/2022	0.51	0/2712
1	J	0.28	0/2013	0.48	0/2700
1	K	0.29	0/2013	0.49	0/2700
1	L	0.27	0/2004	0.52	0/2688
1	M	0.28	0/2013	0.52	0/2700
1	N	0.28	0/2013	0.47	0/2700
1	O	0.30	0/2013	0.55	1/2700 (0.0%)
1	P	0.28	0/2013	0.50	0/2700
1	Q	0.28	0/2013	0.47	0/2700
1	R	0.30	0/2013	0.67	1/2700 (0.0%)
1	S	0.26	0/2013	0.49	0/2700
1	T	0.26	0/2013	0.47	0/2700
1	U	0.28	0/2013	0.49	0/2700
1	V	0.29	0/2013	0.50	0/2700
1	W	0.29	0/2039	0.50	0/2735
1	X	0.30	0/2004	0.65	2/2688 (0.1%)
All	All	0.28	0/48428	0.51	4/64953 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1
1	E	0	1
1	F	0	1
1	L	0	1
1	U	0	2
All	All	0	6

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	X	349	SER	N-CA-C	-6.83	92.55	111.00
1	R	350	TYR	N-CA-C	5.85	126.79	111.00
1	X	350	TYR	N-CA-C	5.62	126.18	111.00
1	O	216	PHE	CB-CG-CD1	5.19	124.43	120.80

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	216	PHE	Peptide
1	E	216	PHE	Peptide
1	F	350	TYR	Peptide
1	L	350	TYR	Peptide
1	U	213	LYS	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1979	2041	2039	15	0
1	B	1979	2041	2039	16	0
1	C	1979	2042	2040	13	0
1	D	1979	2039	2037	13	0
1	E	2078	2149	2147	20	0
1	F	1979	2042	2040	16	0
1	G	1979	2041	2039	17	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1979	2041	2039	23	0
1	I	1988	2048	2046	15	0
1	J	1979	2042	2040	8	0
1	K	1979	2040	2038	12	0
1	L	1970	2036	2034	14	0
1	M	1979	2042	2040	18	0
1	N	1979	2041	2039	21	0
1	O	1979	2042	2040	21	0
1	P	1979	2041	2039	12	0
1	Q	1979	2041	2039	12	0
1	R	1979	2042	2040	24	0
1	S	1979	2041	2039	14	0
1	T	1979	2042	2040	19	0
1	U	1979	2042	2039	14	0
1	V	1979	2042	2040	16	0
1	W	2005	2060	2058	14	0
1	X	1970	2036	2034	20	0
2	A	31	11	13	1	0
2	B	31	11	13	2	0
2	C	31	11	13	2	0
2	D	31	11	13	5	0
2	E	31	11	13	2	0
2	G	31	11	13	1	0
2	H	31	11	13	2	0
2	I	31	11	13	1	0
2	J	31	11	13	2	0
2	K	31	11	13	3	0
2	M	31	11	13	3	0
2	N	31	11	13	4	0
2	O	31	11	13	2	0
2	P	31	11	13	2	0
2	Q	31	11	12	2	0
2	R	31	11	13	4	0
2	S	31	11	13	3	0
2	T	31	11	13	7	0
2	U	31	11	13	2	0
2	V	31	11	13	3	0
2	W	31	11	13	2	0
2	X	31	11	13	4	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	J	1	0	0	0	0
3	K	1	0	0	0	0
3	L	1	0	0	0	0
3	N	1	0	0	0	0
3	O	1	0	0	0	0
3	P	1	0	0	0	0
3	Q	1	0	0	0	0
3	R	1	0	0	0	0
3	S	1	0	0	0	0
3	T	1	0	0	0	0
3	U	1	0	0	0	0
3	V	1	0	0	0	0
3	W	1	0	0	0	0
3	X	1	0	0	0	0
4	F	27	11	12	3	0
4	L	27	11	12	1	0
All	All	48371	49378	49374	347	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 347 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:146:MET:SD	1:M:313:ARG:NH2	2.51	0.83
1:O:219:ALA:HB1	1:O:220:VAL:HA	1.61	0.82
1:T:186:ARG:NH2	1:T:272:ASN:OD1	2.13	0.82
1:B:186:ARG:NH2	1:B:272:ASN:OD1	2.15	0.79
1:M:357:ARG:NH1	2:M:400:08T:O3'	2.17	0.78

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	245/268 (91%)	231 (94%)	13 (5%)	1 (0%)	34	69
1	B	245/268 (91%)	234 (96%)	9 (4%)	2 (1%)	19	57
1	C	245/268 (91%)	232 (95%)	12 (5%)	1 (0%)	34	69
1	D	245/268 (91%)	233 (95%)	12 (5%)	0	100	100
1	E	256/268 (96%)	237 (93%)	16 (6%)	3 (1%)	13	48
1	F	245/268 (91%)	234 (96%)	10 (4%)	1 (0%)	34	69
1	G	245/268 (91%)	231 (94%)	13 (5%)	1 (0%)	34	69
1	H	245/268 (91%)	234 (96%)	9 (4%)	2 (1%)	19	57
1	I	246/268 (92%)	234 (95%)	11 (4%)	1 (0%)	34	69
1	J	245/268 (91%)	234 (96%)	11 (4%)	0	100	100
1	K	245/268 (91%)	235 (96%)	10 (4%)	0	100	100
1	L	244/268 (91%)	229 (94%)	12 (5%)	3 (1%)	13	48
1	M	245/268 (91%)	228 (93%)	15 (6%)	2 (1%)	19	57
1	N	245/268 (91%)	234 (96%)	9 (4%)	2 (1%)	19	57
1	O	245/268 (91%)	231 (94%)	13 (5%)	1 (0%)	34	69
1	P	245/268 (91%)	233 (95%)	11 (4%)	1 (0%)	34	69
1	Q	245/268 (91%)	236 (96%)	9 (4%)	0	100	100
1	R	245/268 (91%)	233 (95%)	9 (4%)	3 (1%)	13	48
1	S	245/268 (91%)	232 (95%)	12 (5%)	1 (0%)	34	69
1	T	245/268 (91%)	231 (94%)	12 (5%)	2 (1%)	19	57
1	U	245/268 (91%)	233 (95%)	11 (4%)	1 (0%)	34	69
1	V	245/268 (91%)	235 (96%)	9 (4%)	1 (0%)	34	69
1	W	248/268 (92%)	238 (96%)	9 (4%)	1 (0%)	34	69
1	X	244/268 (91%)	232 (95%)	10 (4%)	2 (1%)	19	57
All	All	5893/6432 (92%)	5594 (95%)	267 (4%)	32 (0%)	29	66

5 of 32 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	196	VAL
1	H	196	VAL
1	N	196	VAL
1	R	217	THR
1	R	350	TYR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/233 (91%)	212 (100%)	0	100	100
1	B	212/233 (91%)	212 (100%)	0	100	100
1	C	212/233 (91%)	211 (100%)	1 (0%)	88	94
1	D	212/233 (91%)	212 (100%)	0	100	100
1	E	223/233 (96%)	222 (100%)	1 (0%)	91	95
1	F	212/233 (91%)	211 (100%)	1 (0%)	88	94
1	G	212/233 (91%)	212 (100%)	0	100	100
1	H	212/233 (91%)	211 (100%)	1 (0%)	88	94
1	I	213/233 (91%)	212 (100%)	1 (0%)	88	94
1	J	212/233 (91%)	211 (100%)	1 (0%)	88	94
1	K	212/233 (91%)	211 (100%)	1 (0%)	88	94
1	L	211/233 (91%)	211 (100%)	0	100	100
1	M	212/233 (91%)	212 (100%)	0	100	100
1	N	212/233 (91%)	212 (100%)	0	100	100
1	O	212/233 (91%)	210 (99%)	2 (1%)	78	90
1	P	212/233 (91%)	212 (100%)	0	100	100
1	Q	212/233 (91%)	210 (99%)	2 (1%)	78	90
1	R	212/233 (91%)	211 (100%)	1 (0%)	88	94
1	S	212/233 (91%)	212 (100%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	T	212/233 (91%)	212 (100%)	0	100	100
1	U	212/233 (91%)	211 (100%)	1 (0%)	88	94
1	V	212/233 (91%)	211 (100%)	1 (0%)	88	94
1	W	215/233 (92%)	214 (100%)	1 (0%)	88	94
1	X	211/233 (91%)	208 (99%)	3 (1%)	67	85
All	All	5101/5592 (91%)	5083 (100%)	18 (0%)	91	95

5 of 18 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	W	216	PHE
1	X	280	ASN
1	X	237	LEU
1	O	267	LYS
1	V	295	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 47 ligands modelled in this entry, 23 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	08T	I	400	3	26,33,33	3.32	10 (38%)	25,52,52	1.88	4 (16%)
2	08T	Q	400	1	26,33,33	3.23	10 (38%)	25,52,52	2.39	7 (28%)
2	08T	K	400	3,1	26,33,33	3.32	10 (38%)	25,52,52	2.04	5 (20%)
2	08T	X	400	-	26,33,33	3.26	10 (38%)	25,52,52	2.12	7 (28%)
2	08T	C	400	3	26,33,33	3.32	10 (38%)	25,52,52	1.92	4 (16%)
2	08T	H	400	3,1	26,33,33	3.31	10 (38%)	25,52,52	2.03	5 (20%)
2	08T	G	400	3,1	26,33,33	3.31	10 (38%)	25,52,52	2.21	6 (24%)
2	08T	O	400	3	26,33,33	3.33	10 (38%)	25,52,52	2.06	5 (20%)
2	08T	S	400	3,1	26,33,33	3.30	10 (38%)	25,52,52	2.22	6 (24%)
2	08T	P	400	3,1	26,33,33	3.30	10 (38%)	25,52,52	2.20	7 (28%)
2	08T	A	400	3,1	26,33,33	3.27	10 (38%)	25,52,52	2.11	4 (16%)
2	08T	W	400	3	26,33,33	3.35	10 (38%)	25,52,52	2.12	6 (24%)
4	ADP	L	400	-	24,29,29	1.01	2 (8%)	29,45,45	1.45	4 (13%)
4	ADP	F	400	3	24,29,29	0.88	1 (4%)	29,45,45	1.57	5 (17%)
2	08T	B	400	3,1	26,33,33	3.33	10 (38%)	25,52,52	1.96	4 (16%)
2	08T	D	400	3,1	26,33,33	3.30	10 (38%)	25,52,52	1.93	4 (16%)
2	08T	E	400	3	26,33,33	3.34	10 (38%)	25,52,52	1.82	4 (16%)
2	08T	R	400	3	26,33,33	3.31	10 (38%)	25,52,52	2.04	4 (16%)
2	08T	J	400	3	26,33,33	3.36	10 (38%)	25,52,52	1.99	4 (16%)
2	08T	N	400	3,1	26,33,33	3.37	10 (38%)	25,52,52	1.96	6 (24%)
2	08T	T	400	3,1	26,33,33	3.31	10 (38%)	25,52,52	1.91	4 (16%)
2	08T	U	400	3,1	26,33,33	3.30	10 (38%)	25,52,52	1.87	3 (12%)
2	08T	M	400	1	26,33,33	3.32	10 (38%)	25,52,52	2.05	5 (20%)
2	08T	V	400	3	26,33,33	3.30	10 (38%)	25,52,52	2.16	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	08T	I	400	3	-	5/12/38/38	0/3/3/3

*Continued on next page...*



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	08T	Q	400	1	-	3/12/38/38	0/3/3/3
2	08T	K	400	3,1	-	4/12/38/38	0/3/3/3
2	08T	X	400	-	-	2/12/38/38	0/3/3/3
2	08T	C	400	3	-	5/12/38/38	0/3/3/3
2	08T	H	400	3,1	-	1/12/38/38	0/3/3/3
2	08T	G	400	3,1	-	4/12/38/38	0/3/3/3
2	08T	O	400	3	-	4/12/38/38	0/3/3/3
2	08T	S	400	3,1	-	2/12/38/38	0/3/3/3
2	08T	P	400	3,1	-	1/12/38/38	0/3/3/3
2	08T	A	400	3,1	-	1/12/38/38	0/3/3/3
2	08T	W	400	3	-	0/12/38/38	0/3/3/3
4	ADP	L	400	-	-	2/12/32/32	0/3/3/3
4	ADP	F	400	3	-	4/12/32/32	0/3/3/3
2	08T	B	400	3,1	-	3/12/38/38	0/3/3/3
2	08T	D	400	3,1	-	8/12/38/38	0/3/3/3
2	08T	E	400	3	-	3/12/38/38	0/3/3/3
2	08T	R	400	3	-	5/12/38/38	0/3/3/3
2	08T	J	400	3	-	3/12/38/38	0/3/3/3
2	08T	N	400	3,1	-	4/12/38/38	0/3/3/3
2	08T	T	400	3,1	-	5/12/38/38	0/3/3/3
2	08T	U	400	3,1	-	5/12/38/38	0/3/3/3
2	08T	M	400	1	-	3/12/38/38	0/3/3/3
2	08T	V	400	3	-	3/12/38/38	0/3/3/3

The worst 5 of 223 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	N	400	08T	F2-BE	-7.83	1.35	1.54
2	C	400	08T	F2-BE	-7.80	1.35	1.54
2	D	400	08T	F2-BE	-7.80	1.35	1.54
2	I	400	08T	F2-BE	-7.74	1.35	1.54
2	J	400	08T	F2-BE	-7.74	1.35	1.54

The worst 5 of 118 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	W	400	08T	C4-C5-N7	5.96	115.61	109.40
2	V	400	08T	C4-C5-N7	5.73	115.37	109.40

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	400	08T	C4-C5-N7	5.72	115.36	109.40
2	D	400	08T	N3-C2-N1	-5.71	119.75	128.68
2	R	400	08T	N3-C2-N1	-5.67	119.82	128.68

There are no chirality outliers.

5 of 80 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	400	08T	C5'-O5'-PA-O3A
2	D	400	08T	C5'-O5'-PA-O1A
2	D	400	08T	C5'-O5'-PA-O2A
2	G	400	08T	C5'-O5'-PA-O1A
2	G	400	08T	C5'-O5'-PA-O2A


There are no ring outliers.


24 monomers are involved in 63 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	I	400	08T	1	0
2	Q	400	08T	2	0
2	K	400	08T	3	0
2	X	400	08T	4	0
2	C	400	08T	2	0
2	H	400	08T	2	0
2	G	400	08T	1	0
2	O	400	08T	2	0
2	S	400	08T	3	0
2	P	400	08T	2	0
2	A	400	08T	1	0
2	W	400	08T	2	0
4	L	400	ADP	1	0
4	F	400	ADP	3	0
2	B	400	08T	2	0
2	D	400	08T	5	0
2	E	400	08T	2	0
2	R	400	08T	4	0
2	J	400	08T	2	0
2	N	400	08T	4	0
2	T	400	08T	7	0
2	U	400	08T	2	0
2	M	400	08T	3	0
2	V	400	08T	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	247/268 (92%)	0.29	10 (4%) 38 26	84, 119, 143, 157	0
1	B	247/268 (92%)	0.19	4 (1%) 72 60	44, 88, 117, 132	0
1	C	247/268 (92%)	0.09	1 (0%) 92 89	38, 73, 116, 138	0
1	D	247/268 (92%)	0.08	0 100 100	32, 61, 90, 113	0
1	E	258/268 (96%)	0.15	0 100 100	33, 64, 92, 132	8 (3%)
1	F	247/268 (92%)	0.19	7 (2%) 53 39	41, 83, 142, 177	0
1	G	247/268 (92%)	0.71	34 (13%) 2 2	95, 136, 162, 175	0
1	H	247/268 (92%)	0.15	2 (0%) 86 79	51, 88, 115, 136	0
1	I	248/268 (92%)	0.13	1 (0%) 92 89	33, 76, 110, 127	0
1	J	247/268 (92%)	0.12	0 100 100	42, 70, 96, 105	0
1	K	247/268 (92%)	0.10	0 100 100	38, 64, 91, 122	0
1	L	246/268 (91%)	0.42	18 (7%) 15 9	41, 87, 165, 193	0
1	M	247/268 (92%)	0.76	32 (12%) 3 2	101, 134, 159, 181	0
1	N	247/268 (92%)	0.16	1 (0%) 92 89	49, 88, 121, 137	0
1	O	247/268 (92%)	0.12	1 (0%) 92 89	35, 72, 113, 134	0
1	P	247/268 (92%)	0.11	1 (0%) 92 89	40, 69, 98, 121	0
1	Q	247/268 (92%)	0.10	0 100 100	41, 68, 92, 117	0
1	R	247/268 (92%)	0.34	13 (5%) 26 15	48, 91, 164, 182	0
1	S	247/268 (92%)	0.20	6 (2%) 59 45	86, 115, 140, 153	0
1	T	247/268 (92%)	0.16	3 (1%) 79 68	45, 90, 123, 143	0
1	U	247/268 (92%)	0.16	0 100 100	39, 77, 116, 135	0
1	V	247/268 (92%)	0.10	0 100 100	36, 62, 95, 121	0
1	W	250/268 (93%)	0.15	0 100 100	33, 63, 95, 116	1 (0%)
1	X	246/268 (91%)	0.23	8 (3%) 46 32	40, 85, 146, 182	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
All	All	5941/6432 (92%)	0.22	142 (2%) 59 45	32, 81, 142, 193	9 (0%)

The worst 5 of 142 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	M	372	GLY	10.7
1	M	221	SER	10.4
1	X	348	LEU	7.7
1	G	216	PHE	6.9
1	G	149	ILE	6.5

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	ADP	F	400	27/27	0.83	0.30	71,91,118,119	38
3	MG	Q	401	1/1	0.86	0.20	57,57,57,57	1
2	08T	G	400	31/31	0.86	0.38	93,105,129,132	42
3	MG	F	401	1/1	0.87	0.16	79,79,79,79	1
3	MG	B	401	1/1	0.89	0.20	62,62,62,62	1
3	MG	G	401	1/1	0.90	0.26	98,98,98,98	1
2	08T	X	400	31/31	0.91	0.21	74,98,116,126	0
3	MG	U	401	1/1	0.91	0.24	70,70,70,70	1
2	08T	N	400	31/31	0.91	0.28	51,76,92,99	42
3	MG	O	401	1/1	0.92	0.16	71,71,71,71	1
2	08T	O	400	31/31	0.92	0.30	46,61,78,82	42
3	MG	R	401	1/1	0.92	0.16	100,100,100,100	1
2	08T	T	400	31/31	0.92	0.27	45,81,97,100	42

Continued on next page...




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	08T	M	400	31/31	0.92	0.27	88,102,120,128	42
3	MG	J	401	1/1	0.93	0.14	57,57,57,57	0
2	08T	S	400	31/31	0.93	0.26	72,95,115,119	42
2	08T	A	400	31/31	0.93	0.26	77,92,110,125	42
2	08T	R	400	31/31	0.94	0.20	93,110,133,149	0
3	MG	I	401	1/1	0.94	0.21	61,61,61,61	1
2	08T	I	400	31/31	0.94	0.28	50,63,78,85	42
2	08T	B	400	31/31	0.94	0.26	50,70,87,94	42
4	ADP	L	400	27/27	0.94	0.22	76,95,114,139	0
3	MG	L	401	1/1	0.95	0.20	63,63,63,63	0
3	MG	C	401	1/1	0.95	0.17	51,51,51,51	1
3	MG	P	401	1/1	0.95	0.19	56,56,56,56	1
3	MG	D	401	1/1	0.95	0.17	57,57,57,57	1
2	08T	D	400	31/31	0.95	0.23	42,63,82,85	0
2	08T	U	400	31/31	0.95	0.26	48,68,82,83	42
2	08T	C	400	31/31	0.95	0.27	39,63,75,88	42
2	08T	H	400	31/31	0.95	0.27	62,73,87,90	42
2	08T	J	400	31/31	0.96	0.23	51,64,77,87	0
3	MG	H	401	1/1	0.96	0.18	51,51,51,51	0
2	08T	E	400	31/31	0.96	0.26	44,57,69,80	42
2	08T	Q	400	31/31	0.96	0.24	36,65,79,83	0
3	MG	T	401	1/1	0.97	0.21	68,68,68,68	1
2	08T	K	400	31/31	0.97	0.27	42,59,74,81	42
2	08T	W	400	31/31	0.97	0.24	40,55,70,74	42
3	MG	S	401	1/1	0.97	0.15	64,64,64,64	0
3	MG	N	401	1/1	0.98	0.26	62,62,62,62	1
3	MG	A	401	1/1	0.98	0.17	54,54,54,54	0
3	MG	E	401	1/1	0.98	0.25	55,55,55,55	0
3	MG	X	401	1/1	0.98	0.13	77,77,77,77	1
2	08T	P	400	31/31	0.98	0.23	47,59,75,81	0
2	08T	V	400	31/31	0.98	0.22	34,56,71,75	0
3	MG	K	401	1/1	0.99	0.33	46,46,46,46	0
3	MG	V	401	1/1	0.99	0.16	53,53,53,53	1
3	MG	W	401	1/1	0.99	0.22	51,51,51,51	1




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around ADP F 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 08T G 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 08T X 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 08T N 400:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 08T O 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 08T T 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 08T M 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 08T S 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around 08T A 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 08T R 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 08T I 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 08T B 400:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around ADP L 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around 08T D 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 08T U 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 08T C 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 08T H 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 08T J 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 08T E 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 08T Q 400:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 08T K 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 08T W 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 08T P 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 08T V 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.