



wwPDB EM Validation Summary Report ⓘ

Nov 19, 2022 – 11:54 am GMT

PDB ID : 5LZU
EMDB ID : EMD-4132
Title : Structure of the mammalian ribosomal termination complex with accommodated eRF1
Authors : Shao, S.; Murray, J.; Brown, A.; Taunton, J.; Ramakrishnan, V.; Hegde, R.S.
Deposited on : 2016-10-02
Resolution : 3.75 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	257	
2	B	403	
3	C	425	
4	D	297	
5	E	291	
6	F	247	
7	G	319	
8	H	192	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	214	
10	J	178	
11	L	211	
12	M	218	
13	N	204	
14	O	203	
15	P	184	
16	Q	188	
17	R	196	
18	S	176	
19	T	160	
20	U	128	
21	V	140	
22	W	157	
23	X	156	
24	Y	145	
25	Z	136	
26	a	148	
27	b	245	
28	c	115	
29	d	125	
30	e	135	
31	f	110	
32	g	117	
33	h	123	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	i	105	
35	j	97	
36	k	70	
37	l	51	
38	m	102	
39	n	25	
40	o	106	
41	p	92	
42	r	137	
43	s	318	
44	t	165	
45	2	76	
46	3	75	
47	5	3543	
48	7	120	
49	8	156	
50	9	1869	
51	AA	295	
52	BB	264	
53	CC	293	
54	DD	243	
55	EE	263	
56	FF	204	
57	GG	249	
58	HH	194	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	II	208	
60	JJ	194	
61	KK	165	
62	LL	158	
63	MM	132	
64	NN	151	
65	OO	168	
66	PP	145	
67	QQ	146	
68	RR	135	
69	SS	152	
70	TT	145	
71	UU	119	
72	VV	83	
73	WW	130	
74	XX	143	
75	YY	130	
76	ZZ	125	
77	aa	115	
78	bb	84	
79	cc	69	
80	dd	56	
81	ee	133	
82	ff	156	
83	gg	317	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
84	hh	15	
85	ii	459	

2 Entry composition i

There are 87 unique types of molecules in this entry. The entry contains 219122 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	248	1898	1189	389	314	6	0	0

- Molecule 2 is a protein called uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	394	3172	2020	597	542	13	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	-	initiating methionine	UNP G1TL06

- Molecule 3 is a protein called uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	362	2883	1812	577	480	14	0	0

There are 47 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	379	VAL	-	expression tag	UNP G1SVW5
C	380	LYS	-	expression tag	UNP G1SVW5
C	381	LYS	-	expression tag	UNP G1SVW5
C	382	PRO	-	expression tag	UNP G1SVW5
C	383	ARG	-	expression tag	UNP G1SVW5
C	384	ALA	-	expression tag	UNP G1SVW5
C	385	VAL	-	expression tag	UNP G1SVW5
C	386	GLY	-	expression tag	UNP G1SVW5
C	387	ILE	-	expression tag	UNP G1SVW5
C	388	LYS	-	expression tag	UNP G1SVW5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	389	GLN	-	expression tag	UNP G1SVW5
C	390	LYS	-	expression tag	UNP G1SVW5
C	391	LYS	-	expression tag	UNP G1SVW5
C	392	LYS	-	expression tag	UNP G1SVW5
C	393	PRO	-	expression tag	UNP G1SVW5
C	394	VAL	-	expression tag	UNP G1SVW5
C	395	VAL	-	expression tag	UNP G1SVW5
C	396	GLY	-	expression tag	UNP G1SVW5
C	397	ARG	-	expression tag	UNP G1SVW5
C	398	LYS	-	expression tag	UNP G1SVW5
C	399	ALA	-	expression tag	UNP G1SVW5
C	400	ALA	-	expression tag	UNP G1SVW5
C	401	ALA	-	expression tag	UNP G1SVW5
C	402	ALA	-	expression tag	UNP G1SVW5
C	403	LYS	-	expression tag	UNP G1SVW5
C	404	LYS	-	expression tag	UNP G1SVW5
C	405	PRO	-	expression tag	UNP G1SVW5
C	406	ALA	-	expression tag	UNP G1SVW5
C	407	ALA	-	expression tag	UNP G1SVW5
C	408	ASP	-	expression tag	UNP G1SVW5
C	409	LYS	-	expression tag	UNP G1SVW5
C	410	LYS	-	expression tag	UNP G1SVW5
C	411	ALA	-	expression tag	UNP G1SVW5
C	412	ALA	-	expression tag	UNP G1SVW5
C	413	ASP	-	expression tag	UNP G1SVW5
C	414	LYS	-	expression tag	UNP G1SVW5
C	415	ARG	-	expression tag	UNP G1SVW5
C	416	ALA	-	expression tag	UNP G1SVW5
C	417	GLY	-	expression tag	UNP G1SVW5
C	418	PRO	-	expression tag	UNP G1SVW5
C	419	GLU	-	expression tag	UNP G1SVW5
C	420	ASP	-	expression tag	UNP G1SVW5
C	421	LYS	-	expression tag	UNP G1SVW5
C	422	LYS	-	expression tag	UNP G1SVW5
C	423	PRO	-	expression tag	UNP G1SVW5
C	424	ALA	-	expression tag	UNP G1SVW5
C	425	ALA	-	expression tag	UNP G1SVW5

- Molecule 4 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	293	2391	1512	438	427	14	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	1	MET	-	initiating methionine	UNP G1SYJ6

- Molecule 5 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	216	1729	1115	329	282	3	0	0

- Molecule 6 is a protein called uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	225	1875	1205	358	303	9	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	1	MET	-	initiating methionine	UNP G1SV32
F	2	GLU	-	expression tag	UNP G1SV32
F	3	GLY	-	expression tag	UNP G1SV32
F	4	ALA	-	expression tag	UNP G1SV32
F	5	GLU	-	expression tag	UNP G1SV32

- Molecule 7 is a protein called eL8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	233	1879	1199	361	315	4	0	0

There are 78 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	1	MET	-	initiating methionine	UNP G1STW0
G	2	SER	-	expression tag	UNP G1STW0
G	3	SER	-	expression tag	UNP G1STW0
G	4	TYR	-	expression tag	UNP G1STW0
G	5	ARG	-	expression tag	UNP G1STW0
G	6	LEU	-	expression tag	UNP G1STW0
G	7	GLY	-	expression tag	UNP G1STW0
G	8	TYR	-	expression tag	UNP G1STW0
G	9	CYS	-	expression tag	UNP G1STW0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	10	MET	-	expression tag	UNP G1STW0
G	11	LYS	-	expression tag	UNP G1STW0
G	12	GLU	-	expression tag	UNP G1STW0
G	13	GLU	-	expression tag	UNP G1STW0
G	14	ARG	-	expression tag	UNP G1STW0
G	15	HIS	-	expression tag	UNP G1STW0
G	16	ASN	-	expression tag	UNP G1STW0
G	17	LEU	-	expression tag	UNP G1STW0
G	18	VAL	-	expression tag	UNP G1STW0
G	19	LEU	-	expression tag	UNP G1STW0
G	20	CYS	-	expression tag	UNP G1STW0
G	21	LEU	-	expression tag	UNP G1STW0
G	22	TRP	-	expression tag	UNP G1STW0
G	23	SER	-	expression tag	UNP G1STW0
G	24	GLN	-	expression tag	UNP G1STW0
G	25	SER	-	expression tag	UNP G1STW0
G	26	PRO	-	expression tag	UNP G1STW0
G	27	GLY	-	expression tag	UNP G1STW0
G	28	ILE	-	expression tag	UNP G1STW0
G	29	LEU	-	expression tag	UNP G1STW0
G	30	ASN	-	expression tag	UNP G1STW0
G	31	SER	-	expression tag	UNP G1STW0
G	32	LYS	-	expression tag	UNP G1STW0
G	33	CYS	-	expression tag	UNP G1STW0
G	34	LEU	-	expression tag	UNP G1STW0
G	35	TRP	-	expression tag	UNP G1STW0
G	36	PRO	-	expression tag	UNP G1STW0
G	37	PHE	-	expression tag	UNP G1STW0
G	38	THR	-	expression tag	UNP G1STW0
G	39	ASN	-	expression tag	UNP G1STW0
G	40	ILE	-	expression tag	UNP G1STW0
G	41	HIS	-	expression tag	UNP G1STW0
G	42	LEU	-	expression tag	UNP G1STW0
G	43	LEU	-	expression tag	UNP G1STW0
G	44	VAL	-	expression tag	UNP G1STW0
G	45	GLY	-	expression tag	UNP G1STW0
G	46	ALA	-	expression tag	UNP G1STW0
G	47	LEU	-	expression tag	UNP G1STW0
G	48	PRO	-	expression tag	UNP G1STW0
G	49	ARG	-	expression tag	UNP G1STW0
G	50	GLU	-	expression tag	UNP G1STW0
G	51	GLY	-	expression tag	UNP G1STW0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	52	ALA	-	expression tag	UNP G1STW0
G	53	GLY	-	expression tag	UNP G1STW0
G	54	GLY	-	expression tag	UNP G1STW0
G	55	ALA	-	expression tag	UNP G1STW0
G	56	TRP	-	expression tag	UNP G1STW0
G	57	GLY	-	expression tag	UNP G1STW0
G	58	GLY	-	expression tag	UNP G1STW0
G	59	GLY	-	expression tag	UNP G1STW0
G	60	ARG	-	expression tag	UNP G1STW0
G	61	SER	-	expression tag	UNP G1STW0
G	62	GLU	-	expression tag	UNP G1STW0
G	63	GLN	-	expression tag	UNP G1STW0
G	64	LEU	-	expression tag	UNP G1STW0
G	65	PRO	-	expression tag	UNP G1STW0
G	66	THR	-	expression tag	UNP G1STW0
G	67	CYS	-	expression tag	UNP G1STW0
G	68	SER	-	expression tag	UNP G1STW0
G	69	THR	-	expression tag	UNP G1STW0
G	70	THR	-	expression tag	UNP G1STW0
G	71	HIS	-	expression tag	UNP G1STW0
G	72	HIS	-	expression tag	UNP G1STW0
G	73	ASP	-	expression tag	UNP G1STW0
G	74	PHE	-	expression tag	UNP G1STW0
G	75	THR	-	expression tag	UNP G1STW0
G	76	TRP	-	expression tag	UNP G1STW0
G	77	ASP	-	expression tag	UNP G1STW0
G	244	GLY	CYS	conflict	UNP G1STW0

- Molecule 8 is a protein called uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	190	1516	954	284	272	6	0	0

- Molecule 9 is a protein called uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	205	1664	1056	321	274	13	0	0

- Molecule 10 is a protein called uL5.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	170	Total	C	N	O	S	0	0
			1362	861	254	241	6		

- Molecule 11 is a protein called eL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	L	210	Total	C	N	O	S	0	0
			1702	1065	354	279	4		

- Molecule 12 is a protein called eL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	M	138	Total	C	N	O	S	0	0
			1137	727	221	182	7		

- Molecule 13 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	N	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 14 is a protein called uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	O	199	Total	C	N	O	S	0	0
			1630	1051	319	255	5		

- Molecule 15 is a protein called uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	P	153	Total	C	N	O	S	0	0
			1242	777	241	215	9		

- Molecule 16 is a protein called eL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Q	187	Total	C	N	O	S	0	0
			1515	946	315	250	4		

- Molecule 17 is a protein called eL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	R	180	1508	933	328	238	9	0	0

- Molecule 18 is a protein called eL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	S	176	1462	930	285	236	11	0	0

- Molecule 19 is a protein called eL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	T	159	1298	823	252	217	6	0	0

- Molecule 20 is a protein called eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	U	99	809	519	141	147	2	0	0

- Molecule 21 is a protein called uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	V	131	979	618	184	172	5	0	0

- Molecule 22 is a protein called eL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	W	106	860	538	174	144	4	0	0

- Molecule 23 is a protein called uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	X	118	967	618	181	167	1	0	0

- Molecule 24 is a protein called uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Y	134	Total	C	N	O	S	0	0
			1115	700	226	186	3		

- Molecule 25 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Z	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 26 is a protein called uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	a	147	Total	C	N	O	S	0	0
			1162	734	239	185	4		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	1	MET	GLN	conflict	UNP G1SNY0

- Molecule 27 is a protein called eL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	104	Total	C	N	O	S	0	0
			848	527	189	129	3		

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
b	227	ALA	-	expression tag	UNP G1SGR6
b	228	PRO	-	expression tag	UNP G1SGR6
b	229	VAL	-	expression tag	UNP G1SGR6
b	230	PRO	-	expression tag	UNP G1SGR6
b	231	ALA	-	expression tag	UNP G1SGR6
b	232	GLN	-	expression tag	UNP G1SGR6
b	233	ALA	-	expression tag	UNP G1SGR6
b	234	PRO	-	expression tag	UNP G1SGR6
b	235	PRO	-	expression tag	UNP G1SGR6
b	236	LYS	-	expression tag	UNP G1SGR6
b	237	GLY	-	expression tag	UNP G1SGR6
b	238	ALA	-	expression tag	UNP G1SGR6
b	239	GLN	-	expression tag	UNP G1SGR6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
b	240	PRO	-	expression tag	UNP G1SGR6
b	241	PRO	-	expression tag	UNP G1SGR6
b	242	ALA	-	expression tag	UNP G1SGR6
b	243	LYS	-	expression tag	UNP G1SGR6
b	244	ALA	-	expression tag	UNP G1SGR6
b	245	PRO	-	expression tag	UNP G1SGR6

- Molecule 28 is a protein called eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	c	98	761	481	134	140	6	0	0

- Molecule 29 is a protein called eL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	d	107	888	560	171	155	2	0	0

- Molecule 30 is a protein called eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	e	128	1053	667	216	165	5	0	0

- Molecule 31 is a protein called eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	f	109	876	555	174	143	4	0	0

- Molecule 32 is a protein called eL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	g	114	906	566	187	147	6	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
g	117	LYS	-	expression tag	UNP G1U945

- Molecule 33 is a protein called uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	h	122	1013	640	204	168	1	0	0

- Molecule 34 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	i	102	830	520	176	129	5	0	0

- Molecule 35 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	j	86	705	434	155	111	5	0	0

- Molecule 36 is a protein called eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	k	69	569	366	103	99	1	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
k	24	LYS	ASN	conflict	UNP G1U001

- Molecule 37 is a protein called eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	l	50	447	286	96	64	1	0	0

- Molecule 38 is a protein called eL40.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	m	52	429	266	90	67	6	0	0

- Molecule 39 is a protein called 60s ribosomal protein l41.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	n	25	Total	C	N	O	S	0	0
			239	145	64	27	3		

- Molecule 40 is a protein called eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	o	104	Total	C	N	O	S	0	0
			851	533	174	138	6		

- Molecule 41 is a protein called eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	p	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 42 is a protein called eL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	r	124	Total	C	N	O	S	0	0
			994	616	205	167	6		

- Molecule 43 is a protein called uL10.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	s	196	Total	C	N	O	S	0	0
			1507	959	263	276	9		

- Molecule 44 is a protein called uL11.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	t	153	Total	C	N	O	S	0	0
			1160	722	218	217	3		

- Molecule 45 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	2	76	Total	C	N	O	P	0	0
			1616	723	291	527	75		

- Molecule 46 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	3	75	Total	C	N	O	P	0	0
			1593	712	281	526	74		

- Molecule 47 is a RNA chain called 28S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	5	3543	Total	C	N	O	P	0	0
			75972	33833	13910	24686	3543		

- Molecule 48 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	7	120	Total	C	N	O	P	0	0
			2558	1141	456	842	119		

- Molecule 49 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	8	151	Total	C	N	O	P	0	0
			3208	1432	564	1062	150		

- Molecule 50 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	9	1698	Total	C	N	O	P	0	0
			36249	16180	6508	11864	1697		

- Molecule 51 is a protein called uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	AA	217	Total	C	N	O	S	0	0
			1710	1086	300	316	8		

- Molecule 52 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	BB	213	Total	C	N	O	S	0	0
			1729	1098	309	308	14		

- Molecule 53 is a protein called uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	CC	221	1716	1111	295	301	9	0	0

- Molecule 54 is a protein called uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	DD	228	1768	1126	318	316	8	0	0

- Molecule 55 is a protein called 40S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	EE	262	2076	1324	386	358	8	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EE	25	GLY	SER	conflict	UNP G1TK17
EE	51	ARG	LYS	conflict	UNP G1TK17
EE	78	THR	ALA	conflict	UNP G1TK17
EE	156	VAL	MET	conflict	UNP G1TK17

- Molecule 56 is a protein called uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	FF	185	1471	921	277	266	7	0	0

- Molecule 57 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	GG	237	1923	1200	387	329	7	0	0

- Molecule 58 is a protein called eS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	HH	185	1488	952	271	264	1	0	0

- Molecule 59 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	II	206	1686	1058	332	291	5	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
II	47	ARG	GLY	conflict	UNP G1TJW1

- Molecule 60 is a protein called Ribosomal protein S9 (Predicted).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	JJ	185	1525	969	306	248	2	0	0

- Molecule 61 is a protein called eS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
61	KK	96	810	530	143	131	6	0	0

- Molecule 62 is a protein called uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
62	LL	143	1175	749	222	198	6	0	0

- Molecule 63 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
63	MM	117	908	570	161	169	8	0	0

- Molecule 64 is a protein called uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	NN	149	1202	770	228	203	1	0	0

- Molecule 65 is a protein called uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	OO	136	1016	621	199	190	6	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
OO	-16	MET	-	initiating methionine	UNP G1T1F0
OO	-15	LYS	-	expression tag	UNP G1T1F0
OO	-14	ALA	-	expression tag	UNP G1T1F0
OO	-13	ARG	-	expression tag	UNP G1T1F0
OO	-12	ALA	-	expression tag	UNP G1T1F0
OO	-11	LEU	-	expression tag	UNP G1T1F0
OO	-10	SER	-	expression tag	UNP G1T1F0
OO	-9	GLY	-	expression tag	UNP G1T1F0
OO	-8	SER	-	expression tag	UNP G1T1F0
OO	-7	GLY	-	expression tag	UNP G1T1F0
OO	-6	VAL	-	expression tag	UNP G1T1F0
OO	-5	ARG	-	expression tag	UNP G1T1F0

- Molecule 66 is a protein called uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	PP	120	997	635	187	168	7	0	0

- Molecule 67 is a protein called uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	QQ	142	1128	717	213	195	3	0	0

- Molecule 68 is a protein called eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	RR	132	1068	670	199	195	4	0	0

- Molecule 69 is a protein called uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	SS	144	1190	746	241	202	1	0	0

- Molecule 70 is a protein called eS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
70	TT	141	1097	688	211	195	3	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
TT	119	GLY	TRP	conflict	UNP G1TN62

- Molecule 71 is a protein called uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
71	UU	100	795	498	152	141	4	0	0

- Molecule 72 is a protein called eS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
72	VV	83	636	393	117	121	5	0	0

- Molecule 73 is a protein called uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
73	WW	129	1034	659	193	176	6	0	0

- Molecule 74 is a protein called uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
74	XX	141	1098	693	219	183	3	0	0

- Molecule 75 is a protein called eS24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
75	YY	124	1011	640	198	168	5	0	0

- Molecule 76 is a protein called eS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	ZZ	75	Total	C	N	O	S	0	0
			598	382	111	104	1		

- Molecule 77 is a protein called eS26.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	aa	101	Total	C	N	O	S	0	0
			814	507	170	132	5		

- Molecule 78 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	bb	83	Total	C	N	O	S	0	0
			651	408	121	115	7		

- Molecule 79 is a protein called eS28.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	cc	62	Total	C	N	O	S	0	0
			488	297	97	92	2		

- Molecule 80 is a protein called uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	dd	55	Total	C	N	O	S	0	0
			459	286	94	74	5		

- Molecule 81 is a protein called eS30.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	ee	55	Total	C	N	O	S	0	0
			443	274	97	71	1		

- Molecule 82 is a protein called eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	ff	68	Total	C	N	O	S	0	0
			555	351	103	94	7		

- Molecule 83 is a protein called RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
83	gg	313	2436	1535	424	465	12	0	0

- Molecule 84 is a RNA chain called mRNA (UGA stop codon).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
84	hh	15	317	142	54	106	15	0	0

- Molecule 85 is a protein called Eukaryotic peptide chain release factor subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
85	ii	418	3295	2095	561	627	12	0	0

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
ii	-21	MET	-	initiating methionine	UNP P62495
ii	-20	ARG	-	expression tag	UNP P62495
ii	-19	GLY	-	expression tag	UNP P62495
ii	-18	SER	-	expression tag	UNP P62495
ii	-17	HIS	-	expression tag	UNP P62495
ii	-16	HIS	-	expression tag	UNP P62495
ii	-15	HIS	-	expression tag	UNP P62495
ii	-14	HIS	-	expression tag	UNP P62495
ii	-13	HIS	-	expression tag	UNP P62495
ii	-12	HIS	-	expression tag	UNP P62495
ii	-11	GLY	-	expression tag	UNP P62495
ii	-10	MET	-	expression tag	UNP P62495
ii	-9	ALA	-	expression tag	UNP P62495
ii	-8	SER	-	expression tag	UNP P62495
ii	-7	GLU	-	expression tag	UNP P62495
ii	-6	ASN	-	expression tag	UNP P62495
ii	-5	LEU	-	expression tag	UNP P62495
ii	-4	TYR	-	expression tag	UNP P62495
ii	-3	PHE	-	expression tag	UNP P62495
ii	-2	GLN	-	expression tag	UNP P62495
ii	-1	GLY	-	expression tag	UNP P62495
ii	0	SER	-	expression tag	UNP P62495

- Molecule 86 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
86	B	1	Total Mg 1 1	0
86	I	1	Total Mg 1 1	0
86	P	1	Total Mg 1 1	0
86	Q	1	Total Mg 1 1	0
86	V	1	Total Mg 1 1	0
86	a	1	Total Mg 1 1	0
86	e	1	Total Mg 1 1	0
86	g	1	Total Mg 1 1	0
86	j	1	Total Mg 1 1	0
86	5	169	Total Mg 169 169	0
86	7	5	Total Mg 5 5	0
86	8	3	Total Mg 3 3	0
86	9	71	Total Mg 71 71	0
86	hh	1	Total Mg 1 1	0

- Molecule 87 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
87	g	1	Total Zn 1 1	0
87	j	1	Total Zn 1 1	0
87	m	1	Total Zn 1 1	0
87	o	1	Total Zn 1 1	0
87	p	1	Total Zn 1 1	0
87	aa	1	Total Zn 1 1	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
87	dd	1	Total 1	Zn 1	0
87	ff	1	Total 1	Zn 1	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: uL2

Chain A:  89% 8%





- Molecule 2: uL3

Chain B:  93%




- Molecule 3: uL4

Chain C:  81% 15%




- Molecule 4: 60S ribosomal protein L5

Chain D:  94%





- Molecule 5: 60S ribosomal protein L6


Chain E:  70% 26%




• Molecule 6: uL30





• Molecule 7: eL8




• Molecule 8: uL6




• Molecule 9: uL16




• Molecule 10: uL5




• Molecule 17: eL19




• Molecule 18: eL20




• Molecule 19: eL21




• Molecule 20: eL22



• Molecule 21: uL14




• Molecule 22: eL24








- Molecule 29: eL31





- Molecule 30: eL32




- Molecule 31: eL33



- Molecule 32: eL34




- Molecule 33: uL29




- Molecule 34: 60S ribosomal protein L36




- Molecule 35: Ribosomal protein L37




• Molecule 36: eL38





• Molecule 37: eL39



• Molecule 38: eL40




• Molecule 39: 60s ribosomal protein l41




• Molecule 40: eL42





• Molecule 41: eL43









• Molecule 46: E-site tRNA



• Molecule 47: 28S ribosomal RNA

















• Molecule 56: uS7





• Molecule 57: 40S ribosomal protein S6



• Molecule 58: eS7





• Molecule 59: 40S ribosomal protein S8








• Molecule 60: Ribosomal protein S9 (Predicted)






• Molecule 61: eS10





• Molecule 62: uS17





• Molecule 63: 40S ribosomal protein S12





• Molecule 64: uS15




• Molecule 65: uS11




• Molecule 66: uS19





• Molecule 67: uS9





• Molecule 68: eS17





• Molecule 69: uS13




• Molecule 70: eS19



• Molecule 71: uS10




• Molecule 72: eS21





• Molecule 73: uS8



• Molecule 74: uS12





• Molecule 75: eS24





• Molecule 76: eS25









• Molecule 77: eS26




• Molecule 78: 40S ribosomal protein S27






• Molecule 79: eS28




• Molecule 80: uS14




• Molecule 81: eS30



• Molecule 82: eS31





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	13852	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	104478	Depositor
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.671	Depositor
Minimum map value	-0.487	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	562.8, 562.8, 562.8	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.3399999, 1.3399999, 1.3399999	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/1936	0.77	1/2596 (0.0%)
2	B	0.49	0/3240	0.74	1/4339 (0.0%)
3	C	0.52	0/2937	0.77	0/3946
4	D	0.55	1/2437 (0.0%)	0.75	1/3264 (0.0%)
5	E	0.42	0/1762	0.67	0/2362
6	F	0.56	0/1911	0.76	1/2549 (0.0%)
7	G	0.47	0/1910	0.70	0/2569
8	H	0.41	0/1535	0.66	0/2063
9	I	0.49	0/1702	0.71	1/2272 (0.0%)
10	J	0.42	0/1385	0.67	1/1852 (0.1%)
11	L	0.55	0/1733	0.78	0/2316
12	M	0.59	1/1158 (0.1%)	0.79	0/1547
13	N	0.51	0/1746	0.79	0/2338
14	O	0.58	0/1662	0.81	2/2222 (0.1%)
15	P	0.53	0/1268	0.73	0/1700
16	Q	0.54	0/1539	0.86	0/2054
17	R	0.59	1/1524 (0.1%)	0.79	1/2013 (0.0%)
18	S	0.53	1/1501 (0.1%)	0.75	0/2012
19	T	0.48	0/1326	0.71	1/1770 (0.1%)
20	U	0.42	0/823	0.62	0/1104
21	V	0.50	0/993	0.72	0/1332
22	W	0.42	0/873	0.63	0/1158
23	X	0.45	0/984	0.68	0/1323
24	Y	0.42	0/1132	0.66	0/1504
25	Z	0.46	0/1130	0.65	0/1507
26	a	0.50	0/1191	0.75	0/1590
27	b	0.47	0/861	0.69	0/1138
28	c	0.42	0/771	0.65	0/1034
29	d	0.47	0/903	0.75	0/1216
30	e	0.49	0/1071	0.77	0/1429
31	f	0.45	0/895	0.77	0/1198
32	g	0.43	0/916	0.73	0/1220

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	h	0.57	0/1021	0.77	1/1348 (0.1%)
34	i	0.45	0/841	0.69	0/1112
35	j	0.57	0/720	0.83	0/952
36	k	0.45	0/575	0.61	0/761
37	l	0.57	0/459	0.76	0/608
38	m	0.49	0/435	0.76	0/575
39	n	0.63	0/240	0.91	0/305
40	o	0.50	0/864	0.71	0/1140
41	p	0.55	0/718	0.78	0/953
42	r	0.49	0/1010	0.75	0/1354
43	s	0.44	0/1530	0.58	0/2064
44	t	0.47	0/1173	0.68	0/1579
45	2	0.40	1/1803 (0.1%)	0.72	2/2801 (0.1%)
46	3	0.24	0/1777	0.66	0/2763
47	5	0.39	3/84974 (0.0%)	0.71	22/132512 (0.0%)
48	7	0.38	0/2858	0.66	0/4455
49	8	0.39	0/3581	0.68	0/5577
50	9	0.34	1/40516 (0.0%)	0.72	12/63102 (0.0%)
51	AA	0.44	0/1747	0.68	0/2374
52	BB	0.40	0/1756	0.66	0/2350
53	CC	0.42	0/1753	0.70	0/2369
54	DD	0.45	0/1796	0.69	0/2417
55	EE	0.44	0/2118	0.73	0/2849
56	FF	0.43	0/1492	0.68	0/2005
57	GG	0.40	0/1946	0.72	0/2590
58	HH	0.41	0/1510	0.64	0/2022
59	II	0.47	0/1715	0.74	2/2287 (0.1%)
60	JJ	0.43	0/1550	0.76	0/2069
61	KK	0.45	0/834	0.61	0/1125
62	LL	0.45	0/1195	0.78	0/1597
63	MM	0.44	0/918	0.64	0/1233
64	NN	0.41	0/1226	0.70	0/1649
65	OO	0.41	0/1029	0.80	1/1380 (0.1%)
66	PP	0.42	0/1017	0.74	1/1358 (0.1%)
67	QQ	0.40	0/1146	0.68	0/1534
68	RR	0.43	0/1082	0.65	0/1452
69	SS	0.40	0/1208	0.71	0/1618
70	TT	0.49	1/1115 (0.1%)	0.69	1/1493 (0.1%)
71	UU	0.51	2/805 (0.2%)	0.70	0/1081
72	VV	0.51	1/643 (0.2%)	0.75	0/860
73	WW	0.46	0/1051	0.74	0/1406
74	XX	0.45	0/1116	0.76	1/1490 (0.1%)
75	YY	0.41	0/1028	0.68	0/1366

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
76	ZZ	0.39	0/604	0.71	0/810
77	aa	0.43	0/828	0.78	0/1109
78	bb	0.41	0/665	0.70	0/891
79	cc	0.52	1/490 (0.2%)	0.72	0/656
80	dd	0.49	0/470	0.72	0/623
81	ee	0.41	0/447	0.75	0/587
82	ff	0.39	0/567	0.55	0/753
83	gg	0.37	0/2493	0.60	0/3394
84	hh	0.32	0/353	0.74	0/547
85	ii	0.40	0/3345	0.61	0/4492
All	All	0.42	14/234908 (0.0%)	0.71	53/344334 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
12	M	0	1
51	AA	0	1
55	EE	0	1
74	XX	0	1
All	All	0	4

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	R	28	GLU	CD-OE2	8.20	1.34	1.25
45	2	20	U	C5'-C4'	7.89	1.60	1.51
18	S	131	GLU	CD-OE2	7.10	1.33	1.25
4	D	238	GLU	CD-OE2	6.30	1.32	1.25
47	5	2411	C	O3'-P	-6.20	1.53	1.61

The worst 5 of 53 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	22	ARG	NE-CZ-NH1	8.35	124.47	120.30
50	9	1835	A	C2'-C3'-O3'	7.93	126.95	109.50
50	9	1394	G	C2'-C3'-O3'	7.78	126.61	109.50
19	T	32	ARG	NE-CZ-NH1	7.60	124.10	120.30
47	5	1477	C	C2'-C3'-O3'	7.57	126.16	109.50

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
51	AA	42	LYS	Peptide
55	EE	155	LYS	Peptide
12	M	67	SER	Peptide
74	XX	61	GLN	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	246/257 (96%)	216 (88%)	28 (11%)	2 (1%)	19	56
2	B	392/403 (97%)	364 (93%)	27 (7%)	1 (0%)	41	74
3	C	360/425 (85%)	335 (93%)	24 (7%)	1 (0%)	41	74
4	D	291/297 (98%)	277 (95%)	13 (4%)	1 (0%)	41	74
5	E	208/291 (72%)	194 (93%)	13 (6%)	1 (0%)	29	65
6	F	223/247 (90%)	213 (96%)	9 (4%)	1 (0%)	34	69
7	G	229/319 (72%)	216 (94%)	13 (6%)	0	100	100
8	H	188/192 (98%)	174 (93%)	14 (7%)	0	100	100
9	I	201/214 (94%)	185 (92%)	15 (8%)	1 (0%)	29	65
10	J	168/178 (94%)	158 (94%)	10 (6%)	0	100	100
11	L	208/211 (99%)	198 (95%)	8 (4%)	2 (1%)	15	52
12	M	136/218 (62%)	123 (90%)	12 (9%)	1 (1%)	22	59
13	N	201/204 (98%)	187 (93%)	13 (6%)	1 (0%)	29	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
14	O	197/203 (97%)	186 (94%)	8 (4%)	3 (2%)	10	45
15	P	151/184 (82%)	141 (93%)	10 (7%)	0	100	100
16	Q	185/188 (98%)	172 (93%)	12 (6%)	1 (0%)	29	65
17	R	178/196 (91%)	170 (96%)	8 (4%)	0	100	100
18	S	174/176 (99%)	164 (94%)	9 (5%)	1 (1%)	25	61
19	T	157/160 (98%)	143 (91%)	13 (8%)	1 (1%)	25	61
20	U	97/128 (76%)	88 (91%)	9 (9%)	0	100	100
21	V	129/140 (92%)	114 (88%)	15 (12%)	0	100	100
22	W	102/157 (65%)	97 (95%)	4 (4%)	1 (1%)	15	52
23	X	116/156 (74%)	109 (94%)	7 (6%)	0	100	100
24	Y	132/145 (91%)	124 (94%)	8 (6%)	0	100	100
25	Z	133/136 (98%)	126 (95%)	4 (3%)	3 (2%)	6	38
26	a	145/148 (98%)	133 (92%)	12 (8%)	0	100	100
27	b	100/245 (41%)	94 (94%)	5 (5%)	1 (1%)	15	52
28	c	96/115 (84%)	90 (94%)	6 (6%)	0	100	100
29	d	105/125 (84%)	92 (88%)	13 (12%)	0	100	100
30	e	126/135 (93%)	119 (94%)	7 (6%)	0	100	100
31	f	107/110 (97%)	99 (92%)	6 (6%)	2 (2%)	8	42
32	g	112/117 (96%)	104 (93%)	8 (7%)	0	100	100
33	h	120/123 (98%)	112 (93%)	8 (7%)	0	100	100
34	i	100/105 (95%)	93 (93%)	7 (7%)	0	100	100
35	j	84/97 (87%)	74 (88%)	10 (12%)	0	100	100
36	k	67/70 (96%)	65 (97%)	2 (3%)	0	100	100
37	l	48/51 (94%)	44 (92%)	4 (8%)	0	100	100
38	m	50/102 (49%)	48 (96%)	2 (4%)	0	100	100
39	n	23/25 (92%)	23 (100%)	0	0	100	100
40	o	102/106 (96%)	99 (97%)	2 (2%)	1 (1%)	15	52
41	p	89/92 (97%)	80 (90%)	7 (8%)	2 (2%)	6	39
42	r	122/137 (89%)	112 (92%)	9 (7%)	1 (1%)	19	56
43	s	194/318 (61%)	177 (91%)	15 (8%)	2 (1%)	15	52
44	t	149/165 (90%)	135 (91%)	13 (9%)	1 (1%)	22	59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
51	AA	215/295 (73%)	196 (91%)	18 (8%)	1 (0%)	29	65
52	BB	211/264 (80%)	202 (96%)	9 (4%)	0	100	100
53	CC	219/293 (75%)	206 (94%)	12 (6%)	1 (0%)	29	65
54	DD	226/243 (93%)	213 (94%)	11 (5%)	2 (1%)	17	54
55	EE	260/263 (99%)	239 (92%)	21 (8%)	0	100	100
56	FF	181/204 (89%)	169 (93%)	11 (6%)	1 (1%)	25	61
57	GG	235/249 (94%)	226 (96%)	8 (3%)	1 (0%)	34	69
58	HH	181/194 (93%)	171 (94%)	10 (6%)	0	100	100
59	II	204/208 (98%)	186 (91%)	17 (8%)	1 (0%)	29	65
60	JJ	183/194 (94%)	175 (96%)	6 (3%)	2 (1%)	14	51
61	KK	94/165 (57%)	88 (94%)	5 (5%)	1 (1%)	14	51
62	LL	139/158 (88%)	126 (91%)	12 (9%)	1 (1%)	22	59
63	MM	115/132 (87%)	105 (91%)	10 (9%)	0	100	100
64	NN	147/151 (97%)	136 (92%)	11 (8%)	0	100	100
65	OO	134/168 (80%)	122 (91%)	10 (8%)	2 (2%)	10	45
66	PP	118/145 (81%)	109 (92%)	9 (8%)	0	100	100
67	QQ	140/146 (96%)	130 (93%)	10 (7%)	0	100	100
68	RR	130/135 (96%)	122 (94%)	8 (6%)	0	100	100
69	SS	142/152 (93%)	135 (95%)	7 (5%)	0	100	100
70	TT	139/145 (96%)	130 (94%)	9 (6%)	0	100	100
71	UU	98/119 (82%)	87 (89%)	11 (11%)	0	100	100
72	VV	81/83 (98%)	75 (93%)	6 (7%)	0	100	100
73	WW	127/130 (98%)	119 (94%)	8 (6%)	0	100	100
74	XX	139/143 (97%)	130 (94%)	6 (4%)	3 (2%)	6	39
75	YY	122/130 (94%)	113 (93%)	9 (7%)	0	100	100
76	ZZ	73/125 (58%)	70 (96%)	3 (4%)	0	100	100
77	aa	99/115 (86%)	88 (89%)	11 (11%)	0	100	100
78	bb	81/84 (96%)	73 (90%)	7 (9%)	1 (1%)	13	49
79	cc	60/69 (87%)	58 (97%)	2 (3%)	0	100	100
80	dd	53/56 (95%)	52 (98%)	1 (2%)	0	100	100
81	ee	53/133 (40%)	50 (94%)	3 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
82	ff	66/156 (42%)	60 (91%)	6 (9%)	0	100	100
83	gg	311/317 (98%)	286 (92%)	25 (8%)	0	100	100
85	ii	410/459 (89%)	394 (96%)	16 (4%)	0	100	100
All	All	11927/13834 (86%)	11108 (93%)	770 (6%)	49 (0%)	38	69

5 of 49 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
42	r	11	ARG
74	XX	61	GLN
74	XX	62	PRO
11	L	17	ASP
18	S	155	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	190/199 (96%)	173 (91%)	17 (9%)	9	38
2	B	342/348 (98%)	324 (95%)	18 (5%)	22	54
3	C	302/347 (87%)	287 (95%)	15 (5%)	24	55
4	D	247/250 (99%)	235 (95%)	12 (5%)	25	55
5	E	190/251 (76%)	179 (94%)	11 (6%)	20	52
6	F	196/215 (91%)	184 (94%)	12 (6%)	18	51
7	G	200/272 (74%)	185 (92%)	15 (8%)	13	44
8	H	169/171 (99%)	154 (91%)	15 (9%)	9	38
9	I	175/181 (97%)	164 (94%)	11 (6%)	18	49
10	J	143/149 (96%)	138 (96%)	5 (4%)	36	63
11	L	175/176 (99%)	167 (95%)	8 (5%)	27	57
12	M	117/161 (73%)	109 (93%)	8 (7%)	16	47
13	N	171/172 (99%)	163 (95%)	8 (5%)	26	56

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	O	171/173 (99%)	160 (94%)	11 (6%)	17	49
15	P	134/163 (82%)	125 (93%)	9 (7%)	16	48
16	Q	164/165 (99%)	154 (94%)	10 (6%)	18	51
17	R	159/175 (91%)	144 (91%)	15 (9%)	8	35
18	S	157/157 (100%)	143 (91%)	14 (9%)	9	38
19	T	139/140 (99%)	130 (94%)	9 (6%)	17	49
20	U	89/114 (78%)	88 (99%)	1 (1%)	73	85
21	V	101/107 (94%)	94 (93%)	7 (7%)	15	47
22	W	86/126 (68%)	85 (99%)	1 (1%)	71	84
23	X	106/134 (79%)	100 (94%)	6 (6%)	20	53
24	Y	124/135 (92%)	119 (96%)	5 (4%)	31	60
25	Z	117/118 (99%)	115 (98%)	2 (2%)	60	79
26	a	119/120 (99%)	115 (97%)	4 (3%)	37	64
27	b	84/184 (46%)	82 (98%)	2 (2%)	49	71
28	c	84/98 (86%)	82 (98%)	2 (2%)	49	71
29	d	98/110 (89%)	90 (92%)	8 (8%)	11	41
30	e	114/121 (94%)	106 (93%)	8 (7%)	15	46
31	f	88/89 (99%)	82 (93%)	6 (7%)	16	47
32	g	98/100 (98%)	93 (95%)	5 (5%)	24	55
33	h	109/110 (99%)	105 (96%)	4 (4%)	34	62
34	i	86/89 (97%)	83 (96%)	3 (4%)	36	63
35	j	73/80 (91%)	67 (92%)	6 (8%)	11	41
36	k	64/65 (98%)	62 (97%)	2 (3%)	40	65
37	l	47/48 (98%)	47 (100%)	0	100	100
38	m	48/90 (53%)	45 (94%)	3 (6%)	18	49
39	n	24/24 (100%)	22 (92%)	2 (8%)	11	41
40	o	92/94 (98%)	86 (94%)	6 (6%)	17	49
41	p	74/75 (99%)	71 (96%)	3 (4%)	30	59
42	r	108/121 (89%)	101 (94%)	7 (6%)	17	49
43	s	164/258 (64%)	158 (96%)	6 (4%)	34	62
44	t	126/137 (92%)	122 (97%)	4 (3%)	39	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
51	AA	180/245 (74%)	162 (90%)	18 (10%)	7	32
52	BB	194/231 (84%)	174 (90%)	20 (10%)	7	31
53	CC	187/225 (83%)	172 (92%)	15 (8%)	12	42
54	DD	190/202 (94%)	174 (92%)	16 (8%)	11	41
55	EE	224/225 (100%)	207 (92%)	17 (8%)	13	44
56	FF	158/170 (93%)	143 (90%)	15 (10%)	8	35
57	GG	207/218 (95%)	189 (91%)	18 (9%)	10	39
58	HH	165/174 (95%)	153 (93%)	12 (7%)	14	45
59	II	178/180 (99%)	167 (94%)	11 (6%)	18	50
60	JJ	161/168 (96%)	147 (91%)	14 (9%)	10	39
61	KK	87/136 (64%)	80 (92%)	7 (8%)	12	42
62	LL	130/142 (92%)	116 (89%)	14 (11%)	6	30
63	MM	99/108 (92%)	83 (84%)	16 (16%)	2	15
64	NN	130/131 (99%)	115 (88%)	15 (12%)	5	28
65	OO	106/130 (82%)	91 (86%)	15 (14%)	3	21
66	PP	109/130 (84%)	97 (89%)	12 (11%)	6	29
67	QQ	117/121 (97%)	108 (92%)	9 (8%)	13	43
68	RR	119/121 (98%)	107 (90%)	12 (10%)	7	32
69	SS	125/132 (95%)	112 (90%)	13 (10%)	7	31
70	TT	111/115 (96%)	101 (91%)	10 (9%)	9	37
71	UU	92/107 (86%)	84 (91%)	8 (9%)	10	39
72	VV	67/67 (100%)	66 (98%)	1 (2%)	65	81
73	WW	112/113 (99%)	104 (93%)	8 (7%)	14	46
74	XX	113/115 (98%)	107 (95%)	6 (5%)	22	54
75	YY	107/112 (96%)	95 (89%)	12 (11%)	6	29
76	ZZ	66/103 (64%)	61 (92%)	5 (8%)	13	44
77	aa	88/98 (90%)	79 (90%)	9 (10%)	7	32
78	bb	75/76 (99%)	68 (91%)	7 (9%)	9	36
79	cc	55/62 (89%)	49 (89%)	6 (11%)	6	29
80	dd	48/49 (98%)	46 (96%)	2 (4%)	30	59
81	ee	46/106 (43%)	41 (89%)	5 (11%)	6	29

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
82	ff	61/140 (44%)	52 (85%)	9 (15%)	3	18
83	gg	272/275 (99%)	258 (95%)	14 (5%)	24	55
85	ii	360/394 (91%)	339 (94%)	21 (6%)	20	52
All	All	10403/11733 (89%)	9685 (93%)	718 (7%)	19	47

5 of 718 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
59	II	130	THR
68	RR	33	ARG
60	JJ	79	ARG
59	II	100	CYS
64	NN	20	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 36 such sidechains are listed below:

Mol	Chain	Res	Type
59	II	35	ASN
85	ii	265	ASN
69	SS	125	HIS
85	ii	180	HIS
14	O	180	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
45	2	73/76 (96%)	15 (20%)	1 (1%)
46	3	72/75 (96%)	25 (34%)	2 (2%)
47	5	3515/3543 (99%)	893 (25%)	175 (4%)
48	7	119/120 (99%)	17 (14%)	2 (1%)
49	8	150/156 (96%)	36 (24%)	8 (5%)
50	9	1671/1869 (89%)	436 (26%)	70 (4%)
84	hh	14/15 (93%)	8 (57%)	0
All	All	5614/5854 (95%)	1430 (25%)	258 (4%)

5 of 1430 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
45	2	8	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
45	2	9	A
45	2	13	U
45	2	16	C
45	2	19	G

5 of 258 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
50	9	1284	A
50	9	1476	A
47	5	1921	C
47	5	1835	G
50	9	1520	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 266 ligands modelled in this entry, 266 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
47	5	29
50	9	15
45	2	3
85	ii	3
46	3	2
44	t	1

The worst 5 of 53 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	5	2113:G	O3'	2258:C	P	41.35
1	5	1252:C	O3'	1271:G	P	35.75
1	5	1219:G	O3'	1233:G	P	22.89
1	5	3948:C	O3'	4065:G	P	19.77
1	5	1406(C):G	O3'	1411:C	P	18.60


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4132. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 225




Y Index: 212




Z Index: 202


6.3.2 Raw map



X Index: 225



Y Index: 212




Z Index: 186

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1430 nm³; this corresponds to an approximate mass of 1291 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.267 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.267 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.75	-	-
Author-provided FSC curve	3.74	4.63	3.80
Unmasked-calculated*	5.99	10.34	6.52

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.99 differs from the reported value 3.75 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4132 and PDB model 5LZU. Per-residue inclusion information can be found in section 3 on page 27.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7224	 0.3990
2	 0.5489	 0.3150
3	 0.4105	 0.2080
5	 0.8027	 0.4030
7	 0.8759	 0.4430
8	 0.8256	 0.4050
9	 0.7771	 0.3870
A	 0.7161	 0.4600
AA	 0.6291	 0.4090
B	 0.7397	 0.4630
BB	 0.6198	 0.4160
C	 0.7137	 0.4540
CC	 0.6485	 0.4300
D	 0.7439	 0.4330
DD	 0.5681	 0.3760
E	 0.6939	 0.4230
EE	 0.6795	 0.4280
F	 0.7233	 0.4560
FF	 0.6299	 0.4070
G	 0.6005	 0.3820
GG	 0.5154	 0.2950
H	 0.6800	 0.4300
HH	 0.4880	 0.3330
I	 0.6997	 0.4450
II	 0.6392	 0.4110
J	 0.6578	 0.4150
JJ	 0.6724	 0.4040
KK	 0.5911	 0.3600
L	 0.7044	 0.4280
LL	 0.6860	 0.4380
M	 0.7270	 0.4350
MM	 0.2416	 0.1550
N	 0.7457	 0.4710
NN	 0.6612	 0.4250
O	 0.7324	 0.4510





















Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
OO	0.6272	0.4250
P	0.7283	0.4630
PP	0.6176	0.3660
Q	0.7354	0.4670
QQ	0.6355	0.4060
R	0.6884	0.4230
RR	0.5183	0.3790
S	0.7401	0.4690
SS	0.6052	0.3750
T	0.7150	0.4500
TT	0.6373	0.3820
U	0.6523	0.3720
UU	0.5517	0.3790
V	0.6931	0.4670
VV	0.6286	0.4180
W	0.5138	0.3420
WW	0.6584	0.4490
X	0.6894	0.4220
XX	0.6695	0.4460
Y	0.6976	0.4360
YY	0.6432	0.3940
Z	0.6710	0.4130
ZZ	0.5901	0.3520
a	0.7803	0.4810
aa	0.6675	0.4270
b	0.5804	0.3680
bb	0.5415	0.3860
c	0.6425	0.4130
cc	0.5830	0.3990
d	0.6966	0.4420
dd	0.6946	0.4220
e	0.7308	0.4700
ee	0.5681	0.3560
f	0.7411	0.4870
ff	0.3346	0.1910
g	0.6774	0.4300
gg	0.5098	0.3200
h	0.6895	0.4300
hh	0.6572	0.3770
i	0.6558	0.3950
ii	0.4746	0.3040
j	0.7997	0.4800

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
k	 0.5978	 0.3670
l	 0.7330	 0.4430
m	 0.7139	 0.4490
n	 0.6376	 0.4390
o	 0.7070	 0.4550
p	 0.6865	 0.4430
r	 0.7252	 0.4590
s	 0.1239	 0.1220
t	 0.2285	 0.1310