



Full wwPDB X-ray Structure Validation Report

May 28, 2020 – 07:57 pm BST

PDB ID : 1M5A
Title : Crystal Structure of 2-Co(2+)-Insulin at 1.2A Resolution
Authors : Nicholson, J.M.; Perkins, L.C.; Korber, F.C.
Deposited on : 2002-07-09
Resolution : 1.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1286 (1.22-1.18)
Ramachandran outliers	138981	1240 (1.22-1.18)
Sidechain outliers	138945	1239 (1.22-1.18)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	21	
1	C	21	
2	B	30	
2	D	30	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 1005 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called INSULIN A CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	21	163	99	25	35	4	0	0	0
1	C	21	163	99	25	35	4	7	0	0

- Molecule 2 is a protein called INSULIN B CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	30	240	157	40	41	2	8	0	0
2	D	30	240	157	40	41	2	16	0	0

- Molecule 3 is COBALT (II) ION (three-letter code: CO) (formula: Co).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Co	0	0
			1	1		
3	D	1	Total	Co	0	0
			1	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	33	Total	O	0	0
			33	33		
4	B	65	Total	O	1	0
			65	65		
4	C	46	Total	O	0	0
			46	46		
4	D	53	Total	O	0	0
			53	53		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: INSULIN A CHAIN




- Molecule 1: INSULIN A CHAIN



- Molecule 2: INSULIN B CHAIN



- Molecule 2: INSULIN B CHAIN



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	80.75Å 80.75Å 33.63Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 1.20	Depositor
% Data completeness (in resolution range)	99.1 (20.00-1.20)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.181 , 0.241	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	1005	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
CO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.95	4/164 (2.4%)	3.08	19/220 (8.6%)
1	C	1.81	2/164 (1.2%)	2.59	13/220 (5.9%)
2	B	2.38	8/247 (3.2%)	3.12	27/332 (8.1%)
2	D	3.24	11/247 (4.5%)	3.45	38/332 (11.4%)
All	All	2.50	25/822 (3.0%)	3.12	97/1104 (8.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
2	B	1	1
2	D	0	3
All	All	1	5

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	2	VAL	CB-CG1	-33.56	0.82	1.52
2	B	21	GLU	CG-CD	-16.52	1.27	1.51
2	D	4	GLN	CB-CG	-10.84	1.23	1.52
2	D	7	CYS	CB-SG	9.08	1.97	1.82
2	D	29	LYS	CB-CG	8.78	1.76	1.52
2	B	26	TYR	CG-CD1	8.42	1.50	1.39
2	B	21	GLU	N-CA	-8.14	1.30	1.46
2	D	1	PHE	C-N	7.64	1.51	1.34
2	D	28	PRO	N-CD	7.62	1.58	1.47
2	D	1	PHE	CG-CD1	7.61	1.50	1.38
2	D	26	TYR	CE2-CZ	7.31	1.48	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	30	ALA	N-CA	6.28	1.58	1.46
2	B	7	CYS	CB-SG	6.20	1.92	1.82
2	D	8	GLY	N-CA	5.89	1.54	1.46
1	C	4	GLU	CD-OE2	5.71	1.31	1.25
2	B	27	THR	CB-OG1	5.63	1.54	1.43
1	A	4	GLU	CD-OE1	5.62	1.31	1.25
2	B	27	THR	N-CA	5.54	1.57	1.46
1	A	1	GLY	N-CA	5.47	1.54	1.46
1	C	6	CYS	CB-SG	5.44	1.91	1.82
2	D	12	VAL	CB-CG2	-5.35	1.41	1.52
2	B	25	PHE	CD1-CE1	-5.25	1.28	1.39
1	A	14	TYR	CD2-CE2	5.23	1.47	1.39
1	A	11	CYS	CB-SG	5.19	1.91	1.82
2	D	24	PHE	N-CA	5.18	1.56	1.46

All (97) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	PHE	CB-CG-CD1	-17.46	108.58	120.80
1	A	19	TYR	CB-CG-CD2	-13.09	113.15	121.00
2	D	2	VAL	CA-CB-CG2	-12.78	91.74	110.90
2	D	24	PHE	CB-CG-CD2	-12.77	111.86	120.80
2	D	26	TYR	CZ-CE2-CD2	-12.16	108.85	119.80
2	B	21	GLU	CB-CG-CD	12.00	146.61	114.20
2	B	21	GLU	CG-CD-OE1	-11.85	94.61	118.30
2	D	22	ARG	NE-CZ-NH2	-11.33	114.64	120.30
2	B	21	GLU	CG-CD-OE2	11.32	140.94	118.30
1	C	17	GLU	OE1-CD-OE2	11.18	136.72	123.30
2	D	3	ASN	CA-CB-CG	-11.00	89.19	113.40
2	B	22	ARG	NE-CZ-NH1	10.86	125.73	120.30
2	D	22	ARG	CD-NE-CZ	10.85	138.79	123.60
2	B	29	LYS	CA-C-N	10.59	140.50	117.20
2	B	22	ARG	NE-CZ-NH2	-10.51	115.05	120.30
2	B	30	ALA	CB-CA-C	10.13	125.30	110.10
1	A	14	TYR	CB-CG-CD2	-9.96	115.02	121.00
1	A	5	GLN	CG-CD-OE1	-9.48	102.64	121.60
2	B	26	TYR	CB-CG-CD1	-9.42	115.35	121.00
2	D	8	GLY	CA-C-O	9.33	137.39	120.60
2	D	16	TYR	CG-CD1-CE1	-9.26	113.89	121.30
2	D	1	PHE	N-CA-CB	9.22	127.19	110.60
2	B	29	LYS	CA-C-O	-8.85	101.51	120.10
2	D	24	PHE	CB-CG-CD1	8.35	126.64	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	PHE	CA-C-O	-8.32	102.63	120.10
2	D	18	VAL	CA-CB-CG2	8.27	123.30	110.90
2	B	16	TYR	CB-CG-CD1	-8.21	116.08	121.00
2	D	8	GLY	CA-C-N	-7.96	99.68	117.20
1	C	21	ASN	OD1-CG-ND2	7.90	140.07	121.90
2	D	21	GLU	OE1-CD-OE2	-7.79	113.95	123.30
2	D	1	PHE	CB-CG-CD2	7.58	126.11	120.80
2	B	3	ASN	OD1-CG-ND2	7.57	139.32	121.90
1	A	19	TYR	CG-CD2-CE2	-7.39	115.39	121.30
2	B	5	HIS	CA-CB-CG	-7.37	101.08	113.60
1	A	19	TYR	CD1-CG-CD2	7.36	126.00	117.90
2	D	4	GLN	CA-CB-CG	7.29	129.44	113.40
2	D	30	ALA	CB-CA-C	7.25	120.97	110.10
1	A	5	GLN	CG-CD-NE2	7.15	133.85	116.70
1	A	14	TYR	CA-CB-CG	-7.09	99.94	113.40
2	D	1	PHE	CA-C-N	-6.86	102.10	117.20
2	D	16	TYR	CB-CG-CD2	-6.82	116.91	121.00
2	D	16	TYR	CD1-CG-CD2	6.80	125.38	117.90
2	D	26	TYR	CB-CG-CD1	-6.75	116.95	121.00
2	D	29	LYS	CA-CB-CG	6.62	127.97	113.40
1	C	16	LEU	CB-CG-CD1	-6.57	99.84	111.00
2	B	20	GLY	CA-C-O	6.45	132.21	120.60
1	C	17	GLU	CB-CG-CD	-6.44	96.81	114.20
1	A	10	ILE	CA-CB-CG1	6.32	123.02	111.00
1	A	8	THR	CA-CB-CG2	-6.27	103.62	112.40
2	D	2	VAL	CA-C-O	6.26	133.25	120.10
2	D	13	GLU	CA-CB-CG	-6.26	99.62	113.40
1	C	12	SER	CA-CB-OG	6.19	127.91	111.20
1	A	9	SER	CB-CA-C	6.15	121.79	110.10
2	B	29	LYS	C-N-CA	-6.07	106.53	121.70
1	A	17	GLU	CG-CD-OE2	-6.06	106.18	118.30
2	D	16	TYR	CZ-CE2-CD2	-6.05	114.36	119.80
1	C	18	ASN	CB-CG-OD1	-6.03	109.53	121.60
2	D	16	TYR	CB-CG-CD1	-5.97	117.42	121.00
2	B	21	GLU	OE1-CD-OE2	-5.87	116.25	123.30
2	D	26	TYR	CE1-CZ-CE2	5.85	129.15	119.80
1	A	4	GLU	CG-CD-OE1	-5.83	106.63	118.30
1	A	10	ILE	CA-C-O	5.77	132.21	120.10
2	D	27	THR	OG1-CB-CG2	-5.72	96.84	110.00
2	B	27	THR	N-CA-CB	-5.66	99.55	110.30
1	A	19	TYR	CA-CB-CG	-5.62	102.72	113.40
1	A	3	VAL	C-N-CA	5.57	135.61	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	17	GLU	CG-CD-OE1	-5.53	107.24	118.30
1	C	18	ASN	OD1-CG-ND2	5.52	134.60	121.90
2	D	11	LEU	O-C-N	5.50	131.50	122.70
1	A	14	TYR	CG-CD2-CE2	-5.49	116.91	121.30
1	A	17	GLU	OE1-CD-OE2	5.47	129.87	123.30
2	D	7	CYS	C-N-CA	-5.43	110.90	122.30
2	B	23	GLY	CA-C-N	-5.41	105.30	117.20
2	B	22	ARG	CA-C-O	-5.39	108.78	120.10
2	B	26	TYR	C-N-CA	-5.38	108.25	121.70
1	A	17	GLU	CB-CA-C	-5.36	99.69	110.40
2	D	12	VAL	CA-CB-CG1	-5.34	102.89	110.90
1	C	8	THR	CA-CB-OG1	-5.33	97.80	109.00
2	D	7	CYS	CA-CB-SG	-5.30	104.46	114.00
2	D	2	VAL	CA-C-N	-5.26	105.62	117.20
2	B	21	GLU	N-CA-C	5.26	125.20	111.00
2	D	10	HIS	N-CA-CB	-5.23	101.18	110.60
2	D	17	LEU	CB-CG-CD2	-5.21	102.14	111.00
1	A	2	ILE	O-C-N	5.19	131.00	122.70
2	B	16	TYR	CG-CD1-CE1	-5.17	117.16	121.30
1	C	9	SER	CB-CA-C	5.17	119.92	110.10
2	B	22	ARG	CG-CD-NE	-5.13	101.02	111.80
2	B	3	ASN	CB-CG-ND2	-5.12	104.42	116.70
2	B	1	PHE	CB-CG-CD1	-5.11	117.22	120.80
2	D	3	ASN	CB-CA-C	5.09	120.57	110.40
1	C	9	SER	O-C-N	-5.07	114.58	122.70
2	D	7	CYS	O-C-N	5.05	131.78	123.20
2	B	16	TYR	N-CA-CB	-5.04	101.53	110.60
1	C	21	ASN	CB-CG-OD1	-5.03	111.54	121.60
2	B	3	ASN	CA-CB-CG	-5.03	102.34	113.40
2	B	16	TYR	CZ-CE2-CD2	-5.02	115.28	119.80
1	C	14	TYR	CB-CG-CD2	5.00	124.00	121.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	30	ALA	CA

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	21	GLU	Sidechain
1	C	19	TYR	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	D	1	PHE	Sidechain,Mainchain
2	D	16	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	163	0	149	9	2
1	C	163	0	149	14	2
2	B	240	0	230	30	6
2	D	240	0	230	23	4
3	B	1	0	0	0	0
3	D	1	0	0	0	0
4	A	33	0	0	7	5
4	B	65	0	0	18	7
4	C	46	0	0	4	9
4	D	53	0	0	8	11
All	All	1005	0	758	61	25

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 41.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:6:LEU:CD2	4:B:361:HOH:O	1.74	1.32
2:B:2:VAL:CG1	4:B:325:HOH:O	1.78	1.28
2:B:6:LEU:HD21	4:B:361:HOH:O	1.28	1.25
2:D:24:PHE:HD2	4:D:339:HOH:O	1.16	1.24
2:B:1:PHE:HB2	4:B:356:HOH:O	1.46	1.12
1:C:14:TYR:HB3	4:C:32:HOH:O	1.49	1.11
2:B:2:VAL:HG13	4:B:325:HOH:O	1.43	1.04
2:B:29:LYS:NZ	4:B:319:HOH:O	1.90	1.01
2:B:2:VAL:HB	4:B:329:HOH:O	1.60	1.01
1:A:12:SER:O	4:A:47:HOH:O	1.79	1.00
2:B:2:VAL:HG11	4:B:325:HOH:O	1.48	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:10:ILE:CD1	2:D:1:PHE:O	2.21	0.89
2:D:24:PHE:CD2	4:D:339:HOH:O	2.02	0.85
1:A:16:LEU:HG	4:A:47:HOH:O	1.79	0.83
1:C:14:TYR:O	4:C:47:HOH:O	1.95	0.82
1:C:10:ILE:HD11	2:D:1:PHE:O	1.82	0.79
2:B:27:THR:HG22	4:D:322:HOH:O	1.84	0.78
4:A:46:HOH:O	2:B:15:LEU:CD2	2.32	0.78
4:A:46:HOH:O	2:B:19:CYS:SG	2.40	0.77
1:C:10:ILE:HD12	2:D:1:PHE:O	1.84	0.75
2:B:2:VAL:CB	4:B:329:HOH:O	2.27	0.75
4:A:46:HOH:O	2:B:15:LEU:HD23	1.87	0.73
2:B:6:LEU:HD23	4:B:361:HOH:O	1.58	0.72
1:A:21:ASN:HB2	2:B:22:ARG:O	1.90	0.71
2:B:2:VAL:CG2	4:B:329:HOH:O	2.42	0.68
1:C:11:CYS:O	2:D:3:ASN:ND2	2.27	0.68
2:B:17:LEU:HD21	4:B:346:HOH:O	1.94	0.67
2:B:1:PHE:CB	4:B:356:HOH:O	2.19	0.66
2:B:17:LEU:HD22	4:B:323:HOH:O	1.96	0.65
1:A:2:ILE:HG22	4:B:349:HOH:O	1.99	0.63
1:A:3:VAL:HA	2:B:11:LEU:CD2	2.29	0.62
2:D:13:GLU:HG3	4:D:352:HOH:O	2.00	0.61
2:B:13:GLU:O	2:B:17:LEU:HD22	2.02	0.60
2:B:2:VAL:HG23	4:B:329:HOH:O	2.00	0.59
2:B:17:LEU:CD2	4:B:323:HOH:O	2.50	0.58
4:A:46:HOH:O	2:B:15:LEU:HD22	1.99	0.56
1:A:7:CYS:O	2:B:5:HIS:NE2	2.27	0.55
1:A:12:SER:OG	1:A:15:GLN:HG3	2.06	0.55
2:D:21:GLU:HA	4:D:355:HOH:O	2.06	0.54
2:D:19:CYS:HB2	4:D:339:HOH:O	2.07	0.53
1:A:21:ASN:ND2	2:D:27:THR:HG22	2.23	0.53
2:D:9:SER:HA	2:D:12:VAL:HG22	1.89	0.53
1:C:2:ILE:HD11	2:D:11:LEU:HD11	1.91	0.51
1:C:16:LEU:HB3	2:D:18:VAL:HG21	1.90	0.51
4:A:44:HOH:O	2:B:25:PHE:HB2	2.10	0.50
2:D:26:TYR:CZ	2:D:28:PRO:HG3	2.46	0.50
2:D:1:PHE:O	2:D:3:ASN:N	2.43	0.50
2:B:2:VAL:O	2:B:4:GLN:OE1	2.31	0.48
1:C:2:ILE:HG23	1:C:3:VAL:N	2.30	0.47
1:C:18:ASN:ND2	4:C:46:HOH:O	2.46	0.46
2:B:12:VAL:CG1	2:D:12:VAL:HB	2.48	0.44
1:C:11:CYS:N	2:D:3:ASN:HD22	2.15	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:SER:O	1:A:10:ILE:HD12	2.18	0.43
1:C:7:CYS:HB2	2:D:6:LEU:O	2.19	0.43
1:C:14:TYR:CB	4:C:32:HOH:O	2.29	0.42
2:B:16:TYR:OH	2:D:8:GLY:HA2	2.19	0.42
4:B:313:HOH:O	2:D:21:GLU:HB2	2.20	0.41
2:D:26:TYR:CE2	2:D:28:PRO:HG3	2.55	0.41
1:C:19:TYR:HB2	2:D:15:LEU:HD21	2.03	0.41
2:D:7:CYS:HB3	4:D:328:HOH:O	2.21	0.40
2:B:28:PRO:HD2	4:D:306:HOH:O	2.20	0.40

All (25) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:14:TYR:OH	4:A:41:HOH:O[3_555]	0.45	1.75
4:B:320:HOH:O	4:D:354:HOH:O[2_555]	1.18	1.02
2:B:22:ARG:NH2	4:D:344:HOH:O[6_455]	1.18	1.02
2:B:29:LYS:CG	4:C:58:HOH:O[1_556]	1.34	0.86
1:C:14:TYR:CZ	4:A:41:HOH:O[3_555]	1.35	0.85
4:B:303:HOH:O	4:D:337:HOH:O[2_555]	1.46	0.74
4:A:50:HOH:O	4:C:57:HOH:O[6_455]	1.50	0.70
1:A:10:ILE:CG2	4:D:343:HOH:O[7_445]	1.76	0.44
4:B:362:HOH:O	4:C:62:HOH:O[6_455]	1.77	0.43
2:B:29:LYS:CD	4:C:58:HOH:O[1_556]	1.80	0.40
2:B:29:LYS:CB	4:C:58:HOH:O[1_556]	1.83	0.37
4:B:322:HOH:O	4:D:352:HOH:O[2_555]	1.88	0.32
4:D:315:HOH:O	4:D:338:HOH:O[3_555]	1.89	0.31
4:B:315:HOH:O	4:D:342:HOH:O[2_555]	1.94	0.26
2:B:29:LYS:CE	4:D:336:HOH:O[1_556]	1.94	0.26
1:A:14:TYR:CD2	4:C:63:HOH:O[6_455]	2.03	0.17
2:D:1:PHE:CD1	4:C:45:HOH:O[5_554]	2.06	0.14
2:D:21:GLU:OE2	4:D:347:HOH:O[9_555]	2.07	0.13
4:A:34:HOH:O	4:B:358:HOH:O[6_454]	2.10	0.10
4:A:23:HOH:O	4:A:37:HOH:O[6_455]	2.14	0.06
2:B:2:VAL:CG2	2:D:21:GLU:OE2[2_555]	2.15	0.05
2:D:1:PHE:CE1	4:C:45:HOH:O[5_554]	2.15	0.05
4:B:316:HOH:O	4:C:65:HOH:O[1_556]	2.15	0.05
4:D:312:HOH:O	4:D:338:HOH:O[3_555]	2.16	0.04
4:D:315:HOH:O	4:D:324:HOH:O[3_555]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	19/21 (90%)	17 (90%)	2 (10%)	0	100	100
1	C	19/21 (90%)	18 (95%)	1 (5%)	0	100	100
2	B	28/30 (93%)	27 (96%)	1 (4%)	0	100	100
2	D	28/30 (93%)	27 (96%)	1 (4%)	0	100	100
All	All	94/102 (92%)	89 (95%)	5 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	20/20 (100%)	20 (100%)	0	100	100
1	C	20/20 (100%)	19 (95%)	1 (5%)	24	2
2	B	25/25 (100%)	24 (96%)	1 (4%)	31	4
2	D	25/25 (100%)	23 (92%)	2 (8%)	12	0
All	All	90/90 (100%)	86 (96%)	4 (4%)	28	3

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	27	THR
1	C	10	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	2	VAL
2	D	4	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	ASN
2	B	4	GLN
1	C	18	ASN
2	D	3	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.