



Full wwPDB EM Validation Report ⓘ

Nov 19, 2022 – 11:33 am GMT

PDB ID : 5M5H
EMDB ID : EMD-4155
Title : RIBOSOME-BOUND YIDC INSERTASE
Authors : Kedrov, A.; Wickles, S.; Crevenna, A.H.; van der Sluis, E.; Buschauer, R.;
Berninghausen, O.; Lamb, D.C.; Beckmann, R.
Deposited on : 2016-10-21
Resolution : 4.50 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	551	<p>24% 9% 15% 9% 9% 76%</p>

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 1086 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Membrane protein insertase YidC.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	132	1086	757	157	164	8	0	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	541	LEU	-	expression tag	UNP B7MGC7
A	542	GLU	-	expression tag	UNP B7MGC7
A	543	SER	-	expression tag	UNP B7MGC7
A	544	SER	-	expression tag	UNP B7MGC7
A	545	GLY	-	expression tag	UNP B7MGC7
A	546	GLU	-	expression tag	UNP B7MGC7
A	547	ASN	-	expression tag	UNP B7MGC7
A	548	LEU	-	expression tag	UNP B7MGC7
A	549	TYR	-	expression tag	UNP B7MGC7
A	550	PHE	-	expression tag	UNP B7MGC7
A	551	GLN	-	expression tag	UNP B7MGC7

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	42658	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	27	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.091	Depositor
Minimum map value	-0.040	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.015	Depositor
Map size (\AA)	487.8, 487.8, 487.8	wwPDB
Map dimensions	450, 450, 450	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.084, 1.084, 1.084	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/1126	0.76	1/1537 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	513	LEU	CA-CB-CG	5.01	126.83	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	351	VAL	Peptide
1	A	424	PHE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1086	0	1095	84	0
All	All	1086	0	1095	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 39.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:432:ILE:O	1:A:436:LEU:HB2	1.59	1.02
1:A:361:ILE:O	1:A:365:VAL:HB	1.69	0.91
1:A:472:GLY:O	1:A:476:PHE:HB3	1.80	0.81
1:A:336:ILE:HD12	1:A:431:PRO:HD3	1.66	0.76
1:A:498:MET:O	1:A:501:ILE:N	2.19	0.76
1:A:462:ASP:HB2	1:A:511:SER:HB3	1.68	0.76
1:A:461:GLN:HA	1:A:510:PRO:HA	1.67	0.75
1:A:440:LEU:HD11	1:A:513:LEU:HB2	1.72	0.71
1:A:471:MET:O	1:A:475:MET:HB3	1.91	0.70
1:A:472:GLY:O	1:A:476:PHE:CB	2.40	0.69
1:A:447:ARG:HG2	1:A:448:GLN:HG3	1.75	0.68
1:A:436:LEU:O	1:A:439:MET:HB3	1.93	0.68
1:A:341:PHE:HE1	1:A:442:GLY:HA3	1.58	0.67
1:A:347:ILE:HD13	1:A:360:ILE:HG22	1.77	0.66
1:A:345:LYS:HA	1:A:348:HIS:CE1	2.32	0.63
1:A:430:MET:O	1:A:434:LEU:HB2	1.98	0.63
1:A:521:ASN:O	1:A:525:ILE:HG12	1.99	0.63
1:A:344:LEU:O	1:A:348:HIS:ND1	2.31	0.62
1:A:475:MET:SD	1:A:521:ASN:ND2	2.72	0.62
1:A:359:ILE:O	1:A:362:THR:HB	2.01	0.60
1:A:468:PRO:HB3	1:A:503:THR:HG23	1.84	0.60
1:A:518:ILE:O	1:A:522:LEU:HG	2.02	0.58
1:A:454:TRP:CD1	1:A:466:ILE:HD12	2.39	0.58
1:A:498:MET:HA	1:A:501:ILE:HB	1.86	0.58
1:A:436:LEU:HD21	1:A:516:TYR:CD2	2.39	0.57
1:A:433:PHE:CD1	1:A:513:LEU:HD21	2.40	0.57
1:A:364:ILE:O	1:A:367:GLY:N	2.38	0.56
1:A:455:ILE:H	1:A:455:ILE:HD12	1.71	0.56
1:A:337:SER:HA	1:A:435:ALA:HB2	1.89	0.55
1:A:471:MET:HE1	1:A:517:TYR:HB3	1.89	0.54
1:A:333:LEU:HD22	1:A:434:LEU:HD22	1.90	0.53
1:A:333:LEU:N	1:A:434:LEU:HD13	2.23	0.53
1:A:454:TRP:CD1	1:A:455:ILE:HG13	2.43	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:341:PHE:CE1	1:A:442:GLY:HA3	2.41	0.53
1:A:361:ILE:HG21	1:A:439:MET:HG3	1.90	0.53
1:A:437:TYR:O	1:A:441:MET:HG2	2.09	0.52
1:A:431:PRO:O	1:A:435:ALA:HB3	2.10	0.52
1:A:461:GLN:OE1	1:A:461:GLN:N	2.42	0.52
1:A:522:LEU:HD23	1:A:525:ILE:HG13	1.92	0.51
1:A:506:PHE:CD1	1:A:514:VAL:HG22	2.45	0.51
1:A:364:ILE:C	1:A:367:GLY:H	2.14	0.50
1:A:494:ILE:O	1:A:498:MET:HG3	2.12	0.49
1:A:333:LEU:HD11	1:A:437:TYR:HB3	1.95	0.49
1:A:368:ILE:O	1:A:371:PRO:HD2	2.14	0.48
1:A:354:TRP:CD2	1:A:446:LEU:HD11	2.48	0.48
1:A:442:GLY:HA2	1:A:443:SER:HA	1.54	0.48
1:A:471:MET:O	1:A:475:MET:CB	2.60	0.48
1:A:338:GLN:HG2	1:A:342:LYS:HE3	1.96	0.48
1:A:344:LEU:HD22	1:A:361:ILE:HD12	1.96	0.48
1:A:351:VAL:O	1:A:353:ASN:N	2.47	0.47
1:A:465:TYR:O	1:A:468:PRO:HD2	2.14	0.47
1:A:351:VAL:O	1:A:351:VAL:HG12	2.14	0.47
1:A:503:THR:O	1:A:507:LEU:HG	2.15	0.47
1:A:358:ILE:HG23	1:A:439:MET:SD	2.56	0.46
1:A:433:PHE:CE1	1:A:513:LEU:HD21	2.51	0.46
1:A:436:LEU:HB3	1:A:513:LEU:HD12	1.98	0.46
1:A:356:PHE:CD1	1:A:359:ILE:HD12	2.52	0.45
1:A:436:LEU:HA	1:A:439:MET:HB3	1.98	0.45
1:A:462:ASP:HB3	1:A:465:TYR:HA	1.99	0.45
1:A:527:GLN:HG3	1:A:528:GLN:N	2.32	0.45
1:A:341:PHE:O	1:A:344:LEU:HB3	2.17	0.45
1:A:370:TYR:N	1:A:371:PRO:HD2	2.32	0.45
1:A:344:LEU:HB2	1:A:361:ILE:HD12	1.97	0.45
1:A:356:PHE:HD1	1:A:359:ILE:HD12	1.82	0.44
1:A:466:ILE:O	1:A:469:ILE:N	2.51	0.43
1:A:336:ILE:HG21	1:A:431:PRO:HB3	1.99	0.43
1:A:469:ILE:O	1:A:473:VAL:HG23	2.17	0.43
1:A:333:LEU:HD12	1:A:438:TYR:CD2	2.53	0.43
1:A:354:TRP:CE3	1:A:446:LEU:HD11	2.53	0.43
1:A:462:ASP:OD2	1:A:465:TYR:N	2.52	0.43
1:A:455:ILE:HD11	1:A:467:LEU:HD11	2.01	0.43
1:A:333:LEU:HB3	1:A:438:TYR:HE2	1.83	0.42
1:A:355:GLY:HA3	1:A:451:PHE:CD1	2.54	0.42
1:A:362:THR:HG21	1:A:519:VAL:CG1	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:465:TYR:CG	1:A:507:LEU:HD22	2.54	0.42
1:A:355:GLY:HA3	1:A:451:PHE:HD1	1.84	0.42
1:A:358:ILE:HA	1:A:361:ILE:HG22	2.01	0.42
1:A:468:PRO:HA	1:A:471:MET:HB3	2.02	0.41
1:A:465:TYR:CD1	1:A:507:LEU:HD22	2.56	0.41
1:A:498:MET:O	1:A:499:PRO:C	2.57	0.41
1:A:333:LEU:HD13	1:A:434:LEU:HB3	2.03	0.41
1:A:355:GLY:HA2	1:A:358:ILE:HD12	2.03	0.41
1:A:525:ILE:HG22	1:A:526:ILE:HD13	2.03	0.40
1:A:504:VAL:HA	1:A:507:LEU:HD12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	126/551 (23%)	112 (89%)	11 (9%)	3 (2%)	6 36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	444	VAL
1	A	352	GLY
1	A	425	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	116/471 (25%)	116 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	521	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4155. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 225



Y Index: 225




Z Index: 225


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 232



Y Index: 232




Z Index: 216

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 2593 nm³; this corresponds to an approximate mass of 2342 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.222 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4155 and PDB model 5M5H. Per-residue inclusion information can be found in section 3 on page 4.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.015 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.015).





9.4 Atom inclusion [i](#)



At the recommended contour level, 4% of all backbone atoms, 4% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.0364	 0.2430
A	 0.0364	 0.2430

