Full wwPDB X-ray Structure Validation Report (i)

Jun 18, 2024 – 12:57 AM EDT

PDB ID	:	3M8K
Title	:	Protein structure of type III plasmid segregation TubZ
Authors	:	Schumacher, M.A.; Ni, L.
Deposited on	:	2010-03-18
Resolution	:	2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	428	

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 3203 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FtsZ/tubulin-related protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	393	3116	1967	532	604	4	9	0	0	0

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
2	A	87	87	87	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: FtsZ/tubulin-related protein

Chain A:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α, β, γ	131.60Å 131.60Å 76.12Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	65.79 – 2.30 45.62 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.7 (65.79-2.30) 99.7 (45.62-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	3.70 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.214 , 0.251 0.229 , 0.269	Depositor DCC
R_{free} test set	1111 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å^2)	44.1	Xtriage
Anisotropy	0.111	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 52.2	EDS
L-test for twinning[2]	$< \|L\| > = 0.46$, $< L^2 > = 0.29$	Xtriage
Estimated twinning fraction	0.038 for h,-h-k,-l	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	3203	wwPDB-VP
Average B, all atoms (Å^2)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.73% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| >5$	RMSZ	$\#\|Z\| >5$
1	A	0.49	0/3168	0.62	0/4269

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3116	0	3045	82	0
2	A	87	0	0	2	0
All	All	3203	0	3045	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:138:GLY:H	1:A:143:THR:HG23	1.18	1.06
1:A:57:ALA:HB3	1:A:65:MSE:HE3	1.44	1.00
1:A:329:SER:HB3	1:A:364:ILE:HD13	1.43	0.99
1:A:138:GLY:H	1:A:143:THR:CG2	1.82	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:ALA:CB	1:A:65:MSE:HE3	1.99	0.91
1:A:57:ALA:HB3	1:A:65:MSE:CE	2.09	0.81
1:A:138:GLY:N	1:A:143:THR:HG23	1.95	0.81
1:A:65:MSE:HE2	1:A:76:ARG:HG2	1.64	0.80
1:A:23:ILE:H	1:A:252:ASN:HD21	1.27	0.80
1:A:279:ARG:HB2	1:A:378:GLY:HA2	1.64	0.80
1:A:73:LYS:HA	1:A:76:ARG:HD3	1.68	0.76
1:A:190:MSE:HE2	2:A:445:HOH:O	1.86	0.76
1:A:214:THR:HG21	1:A:384:ARG:NH2	2.02	0.75
1:A:65:MSE:HE2	1:A:76:ARG:CG	2.18	0.74
1:A:190:MSE:HE3	1:A:279:ARG:HG2	1.69	0.73
1:A:141:VAL:HG12	1:A:145:TRP:NE1	2.04	0.73
1:A:317:THR:HG21	1:A:380:THR:H	1.53	0.72
1:A:73:LYS:HD2	1:A:73:LYS:H	1.56	0.70
1:A:141:VAL:HG12	1:A:145:TRP:HE1	1.57	0.69
1:A:193:GLN:HE22	1:A:205:LEU:H	1.40	0.68
1:A:165:LEU:HD11	1:A:211:ASN:HD21	1.60	0.67
1:A:193:GLN:HE21	1:A:204:PRO:HD2	1.60	0.66
1:A:316:GLU:H	1:A:316:GLU:CD	2.02	0.63
1:A:216:MSE:O	1:A:220:ILE:HG12	2.01	0.61
1:A:8:LEU:HD23	1:A:11:ILE:HD11	1.82	0.61
1:A:65:MSE:HE1	1:A:76:ARG:HA	1.83	0.61
1:A:317:THR:CG2	1:A:380:THR:H	2.13	0.60
1:A:46:PHE:HB2	1:A:48:ASN:ND2	2.16	0.60
1:A:214:THR:HG21	1:A:384:ARG:HH21	1.66	0.60
1:A:314:GLN:O	1:A:317:THR:HG22	2.02	0.60
1:A:116:GLY:O	1:A:120:THR:HB	2.01	0.59
1:A:268:SER:O	1:A:272:LYS:HG3	2.02	0.59
1:A:193:GLN:NE2	1:A:204:PRO:HD2	2.17	0.59
1:A:227:LYS:O	1:A:228:ASP:HB2	2.03	0.58
1:A:4:ASN:HB3	1:A:246:SER:HB3	1.85	0.58
1:A:25:TRP:HE1	1:A:130:GLN:NE2	2.03	0.56
1:A:57:ALA:HB1	1:A:65:MSE:HE3	1.85	0.56
1:A:11:ILE:HD12	1:A:253:ILE:HD11	1.88	0.55
1:A:23:ILE:HB	1:A:271:ILE:CD1	2.37	0.55
1:A:288:ILE:HG23	1:A:370:ALA:HB3	1.89	0.55
1:A:187:ASP:HB2	1:A:381:MSE:HE2	1.89	0.54
1:A:131:PHE:CE1	1:A:159:PRO:HD2	2.44	0.53
1:A:398:LYS:HA	1:A:401:GLN:HB3	1.90	0.53
1:A:199:ASN:O	1:A:276:ILE:HD12	2.09	0.53
1:A:53:TYR:OH	1:A:249:HIS:HD2	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:401:GLN:HG3	1:A:402:LEU:HG	1.92	0.52
1:A:317:THR:HG23	1:A:379:MSE:HA	1.90	0.52
1:A:64:ASP:O	1:A:65:MSE:HB2	2.11	0.51
1:A:46:PHE:HB2	1:A:48:ASN:HD21	1.75	0.51
1:A:230:LYS:C	1:A:232:ARG:H	2.14	0.51
1:A:48:ASN:ND2	1:A:50:THR:HG23	2.26	0.51
1:A:25:TRP:HE1	1:A:130:GLN:HE21	1.59	0.50
1:A:136:GLY:O	1:A:142:GLY:HA3	2.11	0.50
1:A:212:ASP:OD2	1:A:214:THR:HG23	2.12	0.50
1:A:214:THR:O	1:A:218:ARG:HG3	2.12	0.50
1:A:267:PRO:O	1:A:271:ILE:HG12	2.11	0.50
1:A:73:LYS:HD2	1:A:73:LYS:N	2.26	0.49
1:A:328:PRO:HB3	1:A:367:ASN:O	2.13	0.49
1:A:65:MSE:HB3	1:A:68:LEU:HD12	1.94	0.48
1:A:27:VAL:HB	1:A:55:THR:HB	1.96	0.48
1:A:121:ASN:HB2	1:A:125:GLU:H	1.78	0.47
1:A:21:ILE:HG22	1:A:253:ILE:HG22	1.97	0.47
1:A:131:PHE:HE1	1:A:159:PRO:HD2	1.79	0.47
1:A:62:GLU:O	1:A:64:ASP:O	2.33	0.47
1:A:48:ASN:ND2	1:A:50:THR:CG2	2.78	0.46
1:A:145:TRP:O	1:A:149:VAL:HG23	2.15	0.46
1:A:163:SER:OG	1:A:207:ASN:ND2	2.46	0.46
1:A:229:LEU:HD23	1:A:231:ASN:H	1.79	0.46
1:A:39:ASP:HB2	1:A:68:LEU:HD22	1.98	0.45
1:A:330:ASN:HA	1:A:335:LYS:NZ	2.32	0.45
1:A:15:ASN:C	1:A:15:ASN:HD22	2.20	0.45
1:A:212:ASP:O	1:A:216:MSE:HG3	2.17	0.44
1:A:143:THR:HG21	1:A:178:ASN:HB3	2.00	0.44
1:A:91:VAL:HB	2:A:486:HOH:O	2.17	0.43
1:A:317:THR:HG21	1:A:380:THR:OG1	2.18	0.43
1:A:214:THR:CG2	1:A:384:ARG:HH21	2.32	0.43
1:A:64:ASP:O	1:A:65:MSE:CB	2.67	0.42
1:A:16:HIS:CD2	1:A:47:SER:HB3	2.55	0.42
1:A:326:LEU:HD13	1:A:365:TRP:CE3	2.56	0.41
1:A:384:ARG:O	1:A:388:LEU:HB2	2.20	0.41
1:A:164:MSE:HE2	1:A:205:LEU:HD21	2.03	0.41
1:A:200:SER:HA	1:A:276:ILE:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	389/428 (91%)	359 (92%)	27 (7%)	3 (1%)	19 23

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	228	ASP
1	A	17	SER
1	A	232	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	341/361 (94%)	308 (90%)	33 (10%)	8 9

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ILE
1	A	15	ASN
1	A	48	ASN
1	A	50	THR
1	A	51	THR
1	A	55	THR
1	A	59	ASN
1	A	63	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	73	LYS
1	A	110	LYS
1	A	111	LEU
1	A	141	VAL
1	A	182	LEU
1	A	200	SER
1	A	205	LEU
1	A	207	ASN
1	A	214	THR
1	A	229	LEU
1	A	232	ARG
1	A	252	ASN
1	A	253	ILE
1	A	273	LEU
1	A	276	ILE
1	A	287	ARG
1	A	288	ILE
1	A	296	LEU
1	A	317	THR
1	A	326	LEU
1	A	351	LYS
1	A	364	ILE
1	A	365	TRP
1	A	366	ASP
1	A	368	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	ASN
1	A	16	HIS
1	A	48	ASN
1	A	130	GLN
1	A	178	ASN
1	A	193	GLN
1	A	207	ASN
1	A	211	ASN
1	A	249	HIS
1	A	252	ASN
1	A	298	ASN
1	A	314	GLN
1	A	345	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	384/428 (89%)	0.45	32 (8%) 11 15	25, 49, 89, 118	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	142	GLY	7.8
1	A	226	THR	7.7
1	A	16	HIS	6.1
1	A	139	GLY	6.0
1	A	229	LEU	6.0
1	A	100	THR	5.4
1	A	402	LEU	4.9
1	A	102	PRO	4.6
1	A	99	GLU	4.2
1	A	98	PRO	4.0
1	A	141	VAL	3.9
1	A	145	TRP	3.8
1	A	403	ARG	3.6
1	A	404	ALA	3.5
1	A	60	PHE	3.1
1	A	79	PHE	3.1
1	A	228	ASP	2.9
1	A	103	ASN	2.9
1	A	227	LYS	2.8
1	A	94	ASP	2.8
1	A	143	THR	2.6
1	A	101	ASN	2.6
1	A	95	LEU	2.6
1	A	233	TYR	2.5
1	A	107	TYR	2.5
1	A	230	LYS	2.5
1	A	105	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	399	GLN	2.4
1	A	91	VAL	2.3
1	A	108	LEU	2.1
1	A	97	ASP	2.1
1	A	104	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.