

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 20, 2023 – 05:58 PM EDT

PDB ID	:	6M9G
Title	:	BbvCI B2 dimer with Ta6Br14 clusters
Authors	:	Shen, B.W.; Stoddard, B.L.
Deposited on	:	2018-08-23
Resolution	:	2.35  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.33
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.33

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	285	13%	21%	•••
1	В	285	68%	22%	•• 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	TBR	А	302	-	-	Х	-
2	TBR	А	305	-	-	Х	-
2	TBR	А	307	-	-	Х	-
2	TBR	В	302	-	-	Х	-
4	EDO	А	311	-	-	Х	-



#### 6M9G

# 2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 4629 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called BbvCI endonuclease subunit 2.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Δ	280	Total	С	Ν	0	S	0	0	0
1	Л	280	2252	1438	384	422	8	0	0	0
1	р	266	Total	С	Ν	0	S	0	0	0
	D	200	2140	1364	363	405	8	0	0	0

• Molecule 2 is HEXATANTALUM DODECABROMIDE (three-letter code: TBR) (formula:  $Br_{12}Ta_6$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	Δ	1	Total Br T	Га О	1
	11	I	36  24  1	12 0	I
2	Δ	1	Total Br T	Γa O	0
2	11	I	18 12 0	6 0	0
2	Δ	1	Total Br T	Γa 0	0
2	Л	I	18 12 6	6	0
2	Δ	1	Total Br T	Γa 0	0
	Λ	1	18 12 6	6 0	0



Continued from previous page...

Mol	Chain	Residues	Ator	ns	ZeroOcc	AltConf
2	Δ	1	Total B	r Ta	0	0
	11	1	18 1	2 6	0	0
2	Δ	1	Total B	r Ta	0	0
	11	I	18 1	2 6	0	0
2	Δ	1	Total B	r Ta	0	0
	11	I	18 1	2 6	0	0
2	В	1	Total B	r Ta	0	0
	D	T	18 1	2 6	0	0
2	В	1	Total B	r Ta	0	0
	D	T	18 1	2 6	0	0
2	В	1	Total B	r Ta	0	0
	D	1	12 6	56	0	0

• Molecule 3 is BROMIDE ION (three-letter code: BR) (formula: Br).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	3	Total Br 3 3	0	0
3	В	3	Total Br 3 3	0	0



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	А	1	Total 4	С 2	O 2	0	0





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 6 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	А	1	Total 4	${ m C} 2$	O 2	0	0



• Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	12	Total         O           12         12	0	0
7	В	9	Total O 9 9	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: BbvCI endonuclease subunit 2



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants	86.11Å 173.30Å 107.05Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution (Å)	47.97 - 2.35	Depositor
	47.97 - 2.35	EDS
% Data completeness	98.9 (47.97-2.35)	Depositor
(in resolution range)	98.9(47.97-2.35)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.16	Depositor
$< I/\sigma(I) > 1$	$1.03 (at 2.34 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
B B.	0.198 , $0.239$	Depositor
$n, n_{free}$	0.209 , $0.249$	DCC
$R_{free}$ test set	1702 reflections $(5.12%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	40.9	Xtriage
Anisotropy	0.708	Xtriage
Bulk solvent $k_{sol}(e/A^3)$ , $B_{sol}(A^2)$	0.32 , $33.0$	EDS
L-test for twinning <sup>2</sup>	$ < L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4629	wwPDB-VP
Average B, all atoms $(Å^2)$	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 9.46% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BR, ACT, SO4, EDO, TBR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
1VIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.54	0/2304	0.94	3/3119~(0.1%)
1	В	0.50	0/2189	0.95	5/2964~(0.2%)
All	All	0.52	0/4493	0.94	8/6083~(0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2
1	В	0	2
All	All	0	4

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	184	ARG	CG-CD-NE	6.57	125.59	111.80
1	А	101	ARG	CG-CD-NE	6.10	124.61	111.80
1	В	18	ARG	CB-CA-C	5.75	121.89	110.40
1	А	78	ARG	NE-CZ-NH1	-5.48	117.56	120.30
1	В	108	VAL	CA-CB-CG1	5.47	119.11	110.90
1	А	18	ARG	CB-CA-C	5.43	121.26	110.40
1	В	113	ARG	CG-CD-NE	5.08	122.47	111.80
1	В	10	TYR	CB-CA-C	5.04	120.48	110.40

There are no chirality outliers.

All (4) planarity outliers are listed below:



Mol	Chain	Res	Type	Group
1	А	113	ARG	Sidechain
1	А	162	GLY	Peptide
1	В	18	ARG	Sidechain
1	В	239	ARG	Sidechain

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2252	0	2224	63	1
1	В	2140	0	2110	59	1
2	А	144	0	0	22	0
2	В	48	0	0	10	0
3	А	3	0	0	2	0
3	В	3	0	0	1	0
4	А	4	0	6	6	0
5	А	5	0	0	0	0
5	В	5	0	0	0	0
6	А	4	0	3	0	0
7	А	12	0	0	0	0
7	В	9	0	0	3	0
All	All	4629	0	4343	122	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:A:307:TBR:BR1	2:B:302:TBR:BR5	1.35	1.35
2:A:307:TBR:BR9	2:B:302:TBR:BR6	1.13	1.13
1:A:221:GLU:OE1	2:A:305:TBR:BR8	2.23	1.11
1:A:270:TRP:NE1	1:B:220:PRO:HD2	1.71	1.05
1:A:270:TRP:HE1	1:B:220:PRO:HD2	0.86	1.00
1:A:7:PRO:HG3	2:A:301[A]:TBR:BRA	2.17	0.99
2:A:307:TBR:BRA	2:B:302:TBR:BRA	2.94	0.94
1:A:131:THR:CG2	1:A:137:GLU:OE1	2.19	0.90



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:131:THR:CG2	1:B:137:GLU:OE1	2.23	0.86
1:A:278:ARG:CD	2:A:302:TBR:BR4	2.79	0.86
1:A:278:ARG:HD2	2:A:302:TBR:BR4	2.33	0.82
1:A:270:TRP:HE1	1:B:220:PRO:CD	1.82	0.82
1:B:215:LEU:CD2	1:B:220:PRO:HD3	2.10	0.81
1:A:223:THR:HG22	1:A:225:ILE:H	1.44	0.80
1:B:215:LEU:HD23	1:B:220:PRO:HD3	1.68	0.76
1:B:131:THR:HG21	1:B:137:GLU:OE1	1.87	0.75
1:B:263:ASN:ND2	7:B:401:HOH:O	2.17	0.73
1:A:278:ARG:HG2	2:A:302:TBR:BRB	2.45	0.72
2:A:307:TBR:BR5	2:B:302:TBR:BR9	3.20	0.69
1:A:131:THR:HG21	1:A:137:GLU:OE1	1.90	0.68
1:B:101:ARG:NH2	7:B:402:HOH:O	2.25	0.68
1:A:160:HIS:CD2	2:A:306:TBR:BR4	3.02	0.68
1:B:120:LEU:HD11	1:B:143:LYS:HB2	1.76	0.68
1:B:261:VAL:HG12	1:B:262:MET:HE2	1.76	0.68
1:A:276:LEU:O	1:B:233:HIS:HB3	1.95	0.67
1:A:267:LYS:HE3	2:A:304:TBR:BR8	2.49	0.67
1:B:233:HIS:HE1	1:B:250:ASP:OD2	1.78	0.67
1:A:221:GLU:CD	2:A:305:TBR:BR8	2.88	0.67
1:A:120:LEU:HD11	1:A:143:LYS:HB2	1.75	0.67
1:A:131:THR:HG23	1:A:137:GLU:OE1	1.94	0.66
1:A:278:ARG:HD3	2:A:302:TBR:BR4	2.52	0.64
1:A:121:SER:HB2	4:A:311:EDO:H21	1.77	0.64
1:B:223:THR:HG22	1:B:224:GLU:N	2.12	0.63
1:A:114:HIS:HB2	1:A:115:PRO:HD2	1.80	0.62
1:B:223:THR:HG22	1:B:224:GLU:H	1.66	0.61
1:A:223:THR:HG21	1:A:225:ILE:HD12	1.81	0.61
2:A:307:TBR:BR9	2:B:302:TBR:BRA	3.23	0.61
1:B:127:HIS:HD2	1:B:128:ASN:ND2	1.99	0.61
1:B:191:ALA:HB1	1:B:223:THR:HB	1.82	0.60
1:A:234:GLN:HE22	1:A:246:PRO:HA	1.66	0.60
1:B:106:VAL:HG13	1:B:108:VAL:HG13	1.83	0.60
1:B:79:LEU:HB2	1:B:83:GLN:HB3	1.85	0.59
1:A:80:ASN:O	1:A:83:GLN:HB3	2.02	0.59
1:B:99:PHE:HE1	1:B:262:MET:HE3	1.66	0.59
1:B:184:ARG:HH11	1:B:184:ARG:HG2	1.68	0.58
1:B:20:SER:HA	1:B:27:SER:HB2	1.85	0.58
1:A:7:PRO:CG	2:A:301[A]:TBR:BRA	3.03	0.57
1:B:223:THR:HG22	1:B:224:GLU:CG	2.34	0.57
1:A:270:TRP:CZ2	1:B:219:ALA:HA	2.39	0.57



	A h O	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:8:LEU:HD23	3:A:309:BR:BR	2.60	0.57
1:A:11:THR:O	1:A:15:LYS:HG2	2.05	0.56
1:B:131:THR:HG23	1:B:137:GLU:OE1	2.04	0.56
1:B:267:LYS:HD3	2:B:303:TBR:BRC	2.60	0.55
1:A:270:TRP:HZ2	1:B:219:ALA:HA	1.72	0.54
1:A:158:GLN:NE2	1:A:162:GLY:O	2.42	0.53
1:B:215:LEU:CD2	1:B:220:PRO:CD	2.84	0.53
1:A:223:THR:HG22	1:A:224:GLU:N	2.24	0.53
1:B:267:LYS:NZ	7:B:401:HOH:O	2.39	0.53
1:B:114:HIS:HB2	1:B:115:PRO:HD2	1.90	0.53
1:B:127:HIS:H	1:B:131:THR:HG21	1.73	0.52
1:B:116:ALA:HB3	1:B:148:ILE:HD12	1.90	0.52
1:B:99:PHE:CE1	1:B:262:MET:HE3	2.45	0.52
1:B:196:ARG:N	2:B:302:TBR:BRB	2.97	0.52
1:B:233:HIS:CE1	1:B:250:ASP:OD2	2.62	0.52
1:B:51:GLN:HE21	1:B:51:GLN:HA	1.74	0.51
1:A:213:LEU:HD11	1:A:215:LEU:HD23	1.92	0.51
1:A:268:ILE:CG2	1:A:271:ASP:HB2	2.41	0.51
1:A:207:PHE:CD1	1:A:227:GLU:HB2	2.45	0.50
1:B:215:LEU:HG	1:B:218:GLY:O	2.11	0.50
1:B:83:GLN:C	1:B:85:VAL:H	2.15	0.50
1:B:127:HIS:CD2	1:B:128:ASN:ND2	2.79	0.50
1:A:223:THR:HG21	1:A:225:ILE:CD1	2.40	0.49
1:A:234:GLN:NE2	1:A:247:ASN:H	2.10	0.49
1:A:122:LEU:H	4:A:311:EDO:H21	1.77	0.49
1:B:51:GLN:HA	1:B:51:GLN:NE2	2.28	0.49
1:B:232:ARG:O	1:B:234:GLN:HG3	2.13	0.49
1:B:172:PRO:HD2	1:B:201:THR:HG21	1.94	0.49
1:A:199:ARG:NH2	2:A:307:TBR:BR6	3.02	0.48
1:A:235:ARG:HG2	1:A:237:SER:HB3	1.95	0.48
1:A:114:HIS:HB2	1:A:115:PRO:CD	2.44	0.48
1:A:279:GLY:HA3	1:B:253:LEU:HD21	1.94	0.48
1:B:223:THR:HG22	1:B:224:GLU:HG2	1.95	0.48
1:A:127:HIS:H	1:A:131:THR:HG21	1.78	0.47
1:A:83:GLN:O	1:A:83:GLN:HG2	2.13	0.47
1:A:195:GLU:OE1	2:A:305:TBR:BRA	2.88	0.47
1:A:223:THR:CG2	1:A:224:GLU:N	2.77	0.47
1:A:160:HIS:NE2	2:A:306:TBR:BR4	3.03	0.47
1:A:199:ARG:HH22	4:A:311:EDO:H12	1.80	0.46
1:A:199:ARG:NH1	3:A:310:BR:BR	3.03	0.46
1:A:122:LEU:O	4:A:311:EDO:H22	2.15	0.46



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:172:PRO:HD2	1:A:201:THR:HG21	1.97	0.46
2:B:301:TBR:BR9	3:B:306:BR:BR	3.44	0.46
1:B:114:HIS:HB2	1:B:115:PRO:CD	2.45	0.46
1:B:179:LYS:O	1:B:210:ALA:HA	2.16	0.46
1:A:122:LEU:H	4:A:311:EDO:C2	2.29	0.46
1:B:196:ARG:HD2	2:B:302:TBR:BR8	2.71	0.46
1:A:19:LYS:NZ	1:A:82:ALA:HB1	2.32	0.45
1:B:262:MET:HE2	1:B:265:LEU:HD12	1.99	0.45
1:B:241:LYS:HB3	1:B:242:PRO:HD2	1.98	0.45
2:A:307:TBR:BR8	2:B:302:TBR:BR2	3.43	0.45
1:A:125:ASN:ND2	1:A:139:THR:OG1	2.49	0.45
1:A:160:HIS:HD2	2:A:306:TBR:BR4	2.51	0.44
1:A:103:ASP:HB2	2:A:301[B]:TBR:BR2	2.73	0.44
1:B:207:PHE:CD1	1:B:227:GLU:HB2	2.53	0.44
1:B:184:ARG:HH11	1:B:184:ARG:CG	2.30	0.44
1:B:223:THR:CG2	1:B:224:GLU:HG2	2.48	0.44
1:A:199:ARG:NH2	4:A:311:EDO:H12	2.32	0.43
1:B:215:LEU:HD21	1:B:220:PRO:HD3	1.98	0.43
1:A:59:LYS:HE3	1:A:59:LYS:HB2	1.82	0.43
1:B:207:PHE:CE1	1:B:227:GLU:HB2	2.54	0.42
1:A:121:SER:OG	1:A:141:ARG:NE	2.52	0.42
1:A:221:GLU:HB3	2:A:305:TBR:BR8	2.75	0.42
1:A:67:TYR:CZ	1:A:71:VAL:HG11	2.55	0.42
1:B:261:VAL:HG12	1:B:262:MET:CE	2.49	0.41
1:B:19:LYS:NZ	1:B:82:ALA:HB1	2.35	0.41
1:B:80:ASN:HB3	1:B:81:SER:H	1.80	0.41
1:A:184:ARG:HA	1:A:184:ARG:HD3	1.85	0.41
1:B:125:ASN:ND2	1:B:139:THR:OG1	2.53	0.41
1:A:184:ARG:CZ	1:A:217:ASP:OD1	2.69	0.41
1:A:207:PHE:CE1	1:A:227:GLU:HB2	2.56	0.41
1:B:223:THR:CG2	1:B:224:GLU:N	2.80	0.41
1:A:194:ALA:O	1:A:198:LYS:HG2	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:HIS:O	1:B:268:ILE:O[3_555]	1.98	0.22



## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	278/285~(98%)	261 (94%)	15 (5%)	2(1%)	22	23
1	В	264/285~(93%)	246 (93%)	14 (5%)	4 (2%)	10	8
All	All	542/570~(95%)	507~(94%)	29~(5%)	6 (1%)	14	13

All (6) Ramachandran outliers are listed below:

Mol	Chain	$\operatorname{Res}$	Type
1	В	223	THR
1	В	242	PRO
1	А	80	ASN
1	В	269	TRP
1	А	162	GLY
1	В	80	ASN

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	244/250~(98%)	224 (92%)	20 (8%)	11	11
1	В	233/250~(93%)	215~(92%)	18 (8%)	13	12
All	All	477/500~(95%)	439~(92%)	38~(8%)	12	12

All (38) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	4	GLN
1	А	8	LEU
1	А	21	LYS
1	А	22	LYS
1	А	25	THR
1	А	51	GLN
1	А	59	LYS
1	А	71	VAL
1	А	83	GLN
1	А	85	VAL
1	А	87	GLN
1	А	106	VAL
1	А	131	THR
1	А	133	ILE
1	А	184	ARG
1	А	185	ASN
1	А	199	ARG
1	А	235	ARG
1	А	276	LEU
1	А	282	PHE
1	В	9	VAL
1	В	21	LYS
1	В	22	LYS
1	В	71	VAL
1	В	85	VAL
1	В	86	LEU
1	В	87	GLN
1	В	101	ARG
1	В	104	SER
1	В	106	VAL
1	В	108	VAL
1	В	184	ARG
1	В	189	GLU
1	В	195	GLU
1	В	199	ARG
1	В	205	LEU
1	В	222	LEU
1	В	235	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

	Mol	Chain	$\mathbf{Res}$	Type
I   A   87   G	1	А	87	GLN



Mol	Chain	Res	Type
1	А	125	ASN
1	А	127	HIS
1	А	234	GLN
1	В	51	GLN
1	В	87	GLN
1	В	109	ASN
1	В	125	ASN
1	В	127	HIS
1	В	233	HIS

Continued from previous page...

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 21 ligands modelled in this entry, 6 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Bos	Tink	В	ond leng	$\operatorname{gths}$	E	Sond angles
	Type	Unain	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ   #  Z  > 2
2	TBR	A	303	-	0,36,36	-	-	-	
2	TBR	В	303	-	0,24,36	-	-	-	
2	TBR	А	302	-	0,36,36	-	-	-	
2	TBR	А	301[A]	-	0,36,36	-	-	-	
2	TBR	А	304	-	0,36,36	-	-	-	



Mal	Turne	Chain	Dec	Tink	В	ond leng	$_{ m gths}$	B	ond ang	gles
1VIOI	туре	Unam	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z >2
2	TBR	А	305	-	$0,\!36,\!36$	-	-	-		
5	SO4	В	307	-	$4,\!4,\!4$	0.35	0	$6,\!6,\!6$	0.27	0
2	TBR	В	302	-	$0,\!36,\!36$	-	-	-		
5	SO4	А	312	-	4,4,4	0.46	0	6,6,6	0.50	0
2	TBR	В	301	-	0,36,36	-	-	-		
2	TBR	А	301[B]	-	0,36,36	-	-	-		
2	TBR	А	306	-	$0,\!36,\!36$	-	-	-		
6	ACT	А	313	-	$3,\!3,\!3$	0.72	0	3,3,3	0.97	0
4	EDO	А	311	-	3,3,3	0.59	0	2,2,2	0.67	0
2	TBR	А	307	-	0,36,36	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	А	311	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	311	EDO	O1-C1-C2-O2

There are no ring outliers.

11 monomers are involved in 32 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	В	303	TBR	1	0
2	А	302	TBR	4	0
2	А	301[A]	TBR	2	0
2	А	304	TBR	1	0
2	А	305	TBR	4	0
2	В	302	TBR	8	0
2	В	301	TBR	1	0
2	А	301[B]	TBR	1	0
2	А	306	TBR	3	0



Continued from previous page...

Mol	Chain	$\mathbf{Res}$	Type	Clashes	Symm-Clashes
4	А	311	EDO	6	0
2	А	307	TBR	7	0

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	280/285~(98%)	0.82	36 (12%) 3 5	35, 53, 119, 190	1 (0%)
1	В	266/285~(93%)	1.10	39 (14%) 2 3	33, 53, 112, 159	1 (0%)
All	All	546/570~(95%)	0.95	75 (13%) 3 4	33, 53, 117, 190	2~(0%)

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	217	ASP	13.3
1	А	244	PHE	10.6
1	А	242	PRO	7.8
1	В	215	LEU	7.8
1	А	282	PHE	7.2
1	В	83	GLN	7.1
1	А	218	GLY	6.7
1	А	237	SER	6.6
1	В	213	LEU	6.3
1	А	215	LEU	6.2
1	А	216	ASP	5.8
1	В	219	ALA	5.5
1	А	243	GLY	5.3
1	В	240	ASN	5.3
1	В	236	ASN	5.1
1	А	85	VAL	4.8
1	В	218	GLY	4.7
1	В	220	PRO	4.7
1	В	84	GLU	4.6
1	А	270	TRP	4.5
1	В	223	THR	4.5
1	А	217	ASP	4.5
1	A	220	PRO	4.3
1	А	240	ASN	4.2



Mol	Chain	Res	Type	RSRZ
1	А	83	GLN	4.0
1	А	281	VAL	4.0
1	В	165	GLU	3.9
1	В	18	ARG	3.7
1	В	237	SER	3.6
1	А	186	MET	3.5
1	В	274	SER	3.3
1	В	230	ILE	3.3
1	В	243	GLY	3.2
1	В	242	PRO	3.2
1	В	244	PHE	3.2
1	А	238	GLU	3.1
1	В	216	ASP	3.1
1	A	80	ASN	3.1
1	А	105	ILE	3.1
1	В	245	LYS	3.1
1	В	222	LEU	2.9
1	А	81	SER	2.9
1	В	239	ARG	2.9
1	А	276	LEU	2.9
1	А	163	GLU	2.9
1	А	263	ASN	2.7
1	В	33	PHE	2.7
1	А	241	LYS	2.6
1	А	213	LEU	2.6
1	В	199	ARG	2.6
1	А	28	LYS	2.5
1	В	221	GLU	2.5
1	В	163	GLU	2.5
1	В	82	ALA	2.4
1	В	85	VAL	2.4
1	В	161	GLY	2.4
1	B	156	THR	2.4
1	A	235	ARG	2.4
1	В	238	GLU	2.3
1	В	194	ALA	2.3
1	В	200	ALA	2.3
1	A	106	VAL	2.2
1	A	185	ASN	2.2
1	A	223	THR	2.2
1	A	234	GLN	2.2
1	В	127	HIS	2.1



Mol	Chain	Res	Type	RSRZ
1	В	205	LEU	2.1
1	А	219	ALA	2.1
1	А	283	ASN	2.1
1	А	205	LEU	2.0
1	А	272	PRO	2.0
1	В	204	CYS	2.0
1	А	245	LYS	2.0
1	В	102	ILE	2.0
1	В	193	THR	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
3	BR	В	304	1/1	0.33	0.25	189,189,189,189	0
6	ACT	А	313	4/4	0.52	0.24	68,82,90,92	0
3	BR	В	306	1/1	0.62	0.34	130,130,130,130	0
5	SO4	В	307	5/5	0.72	0.21	98,110,119,121	0
2	TBR	В	303	12/18	0.81	0.18	103,117,120,121	12
2	TBR	А	306	18/18	0.82	0.16	101,114,117,117	18
2	TBR	А	304	18/18	0.85	0.20	73,77,83,85	18
3	BR	В	305	1/1	0.88	0.26	106,106,106,106	0
4	EDO	А	311	4/4	0.88	0.25	45,46,52,53	0
3	BR	А	310	1/1	0.89	0.17	107,107,107,107	0
5	SO4	А	312	5/5	0.89	0.29	82,82,82,97	0
2	TBR	В	302	18/18	0.90	0.24	76,94,100,103	18
3	BR	A	309	1/1	0.91	0.09	105,105,105,105	0
2	TBR	A	305	18/18	0.91	0.14	112,121,128,129	18



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q < 0.9
2	TBR	А	307	18/18	0.91	0.15	75,81,89,91	18
3	BR	А	308	1/1	0.95	0.05	112,112,112,112	1
2	TBR	А	303	18/18	0.95	0.14	$55,\!64,\!69,\!71$	18
2	TBR	А	302	18/18	0.96	0.07	79,88,95,96	18
2	TBR	В	301	18/18	0.96	0.06	48,53,57,62	0
2	TBR	А	301[B]	18/18	0.97	0.09	25,28,34,35	18
2	TBR	А	301[A]	18/18	0.97	0.09	64,84,103,104	18

## 6.5 Other polymers (i)

There are no such residues in this entry.

