

Full wwPDB X-ray Structure Validation Report (i)

May 13, 2020 – 04:18 am BST

PDB ID : 6MB1

Title: Crystal structure of N-myristoyl transferase (NMT) from Plasmodium vivax

in complex with inhibitor IMP-1002

Authors : Seattle Structural Genomics Center for Infectious Disease; Seattle Structural

Genomics Center for Infectious Disease (SSGCID)

Deposited on : 2018-08-29

Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul: 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13 EDS : 2.11

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

 $Refmac \quad : \quad 5.8.0158$

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.11

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} \text{Whole archive} \\ (\#\text{Entries}) \end{array}$	$\begin{array}{c} {\rm Similar \; resolution} \\ (\#{\rm Entries, \; resolution \; range(\AA)}) \end{array}$
R_{free}	130704	$2936 \ (1.50 - 1.50)$
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)
RSRZ outliers	127900	2884 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	405	93%	• 5%
1	В	405	93%	• 5%
1	С	405	90%	• 8%



2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 11841 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Glycylpeptide N-tetradecanoyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Λ	385	Total	С	N	О	S	0	20	0
1	A	300	3278	2140	527	599	12	0		
1	В	385	Total	С	N	О	S	0	16	0
1	Б	300	3239	2112	520	595	12	0		
1	С	374	Total	С	N	О	S	0	17	0
1		374	3170	2072	509	578	11	U	11	

There are 63 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	6	MET	-	expression tag	UNP A0A1G4HIY1
A	7	GLY	-	expression tag	UNP A0A1G4HIY1
A	8	SER	_	expression tag	UNP A0A1G4HIY1
A	9	SER	_	expression tag	UNP A0A1G4HIY1
A	10	HIS	-	expression tag	UNP A0A1G4HIY1
A	11	HIS	_	expression tag	UNP A0A1G4HIY1
A	12	HIS	_	expression tag	UNP A0A1G4HIY1
A	13	HIS	_	expression tag	UNP A0A1G4HIY1
A	14	HIS	_	expression tag	UNP A0A1G4HIY1
A	15	HIS	_	expression tag	UNP A0A1G4HIY1
A	16	SER	_	expression tag	UNP A0A1G4HIY1
A	17	ALA	_	expression tag	UNP A0A1G4HIY1
A	18	ALA	_	expression tag	UNP A0A1G4HIY1
A	19	LEU	_	expression tag	UNP A0A1G4HIY1
A	20	GLU	_	expression tag	UNP A0A1G4HIY1
A	21	VAL	_	expression tag	UNP A0A1G4HIY1
A	22	LEU	_	expression tag	UNP A0A1G4HIY1
A	23	PHE	_	expression tag	UNP A0A1G4HIY1
A	24	GLN	-	expression tag	UNP A0A1G4HIY1
A	25	GLY	-	expression tag	UNP A0A1G4HIY1
A	26	PRO	-	expression tag	UNP A0A1G4HIY1
В	6	MET	-	expression tag	UNP A0A1G4HIY1
В	7	GLY	_	expression tag	UNP A0A1G4HIY1




 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
В	8	SER	-	expression tag	UNP A0A1G4HIY1
В	9	SER	-	expression tag	UNP A0A1G4HIY1
В	10	HIS	_	expression tag	UNP A0A1G4HIY1
В	11	HIS	-	expression tag	UNP A0A1G4HIY1
В	12	HIS	_	expression tag	UNP A0A1G4HIY1
В	13	HIS	_	expression tag	UNP A0A1G4HIY1
В	14	HIS	_	expression tag	UNP A0A1G4HIY1
В	15	HIS	_	expression tag	UNP A0A1G4HIY1
В	16	SER	_	expression tag	UNP A0A1G4HIY1
В	17	ALA	_	expression tag	UNP A0A1G4HIY1
В	18	ALA	_	expression tag	UNP A0A1G4HIY1
В	19	LEU	-	expression tag	UNP A0A1G4HIY1
В	20	GLU	_	expression tag	UNP A0A1G4HIY1
В	21	VAL	-	expression tag	UNP A0A1G4HIY1
В	22	LEU	_	expression tag	UNP A0A1G4HIY1
В	23	PHE	-	expression tag	UNP A0A1G4HIY1
В	24	GLN	_	expression tag	UNP A0A1G4HIY1
В	25	GLY	-	expression tag	UNP A0A1G4HIY1
В	26	PRO	-	expression tag	UNP A0A1G4HIY1
С	6	MET	=	expression tag	UNP A0A1G4HIY1
С	7	GLY	-	expression tag	UNP A0A1G4HIY1
С	8	SER	-	expression tag	UNP A0A1G4HIY1
С	9	SER	-	expression tag	UNP A0A1G4HIY1
С	10	HIS	-	expression tag	UNP A0A1G4HIY1
С	11	HIS	_	expression tag	UNP A0A1G4HIY1
С	12	HIS	-	expression tag	UNP A0A1G4HIY1
С	13	HIS	_	expression tag	UNP A0A1G4HIY1
С	14	HIS	-	expression tag	UNP A0A1G4HIY1
С	15	HIS	_	expression tag	UNP A0A1G4HIY1
С	16	SER	_	expression tag	UNP A0A1G4HIY1
С	17	ALA	-	expression tag	UNP A0A1G4HIY1
С	18	ALA	_	expression tag	UNP A0A1G4HIY1
С	19	LEU	_	expression tag	UNP A0A1G4HIY1
С	20	GLU	-	expression tag	UNP A0A1G4HIY1
С	21	VAL	-	expression tag	UNP A0A1G4HIY1
С	22	LEU	-	expression tag	UNP A0A1G4HIY1
С	23	PHE	-	expression tag	UNP A0A1G4HIY1
С	24	GLN	-	expression tag	UNP A0A1G4HIY1
С	25	GLY	-	expression tag	UNP A0A1G4HIY1
С	26	PRO	-	expression tag	UNP A0A1G4HIY1


• Molecule 2 is TETRADEC-13-YNOIC ACID - COA THIOESTER (three-letter code: YNC) (formula: $C_{35}H_{58}N_7O_{17}P_3S$).





Mol	Chain	Residues		Atoms					ZeroOcc	AltConf
9	Λ	1	Total	С	N	О	Р	S	0	0
	Λ	1	63	35	7	17	3	1	U	
9	В	1	Total	С	Ν	Ο	Р	S	0	0
	В	1	63	35	7	17	3	1	0	
9	С	1	Total	С	N	О	Р	S	0	0
		1	63	35	7	17	3	1		

• Molecule 3 is 1-(5-{4-fluoro-2-[2-(1,3,5-trimethyl-1H-pyrazol-4-yl)ethoxy]phenyl}-1-methyl-1H-indazol-3-yl)-N,N-dimethylmethanamine (three-letter code: JCY) (formula: $C_{25}H_{30}FN_5O$) (labeled as "Ligand of Interest" by author).






Mol	Chain	Residues	${f Atoms}$			ZeroOcc	AltConf		
3	A	1	Total	С	F	N	О	0	0
'	Λ	1	32	25	1	5	1	U	0
2	D	1	Total	С	F	N	О	0	0
)	Б	1	32	25	1	5	1	U	
2	С	1	Total	С	F	N	О	0	0
3		1	32	25	1	5	1	U	0

• Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	1	Total Cl 1 1	0	0
4	A	1	Total Cl 1 1	0	0
4	С	1	Total Cl 1 1	0	0

 \bullet Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $\mathrm{C_2H_6O_2}).$




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	В	1	Total C O 4 2 2	0	0
5	В	1	Total C O 4 2 2	0	0

 $Continued\ from\ previous\ page...$

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	В	1	Total C O 4 2 2	0	0
5	С	1	Total C O 4 2 2	0	0
5	С	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0

• Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total 5	O 4	S 1	0	0

• Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	670	Total O 683 683	0	16
7	В	565	Total O 572 572	0	10
7	С	561	Total O 574 574	0	15



3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glycylpeptide N-tetradecanoyltransferase





4 Data and refinement statistics (i)

Property	Value	Source	
Space group	P 21 21 21	Depositor	
Cell constants	57.56Å 119.11Å 176.08Å	D	
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor	
Resolution (Å)	50.00 - 1.50	Depositor	
resolution (A)	48.18 - 1.50	EDS	
% Data completeness	99.9 (50.00-1.50)	Depositor	
(in resolution range)	99.9 (48.18-1.50)	EDS	
R_{merge}	0.09	Depositor	
R_{sym}	(Not available)	Depositor	
$< I/\sigma(I) > 1$	$2.75 \; ({\rm at} \; 1.50 {\rm \AA})$	Xtriage	
Refinement program	PHENIX 1.14_3211	Depositor	
P. P.	0.154 , 0.183	Depositor	
R, R_{free}	0.155 , 0.184	DCC	
R_{free} test set	2060 reflections (1.06%)	wwPDB-VP	
Wilson B-factor (Å ²)	12.2	Xtriage	
Anisotropy	0.300	Xtriage	
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.32 , 49.4	EDS	
L-test for twinning ²	$ < L > = 0.45, < L^2> = 0.28$	Xtriage	
Estimated twinning fraction	No twinning to report.	Xtriage	
F_o, F_c correlation	0.97	EDS	
Total number of atoms	11841	wwPDB-VP	
Average B, all atoms $(Å^2)$	17.0	wwPDB-VP	

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.20% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $< L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, YNC, EDO, JCY, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond	angles
IVIOI	Chain	RMSZ	# Z >5	RMSZ	# Z > 5
1	A	0.33	0/3421	0.55	0/4632
1	В	0.32	0/3370	0.53	0/4568
1	С	0.32	0/3297	0.53	0/4466
All	All	0.33	0/10088	0.54	0/13666

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	$\mathbf{H}(\mathbf{added})$	Clashes	Symm-Clashes
1	Α	3278	0	3317	7	0
1	В	3239	0	3250	8	0
1	С	3170	0	3184	4	0
2	A	63	0	54	0	0
2	В	63	0	54	0	0
2	С	63	0	54	0	0
3	A	32	0	0	0	0
3	В	32	0	0	0	0
3	С	32	0	0	0	0
4	A	1	0	0	0	0



$\alpha \cdots \tau$	r	•	
Continued	trom	nromanne	naae
\circ	110116	picolous	puyc

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	В	1	0	0	0	0
4	С	1	0	0	0	0
5	A	8	0	12	0	0
5	В	12	0	18	0	0
5	С	12	0	18	0	0
6	A	5	0	0	0	0
7	A	683	0	0	4	2
7	В	572	0	0	4	1
7	С	574	0	0	1	2
All	All	11841	0	9961	17	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (17) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} ({\rm \AA}) \end{array}$	Clash overlap (Å)
1:B:99:ASP:OD2	7:B:601:HOH:O	2.10	0.67
1:A:86[B]:GLU:OE2	7:A:601:HOH:O	2.18	0.57
1:C:253[B]:MET:HG3	1:C:300:TYR:HB3	1.87	0.55
1:A:104[B]:ARG:NH1	7:A:605:HOH:O	2.36	0.54
1:A:253[A]:MET:HG3	1:A:300:TYR:HB3	1.92	0.51
1:B:257:LYS:HE3	7:B:793:HOH:O	2.12	0.49
1:B:39:ILE:HD11	1:B:201:TYR:CE2	2.48	0.47
1:A:257:LYS:HE3	7:A:768:HOH:O	2.14	0.47
1:B:102:ILE:HG23	1:B:103:PHE:CD2	2.50	0.46
1:A:304[B]:GLU:HG2	7:A:710:HOH:O	2.14	0.46
1:B:257:LYS:NZ	7:B:614:HOH:O	2.45	0.44
1:C:122[B]:LEU:HD13	1:C:189:GLU:HG3	2.01	0.42
1:C:123:LYS:HB3	7:C:603:HOH:O	2.19	0.42
1:B:82:LYS:HG3	7:B:746:HOH:O	2.19	0.42
1:C:103:PHE:HB3	1:C:319:SER:HB3	2.00	0.42
1:A:42:GLU:CG	1:B:344:THR:HG21	2.51	0.41
1:A:42:GLU:HG3	1:B:344:THR:HG21	2.03	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)
7:A:1114:HOH:O	7:C:1088:HOH:O[4_545]	2.14	0.06



Continued from previous page...

Atom-1	Atom-2	$egin{aligned} ext{Interatomic} \ ext{distance} & (ext{Å}) \end{aligned}$	$egin{array}{c} ext{Clash} \ ext{overlap } (ext{Å}) \end{array}$
7:C:945:HOH:O	7:C:1102:HOH:O[4_435]	2.18	0.02
7:A:888:HOH:O	7:B:1024:HOH:O[3_654]	2.19	0.01

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	\mathbf{ntiles}
1	A	$404/405 \; (100\%)$	394 (98%)	10 (2%)	0	100	100
1	В	400/405~(99%)	391 (98%)	9 (2%)	0	100	100
1	С	387/405 (96%)	380 (98%)	7 (2%)	0	100	100
All	All	1191/1215 (98%)	1165 (98%)	26 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percei	ntiles
1	A	$369/367 \; (100\%)$	369 (100%)	0	100	100
1	В	363/367 (99%)	363 (100%)	0	100	100
1	С	354/367 (96%)	352 (99%)	2 (1%)	86	74
All	All	1086/1101 (99%)	1084 (100%)	2 (0%)	93	86

All (2) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	С	257[A]	LYS
1	С	257[B]	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	С	106	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 18 ligands modelled in this entry, 3 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trno	Chain	Res	Link	Bond lengths			В	Bond angles		
MIOI	Mol Type Chain	res	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2		
5	EDO	С	505	-	3,3,3	0.50	0	2,2,2	0.24	0	
5	EDO	A	505	_	3,3,3	0.49	0	2,2,2	0.29	0	
5	EDO	A	504	_	3,3,3	0.48	0	2,2,2	0.38	0	
5	EDO	В	504	_	3,3,3	0.65	0	2,2,2	0.34	0	
5	EDO	С	504	_	3,3,3	0.51	0	2,2,2	0.34	0	
2	YNC	A	501	-	57,65,65	1.58	2 (3%)	68,91,91	3.06	3 (4%)	



Mol	Tune	Chain	Res	Link	Вс	nd leng	ths	Bond angles		
MIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	YNC	С	501	-	57,65,65	1.52	2 (3%)	68,91,91	3.01	4 (5%)
3	JCY	С	502	-	30,35,35	0.82	1 (3%)	39,51,51	1.32	3 (7%)
6	SO4	A	506	-	4,4,4	0.15	0	6,6,6	0.15	0
5	EDO	С	506	_	3,3,3	0.50	0	2,2,2	0.18	0
3	JCY	В	502	_	30,35,35	0.87	1 (3%)	39,51,51	1.29	3 (7%)
3	JCY	A	502	-	30,35,35	0.91	2 (6%)	39,51,51	1.20	4 (10%)
5	EDO	В	506	-	3,3,3	0.47	0	2,2,2	0.40	0
5	EDO	В	505	_	3,3,3	0.52	0	2,2,2	0.09	0
2	YNC	В	501	_	57,65,65	1.62	2 (3%)	68,91,91	3.07	3 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	С	505	-	-	1/1/1/1	-
5	EDO	A	505	-	-	0/1/1/1	-
5	EDO	A	504	-	-	0/1/1/1	-
5	EDO	В	504	_	_	1/1/1/1	_
5	EDO	С	504	-	-	1/1/1/1	-
2	YNC	A	501	_	-	0/59/80/80	0/3/3/3
2	YNC	С	501	_	_	0/59/80/80	0/3/3/3
3	JCY	С	502	-	-	1/13/14/14	0/4/4/4
5	EDO	В	505	_	-	1/1/1/1	-
5	EDO	С	506	-	-	0/1/1/1	-
3	JCY	В	502	_	_	0/13/14/14	0/4/4/4
3	JCY	A	502	-	-	0/13/14/14	0/4/4/4
5	EDO	В	506	-	-	0/1/1/1	-
2	YNC	В	501	_	-	0/59/80/80	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$Ideal(\AA)$
2	В	501	YNC	C33-C34	11.46	1.52	1.18
2	A	501	YNC	C33-C34	11.01	1.51	1.18
2	С	501	YNC	C33-C34	10.48	1.49	1.18
3	В	502	JCY	C05-N06	-3.08	1.29	1.34
3	A	502	JCY	C05-N06	-2.91	1.30	1.34
3	С	502	JCY	C05-N06	-2.59	1.30	1.34
3	A	502	JCY	C25-C31	2.31	1.43	1.39



Continued from previous page...

Mol	Chain	Res	Type	Atoms	${f Z}$	${ m Observed}({ m \AA})$	$\operatorname{Ideal}(ext{\AA})$
2	В	501	YNC	C32-C33	2.29	1.52	1.47
2	С	501	YNC	C32-C33	2.25	1.52	1.47
2	A	501	YNC	C32-C33	2.22	1.52	1.47

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^o)$
2	В	501	YNC	C32-C33-C34	-24.53	113.24	177.14
2	A	501	YNC	C32-C33-C34	-24.36	113.69	177.14
2	С	501	YNC	C32-C33-C34	-23.96	114.71	177.14
2	A	501	YNC	C23-C22-C21	-4.52	102.32	112.33
2	С	501	YNC	C23-C22-C21	-4.15	103.12	112.33
2	В	501	YNC	C23-C22-C21	-4.02	103.41	112.33
3	В	502	JCY	C05-N06-N07	3.11	107.16	104.48
3	С	502	JCY	C05-N06-N07	2.76	106.86	104.48
3	С	502	JCY	C24-C25-C26	-2.68	125.42	127.30
3	С	502	JCY	C24-C25-C31	2.66	129.17	127.30
3	В	502	JCY	C23-C24-C25	2.55	118.87	112.03
3	A	502	JCY	C05-N06-N07	2.49	106.62	104.48
3	В	502	JCY	C05-C04-N02	2.40	116.90	113.48
3	A	502	JCY	C24-C25-C31	2.33	128.94	127.30
2	A	501	YNC	C3-C-N	2.30	123.85	120.35
2	В	501	YNC	C3-C-N	2.30	123.84	120.35
2	С	501	YNC	C3-C-N	2.28	123.81	120.35
2	С	501	YNC	O4-P-O2	2.17	115.94	107.64
3	A	502	JCY	C05-C04-N02	2.14	116.54	113.48
3	A	502	JCY	C23-C24-C25	2.06	117.54	112.03

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	С	502	JCY	O22-C23-C24-C25
5	В	504	EDO	O1-C1-C2-O2
5	С	504	EDO	O1-C1-C2-O2
5	В	505	EDO	O1-C1-C2-O2
5	С	505	EDO	O1-C1-C2-O2


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,





bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	${f Analy sed}$	<rsrz></rsrz>	$\#\mathrm{RSRZ}{>}2$	$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q < 0.9
1	A	385/405~(95%)	0.13	8 (2%) 63 68	8, 12, 29, 55	0
1	В	$385/405 \; (95\%)$	0.15	12 (3%) 49 54	8, 13, 30, 50	0
1	С	$374/405 \; (92\%)$	0.14	3 (0%) 86 89	8, 13, 29, 45	0
All	All	1144/1215 (94%)	0.14	23 (2%) 65 70	8, 13, 29, 55	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	239	ILE	5.7
1	С	242	TYR	4.8
1	В	232	ARG	4.5
1	A	231	SER	4.2
1	С	40	ASN	3.5
1	A	26	PRO	3.4
1	В	26	PRO	3.4
1	В	323	GLY	3.1
1	A	228	SER	3.0
1	В	75	VAL	2.9
1	В	39	ILE	2.8
1	В	231	SER	2.8
1	В	229	LEU	2.7
1	A	232	ARG	2.7
1	A	39	ILE	2.4
1	В	305[A]	ASN	2.3
1	A	226	PHE	2.3
1	В	99	ASP	2.2
1	В	27	ASP	2.2
1	A	229	LEU	2.1
1	В	228	SER	2.1
1	В	230	ASN	2.0
1	A	40	ASN	2.0



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.


6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
5	EDO	В	505	4/4	0.68	0.18	26,37,37,38	0
5	EDO	В	506	4/4	0.69	0.20	32,32,34,36	0
5	EDO	A	504	4/4	0.72	0.14	30,31,31,32	0
5	EDO	В	504	4/4	0.78	0.19	17,17,24,28	0
5	EDO	С	504	4/4	0.84	0.17	22,22,28,32	0
5	EDO	С	506	4/4	0.84	0.22	25,32,34,38	0
5	EDO	A	505	4/4	0.88	0.12	25,28,33,35	0
3	JCY	С	502	32/32	0.92	0.10	10,13,17,18	0
3	JCY	В	502	32/32	0.93	0.09	8,13,15,16	0
2	YNC	В	501	63/63	0.93	0.09	8,12,15,18	0
5	EDO	С	505	4/4	0.94	0.10	13,24,26,30	0
2	YNC	A	501	63/63	0.94	0.10	6,11,14,16	0
3	JCY	A	502	32/32	0.95	0.08	7,11,13,14	0
2	YNC	С	501	63/63	0.96	0.09	8,11,14,18	0
6	SO4	A	506	5/5	0.97	0.12	23,30,35,35	0
4	CL	С	503	1/1	1.00	0.07	10,10,10,10	0
4	CL	В	503	1/1	1.00	0.06	10,10,10,10	0
4	CL	A	503	1/1	1.00	0.07	10,10,10,10	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





























6.5 Other polymers (i)

There are no such residues in this entry.

