



Full wwPDB EM Validation Report ⓘ

Nov 14, 2022 – 10:23 PM EST

PDB ID : 7MHZ
EMDB ID : EMD-23837
Title : Human Hedgehog acyltransferase (HHAT) in complex with a palmitoylated Hedgehog peptide product and a Fab antibody fragment
Authors : Long, S.B.; Jiang, Y.
Deposited on : 2021-04-16
Resolution : 3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	8	
2	A	493	
3	O	462	
4	P	207	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	AJP	A	505	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	AJP	A	506	X	-	-	-
8	AJP	A	507	X	-	-	-
8	AJP	A	508	X	-	-	-
8	AJP	A	509	X	-	-	-
8	AJP	A	510	X	-	-	-
8	AJP	A	511	X	-	-	-
8	AJP	A	512	X	-	-	-
8	AJP	A	513	X	-	-	-
8	AJP	A	514	X	-	-	-

2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 6189 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sonic hedgehog protein N-product peptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	B	8	51	31	11	8	1	0	0

- Molecule 2 is a protein called Protein-cysteine N-palmitoyltransferase HHAT.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	A	491	3980	2655	632	662	31	0	0

- Molecule 3 is a protein called 3H02 Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	O	113	872	568	142	157	5	0	0

- Molecule 4 is a protein called 3H02 Fab light chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	P	111	793	508	135	147	3	0	0

- Molecule 5 is PALMITIC ACID (three-letter code: PLM) (formula: C₁₆H₃₂O₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
5	B	1	Total	C	O	0
			17	16	1	

- Molecule 6 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
6	A	1	Total	C	Fe	N	O	0
			43	34	1	4	4	

- Molecule 7 is Palmitoyl-CoA (three-letter code: PKZ) (formula: $C_{37}H_{66}N_7O_{17}P_3S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf		
			Total	C	N	O	P		S	
7	A	1	Total	113	65	9	32	6	1	0
7	A	1	Total	113	65	9	32	6	1	0
7	A	1	Total	113	65	9	32	6	1	0

- Molecule 8 is Digitonin (three-letter code: AJP) (formula: $C_{56}H_{92}O_{29}$).



Mol	Chain	Residues	Atoms			AltConf	
			Total	C	O		
8	A	1	Total	320	272	48	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
8	A	1	Total	C	O	0
			320	272	48	
8	A	1	Total	C	O	0
			320	272	48	
8	A	1	Total	C	O	0
			320	272	48	
8	A	1	Total	C	O	0
			320	272	48	
8	A	1	Total	C	O	0
			320	272	48	
8	A	1	Total	C	O	0
			320	272	48	
8	A	1	Total	C	O	0
			320	272	48	
8	A	1	Total	C	O	0
			320	272	48	

THR GLN
PRO ARG
GLU
GLN
PHE ASN
THR THR PHE ARG
SER VAL VAL
LEU LEU
PRO LEU
CYS PRO
MET ILE
ILE THR
HIS GLN
GLY ASP
LEU PHE ASP
LEU PHE TRP
LEU ASP
ASN ASN
GLY
LYS LYS
ARG ARG
VAL VAL
ASN ASN
TYR PRO
ASN ASN
LEU LEU
ILE ILE
GLU GLU

TYR
THR ILE
PRO PRO
GLU LYS
GLU ASN
GLN TRP
MET GLU
ALA PHE
PHE THR
PRO THR
ASN LYS
THR THR
LEU THR
CYS THR
MET MET
ILE ILE
HIS HIS
GLY ASP
LEU PHE
LEU PHE
ASN ASN
HIS HIS
THR THR
GLU GLU
LYS LYS
SER SER
LEU LEU
SER SER
TRP VAL
TRP THR
ASN ASN
GLY GLY
GLN GLN
PRO PRO
ALA PHE
ALA PHE
ASN ASN
TYR THR
LYS LYS
ILE ILE
ASN ASN
THR THR
GLN GLN
PRO PRO
ILE ILE
MET MET
LYS LYS
THR THR
ASN ASN
HIS HIS
GLY ASP
SER SER
TYR TYR
PHE PHE
VAL VAL
TYR TYR
SER SER
GLN GLN
VAL VAL

LYS
LEU
ASN
VAL
GLN
LYS
SER
ASN
TRP
ALA
GLY
ASN
THR
PHE
THR
CYS
SER
VAL
LEU
HIS
GLU
GLY
LEU
HIS
ASN
HIS
THR
GLU
LYS
SER
LEU
SER
HIS
TRP
GLY
LYS

• Molecule 4: 3H02 Fab light chain



MET
LYS
LEU
PRO
VAL
ARG
GLU
LEU
VAL
MET
PHE
MET
THR
THR
ILE
PRO
ALA
SER
ARG
SER
ASP
V21
Q25
T26
P27
L30
Q37
H50
S51
N52
G53
W59
Y60
L61
Q62
K63
L71
I72
Y73
P83
F86
I99
E105
Y110
Y111
C112
W120
K131

ARG
ALA
ASP
SER
ALA
ALA
THR
THR
VAL
SER
SER
ILE
PHE
PRO
PRO
SER
SER
GLN
GLU
LEU
THR
SER
GLY
GLY
ALA
SER
VAL
VAL
CYS
PHE
LEU
ASN
ASN
PHE
TYR
PRO
LYS
ASP
ILE
ASN
VAL
LYS
TRP
LYS
ILE
ASP
GLY
SER
ARG
GLN
ASN
GLY
VAL
LEU
ASN
SER
SER
THR
THR
ASP
GLN
ASP

SER
LYS
ASP
SER
TYR
SER
MET
SER
SER
THR
LEU
THR
THR
LYS

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	142121	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	43.5	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	3.960	Depositor
Minimum map value	-1.921	Depositor
Average map value	0.079	Depositor
Map value standard deviation	0.156	Depositor
Recommended contour level	0.877	Depositor
Map size (Å)	200.564, 200.564, 200.564	wwPDB
Map dimensions	377, 377, 377	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.532, 0.532, 0.532	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AJP, PKZ, HEM, PLM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.31	0/52	0.45	0/67
2	A	0.28	0/4120	0.40	0/5630
3	O	0.29	0/899	0.46	0/1227
4	P	0.30	0/814	0.45	0/1113
All	All	0.28	0/5885	0.42	0/8037

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	51	0	45	3	0
2	A	3980	0	3879	44	0
3	O	872	0	791	22	0
4	P	793	0	711	15	0
5	B	17	0	31	3	0
6	A	43	0	30	2	0
7	A	113	0	0	3	0
8	A	320	0	0	0	0
All	All	6189	0	5487	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:502:PKZ:O4B	7:A:502:PKZ:C1B	1.65	1.17
7:A:503:PKZ:O4B	7:A:503:PKZ:C1B	1.65	1.17
4:P:63:LYS:NZ	4:P:105:GLU:O	2.21	0.72
2:A:176:ARG:NH2	2:A:213:VAL:O	2.25	0.68
3:O:123:TYR:HB3	4:P:73:TYR:HB2	1.77	0.66
2:A:67:GLY:HA2	2:A:71:LEU:HB2	1.78	0.65
2:A:192:LEU:HD11	4:P:120:TRP:HH2	1.62	0.64
3:O:55:TRP:HE1	3:O:100:LEU:HD22	1.63	0.63
3:O:117:ARG:HH12	3:O:119:TRP:HE3	1.47	0.62
2:A:176:ARG:NH1	2:A:208:VAL:O	2.33	0.62
2:A:30:ARG:NH2	2:A:266:TYR:OH	2.34	0.61
2:A:177:CYS:HA	2:A:180:TYR:CZ	2.37	0.59
2:A:213:VAL:HG12	2:A:217:GLY:HA3	1.85	0.59
3:O:118:VAL:HA	3:O:124:TYR:O	2.03	0.59
1:B:24:CYS:HB3	2:A:304:PHE:HZ	1.67	0.58
6:A:501:HEM:HBC2	6:A:501:HEM:HMC1	1.84	0.58
2:A:280:VAL:O	2:A:459:ARG:NH1	2.31	0.58
6:A:501:HEM:HBB2	6:A:501:HEM:HMB2	1.86	0.57
2:A:157:ARG:NH1	2:A:163:GLU:OE2	2.37	0.57
1:B:24:CYS:SG	1:B:25:GLY:N	2.77	0.57
1:B:28:ARG:NH2	2:A:59:GLU:OE1	2.38	0.55
2:A:57:ASP:HB2	2:A:268:HIS:CD2	2.42	0.54
2:A:57:ASP:OD1	2:A:58:PHE:N	2.42	0.53
3:O:86:ARG:NH1	3:O:105:LEU:O	2.42	0.52
2:A:297:TYR:CZ	2:A:301:LEU:HD11	2.45	0.52
2:A:251:LEU:HD21	2:A:305:GLY:HA3	1.92	0.52
2:A:436:THR:HA	2:A:439:LEU:HB3	1.92	0.52
2:A:56:THR:HB	2:A:268:HIS:HB2	1.92	0.52
3:O:56:VAL:HG12	3:O:66:TRP:HA	1.93	0.51
2:A:247:GLY:HA3	2:A:309:LEU:HD13	1.93	0.50
4:P:61:LEU:HB2	4:P:71:LEU:HD11	1.94	0.50
2:A:108:VAL:HG13	2:A:109:LEU:HG	1.92	0.50
2:A:445:VAL:HG22	2:A:453:GLY:HA3	1.94	0.49
3:O:110:MET:HG2	3:O:136:VAL:HG12	1.94	0.49
5:B:101:PLM:HC2	2:A:325:VAL:HB	1.95	0.48
4:P:61:LEU:HD13	4:P:110:TYR:CZ	2.48	0.48
3:O:66:TRP:CZ2	3:O:69:TRP:HD1	2.30	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:O:37:VAL:HG11	3:O:134:LEU:HD11	1.96	0.48
3:O:39:ILE:HB	3:O:102:ILE:HG22	1.97	0.47
3:O:66:TRP:HZ2	3:O:69:TRP:HD1	1.62	0.47
2:A:399:GLU:HG2	7:A:502:PKZ:OAP	2.14	0.47
3:O:54:ASN:OD1	3:O:69:TRP:HB3	2.14	0.47
3:O:123:TYR:HB3	4:P:73:TYR:CB	2.45	0.46
3:O:21:ILE:HG12	3:O:46:TYR:HB3	1.96	0.46
5:B:101:PLM:HB1	2:A:293:VAL:HB	1.97	0.46
2:A:320:ALA:HB3	2:A:340:VAL:HG21	1.97	0.46
4:P:50:HIS:ND1	4:P:52:ASN:OD1	2.48	0.46
4:P:37:GLN:HA	4:P:99:ILE:O	2.15	0.45
2:A:425:ARG:HH22	2:A:488:GLN:NE2	2.14	0.45
2:A:105:CYS:HB2	2:A:214:LEU:HD21	1.99	0.45
3:O:57:ARG:HD3	3:O:83:PHE:CE1	2.52	0.45
4:P:25:GLN:HE22	4:P:111:TYR:HA	1.82	0.45
2:A:143:LEU:O	2:A:146:THR:OG1	2.36	0.44
4:P:25:GLN:NE2	4:P:112:CYS:H	2.15	0.44
2:A:65:GLU:OE2	2:A:69:GLN:NE2	2.51	0.44
2:A:306:VAL:HB	2:A:307:PRO:HD3	2.00	0.44
2:A:433:SER:HA	2:A:436:THR:HG22	1.99	0.44
4:P:83:PRO:HD2	4:P:86:PHE:HD2	1.82	0.44
4:P:27:PRO:HG2	4:P:30:LEU:HB2	2.00	0.44
3:O:57:ARG:HB3	3:O:67:MET:SD	2.58	0.43
3:O:54:ASN:HD22	3:O:118:VAL:HB	1.83	0.43
2:A:14:SER:HA	2:A:17:PHE:CD1	2.54	0.43
2:A:44:THR:OG1	2:A:52:LYS:NZ	2.51	0.43
2:A:285:LEU:O	2:A:456:TYR:OH	2.29	0.43
2:A:2:LEU:HB3	2:A:6:GLU:OE2	2.19	0.42
5:B:101:PLM:O2	2:A:379:HIS:NE2	2.51	0.42
2:A:21:SER:HB2	2:A:287:GLY:CA	2.47	0.42
2:A:372:PHE:O	2:A:375:VAL:HG12	2.18	0.42
2:A:228:GLN:HG2	2:A:316:LEU:HA	2.01	0.42
2:A:331:PHE:CE2	2:A:395:GLY:HA3	2.55	0.42
2:A:383:ASP:N	2:A:383:ASP:OD1	2.48	0.42
4:P:83:PRO:HD2	4:P:86:PHE:CD2	2.55	0.41
4:P:59:TRP:CD1	4:P:72:ILE:HD11	2.55	0.41
2:A:388:TRP:CD1	2:A:446:PHE:HB2	2.55	0.41
2:A:53:LYS:HB2	2:A:263:HIS:NE2	2.36	0.41
2:A:193:PRO:HG3	3:O:119:TRP:O	2.21	0.41
2:A:248:LEU:HD23	2:A:248:LEU:HA	1.82	0.41
4:P:59:TRP:HB2	4:P:72:ILE:HG12	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:O:39:ILE:O	3:O:101:GLN:HA	2.22	0.40
3:O:43:ALA:HB1	3:O:46:TYR:CE1	2.57	0.40
3:O:70:ILE:HG21	3:O:100:LEU:HD21	2.02	0.40
3:O:86:ARG:O	3:O:104:ASN:HA	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	6/8 (75%)	5 (83%)	1 (17%)	0	100	100
2	A	489/493 (99%)	478 (98%)	11 (2%)	0	100	100
3	O	109/462 (24%)	104 (95%)	5 (5%)	0	100	100
4	P	109/207 (53%)	102 (94%)	7 (6%)	0	100	100
All	All	713/1170 (61%)	689 (97%)	24 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	4/4 (100%)	4 (100%)	0	100	100
2	A	414/429 (96%)	414 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	O	83/411 (20%)	83 (100%)	0	100	100
4	P	77/185 (42%)	77 (100%)	0	100	100
All	All	578/1029 (56%)	578 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	AJP	A	505	-	49,49,95	0.40	0	74,80,149	0.66	0
8	AJP	A	514	-	37,37,95	0.46	0	58,62,149	0.71	1 (1%)
8	AJP	A	509	-	37,37,95	0.44	0	58,62,149	0.71	1 (1%)
8	AJP	A	506	-	36,36,95	0.46	0	56,60,149	0.66	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	HEM	A	501	-	41,50,50	1.44	4 (9%)	45,82,82	1.40	6 (13%)
7	PKZ	A	502	-	59,67,67	3.56	17 (28%)	70,93,93	2.22	13 (18%)
5	PLM	B	101	1	16,16,17	0.28	0	15,15,17	0.54	0
8	AJP	A	507	-	37,37,95	0.45	0	58,62,149	0.70	1 (1%)
7	PKZ	A	503	-	27,33,67	3.28	11 (40%)	38,51,93	0.99	2 (5%)
8	AJP	A	508	-	30,30,95	0.59	0	45,49,149	0.69	0
8	AJP	A	511	-	35,35,95	0.44	0	54,58,149	0.58	0
8	AJP	A	512	-	36,36,95	0.47	0	56,60,149	1.51	7 (12%)
8	AJP	A	510	-	37,37,95	0.45	0	58,62,149	0.70	1 (1%)
7	PKZ	A	504	-	14,14,67	0.73	0	13,13,93	0.91	0
8	AJP	A	513	-	36,36,95	0.45	0	56,60,149	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	AJP	A	505	-	12/12/19/38	3/6/121/220	0/7/7/11
8	AJP	A	514	-	10/10/14/38	-	0/6/6/11
8	AJP	A	509	-	10/10/14/38	-	0/6/6/11
8	AJP	A	506	-	10/10/13/38	-	0/6/6/11
6	HEM	A	501	-	-	1/12/54/54	-
7	PKZ	A	502	-	-	22/62/82/82	0/3/3/3
5	PLM	B	101	1	-	9/13/14/15	-
8	AJP	A	507	-	10/10/14/38	-	0/6/6/11
8	AJP	A	508	-	7/7/11/38	-	0/5/5/11
8	AJP	A	511	-	9/9/12/38	-	0/6/6/11
7	PKZ	A	503	-	-	11/37/53/82	0/1/1/3
8	AJP	A	512	-	10/10/13/38	-	0/6/6/11
8	AJP	A	510	-	10/10/14/38	-	0/6/6/11
7	PKZ	A	504	-	-	3/12/12/82	-
8	AJP	A	513	-	10/10/13/38	-	0/6/6/11

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	502	PKZ	O4B-C1B	17.30	1.65	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	502	PKZ	C2B-C1B	-13.61	1.33	1.53
7	A	503	PKZ	O4B-C1B	10.37	1.65	1.42
7	A	502	PKZ	C9P-N8P	7.25	1.49	1.33
7	A	503	PKZ	C9P-N8P	6.91	1.48	1.33
7	A	503	PKZ	O4B-C4B	-6.32	1.30	1.45
7	A	503	PKZ	C2B-C1B	-6.30	1.33	1.53
7	A	502	PKZ	O4B-C4B	-6.28	1.31	1.45
7	A	502	PKZ	C5P-N4P	5.87	1.46	1.33
7	A	502	PKZ	C2-C1	4.61	1.55	1.50
6	A	501	HEM	C3C-C2C	-3.88	1.35	1.40
6	A	501	HEM	C3C-CAC	3.65	1.55	1.47
7	A	502	PKZ	C1-S1P	3.31	1.84	1.76
7	A	502	PKZ	P3B-O3B	3.27	1.65	1.59
7	A	503	PKZ	P3B-O3B	3.26	1.65	1.59
7	A	502	PKZ	C6A-N6A	3.21	1.45	1.34
7	A	502	PKZ	O3B-C3B	-2.92	1.33	1.44
7	A	503	PKZ	O3B-C3B	-2.91	1.33	1.44
6	A	501	HEM	CAB-C3B	2.88	1.55	1.47
7	A	502	PKZ	OAP-CAP	-2.54	1.37	1.42
7	A	502	PKZ	C5A-C4A	-2.52	1.34	1.40
7	A	502	PKZ	C2A-N3A	2.45	1.36	1.32
7	A	503	PKZ	O9P-C9P	-2.43	1.18	1.23
7	A	503	PKZ	OAP-CAP	-2.42	1.37	1.42
7	A	502	PKZ	O9P-C9P	-2.35	1.18	1.23
7	A	502	PKZ	C3B-C4B	2.29	1.59	1.52
7	A	503	PKZ	O2B-C2B	2.26	1.48	1.43
7	A	503	PKZ	P2A-O6A	2.23	1.68	1.59
7	A	502	PKZ	O2B-C2B	2.23	1.48	1.43
7	A	502	PKZ	P2A-O6A	2.21	1.68	1.59
7	A	503	PKZ	C3B-C4B	2.16	1.58	1.52
6	A	501	HEM	CMB-C2B	2.01	1.55	1.50

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	502	PKZ	C5A-C6A-N6A	10.83	136.81	120.35
7	A	502	PKZ	N6A-C6A-N1A	-7.40	103.22	118.57
8	A	512	AJP	C12-C07-C08	-6.74	97.60	104.88
7	A	502	PKZ	C2-C1-S1P	5.79	120.19	113.46
7	A	502	PKZ	N3A-C2A-N1A	-5.54	120.02	128.68
8	A	512	AJP	O09-C08-C10	4.47	119.36	110.17
7	A	502	PKZ	O1-C1-C2	-3.48	119.88	123.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	512	AJP	C83-C06-C05	3.04	120.47	114.92
7	A	502	PKZ	O9P-C9P-N8P	-2.99	116.58	122.99
7	A	503	PKZ	P2A-O3A-P1A	-2.88	122.96	132.83
8	A	512	AJP	C11-C12-C07	-2.83	95.35	100.19
7	A	503	PKZ	C3B-C2B-C1B	2.83	106.19	99.91
7	A	502	PKZ	P2A-O3A-P1A	-2.77	123.31	132.83
6	A	501	HEM	C4D-ND-C1D	2.73	107.89	105.07
6	A	501	HEM	CBA-CAA-C2A	-2.68	108.05	112.62
6	A	501	HEM	C4B-CHC-C1C	2.60	125.99	122.56
8	A	512	AJP	C12-C07-C06	2.50	129.05	120.56
7	A	502	PKZ	CAP-C9P-N8P	2.44	121.44	116.58
6	A	501	HEM	C1B-NB-C4B	2.41	107.56	105.07
7	A	502	PKZ	C2P-S1P-C1	2.40	109.36	101.87
7	A	502	PKZ	C6P-C5P-N4P	2.39	120.44	116.42
6	A	501	HEM	CMC-C2C-C3C	2.36	129.10	124.68
6	A	501	HEM	CAD-CBD-CGD	-2.35	108.54	113.60
8	A	507	AJP	C24-C23-C22	2.32	113.14	110.27
8	A	512	AJP	C85-O84-C05	2.27	118.01	113.72
8	A	509	AJP	C24-C23-C22	2.24	113.04	110.27
8	A	510	AJP	C24-C23-C22	2.23	113.03	110.27
8	A	514	AJP	C24-C23-C22	2.19	112.98	110.27
7	A	502	PKZ	CEP-CBP-CAP	2.14	112.54	108.82
7	A	502	PKZ	O4B-C1B-C2B	-2.09	103.87	106.93
7	A	502	PKZ	O1-C1-S1P	-2.07	119.93	122.61
8	A	512	AJP	C06-C07-C08	-2.05	100.61	104.34

All (98) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
8	A	505	AJP	C30
8	A	505	AJP	C15
8	A	505	AJP	C16
8	A	505	AJP	C27
8	A	505	AJP	C11
8	A	505	AJP	C19
8	A	505	AJP	C08
8	A	505	AJP	C12
8	A	505	AJP	C07
8	A	505	AJP	C10
8	A	505	AJP	C22
8	A	505	AJP	C20
8	A	506	AJP	C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
8	A	506	AJP	C16
8	A	506	AJP	C11
8	A	506	AJP	C19
8	A	506	AJP	C08
8	A	506	AJP	C12
8	A	506	AJP	C07
8	A	506	AJP	C10
8	A	506	AJP	C22
8	A	506	AJP	C20
8	A	507	AJP	C15
8	A	507	AJP	C16
8	A	507	AJP	C11
8	A	507	AJP	C19
8	A	507	AJP	C08
8	A	507	AJP	C12
8	A	507	AJP	C07
8	A	507	AJP	C10
8	A	507	AJP	C22
8	A	507	AJP	C20
8	A	508	AJP	C15
8	A	508	AJP	C16
8	A	508	AJP	C11
8	A	508	AJP	C08
8	A	508	AJP	C12
8	A	508	AJP	C07
8	A	508	AJP	C10
8	A	509	AJP	C15
8	A	509	AJP	C16
8	A	509	AJP	C11
8	A	509	AJP	C19
8	A	509	AJP	C08
8	A	509	AJP	C12
8	A	509	AJP	C07
8	A	509	AJP	C10
8	A	509	AJP	C22
8	A	509	AJP	C20
8	A	510	AJP	C15
8	A	510	AJP	C16
8	A	510	AJP	C11
8	A	510	AJP	C19
8	A	510	AJP	C08
8	A	510	AJP	C12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
8	A	510	AJP	C07
8	A	510	AJP	C10
8	A	510	AJP	C22
8	A	510	AJP	C20
8	A	511	AJP	C15
8	A	511	AJP	C16
8	A	511	AJP	C11
8	A	511	AJP	C19
8	A	511	AJP	C08
8	A	511	AJP	C12
8	A	511	AJP	C07
8	A	511	AJP	C10
8	A	511	AJP	C20
8	A	512	AJP	C15
8	A	512	AJP	C16
8	A	512	AJP	C11
8	A	512	AJP	C19
8	A	512	AJP	C12
8	A	512	AJP	C07
8	A	512	AJP	C10
8	A	512	AJP	C02
8	A	512	AJP	C22
8	A	512	AJP	C20
8	A	513	AJP	C15
8	A	513	AJP	C16
8	A	513	AJP	C11
8	A	513	AJP	C19
8	A	513	AJP	C08
8	A	513	AJP	C12
8	A	513	AJP	C07
8	A	513	AJP	C10
8	A	513	AJP	C22
8	A	513	AJP	C20
8	A	514	AJP	C15
8	A	514	AJP	C16
8	A	514	AJP	C11
8	A	514	AJP	C19
8	A	514	AJP	C08
8	A	514	AJP	C12
8	A	514	AJP	C07
8	A	514	AJP	C10
8	A	514	AJP	C22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
8	A	514	AJP	C20

All (49) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	502	PKZ	O1-C1-S1P-C2P
7	A	502	PKZ	C2-C1-S1P-C2P
7	A	502	PKZ	C5B-O5B-P1A-O2A
7	A	502	PKZ	CCP-O6A-P2A-O4A
7	A	502	PKZ	O9P-C9P-CAP-CBP
7	A	502	PKZ	N8P-C9P-CAP-CBP
7	A	502	PKZ	N8P-C9P-CAP-OAP
7	A	502	PKZ	CAP-C9P-N8P-C7P
7	A	503	PKZ	C3B-O3B-P3B-O9A
7	A	503	PKZ	C5B-O5B-P1A-O1A
7	A	503	PKZ	C5B-O5B-P1A-O2A
7	A	503	PKZ	CCP-O6A-P2A-O4A
7	A	503	PKZ	CCP-O6A-P2A-O5A
7	A	503	PKZ	CDP-CBP-CCP-O6A
7	A	503	PKZ	CEP-CBP-CCP-O6A
7	A	503	PKZ	CAP-CBP-CCP-O6A
7	A	502	PKZ	O9P-C9P-N8P-C7P
7	A	502	PKZ	C7-C8-C9-C10
7	A	502	PKZ	C2-C3-C4-C5
5	B	101	PLM	CB-CC-CD-CE
5	B	101	PLM	C3-C4-C5-C6
5	B	101	PLM	C5-C6-C7-C8
7	A	502	PKZ	C5P-C6P-C7P-N8P
7	A	502	PKZ	C4-C5-C6-C7
7	A	504	PKZ	C11-C10-C9-C8
7	A	502	PKZ	C6-C7-C8-C9
5	B	101	PLM	C7-C8-C9-CA
7	A	502	PKZ	O9P-C9P-CAP-OAP
8	A	505	AJP	O31-C26-O25-C23
5	B	101	PLM	C2-C3-C4-C5
7	A	504	PKZ	C10-C11-C12-C13
7	A	502	PKZ	C4B-C5B-O5B-P1A
7	A	502	PKZ	S1P-C2P-C3P-N4P
7	A	502	PKZ	C11-C10-C9-C8
7	A	504	PKZ	C9-C10-C11-C12
7	A	503	PKZ	C3B-O3B-P3B-O8A
7	A	503	PKZ	C5B-O5B-P1A-O3A

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
7	A	502	PKZ	CCP-O6A-P2A-O5A
5	B	101	PLM	C1-C2-C3-C4
5	B	101	PLM	C9-CA-CB-CC
5	B	101	PLM	CD-CE-CF-CG
5	B	101	PLM	CC-CD-CE-CF
8	A	505	AJP	C27-C26-O25-C23
7	A	502	PKZ	C3P-C2P-S1P-C1
8	A	505	AJP	C22-C23-O25-C26
7	A	502	PKZ	CCP-O6A-P2A-O3A
7	A	503	PKZ	CCP-O6A-P2A-O3A
6	A	501	HEM	C4D-C3D-CAD-CBD
7	A	502	PKZ	O4B-C4B-C5B-O5B



There are no ring outliers.




4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	501	HEM	2	0
7	A	502	PKZ	2	0
5	B	101	PLM	3	0
7	A	503	PKZ	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23837. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 188



Y Index: 188




Z Index: 188


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 164



Y Index: 194



Z Index: 223


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.877. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 45 nm^3 ; this corresponds to an approximate mass of 40 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.312\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-23837 and PDB model 7MHZ. Per-residue inclusion information can be found in section [3](#) on page [8](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.877 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.877).











9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.877) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8013	 0.5090
A	 0.7863	 0.5030
B	 0.8485	 0.5410
O	 0.8462	 0.5240
P	 0.8321	 0.5220

